

KENWOOD

Listen to the Future

A True Innovator to the True Amateur Hobbyist!



AES

AMATEUR ELECTRONIC SUPPLY

HAM RADIO CATALOG FALL/WINTER 2005

5710 W. Good Hope Rd.
Milwaukee, WI 53223
414-358-0333
1-800-558-0411
Fax 414-358-3337
Service 414-358-4087
milwaukee@aesham.com

28940 Euclid Ave.
Cleveland, OH 44092
440-585-7388
1-800-321-3594
Fax 440-585-1024
cleveland@aesham.com

621 Commonwealth Ave.
Orlando, FL 32803
407-894-3238
1-800-327-1917
Fax 407-894-7553
orlando@aesham.com

4640 South Polaris Ave.
Las Vegas, NV 89103
702-647-3114
1-800-634-6227
Fax 702-647-3412
lasvegas@aesham.com

Store Hours
Mon-Fri • 9am to 5:30pm
Saturday • 9am to 3pm

1-800-558-0411
www.aesham.com

COMING SOON! IC-7000

The design has not been approved by the FCC. It may not be sold or used, and approval by the FCC has been obtained. ©2005 Icom America, Inc. The Icom logo is a registered trademark of Icom. All specifications are subject to change without notice or obligation. 7000



It's the one you'll keep.

The IC-7000 represents a remarkable advancement in compact mobile/base rig technology. Experience digital performance formerly reserved for Icom's big rigs!

DSP

IF DSP. FIRST IN ITS CLASS. Two DSP processors deliver superior digital performance and incorporate the latest digital features including Digital IF filter, manual notch filter, digital twin PBT and more.

AGC LOOP MANAGEMENT. The digital IF filter, manual notch filter are included in the AGC loop, so you won't have AGC pumping.

DIGITAL IF FILTERS. No optional filters to buy! All the filters you want at your fingertips, just dial-in the width you want and select sharp or soft shapes for SSB and CW modes.

TWO POINT MANUAL NOTCH FILTER. Pull out the weak signals! Apply 70dB of rejection to two signals at once!

DIGITAL NOISE REDUCTION and **DIGITAL NOISE BLANKER** are also included.

PERFORMANCE

35W OUTPUT IN 70CM BAND. High power MOS-FET amps supply 35W output power in 70CM band as well as 100W in HF/50MHz bands and 50W in 2M.

HIGH STABILITY CRYSTAL UNIT. The '7000 incorporates a high-stability master oscillator, providing 0.5ppm (-0°C to +50°C). A must for data mode operation.

DDS (DIRECT DIGITAL SYNTHESIZER) CIRCUIT. Icom's new DDS circuit improves C/N ratio, providing clear, clean transmit signal in all bands.

FUNCTION

USER-FRIENDLY KEY ALLOCATION. Eight of the most used radio functions such as NB, NR, MNF, and ANF are controlled by dedicated function keys grouped around the display for easy visibility.

2.5 INCH COLOR TFT DISPLAY. The 2.5 inch color TFT display presents numbers and indicators in bright, concentrated colors for easy recognition.

BUILT-IN TV TUNER AND VIDEO OUTPUT JACK. Not only does the display provide radio status, but you can watch NTSC or PAL analog VHF TV channels!



For the love of **ham radio.**

AMATEUR

AVIONIC

LAND MOBILE

MARINE

RECEIVERS

WWW.ICOMAMERICA.COM

ICOM



Push the envelope

THE IC-7800 is the only advanced amateur HF to have two true, independent receivers built-in to one rig. They're identical, from antenna input through audio circuit, and they're matched for true receiver diversity. Their performance sets the amateur radio benchmark incredibly high: +40 dBm! No one else comes close. Find out more at your favorite AES location.

QUAD DSP TECHNOLOGY The '7800 incorporates four 32-Bit DSP processors: One unit per receiver, one for transmit, and one for the band scope.

2-MODE REAL-TIME BAND SCOPE Whether you want to watch band activity around your operating frequency, or search and pounce by using the fixed band scope, the '7800 sees the signals that others can't.

CW AUTO TUNE Quickly zero beat a CW signal, then tune slightly above or below, to break the pile-up! Each receiver has its own Auto Tune.

DIGITAL TWIN PASS BAND TUNING Reduce or completely eliminate interfering signals by narrowing and shifting the IF passband.

RTTY AND PSK31 ENCODE/DECODE More than just a tuning indicator, the '7800 has fully functional Encode/Decode software for hours of operating fun.

DIGITAL MODULATION Whether operating SSB, CW, AM or FM, the '7800 utilizes the DSP power to provide superior band characteristics as well as a high transmitter S/N.

200 WATTS @ 100% DUTY CYCLE The '7800 produces the biggest signal! Rated for 100% duty cycle, run it as hard as you can!

FRONT PANEL DYNAMIC ANTENNA SELECTOR No need to reach behind your radio to select an antenna - do it all from the front panel!

ATTENTION 6M ENTHUSIASTS The 7800 has a separate front-end specifically designed for 6m operation. This greatly reduces intermodulation characteristics, enabling weak signal work without distortion or interference from strong signals in the band.

CONTESTER DESIGNED ERGONOMICS All functions and controls are right where they should be, allowing you to keep one hand on the controls and one on the keyboard.

For the love of ham radio.

AES LOCATION MAPS.....	151
AES MANUFACTURER INFO.....	151
AES ORDER BLANK.....	146
AES POLICIES.....	147
AES PRICE GUIDE (by mfg. A-Z).....	2-27
AES PRODUCTS.....	127
AES SALES STAFF.....	148
AES SERVICE DEPT./SHIPPING INFO.....	149
AES USED & DEMO EQUIPMENT.....	28, 29
ORLANDO HAMCATION INFO.....	126

MANUFACTURER

AIM ELECTRONICS.....	76, 120, 144
ALAN BROADBAND.....	66
ALINCO.....	41, 42, 43, 52, 55, 58, CIV
ALPHA DELTA/KENT.....	91, 125
AMECO.....	82, 85
AMERITRON.....	80, 124, 125
AMPHENOL.....	144
ANTENEX.....	105
ANTENNA SPECIALISTS.....	139
ANTENNA SUPERMARKET.....	31
AOR.....	34, 86, 92
ARRL PRODUCTS.....	81, 86, 117, 132, 133, 134, 135, 136, 137
ARROW ANTENNA.....	92, 117
ARTSCI.....	140
ASTRON.....	76
B&W.....	118
BMI.....	88
BELDEN.....	120
BENCHER.....	81, 85
BETTER RF COMPANY.....	141
BOUNTY HUNTER.....	142
BUCKMASTER.....	134
BUSHNELL.....	71, 72
BUTTERNUT.....	117
CQ.....	134, 137
CABLE X-PERTS.....	120, 121
CELESTRON.....	70, 71, 136
CHANNEL MASTER.....	131
COAX SEAL.....	121
COAXIAL DYNAMICS.....	66
COBRA.....	35
COMET.....	79, 93, 94, 95, 96
COMMUNICATION OUTFITTERS.....	141
COMMUNICATIONS SPECIALISTS.....	82
CONNECT SYSTEMS INC (CSI).....	88
CREATIVE SERVICES SOFTWARE.....	87
CROSS DEVICES (CRS).....	121, 136
CUSHCRAFT.....	98, 99, 100, 101, 102, 103, 104
DAIWA.....	66, 125
DALBANI.....	144
DAVIS.....	73, 75
DCI.....	85
DIAMOND ANTENNA.....	66, 76, 79, 106-109, 116
ECG.....	131
ESP.....	143
EASY-UP.....	92
ELK ANTENNAS.....	90
EXCALIBUR.....	142
GAP.....	110, 138
GARMIN.....	39, 40
GE.....	30
GEAR KEEPER.....	141
GLEN MARTIN ENGINEERING.....	140
GROTHE ELECTRONICS.....	143

GRUNDIG/ETON.....	32, 33
HAL.....	87
HARGER.....	127
HEIL SOUND.....	72, 84, 134, 138, 143
HIGH SIERRA.....	118
HOBBY ZONE.....	145
HOUSE OF DEALS.....	144
HUSTLER ANTENNAS.....	35, 111, 112, 113
HY-GAIN.....	130
IBOTZ.....	142
ICC.....	139
ICOM.....	CII, 1, 34, 37, 38, 43-48, 52, 53, 58, 59, 73, 81, 88, 117, 125, 152, CIII
IDIDIOM PRESS (LOGIKEY).....	81
ISOTRON.....	116
K-COM.....	85
KANTRONICS.....	87
KENWOOD.....	C1, 37, 48, 49, 54, 59, 60, 84, 85, 144
KESTER.....	139
KOSS.....	84
KURANISHI.....	60, 93
LDG ELECTRONICS.....	88, 122
LACROSSE.....	74, 77
LAKEVIEW CO.....	117
LIGHTWAVE.....	142
LOGSAT.....	135
M2 ANTENNA SYSTEMS.....	117
MFJ.....	31, 55, 67-69, 77-79, 83-86, 88, 97, 120, 123, 125, 127, 131, 138, 141
MAGELLAN.....	40
MAHA.....	77
MALDOL.....	93-96
MEADE.....	70
MEADOW RIDGE PRODUCTS.....	121
MIDLAND.....	40, 75
MIRACLE ANTENNA.....	97
MIRAGE.....	79, 81
NGC.....	77
NCS.....	139
NIGHT OWL OPTICS.....	70
NORCOMM.....	82
OREGON SCIENTIFIC.....	73
OUTBACKER.....	90
PALOMAR ENGINEERS.....	85, 124, 141
PALSTAR.....	69, 122
PENETROX.....	121
PHILMORE.....	144
POLYPHASE.....	127
PRO AM.....	119
QRZ.....	135
RCA.....	88, 89
RADIALL/LARSEN.....	35, 114, 115
SGC.....	55, 81, 85, 124
SAMLEX AMERICA.....	76
SANGEAN.....	30
SEQUOIA.....	134, 135
SHAKESPEARE.....	118, 144
SMILEY ANTENNA.....	92
SOLARCON.....	35, 117
SONY.....	31
SYNTHETIC TEXTILES.....	120
TEAM LOSI.....	145
TERK.....	89
TESTORS.....	145
TIMES MICROWAVE.....	92, 143
TIMWAVE.....	86, 87

TRAXXAS.....	145
TRIPP LITE.....	77
US TOWER.....	128
UNIDEN.....	35, 36, 38
UNIFIED MICROSYSTEMS (W9XT).....	82, 141
UNIVERSAL TOWERS.....	129
VANCO.....	66, 77, 84, 144
VAN GORDEN.....	116, 121, 144
VECTRONICS.....	66, 85, 89, 124, 141
VELLEMAN.....	66, 69, 140
VIBROPLEX.....	82
W2AU (UNADILLA).....	116, 125
W4RT.....	90
WSYI/GORDON WEST.....	133
WAHL CLIPPER CORP.....	139
WATSON.....	136
WELLER.....	139
WEST MOUNTAIN RADIO.....	87, 140
WILEY.....	135
WILSON.....	35
WINEGARD.....	89, 120
YAESU.....	34, 38, 49, 50, 51, 52, 55, 56, 57, 60, 61, 62, 81, 84, 117, 131, 143

PRODUCT TYPE

ATV TRANSMITTER.....	69
AIRCRAFT RADIOS.....	37, 38
AMPLIFIERS (RF) & ACCESSORIES.....	53, 56, 79-81
ANTENNAS & ACCESSORIES.....	31, 35, 62, 62, 90-119, 138, 139, 141
ANTENNA TUNERS/CONTROLLERS.....	41, 88, 90, 122-125, 141
AUDIO CONSOLES/CONTROLLERS.....	124, 139, 143
ANTENNA WX PROTECTION PRODUCTS.....	121
BALUNS/INSULATORS.....	121, 122, 125
BATTERIES/CHARGERS.....	62, 76, 77
BINOCULARS.....	72
BOOKS/SOFTWARE/MAPS.....	32, 70, 81, 87, 132-137
CB EQUIPMENT.....	35
CLIMBING HARNESSSES.....	140
CLOCKS.....	88
COAX CONNECTORS/ADAPTERS.....	144
COAX CABLE/LADDER LINE.....	92, 109, 120, 121
COAXIAL/MIC SWITCHES.....	80, 91, 108, 120, 122, 125, 138
CODE PRACTICE.....	82, 83
CONTEST CARD (W9XT).....	141
DX BEACON.....	138
D-STAR.....	46, 88
DIGITAL CAPABLE RADIOS.....	43-46, 47, 58, 69
DIGITAL VOICE.....	86
DSP/NOISE REDUC/SPEECH ENHANC.....	34, 85, 86, 138
DUMMY LOADS.....	69, 80, 108
DUPLEXERS/TRIPLEXERS.....	79, 108
ELECTRONIC LAB KITS/OTHER KITS.....	66, 14, 142
ENCODERS/DECODERS.....	82
FAMILY RADIO/GMRS.....	38, 73
FILTERS.....	54, 85, 90
FLASHLIGHTS (SELF POWERED & LED).....	32, 142
GPS/SOFTWARE.....	39, 40
GEAR KEEPER.....	141
GROUNDING CABLE/DACRON ROPE.....	120
HEADPHONES/EARPHONES.....	54, 84
HORNS & SIRENS.....	143
HF RADIOS.....	C1, CII, 1, 42, 44, 45, 52-57, 62
HT 2M.....	41, 42-45, 47-50

HT 220MHz.....	41, 42
HT 440MHz.....	41, 42, 45, 47
HT DUAL/TRI/QUAD BAND.....	42-45, 48-52
I-MATE.....	141
INTERCONNECTS.....	88
INTERNET LINKING.....	143
KEYS/KEYERS/PADDLES/READERS.....	81-83, 91
MARINE RADIOS & ANTENNAS.....	37, 38, 118
METAL DETECTORS.....	142
MICROPHONES & ACC.....	53, 54, 56, 72, 84, 143
MICROSCOPES.....	71
MOBILE 1.2 GHz.....	44, 46
MOBILE 2M, 6M.....	42, 44, 45, 47, 58, 59, 60
MOBILE 220MHZ.....	42
MOBILE 440MHZ.....	42
MOBILE MULTI-BAND.....	42, 44-46, 56, 58-61
MOBILE MULTI-MODE.....	44, 45, 5-56, 58, 62
MULTI-MODE DATA CONTROLLERS.....	86, 87
NIGHTLOGGER.....	139
NIGHT VISION.....	70
PACKET/HF MODEM.....	86, 87
PHONE PATCH.....	138
PORTABLE PACKS.....	141
POWER OUTLETS/PANELS.....	77, 78
POWER PLUGS/ADAPTERS.....	77
POWER SUPPLIES/INVERTERS.....	41, 76, 78, 140
PREAMPLIFIERS.....	79
QRP RADIOS.....	45, 53, 55, 62, 69
QSL CARD HOLDERS.....	140
RTTY TUNING CONTROLLER.....	87
RADIO COMPARISON CHARTS.....	63-65
RIGBLASTERS.....	87
RIGRUNNERS.....	140
REMOTE CONT ARCFT/CARS/TRUCKS.....	145
REPEATER.....	143
ROTORS/CABLE/ACC.....	130, 131
SSB ADVENTURE RADIOS.....	69
SCANNERS.....	34, 36, 37, 38, 41
SECURITY.....	73
SELF-POWERED RADIO.....	32
SHORTWAVE.....	30-34, 41
SOLDERING/TOOLS.....	139
SOUND CARD INTERFACES.....	86, 87
SPEECH COMPRESSOR/PROCESSOR.....	90, 143
SPEAKERS/ENHANCER.....	53, 54, 138
SPEED GUN.....	71
STICKY PAD.....	143
SURGE/LIGHTNING PROTECTON.....	77, 91, 127
SWR/WATTMETERS/ANALYZERS.....	60, 66, 67, 68, 69, 80, 93, 122
TV/STEREO ACCESSORIES.....	89, 121
TALKING CHESS SET.....	142
TELESOPES/SPOTTING SCOPES.....	70, 71, 72
TEST EQUIPMENT.....	66, 68, 69, 77, 138, 140
TOOLS.....	120, 140
TRANSVERTER (6M).....	143
TUNE UP CONTROLS.....	141
TOWERS/TRIPODS/ACC.....	92, 128, 129
VHF DATA RADIOS.....	69
VHF/UHF/SATELLITE RADIOS.....	44, 52
VLF CONVERTERS.....	141
WEATHER RADIOS/INSTRUMENTS.....	73, 75
XM SATELLITE RADIO.....	32, 33
ZAP CHECKER.....	33, 33

CODES WITHIN THE PRICE GUIDE

(T) Item too large for ground shipment. Shipment by truck only. No COD, send payment in advance or use charge card for merchandise. Freight charges collected upon delivery.

Note: Charges for truck shipments from 1-99 lbs are running a minimum of \$80.00, plus local destination charges. It is advisable to contact a local freight office for a quotation.

(D) **DISCONTINUED** by Manufacturer but available from stock in limited quantities when price guide was published.

(†) **TEMPORARY LOW PRICE** due to special purchase, over stock, etc. Quantities may be limited at this price.

(A) Item **not discontinued** by Manufacturer but probably won't be available from AES when present stock is gone.

All Prices and Specifications in this catalog are subject to change without notice. Due to foreign currency fluctuations, promotions, manufacturer's specials, etc. prices may vary, so please confirm prices with salesperson before ordering.

AMATEUR ELECTRONIC SUPPLY® is not responsible for typographical errors or omissions.

Copyright © 2005 AMATEUR ELECTRONIC SUPPLY®

ADI (ADI)

CHA-120	Wall charger for RBP-120 batt	Δ	\$ 9.99
CHA-612	Wall charger for RBP-612 batt	D	29
CHA-672/CHA-607	Wall cgr; RBP-607 batt	D	.49
PCA-145	Cig lighter cable for AT-201HP	Δ	14.99
RBP-120	12v 700mah NiMH batt; AT201HP Δ		49.99
SD-911	Rapid charger for AT-201HP	Δ	59.99
SLC-200-L	5w case; older HT with nicad	Δ	6.99
PTC-001	Mobile power pack; PR-series	D	9.99
SLC-22L	Leather case; PR-series	D	4.99
AR-447	35w 440 MHz FM Xcvt w/TTP mic	Δ	209.99
MTG BKT	Extra mobile bracket	Δ	9.99
PROG-47	PC prog soft/cbl AR-147/247/447 Δ		39.99
PWR CORD	Extra DC cable	Δ	9.99

AES (AES)

SP-N	1.6kw 2.5GHz type N surge protector	...	\$ 39.99
SP-U	1.6kw 600MHz UHF surge protector	...	39.99
AP	Replacement arc-plug for SP-N/SP-U	...	9.99

AIM (AIM)

24-7735P	Coax stripper; RG-58/59/62	...	\$ 22.99
24-7736P	Coax stripper; RG-59/6/8281	...	21.99
24-7739P	Coax stripper; RG-8/11/213	...	29.99
38-305	500ma 3/4.5/6.7.5/12vdc adapter	...	10.99
38-384	4A power supply, 5A surge	...	44.99

AOR (AOR)

AR-3000AB	.1-2036MHz dlx w/SSB/cell blkd	...	1099.99
SDU-5500	Spectrum disp unit/PC interf D	...	899.99
SDU-5600	Spectrum disp unit/PC interface	...	1299.99
AR-8600 Mk II-B	.53M-2.04G base Rcvr/cell blkd	...	899.99
SDU-5500	Spectrum disp unit/PC interf D	...	899.99
SDU-5600	Spectrum disp unit/PC interface	...	1299.99
AR-8200 Mk III-B	.5M-3G hand/SSB/cell blkd	...	569.99
LC-8200	Leather case	...	24.99
SC-8200P	Soft case	...	13.99
LA-350	3-30MHz active loop antenna	...	339.99
350M	.54-1.6MHz antenna element	...	76.99
ARD-9000	Digital SSB interface	...	339.99
ARD-9800	Digital SSB/SSV interface	...	549.99
TDF-370	Multi-media terminal/DSP	...	299.99

ARRL (ARR)

9493	2006 hardcover Radio Amateur's HB w/CD	\$ 54.95
9485	2006 softcover Radio Amateur's HB w/CD	39.95
5781	1970-74 QST on CD-ROM	39.95
5773	1975-79 QST on CD-ROM	39.95
5765	1980-84 QST on CD-ROM	39.95
5757	1985-89 QST on CD-ROM	39.95
5749	1990-94 QST on CD-ROM	39.95
8497	1995-99 QST on CD-ROM	39.95
9418	2000-04 QST on CD-ROM	39.95
5579	1995 ARRL Periodicals CD-ROM	19.95
6109	1996 ARRL Periodicals CD-ROM	19.95
6729	1997 ARRL Periodicals CD-ROM	19.95
7377	1998 ARRL Periodicals CD-ROM	19.95
7881	1999 ARRL Periodicals CD-ROM	19.95
8209	2000 ARRL Periodicals CD-ROM	19.95
8632	2001 ARRL Periodicals CD-ROM	19.95
8802	2002 ARRL Periodicals CD-ROM	19.95
9124	2003 ARRL Periodicals CD-ROM	19.95
9396	2004 ARRL Periodicals CD-ROM	19.95
0011	200 Meters & Down (early ham radio)	12.00
9055	AC Power Interference Handbook 2nd Ed	29.95
9167	APRS Moving Hams on Radio & Internet	17.95
9450	Amateur Radio on the Move	19.95
9043	Antenna Book w/CD-ROM	39.95
0194	Antenna Compendium 1	10.00
2545	Antenna Compendium 2	14.00
5625	Antenna Compendium 5 w/software	20.00
7431	Antenna Compendium 6 w/software	22.95
8608	Antenna Compendium 7	24.95
4025	Beyond Line of Sight	12.00
9353	DXCC countries list	5.00
6354	DXing on the Edge	29.95
9388	Emergency Communication Handbook	19.95
8659	Extra Class License Manual	24.95
8888	Extra Q & A Manual	17.95
9000	FCC Rule Book	12.95
9205	General Class License Manual	16.95
9213	General Q & A Manual	12.95
2944	Grid Locator Atlas	5.00
9159	HF Digital Handbook 3rd edition	19.95
8268	Ham Radio FAQ	14.95
8926	Hints and Kinks 16th edition	15.95
9361	Hints and Kinks 17th edition	17.95
8616	Image Communications Handbook	25.95
8314	Introduction to Morse Code CD's (2)	14.95
8322	Introduction to Morse Code cassettes	14.95
4920	Introduction to RF Design	39.95
1250	Log Book	5.00
9175	Low Power Communication 2nd edition	19.95
8977	Map of North America	15.00
7539	Minilog	4.95
7709	More Wire Antenna Classics	14.00
0356	Morse Code the Essential Language	8.00
8810	Now You're Talking (new ham)	19.95
8276	On the Air With Ham Radio	17.95
9140	ON4UN's Low Band DXing w/CD-ROM	39.95
9132	Operating Manual	25.00
9310	RF Amplifier Classics	19.95
6621	RF Exposure and You	22.95
6834	RFI Book	24.95
9426	2005/2006 Repeater Directory	10.95
7369	Satellite Anthology 5th edition	15.00
6583	Satellite Handbook	24.95
8624	Simple and Fun Antennas for Hams	22.95
9116	Tech DVD Video Course/book/software	149.00
8837	Tech VHS Video Course/book/software	149.00
8845	Technician Course book/software only	29.00
8829	Technician Q & A Manual	12.95
2701	Transmitter Hunting	24.95
9434	05/06 TravelPlus for Repeaters CD-ROM	39.95

AES Price

ARRL - continued

AES Price

3983	Understanding Basic Electronics	20.00
9078	VHF/UHF Antenna Classics	14.95
5218	Vertical Antenna Classics	12.00
9183	Vintage Radio	19.95
9264	VolP and Amateur Radio	17.95
3657	W1FB's QRP Notebook	10.00
4483	Weather Satellite Handbook	20.00
7075	Wire Antenna Classics	14.00
5226	Radio Amateurs World Atlas	12.95
7717	World Azimuthal Map	15.00
8804	World Robinson Map	15.00
8187	Yagi Antenna Classics	17.95
5129	Your Mobile Companion	12.00

ATOC IRON HORSE (ATO)

AN-38	NMO to 3/8-24 thread adapter	D	\$ 13.99
D400-NMO	Hatch/trunk mt w/coax; NMO mt	D	29.99
D400-S0239	Hatch/trunk mt w/coax; UHF mt	D	29.99
IHF-12	12m 7' mobile antenna	D	9.99
IHF-15	15m 7' mobile antenna	D	14.99
IHF-17	17m 7' mobile antenna	D	19.99
IHF-30	30m 7' mobile antenna	D	9.99
IHF-75	75m 7' mobile antenna	D	26.99
IHF-10	10m 36" mini mobile antenna	D	19.99
IHF-12	12m 36" mini mobile antenna	D	9.99
IHF-15	15m 39" mini mobile antenna	D	14.99
IHF-30	30m 40" mini mobile antenna	D	14.99
IHF-80	80m 76" mini mobile antenna	D	19.99
IHM-144	2m 25w ¼ wave mag mt ant/BNC	D	9.99
IHM-220	220 25w ¼ wave mag mt ant/BNC	D	7.99
IHM-440	440 25w ¼ wave mag mt ant/BNC	D	14.99
IHS-B	Triangular stake bat mt/Hd it ang SO-239/24	D	24.99

Alan Broadband (ALA)

Zap Checker/180	Transmitter/bug detector	...	\$ 89.99
185	Dlx analog/dig transmitter/bug detector	...	159.99

ALINCO (ALI)

DJ-C7T	300mw cc size 2m/440 HT/lith ion/spkr	...	\$169.99
EBP-58N	Extra lithium ion battery	...	37.99
EDH-32	Cigarette lighter cable	...	19.99
EDS-7	Mic adapter for EME-17	Δ	7.99
EME-18	Earphone	...	13.99
EME-24	Earphone/mic	...	39.99
EME-25	Curl cord earphone	...	14.99
EMS-60	Speaker/mic	...	41.99
ERW-4C	PC cable	...	39.99
ESC-38	Soft case	...	14.99
EDC-55	Drop-in cgr; EBP30/31/32N; G1T	Δ	.29
EMS-50	Speaker/mic; DJ-C5T	Δ	29.99
DJ-196T	5w 2m FM HT/batt/cgr/TTP	...	119.99
DJ-296T	5w 220 FM HT/batt/cgr/TTP	...	179.99
DJ-296T	5w 440 FM HT/batt/cgr/TTP	...	149.99
DJ-596T MK II	5w 2m/440 HT/NIMH/cgr/TTP	...	209.99
EBG-6	Mobile bracket	...	15.99
EBP-48N	9.6v 700mah 5w nicad battery	...	64.99
EBP-50N	9.6v 700mah 5w NIMH battery	...	23.99
EBP-51N	9.6v 1500mah 5w NIMH battery	...	37.99
EBP-56N	7.4v 1000mah lithium ion battery	...	49.99
EDC-111	Charger for EBP-56N	...	45.99
EDC-16B	Cigarette lighter cable w/filter	...	21.99
EDC-36	Angle plug power cable w/filter	...	24.99
EDC-37	13.8v power cable	...	7.99
EDC-43	Cig lighter cable	...	10.99
EDC-88	Quick charger; nicad battery packs	...	59.99
EDC-93	Extra wall charger	...	10.99
EDC-97	Quick charger; NiMH battery packs	...	70.99
EDH-30	Dry cell battery case	...	15.99
EJ-43U	Digital board; original DJ-596T only Δ	...	69.99
EJ-47U	Digital board; Mk II versions	...	179.99
EME-6	Earphone	...	10.99
EME-12	Headset w/earphone/mic/VOX	...	69.99

Alinco - continued

AES Price

EME-13	Headset w/ear bud/mic/VOX	59.99
EME-15	Earphone/mic w/VOX	49.99
EME-20	Tie-pin mic & earphone	22.99
EMS-47	Sprk/mic w/volume control	24.99
ERW-4C	PC cable	39.99
ESC-36	Soft case for EBP-48N	13.99
SW-596	Windows prog software; DJ-596T ..	31.99
DJ-V5TH	5w 2m/440 FM HT/batt/cgr/TTP ..	209.99
EBP-46N	9.6v 600mah 5w nicad battery ...	64.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-91	Quick charger	59.99
EDH-29	Dry cell case for 4-AA's	12.99
EME-6	Earphone	10.99
EME-12	Headset w/earphone/mic/VOX	69.99
EME-13	Headset w/ear bud/mic/VOX	59.99
EME-15	Earphone/mic w/VOX	49.99
EME-20	Tie-pin mic & earphone	22.99
EMS-82	Remote speaker/mic	49.99
EMS-47	Sprk/mic w/volume control	24.99
ESC-35	Soft case for EBP-45N/46N	13.99
DJ-S11T	340mw 2m FM HT/battery holder ..	79.99
EBG-6	Mobile bracket	15.99
EDC-78	Wall charger; (not for alkalines) ...	7.99
EDH-18	12v to 5.5v DC/DC conv/cig plug ..	29.99
EME-6	Earphone	10.99
EME-12	Headset w/earphone/mic/VOX	69.99
EME-13	Headset w/ear bud/mic/VOX	59.99
EME-15	Earphone/mic w/VOX	49.99
EME-20	Tie-pin mic & earphone	22.99
EMS-47	Sprk/mic w/volume control	24.99
ESC-27	Soft case	16.99
DJ-S40T	500mw 440 FM HT/battery holder ..	89.99
EBG-6	Mobile bracket	15.99
EBP-52N	3.6v 500mah NiMH battery	37.99
EBP-53N	6v 500mah NiMH battery	45.99
EBP-54N	3.6v 1500mah NiMH battery	49.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-105	Drop-in NiMH battery cgr, less ps ..	24.99
EDC-93	Wall ps for EDC-105	10.99
EDH-31	Dry cell battery case	12.99
EME-6	Earphone	10.99
EME-12	Headset w/earphone/mic/VOX	69.99
EME-13	Headset w/ear bud/mic/VOX	59.99
EME-15	Earphone/mic w/VOX	49.99
EME-20	Tie-pin mic & earphone	22.99
EMS-82	Remote speaker/mic	49.99
EMS-47	Sprk/mic w/volume control	24.99
ESC-37	Soft case	13.99
EDH-27	Dry cell case w/charger; DJ-X2T ...	9.99
EDH-28	DC/DC converter w/cig plug; DJ-X2T ..	9.99
DJ-X3T	1.3GHz 1.3GHz AM/FM hand Rcvr/cell bldk ..	159.99
EBP-52S	3.6v 500mah NiMH battery	37.99
EDC-105	Drop-in NiMH battery cgr, less ps ..	24.99
EDC-93	Wall ps for EDC-105	10.99
EDH-31S	Dry cell battery case	12.99
ERW-4C	PC cable	39.99
ESC-37	Soft case	13.99
DJ-X7T	1.3GHz 1.3GHz AM/FM hand Rcvr/cell bldk ..	169.99
EBP-58N	Extra lithium ion battery	37.99
EDH-32	Cigarette lighter cable	19.99
EME-18	Earphone	13.99
EME-25	Curl cord earphone	14.99
ERW-4C	PC cable	39.99
ESC-38	Soft case	14.99
DJ-X10T	1.1MHz-2GHz AM/FMSB hand rcvr/cell bldk ..	309.99
EBP-34N	4.8v 1200mah nicad batteryD	79.99
EBP-37N	4.8v 700mah nicad battery	34.99

Alinco - continued

AES Price

EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-88	Quick charger; nicad battery packs ..	59.99
EDH-16	Dry cell battery case	12.99
EME-6	Earphone	10.99
ESC-28	Soft case for EBP-33N	13.99
ESC-29	Soft case for EBP-37N	13.99
ESC-30	Soft case for EBP-34N	13.99
DJ-X2000T	1.2149MHz receiver/cell blocked	499.99
EBP-34N	4.8v 1200mah nicad batteryD	79.99
EBP-37N	4.8v 700mah nicad battery	34.99
EDC-16B	Cigarette lighter cable w/filter	21.99
EDC-36	Angle plug power cable w/filter	24.99
EDC-37	13.8v power cable	7.99
EDC-43	Cig lighter cable	10.99
EDC-88	Quick charger; nicad battery packs ..	59.99
EDH-16	Dry cell battery case	12.99
EME-6	Earphone	10.99
ERW-4C	PC cable	39.99
ESC-28	Soft case for EBP-33N	13.99
ESC-29	Soft case for EBP-37N	13.99
ESC-30	Soft case for EBP-34N	13.99
DR-M06TH	20w 6m FM Xcvr/TTP/encoder	259.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
DR-135T Mk II	Blk 50w 2m FM Xcvr/TTP mic	169.99
DR-235T	Black 25w 220 FM Xcvr w/TTP mic ..	249.99
DR-435T Mk II	Blk 35w 440 FM Xcvr/TTP mic	269.99
EDC-37	13.8v power cable; ignition on/off ..	7.99
EDC-43	Cig lighter cable; ignition on/off	10.99
EJ-41U	1200/9600 TNC unit	129.99
EJ-47U	Digital board; Mk II versions	179.99
ERW-4C	PC cable	39.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
SW-620	Windows programming software ..	31.99
DR-135TP Mk II	Blk 50w 2m FM/TTP/1200/9600 TNC ..	269.99
EDC-37	13.8v power cable; ignition on/off ..	7.99
EDC-43	Cig lighter cable; ignition on/off	10.99
EJ-47U	Digital board; Mk II versions	179.99
ERW-4C	PC cable	39.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
SW-620	Windows programming software ..	31.99
DR-605TQ	50/35w 2m/440 FM/TTP/EJ24U tone sq ..	339.99
EMS-14	Desk top microphone	114.99
EDS-8	Adapter for EMS-14 w/DR-605TQ ..	28.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
DR-620T	50/35w 2m/440 FM Xcvr/TTP	339.99
DR-635T	50/35w 2m/440 FM Xcvr	369.99
EDS-9	Separation kit	45.99
EJ-47U	Digital board for DR-620T	179.99
EJ-50U	TNC unit for DR-620T	129.99
ERW-4C	PC cable	39.99
MB-130	Extra mobile bracket	19.99
HK-130	Hardware kit for MB-130	4.99
PC-15B	Extra DC cable	10.99
SW-620	Windows programming software ..	31.99
DX-70TH	Comp HF Xcvr/100w 6m/mob bkt ..	749.99
DM-330MVT	30A switching ps/meter/32A surge ..	179.99
EBG-8	Front control head bracket	15.99
EBG-9	Extra mobile bracket	32.99
EDS-5	5' microphone extension cable	36.99
EDS-6	15' remote cable	68.99

Alinco - continued

AES Price

EDX-2	160-10m 200w wire auto tuner	319.99
EMS-14	Desk top microphone	114.99
PC-25	Extra DC cable	35.99
DX-77T	160-10m HF Xcvr	699.99
DM-330MVT	30A switching ps/meter/32A surge ..	179.99
EDS-5	5' microphone extension cable	36.99
EDX-2	160-10m 200w wire auto tuner	319.99
EMS-14	Desk top microphone	114.99
PC-25	Extra DC cable	35.99

ALPHA DELTA (ALP)

ATT-3650	200w 3GHz type N surge protector ..	\$ 59.99
ATT-3650-HP	2kw 3GHz type N surge protector ..	59.99
ATT-3650U	200w 500MHz UHF surge protector ..	49.99
ATT-3650U-HP	2kw 500MHz UHF surge protector ..	49.99
ATT/3G50	Extra 200w arc-plug cartridge ...	14.99
ATT-HP/3G50HP	Extra 2kw arc-plug cart ..	14.99
Delta-2	500 MHz 2-pos coax switch/protector ..	49.99
Delta-2/N	1.3 GHz 2-pos type N switch/protector ..	64.99
Delta-4	500 MHz 4-pos coax switch/protector ..	79.99
Delta-4/N	1.3 GHz 4-pos type N switch/protector ..	89.99
D-4	Extra arc-plug; Delta-2/2N/4/4N	9.99
Delta-C	Kit w/cr ins/2 end ins/static protect ..	29.99
SEP	Extra arc-plug cart; DX-Ultra/Delta-C ..	15.99
Delta-CIN	Antenna end insulator	each 1.99
DX-80	80m 134' complete dipole antenna	58.99
DX-40	40m 67' complete dipole antenna	48.99
DX-40/20	40/20m 40' low profile dipole antenna ..	89.99
DX-20	20m 34' complete dipole antenna	48.99
DX-A	160-80-40m twin sloper antenna	70.99
DX-B	160-80-40-30m 60' sloper ant	80.99
DX-CC	80-10m 5-band 82' no trap, no tuner dipole ..	130.99
DX-DD	80/40m 82' Delta Dipole antenna	100.99
DX-EE	40-10m 4-band 40' no trap, no tuner dipole ..	110.99
DX-LB	160-80-40m 100' shortened dipole	130.99
DX-LB Plus	160/80/40/20/15/10m 100' short dip ..	160.99
DX-SWL	AM broadcast-13m 60' SWL sloper ant ..	89.99
DX-Ultra	AM broadcast-30MHz 80' SWL dipole ..	129.99
SEP	Extra arc-plug cart; DX-Ultra/Delta-C ..	15.99
Outpost	Base tripod mtg sys for mobile ant ..	199.99
Pathfinder	1.8-30MHz+6m dig auto ant tuner ..	249.99

Basic Technology Amateur Radio video & book .. Δ

AMECO (AME)

4-01	Code Course Instruction Booklet	D \$ 1.49
CODE COURSES - CASSETTE TAPES		
100-T	Junior code tape, 0-7% wpm	\$ 5.95
CODE PRACTICE OSCILLATORS & CODE KEYS		
K-1	Bakelite type key	\$ 10.95
K-4	Brass type key	16.95
OCM-2K	Code oscillator & CW monitor kit	19.99
OCM-2W	Wired oscillator & CW monitor	29.99

PREAMPLIFIERS

TPA	HF receive preamp & indoor active ant ..	\$ 79.99
P-9T	Power supply for TPA	9.99
PT-3	2-54 MHz transceiver preamp	139.99
P-12T	Power supply for PT-3	9.99

FILTERS

HP-75T	75 ohm high-pass filter	\$ 14.99
HP-300T	300 ohm high-pass filter	14.99

AMERITRON (AMR)

AL-80B	1kw PEP out linear amp (3-500Z)	1299.99
AL-82	1.5kw PEP out linear amp (2-3-500Zs) ..	2299.99
AL-572	1.3kw PEP out linear amp (4 572Bs) ..	1349.99
AL-800	1250w PEP out linear (3CX800A7)	1699.99
AL-800H	1.5kw PEP out amp (2 3CX800A7) ..	2499.99
AL-811	600w PEP out linear amp (3 811As) ..	599.99
AL-811H	800w PEP out linear amp (4 811As) ..	749.99
AL-1200	1.5kw PEP out linear (3CX-1200A7) ..	2299.99
AL-1500	1.5kw out linear amplifier (8877)	2649.99

Ameritron - continued AES Price

ALS-500M 500w PEP out solid state mob amp	739.99
ALS-500RC Remote head; sn 13049 & up	49.99
ALS-600 600w PEP out solid state amp w/ps	1129.99
ALS-600S 600w PEP out solid state amp/switching ps	1249.99
ARB-704 Amplifier Xcvt interface buffer	49.99
PNP-5M Plug & play cable; FT-847	15.99
PNP-7D Plug & play cable; TS-570S/870S/2000	15.99
PNP-8D Plug & play cable; FT-920/1000 series	15.99
PNP-8M Plug & play cbl; FT-817/840/857/897	15.99
PNP-8MK Plug & play cable; TS-480	15.99
PNP-13D Plug & play cable; IC-706 series	15.99
PNP-35 Plug & play cable; FT-100 series	15.99
ARB-70412 Amp Xcvt interface/cbl; IC-706 series	49.99
ATP-100 Amplifier tuning pulser	49.99
ATP-102 Deluxe amplifier tuning pulser	59.99
ATR-20 1.2kw PEP antenna tuner	419.99
ATR-30 3kw PEP antenna tuner	549.99
ADL-1500 1.5kw dummy load with oil	69.99
ADL-2500 2.5kw dummy load with fan	189.99
ICP-120 120v inrush protector	79.99
ICP-240 240v inrush protector	79.99
AWM-30 3kw PEP SWR/wattmeter/rem sens	139.99
QSK-5 Stand alone T/R switch	329.99
QSK-5PC PC board kit; T/R switch	229.99
CF-5 Cooling fan for QSK-5	39.99
RCS-4 4-pos wireless remote coax switch	129.99
RCS-8V 160-2m 5-pos remote coax switch	139.99
RCS-8VN 160-2m 5-pos N rem coax switch	149.99
Note: RCS-8V/N require 8-wire control cable.	
RCS-10 DC-100MHz 8-pos remote coax switch	149.99
Note: RCS-10 requires 4-wire control cable.	

ANTENEX (ANX)

AB-FT 118-896MHz 1/4 wave NMO whip	\$ 16.99
AB-SCANC VHF/UHF/800MHz NMO scan ant	29.99
BB-1442N 144-174 2.4db no gnd plane NMO mob	39.99
BB-1443 144-174MHz 3db 49" NMO mobile	39.99
BB-4303 430-450 3db 11 1/2" NMO mobile	34.99
CB-144/440C 2m/440 2/5db 36" NMO mobile	49.99
CWB-1443 Self-tuning 144-156 3db NMO mob	49.99
CWB-4405C Self-tuning 440-470 5db NMO mob	49.99
FG-1440 2m 92" fg unity gain N base ant	119.99
FG-1443 2m 107" fg 3db N base antenna	199.99
FG-4403 440-450 44" fg 3db N base ant	149.99
FG-4405 440-450 76" fg 5db N base ant	199.99
FM-2 Heavy duty mounting bkt for FG-series	29.99
GB-8PST1 NMO mag mt w/coax & teflon PL259	29.99
GPSU-15GBNC GPS mag mt ant/coax/BNC D	59.99
LMBB-9034 Mirror mt 3/4" hole L-bracket	10.99
NB-8PST NMO hole mt w/coax & teflon PL259	15.99
TM8-PST Chrome NMO mini trunk mt/coax/PL259	29.99
TRABT-1420 142-164 Phantom whipless NMO	59.99
TRAB-4303 430-450 3db Phantom whipless NMO	29.99
VTPM NMO mt; up to 1" thick plate (UHF barrel)	15.99
Y-1363 136-150MHz 3el 7.1db gold beam	119.99
Y-1365 136-150MHz 5el 9.2db gold beam	169.99
Y-4303 430-450 3el 7.1db gold welded beam	99.99
Y-4305 430-450 5el 9.2db gold welded beam	129.99

Antenna Specialists (ASP)

APR143 2m 23" on glass cell look-alike ant	\$ 69.99
APS151 2m 3db 33" on glass antenna	69.99
KAV-353 On glass replacement mtg kit	12.99

Antenna Supermarket (ANT)

Eavesdropper* 60-11m trap dipole SWL ant	\$ 89.99
--	----------

*Specify S0-239 or twin-lead

ANTENNA WORLD (ANW)

COM136-4500NP VHF/UHF port dipole/BNC	\$ 19.99
---------------------------------------	----------

ARROW Antenna (ARA)

146/437-10 3 el 2m/7 el 440 handheld beam	\$ 73.00
---	----------

Arrow - continued AES Price

146/437-10BP 3el 2m/7el 440 HH split bm beam	79.00
10w duplexer (installs in boom) w/BNC	59.00
10w duplexer (installs in boom) w/SMA	64.00
OSI-146/440 2m/440 57.5" J-pole antenna	39.99

ARTSCI (ART)

Lost Users Manuals	\$ 19.95
Repeater Mapbook 12th edition	14.99

ASTRON (ASR)

RS-4L 3A ps, 4A surge, w/cig lighter socket	\$ 49.99
RS-7A 5A power supply, 7A surge	59.99
RS-10A 7.5A power supply, 10A surge	69.99
RS-12A 9A power supply, 12A surge	79.99
RS-12S 9A ps, 12A surge, w/speaker	89.99
RS-20A 16A power supply, 20A surge	99.99
RS-35A 25A power supply, 35A surge	149.99
RS-35A/220V 220v 25A ps, 35A surge	169.99
RS-50A 37A power supply, 50A surge	219.99
RS-70A 57A power supply, 70A surge	259.99
RS-20M 16A ps w/meters, 20A surge	119.99
RS-35M 25A ps w/meters, 35A surge	169.99
RS-50M 37A ps w/meters, 50A surge	239.99
RS-70M 57A ps w/meters, 70A surge	289.99
VS-20ML Variable 16A ps/meters, 20A surge	139.99
VS-35M Variable 25A ps/meters, 35A surge	189.99
VS-50M Variable 37A ps/meters, 50A surge	259.99
RM-35M 25A rack mt ps/meters, 35A surge	249.99
RM-50M 37A rack mt ps/meters, 50A surge	279.99
RM-60M 50A rack mt ps/meters, 55A surge	359.99
SS-25 20A switching ps, 25A surge	109.99
SS-25M 20A switching ps/meters, 25A surge	129.99
SS-30 25A switching ps, 30A surge	119.99
SS-30M 25A switching ps/meters, 30A surge	139.99
12/115 200w 12vdc-115vac inverter	24.99
N2412-12 10A 22-32vdc to 13.8vdc converter	49.99
N2412-24 20A 22-32vdc to 13.8vdc converter	79.99

BMI (BMI)

972AD 14" 12/24-hour wall clock	\$ 32.99
973A 12" 24-hour wall clock	49.99

B & W (B&W)

AC-1.8-30 Continuous 1.8-30 MHz vee ant	\$209.99
ACS-5-30 5-30 Mhz stainless 65' folded dipole D	219.99
AP-10A 51" portable 40/20/15/10/6/2m ant D	79.99
AP-10B 51" portable 40/20/15/10/6/2m ant	89.99
AT-55 40/20/15/10m 55' trap dipole ant ...D	79.99
BWD-20 14-30 MHz 20' folded dipole	199.99
BWD-45 7-30 MHz 45' folded dipole	199.99
BWD-65 4-30 MHz 65' folded dipole	209.99
BWD-90 1.8-30 MHz 90' folded dipole	209.99
FDMK Mtg kit; folded dipole w/3 pole installation	45.99

BELDEN (BEL)

52 OHM COAXIAL CABLE

8216 RG-174 (sub-miniature)	per ft. \$.33
8216	100 ft. Roll 31.99
8216	500 ft. Roll 114.99
8216	1000 ft. Roll 214.99
8240 RG-58U (solid center)	per ft. .34
8240	100 ft. Roll 32.99
8240	500 ft. Roll 124.99
8240	1000 ft. Roll 229.99
8259 RG-58AU (stranded center)	per ft. .38
8259	100 ft. Roll 36.99
8259	500 ft. Roll 124.99
8259	1000 ft. Roll 229.99
8219 RG-58AU (stranded, foam)	per ft. .32
8219	100 ft. cut 29.99
8219	500 ft. Roll 109.99

Belden - continued AES Price

8219	1000 ft. Roll	199.99
8262 RG-58CU (non-contaminating)	per ft.	.42
8262	100 ft. cut	39.99
8262	500 ft. Roll	164.99
8262	1000 ft. Roll	299.99
9258 RG-8X (stranded, foam)	per ft.	.39
9258	100 ft. cut	34.99
9258	500 ft. Roll	134.99
9258	1000 ft. Roll	249.99
8237 RG-8U	per ft.	.64
8237	100 ft. Roll	59.99
8237	500 ft. Roll	249.99
8214 RG-8U (foam)	per ft.	.62
8214	100 ft. Roll	57.99
8214	500 ft. Roll	274.99
8214	1000 ft. Roll	514.99
9913 RG-8U (low loss)	100 ft. Roll	59.99
9913	250 ft. Roll	129.99
9913	500 ft. Roll	239.99
9913F7 RG-8U (low loss, flexible)	per ft.	.87
9913F7	100 ft. Roll	79.99
9913F7	250 ft. Roll	159.99
9913F7	500 ft. Roll	289.99
9251 RG-8A (non-contaminating)	per ft. Δ	.59
8267 RG-213 (non-contaminating)	per ft.	.89
8267	100 ft. cut	84.99
8267	500 ft. Roll	369.99

75 OHM COAXIAL CABLE

8241 RG-59U (73 ohm, solid center)	per ft.	\$.38
8241	100 ft. Roll	35.99
8241	500 ft. Roll	109.99
8241	1000 ft. Roll	209.99
9248 RG-6U (75 ohm, solid center)	per ft.	.42
9248	1000 ft. Roll	299.99
8238 RG-11 (75 ohm, stranded center)	per ft.	1.09
8238	100 ft. cut	99.99
8238	500 ft. Roll	399.99
8213 RG-11 (75 ohm, solid, foam)	per ft.	1.04
8213	100 ft. cut	94.99
8213	500 ft. Roll	379.99

ROTOR CABLE

8484 4-wire; 4-20 gauge	per ft.	\$.36
8484	100 ft. cut	29.99
8484	500 ft. Roll	139.99
8484	1000 ft. Roll	259.99
8448 8-wire; 2-18, 6-22 gauge	per ft.	.34
8448	100 ft. cut	29.99
8448	500 ft. Roll	134.99
8448	1000 ft. Roll	259.99
9405 8-wire; 2-16, 6-18 gauge	per ft.	.74
9405	100 ft. cut	69.99
9405	500 ft. Roll	319.99
9405	1000 ft. Roll	599.99

COPPERWELD ANTENNA WIRE

8000 No. 14 stranded antenna wire	per ft.	\$.34
8000	100 ft. Roll	28.99
8000	1000 ft. Roll	229.99

No. 8 ALUMINUM GROUND WIRE

8018 Multiples of 50 ft.	each	\$ 18.99
8018	500 ft. Roll Δ	49.99

Note: All above roll pricing is for rolls as shown only; all other lengths, even if more than roll length shown or a multiple of roll length shown, are sold at the per ft. price.

FOAM COAX w/PL-259s ON BOTH ENDS

9354 50' RG-8U foam	\$ 69.99
9355 75' RG-8U foam	89.99

Belden - continued	AES Price
9356 100' RG-8U foam	99.99
BELMERIT (BLM)	
DM-80 Credit card size multimeter w/case Δ	\$ 29.99
BENCHER (BEN)	
BY-1 Iambic keyer paddle w/black base	\$109.99
BY-2 Iambic keyer paddle w/chrome base	129.99
BY-3 Iambic keyer paddle, gold plated	299.99
BY-4 Iambic paddle/blk base/gold components	169.99
170-82 Mercury paddle	449.99
ST-1 Single lever keyer paddle, black base ...	109.99
ST-2 Sgl lever key paddle, chrome base	129.99
RJ-1 Dlx hand key w/navy knob/black base ...	105.99
RJ-2 Dlx hand key w/navy knob/chrome base	129.99
HWK Hardware kit; ZA-1A for 2" boom	29
YA-1 1kw low pass filter	85.99

BETTER RF (BET)	
706 Tune Control for IC-706 series/IC-718 ...	\$ 32.99
I-Mate Message acc; 746PRO/756PRO II/III ..	74.99
Yae Tune Control for FT-100/857/897 series ..	44.99

Bounty Hunter (BOU)	
Fast Tracker Metal detector/2-tone target ID	\$ 99.99
Tracker IV Metal detector/3-mode	129.99
Quick Draw II Metal detector/full motion	229.99
Sharp Shooter II Metal detector/LCD readout	299.99
Land Star Metal detector/3-tone audio discrim	349.99
Land Ranger Metal detector/programmable ..	449.99
Time Ranger Metal detector/top-of-the-line ..	549.99
Carry Bag For Bounty Hunter metal detectors	29.99
10" Coil 10" magnum coil; adds depth	49.99

BUCKMASTER (BUC)	
HamCall CD-ROM ham listings	\$ 50.99

BUSHNELL (BUS)	
13-0430 4x30 LiteVision compact binoculars	\$ 13.99
13-0721 7x21 compact Falcon binoculars ..D	14.99
13-1226 12x25 camo FRP compact binocs ..	29.99
13-1250 12x50 wide angle Powerview binocs	59.99
13-2514 8x21 black compact binoculars	17.99
13-3410 7x35 Falcon binoculars	29.99
26-3150 Night Vision 3.1x50 binocular	499.99
78-0040 90mm refractor telescope	349.99
78-0200 4.5" reflector telescope	269.99
78-2010 4.5" reflector telescope	199.99
78-2061 20-60x60 spotting scope w/tripod ..	79.99
78-0101 1.25" 9mm Kellner eye; 0040/6000/8000 Δ	19.99
10-1911 Velocity sports speed gun	99.99

BUTTERNUT (BUT)	
Skyhawk 3X10 Triband 10 el, 24' beam w/bauln *	\$ 999.99
*Skyhawk 3X10 is drop-shipped (shipped direct to you from the Butternut factory). On factory drop-shippments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Wood Dale, Illinois via UPS, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on this special order item.	
HF-6VX 80/40/30/20/15/10m 26' vert ant	349.99
HF-9VX 80/40/30/20/17/15/12/10/6m 26' vert	399.99
A17-12 17 & 12m kit for HF-6VX	65.99
CPK Counterpoise kit	139.99
RMS Mounting post sleeve	12.99
MKP-II Roof mounting kit w/radials	169.99
STR-II Radial kit only	129.99
TBR-160S 160m resonator	129.99
HF-2V 80/40m 32' vertical	269.99

Butternut - continued	AES Price
30-MRK 30m resonator for HF-2V	109.99
TBR-160S 160m resonator	129.99
CQ (CQX)	
Building and Using Baluns and Ununs	\$ 19.99
HR Anthology - Homebrewing Techniques	19.99
Lew McCoy on Antennas	15.99
W6SAI HF Antenna Handbook	19.99

CSS (CSS)	
Pactern for Windows Software; Kan TNCs ...	\$ 99.99
PKTerm for Windows Software; PK-12/96/232	99.99

CABLE X-PERTS (CAB)	
CXP1318FX CXP1318FX (low loss, flexible) per ft.	\$.77
CXP1318FX	500 ft. Roll 349.99
CXP1318FC-3 3' CXP1318FX/silver teflon PL259s	15.99
CXP1318FC-50 50' CXP1318FX/silver teflon PL259s	55.99
CXP1318FC-75 75' CXP1318FX/silver teflon PL259s	75.99
CXP1318FC-100 100' CXP1318FX/silver teflon PL259s	98.99
CXP1318FC-150 150' CXP1318FX/silver teflon PL259s	138.99
CXP1318FN-3 3' CXP1318FX/type N males	19.99
CXP1318FN-75 75' CXP1318FX/type N males	81.99
CXP1318FN-100 100' CXP1318FX/type N males	105.99
CXP1318FN-125 125' CXP1318FX/type N males	116.99

CXP008C-3 3' RG8 foam/silver teflon PL259s	13.99
CXP008C-6 6' RG8 foam/silver teflon PL259s	16.99
CXP008C-25 25' RG8 foam/silver teflon PL259s	27.99
CXP008C-50 50' RG8 foam/silver teflon PL259s	41.99
CXP008C-75 75' RG8 foam/silver teflon PL259s	56.99
CXP008C-100 100' RG8 foam/silver teflon PL259s	72.99
CXP008C-125 125' RG8 foam/silver teflon PL259s	79.99
CXP213C-6 6' RG213/silver teflon PL259s ...	16.99
CXP213C-15 15' RG213/silver teflon PL259s	22.99
CXP213C-25 25' RG213/silver teflon PL259s	39.99
CXP213C-50 50' RG213/silver teflon PL259s	49.99
CXP213C-75 75' RG213/silver teflon PL259s	59.99
CXP213C-100 100' RG213/silver teflon PL259s	75.99
CXP08XC-3 3' RG8X/silver teflon PL259s	12.99
CXP08XC-25 25' RG8X/silver teflon PL259s ..	25.99
CXP08XC-50 50' RG8X/silver teflon PL259s ..	29.99
CXP08XC-75 75' RG8X/silver teflon PL259s ..	33.99
CXP08XC-100 100' RG8X/silver teflon PL259s	37.99
6633S Type N male plug	4.99
CXP058ARBS-3 3' RG58/BNC male - SO-239	21.99
CXP142SBJ-3 3' RG142/SMA male - BNC female	19.99
CXP08XC-3 3' RG8X/male BNCs	13.99
CXP08XC-6 6' RG8X/male BNCs	14.99
CXP316RSO-3 3' RG316/SMA male - SO-239	19.99
CXP522-6 6' keyer hook-up cable w/S-267 plug	23.99
235 1" tinned copper ground braid	per ft. 1.13
235	100 ft. Roll 92.99
2332 3/4" tinned copper ground braid	per ft. .69
2332	100 ft. Roll 52.99
AZ-10 10ga red/black DC power cord	per ft. .60
AZ-10	100 ft. Roll 50.99
AZ-12 12ga red/black DC power cord	per ft. .42
AZ-12	100 ft. Roll 32.99

CAT Comm (CAT)	
NVSCAN-1 Southern NV Radio Scanning Directory	\$ 15.99
CELESTRON (CEL)	
4020 40x dissecting microscope	\$ 79.99
4030 40-500x educational microscope	119.99
4050 400/100/400x biological microscope ..	199.99
10110 StarHopper 10 Dobsonian telescope ..	549.99
10112 StarHopper 12 Dobsonian telescope ..	999.99
10800 StarHopper 8 Dobsonian telescope ..	399.99
93501 Heavy duty tripod; NexStar 8i	249.99
21016 C-4R refractor telescope	399.99

Celestron - continued	AES Price
21019 C-6R refractor telescope	849.99
21052 FirstScope 60AZ refractor telescope ...	99.99
21086 FirstScope 80EQ refractor telescope D	249.99
22062 NexStar 60GT telescope	D 249.99
22082 NexStar 80GT telescope	D 299.99
302160 Soft case for Nexstar 60/80	Δ 49.99
31044 FirstScope 114 4.5" reflector telescope ..	249.99
31056 C-6N reflector telescope	399.99
31142 NexStar 114GT reflector telescope ...D	369.99
52211 60mm wildlife zoom spotting scope/tripod D	129.99
LENSES (not for 10110, 10112, 31034)	
93318 1.25" 9mm Omni lens	\$ 49.99
93320 1.25" 15mm Omni lens	49.99
93326 1.25" 2x Omni Barlow lens	59.99
93351 1.25" 7.5mm Ulima lens	129.99
93352 1.25" 12.5mm Ulima lens	129.99
93353 1.25" 18mm Ulima lens	129.99
93387 1.25" 5mm X-Cel lens	89.99
93389 1.25" 10mm X-Cel lens	89.99
93391 1.25" 18mm X-Cel lens	89.99
93507 1.25" 2x deluxe Barlow lens	D 29.99
94303 Plossl lens/filter kit w/carrying case ...	199.99
51630 Star pointer finderscope	30.99
93497 Standard tripod	Δ 89.99
93590 Red Astro Lite flashlight	5.99
93700 CD-ROM "The Sky for Celestron"	29.99
93722 Sky Map	19.99
94108 Diagonal, erect image 90°	49.99
94119-A 1.25" moon filter	15.99
94119-10 Eyepc filter set (21/80AND13/polarizing)	49.99
94126-A Model A LPR filter; for 1 1/4" eyepieces D	59.99

Sorry, no exports on Celestron products.

Channel Master (CHA)	
9521A Prog light rotor/R/R rem cont/3-wire	\$ 99.99
CLOCKS	

BMI 972AD 14" 12/24-hour wall clock	\$ 27.99
BMI 973A 12" 24-hour wall clock	49.99
MFJ 105C 24-hour quartz wall clock	19.99
MFJ 107B 24-hour digital clock	9.99
MFJ 108B 24/12-hour dual disp digital clock	19.99
MFJ 112B Deluxe world map clock	24.99
MFJ 112 24/12-hr 1.8" LED clock/batt back-up	19.99
MFJ 115 Dlx'er 24-hr analog world wall clock	24.99
MFJ 118 Giant 24/12 hour LCD clock	24.99
MFJ 123 Eternity solar atomic clock	79.99
MFJ 125 Calendar 24-hour analog wall clock	29.99

COAX SEAL (UNV)	
104 1/2" x 60' coax seal	\$ 3.99

Coaxial Dynamics (COA)	
81000-A Wattmeter w/SO-239s	\$275.99
83000-A Peak reading wattmeter w/SO-239s	393.99
82004 50w 2-30MHz element	87.99
82005 100w 2-30MHz element	87.99
82006 250w 2-30MHz element	87.99
82007 500w 2-30MHz element	87.99
82008 1000w 2-30MHz element	87.99
82009 2500w 2-30MHz element	125.99
82010 5000w 2-30MHz element	125.99
82013 10w 25-60MHz element	71.99
82014 25w 25-60MHz element	71.99
82015 50w 25-60MHz element	71.99
82016 100w 25-60MHz element	71.99
82029 10w 100-250MHz element	71.99
82031 50w 100-250MHz element	71.99
82033 250w 100-250MHz element	71.99
82046 10w 400-1000MHz element	71.99
82048 50w 400-1000MHz element	71.99
82049 100w 400-1000MHz element	71.99

Coaxial Dyn - continued AES Price

8800N N female quick match connector each	12.99
88800 Carrying case for meter	65.99

COBRA (COB)

19DX IV AM Mobile CB	\$ 49.99
20XTR AM Mobile CB w/neon magnetic ant	79.99
25LTD (25LTD Classic) AM Mobile CB	89.99
25WXNW ST Night Watch Sound Tracker AM/Mob CB/WX	109.99
29LTD (29LTD Classic) AM Mobile CB	99.99
29NW Night Watch AM Mobile CB	119.99
29WXNW ST Night Watch Sound Tracker AM/Mob CB/WX	129.99
75WX ST Sound Tracker AM Mobile CB w/WX	99.99
148GTL SSB/AM Mobile CB	149.99
HH-Road Trip Sound Tracker HH CB/WX/mag ant	79.99
HGA-1000 Magnet mt CB antenna	19.99
HGM-77 Noise canx/amplified mobile mic	24.99

COMET (CMT)

SWR/POWER METER

CMX-1 1.8-60MHz 2kw remote SWR/pwr meter	\$169.99
EKS-3 Optional 10' extension cable for CMX-1	28.99

MOBILE ANTENNAS

B-10 2m/440 2.15db 12" cell look-alike ant	\$ 42.99
B-10NMO 2m/440 2.15db 12" cell look-alike NMO	42.99
C-757 2m/440 2.15/5.5db 38" foldover ant	59.99
C-757NMO 2m/440 2.15/5.5db 38" foldover NMO	59.99
C-767 2m/440 3.5/6db 40" foldover ant	64.99
C-767NMO 2m/440 3.5/6db 40" foldover NMO	64.99
CA-2X4SR 2m/440 3.8/6.2db 40" mob ant	69.99
HA-050 6m 33" x wave mobile antenna	49.99
HP-32 2m/440 3.5/5db 34" 350/250w ant	59.99
HP-32FHN 2m/440 3.5/5db 34" 350/250w ant	89.99
M-24B 2m/440 1.7/4.1db mag mt ant w/BNC	39.99
M-24M 2m/440 1.7/4.1db mag ant w/PL259	39.99
SBB-1 2m/440 1.5/2.15db 16" flex mobile	42.99
SBB-1NMO 2m/440 1.5/2.15db 16" flex NMO	42.99
SBB-2 2m/440 2.15/3.8db 18" black mobile	42.99
SBB-2NMO 2m/440 2.15/3.8db 18" blk NMO	42.99
SBB-5 2m/440 2.5/5.5db 39" black mobile ant	58.99
SBB-5NMO 2m/440 2.5/5.5db 39" black NMO	58.99
SBB-7 2m/440 4.5/7.2db 58" black mob ant	79.99
SBB-7NMO 2m/440 4.5/7.2db 58" black NMO	79.99
SB-14 6m/2m/440 43" chrome mobile ant	67.99
SB-15 6m/2m/440 2.15/4.5/7.2db 58" chr mob	84.99
SBB-25 2m 4.1db black mobile antenna	48.99
SBB-25NMO 2m 4.1db black NMO mob ant	48.99
SB-97 2m/440/1.2 3/6.8/9.6db 39" type N	84.99
SB-123 1.2GHz 7.2db 24" type N mobile ant	54.99
SBB-224 2m/220/440 2.15/3.2/6db blk mob	78.99
SBB-224NMO 2m/220/440 2.15/3.2/6db blk NMO	78.99
SF-245 2.4 GHz 7db 18" fg type N ant	44.99
SF-245SPR 2.4GHz 7db 18" fg N ant/spring	69.99
UHV-4 10/6/2/440 55" mobile ant; FT8900R	109.99
UHV-6 40/15/10/6/2m/440 78" mobile ant	159.99
L-3.5 80m loading coil for UHV-6	34.99
L-14 20m loading coil for UHV-6/CA-HV	29.99
L-18 17m loading coil for UHV-6/CA-HV	29.99

MOBILE MOUNTS

3D4M Mobile mt, 13' coax w/UHF connectors	\$ 26.99
3D4N Mobile mt, 13' coax w/type N	26.99
3D5M Mobile mt, 16.5' coax w/UHF connectors	28.99
5D4N Roof mount, 13' coax w/type N	34.99
AD-10N NMO mount to female N adapter	17.99
AD-15M NMO mount to SO-239 adapter	17.99
AD-25M SO-239 to NMO mount adapter	14.99
AD-35M 3/4-24 stud to UHF mobile mt adapter	17.99
CK-3/8-24 Dlx 2-step 16.5' cbl/3/8-24/UHF	42.99
CK-3M Dlx 2-step 10' cable w/UHF connectors	35.99
CK-3M5 Dlx 2-step 16.5' cable w/UHF connects	42.99
CK-3NMO Dlx 2-step 16.5' cable w/NMO/UHF	42.99
CK-5N Dlx 13' cable assembly w/type N	49.99

Comet - continued

CM-5M Hvy duty mag mt, coax, max 4' ant	24.99
CP-5-3/8-24 HD 3/4 mt (RS-730) w/16.5' coax	69.99
CP-5M Hvy duty UHF mt (RS-730) w/16.75' coax	69.99
CP-5NMO Hvy duty NMO mt (RS-730) w/16.5' coax	69.99
CO-5N Dlx black QD tnk lip mt/17' coax/N..D	29.99
CR-5M Std coax assy, 16.5' coax, UHF conn	19.99
CT-5M Trunk lip mount w/16.5' coax	39.99
GRB-5M Deluxe black trunk lip mt w/coax	69.99
MG-4N Magnet mt w/13' coax, N connector	54.99
RS-9 Trunk lip mount, no coax	11.99
RS-520 Mini heavy duty trunk/hatch mount	28.99
RS-560C Luggage rack mount, no coax	37.99
RS-720 Hatch/rear door/tank multi-adj mt	29.99
RS-720NMO Hch/rear door/tank multi-adj NMO mt	29.99
RS-730 HD rear van/SUV door/tank lip mt, no coax	32.99
WS-1M Window clip mt w/UHF connectors	66.99

BASE STATION ANTENNAS

CA-712EF 440 9db 10' 5" base antenna	\$109.99
CA-ABC22A 2m 6.5db 9' 5" base/rptr ant	75.99
CA-ABC23 2m 7.8 db 13' 4" base/rptr ant	109.99
CA-F72GF 440-470 6db 3' 6" tunable ant	109.99
CA-52HBA 6m 4 el 10.4db 10' 6" boom beam	129.99
CHA-250B 3.5-57MHz no radials 23.5' vertical	429.99
CK-333 3m/220/440 6.5/7.8/9db 10.25' ant	184.99
CVA-1216E 1.2GHz 16el 16.6db 4' 5" Bm N beam	129.99
DS-150S 6m/2m/440/900/1.2 discone/60' coax	99.99
GH-50 6m 2.15db 7' 10" fg base antenna	99.99
GP-3 2m/440 4.5/7.2db 5' 11" base/rptr ant	99.99
GP-6 2m/440 6.5/9db 10' 2" base/rptr ant	159.99
GP-9 2m/440 8.5/11.9db 17' 8" base/rptr	199.99
GP-9N 2m/440 8.5/11.9db 17' 8" N base/rptr	199.99
GP-15 6/2m/440 3.6/2.8db 7' 11" base	169.99
GP-21/CA-1221S 1.2 14.8db 8' N base/rptr	159.99
GP-24 2.4GHz 15.4db 5' 10" N base/rptr	169.99
GP-98 2m/440/1.2 6.5/9/13.5db 9' 8" N ant	199.99
KP-20 900 MHz 9.2db 7' 4" type N base/rptr	112.99

DUPLEXERS AND TRIPLEXERS

CF-142 1.3-150/200-480 600/400w UHF/leads	\$ 69.99
CF-360A 1.3-30/50-470 600w UHF w/leads	69.99
CF-360B 1.3-30/50-470 600w UHF/common lead	69.99
CF-416A 2m/440 800/500w UHF w/leads	49.99
CF-416B 2m/440 800/500w UHF/N w/leads	49.99
CF-416C 2m/440 800/500w N/UHF/N leads	54.99
CF-416W 1.3-250/400-1400 400/200w N/leads	69.99
CF-530 1.3-90/125-470 600w UHF w/leads	74.99
CF-530C Backwards duplexer for FT-8900R	69.99
CF-706A 1.3-56/75-470 350w UHF w/leads	74.99
CF-4160I 2m/440 800/500w UHF/UHF/N, no leads	48.99
CF-4160J 2m/440 800/500w SO239, no leads	53.99
CF-4160K 2m/440 800/500w all UHF, no leads	48.99
CFX-324A 2m/220/440 600w UHF w/leads	88.99
CFX-324B 2m/220/440 600w UHF, no leads	85.99
CFX-514 HF/2m/440 800/800/500w UHF w/leads	79.99
CFX-514J HF/2m/440 800/800/500w UHF, no leads	74.99
CFX-514N HF/2m/440 800/800/500w UHF/N w/leads	79.99
CFX-4310C 1.3-150/440/1.2 triplexer, no leads	79.99
CFX-5140 HF/6m/2m/440 800/800/500w UHF, no leads	74.99

HT & HANDHELD SCANNER ANTENNAS

BNC-24 2m/440 17' 2.15/5.3db BNC whip	\$ 24.99
CH-32 2m/440 1.75" BNC Miracle Baby ant	29.99
CH-75 2m/440 0.3/2db 14.75" BNC ant	25.99
HM-05 18" BNC female - SMA male adapter/cbl	14.99
HB-05 18" BNC male - SO-239 adapter/cable	14.99
HS-05 18" SMA male - SO-239 adapter/cable	14.99
HS-10 39" SMA male - SO-239 adapter/cable	17.99
HT-224 2m/220/440 11.5" SMA antenna	47.99
SH-55 2m/440 1.5/3.2db 15" BNC ant	33.99
SH-95 2m/440/1.2 1.5/2.15/5.5db BNC ant	34.99
SMA-3 2m/440 1.2/1.7db 9.75" SMA ant	39.99
SMA-24 2m/440 17' 2.15/5.3db SMA whip	24.99
SMA-501 2m/440/900 1.5" SMA antenna	29.99

Comet - continued

SMA-503 2m/440 8.75" SMA antenna	29.99
SMA-703 2m/440/1.2GHz 6.5" SMA ant	31.99

Comm Outfitters (COF)

EXP-1 Expedition Pack for Yaesu FT-817	\$ 99.99
--	----------

COMM-SPEC (COM)

ID-8 Automatic Morse station identifier	\$ 69.99
SS-64 64-tone mini prog CTCSS encoder	28.99
TE-32 32-tone CTCSS prog encoder box	49.99
TS-64DS 64-tone CTCSS prog encoder/decoder	57.99

CONNECTORS

AMPHENOL COAX CONNECTORS (AMP)

83-1SP-1050 Male coax plug (PL-259)	\$ 1.99
83-1SP Silver plated coax plug (PL-259)	2.99
(VAN) silver plated teflon PL-259	2.99
83-185-RFX Reducer for RG-58 (UG-175)	.99
83-168-RFX Reducer; RG-59/RG-8X (UG-176)	.99
(SHA) PL-259-CP-G Solderless PL259/RGX/58	6.99
(SHA) PL-258-CP-G Solderless splice;RGX/58	9.99
83-1AP Right angle adaptor (UG-646)	8.99
83-1J Double female adaptor (PL-258)	6.99
83-1R Female chassis mt socket (SO-239)	3.99
83-1T T-connector adaptor (M-358)	11.99
83-877 Double male adaptor	12.99
83-878 Single hole 3/4" chassis socket	4.99
31-002 BNC male connector for RG-58	7.99
31-012 BNC male connector; RG-59/RG-8X	4.99
31-221 BNC female chassis socket	2.99
82-24 Type N female chassis mt socket	7.99
82-64 Type N right angle adaptor	19.99
(CAB) 6633S Type N male plug	4.99
(VAN) N connector Type N connector for 9913	4.99
82-202-1006 Type N male; 8214/9913/9913F	7.99
34025 Type N male connector for RG-58	8.99

AMPHENOL COAX ADAPTORS (AMP)

2900 SO-239 to BNC male adaptor	\$ 14.99
4400 SO-239 to type N male adaptor	14.99
31-28 BNC female to PL-259 adaptor	16.99
(HOU) SMA-872 SO-239 to SMA plug adaptor	5.99

AIM CONNECTORS, PLUGS & ADAPTORS (AIM)

(PHI) 61-608B 8-pin female mic plug	\$ 4.99
25-7365 BNC female to SO-239	3.99
25-7420 BNC male to SO-239	2.99
26-8010 Type N double female	2.99
26-8011 Type N chassis mount	3.99
26-8014 N female to PL-259	4.99
26-8015 N male to SO-239	4.99
26-8016 BNC female to N male	4.99
26-8017 BNC male to N female	4.99
27-8120 BNC female to PL-259	2.99
27-8130 BNC double male	3.99
27-8140 BNC T; 2 female, 1 male	2.99
27-8142 BNC T, 3 male	4.99
27-8470 Dual BNC chassis mount	3.99
29-3855 BNC female to SMA male	3.99
29-4140 SO-239 to mini PL-259	2.99
CPAD-207 Chassis mt SO-239 double female	4.99

VANCO MICROPHONE CONNECTORS (VCO)

CBC-2P Panel mt 2-pin male	\$.09
CBC-3 3-pin female mic plug	.39
CBC-4 4-pin female mic plug	4.99
CBC-5 5-pin female mic plug	3.99
CBC-6 6-pin female mic plug	4.99
(AIM) 19-1289 8-pin female mic plug	4.99
CBC-8P Panel mt 8-pin male	5.99

KENWOOD DIN PLUGS (KEN)

7-pin DIN plug	\$ 4.99
8-pin DIN plug	6.99
13-pin DIN plug	9.99

Connectors - continued AES Price

VANCO Mic Holders/Mini Plugs/Cig Plugs (VCO)	
MH-1 Magnetic mic holder	\$ 1.69
MH-2 Regular mic holder	1.49
P-35 3.5mm miniature phone plug69
(DAL) 15-0293 3.5mm mono phone plugΔ	.19
(HOU) AP-115 3/4" metal stereo plug	1.99
(HOU) AP-135 3.5mm stereo mini phone plug69
P-12R 2-contact cigarette plug	1.99
P-12V Cig lighter plug w/leads	1.99
P-212 2-outlet cigarette plug adapter	4.99
P-212B Dual cigarette lighter socket adapter	8.99

Connect Systems (CSY)

CS-800 Full duplex patch & repeater controller	\$369.99
CS-900 Simplex interconnect	369.99

CROSS DEVICE (CRS)

STUF Coax connector waterproofing filler	\$ 4.99
---	---------

CUSHCRAFT (CUS)

At Cushcraft's request, amateur radio dealers are not authorized warranty depots for Cushcraft Antennas. All warranty issues should be directed to the Technical Support Department/Warranty at Cushcraft (603) 627-7877.

VHF/UHF FM BEAMS* (Vertical polarization)

A148-3S 2m, 3 el wideband beam, 7.8db	\$ 69.99
A148-10S 2m, 10 el wideband beam, 13.2db	109.99
A449-6S 440 MHz, 6 el, 3' boom, 10 db	66.99
A449-11S 440 MHz, 11 el, 4.5' boom, 13 db	89.99

*Antennas can be mounted vertically or horizontally!

2M/440 FM BEAMS* (Vertical polarization)

A270-6S 2m/440, 3/3 el, 2.8' boom, 7.8 db	\$ 89.99
A270-10S 2m/440, 5/5 el, 6.17' boom, 10 db	109.99

*Antennas can be mounted vertically or horizontally!

TRI-BAND 6M/2M/440 BEAM

A6270-13S 6m/2m/440, 3/5/5el, 8.66bm, 8/10/10db	\$199.99
---	----------

FM RINGOS - 1/2 Wave Verticals

AR-10 10m FM Ringo, 17.6', 3db, 1000w	\$ 89.99
AR-6 6m FM Ringo, 10.1', 3db, 1000w	89.99
AR-2 2m FM Ringo, 3.9', 3db, 1000w	54.99
AR-50 440MHz FM Ringo, 1.4', 3db, 500w ..	40.99

RINGO RANGERS - FM Verticals

ARX-2 2m FM Ringo Ranger	\$ 64.99
ARX-2B 2m FM Ringo Ranger II, 14', 7db, 1000w	74.99
ARX-220B 220 FM Ringo Ranger II, 9.3', 7db, 500w	74.99
ARX-450B 440 FM Ringo Ranger II, 4.9', 7db, 500w	74.99

DUAL-BAND 2M/440 FM RINGOS

AR-270 2m/440MHz FM, 3.75', 3/5.5db, 250w	\$104.99
AR-270B 2m/440 MHz FM, 7.7', 5.5/7.5db, 250w	109.99

TWIST, OSCAR BEAMS (Horiz/Vert Polarization)

A148-20T 2m 20el 10.8' boom 13db twist	\$154.99
719B 432 19 el 13.5' boom 15.5db	169.99

BOOMER ANTENNAS

124WB 2m Boomer, 4 el, 4' boom, 10.2 db ...	\$ 99.99
1382 2m Boomer, 13 el, 15' boom, 14.2 db ...	169.99
1782 2m Boomer, 17 el, 31' boom, 18 db	269.99
2682 2 1382s vertically stacked	449.99
224WB 220 Boomer, 4 el, 3' boom, 10.2db ...	79.99

BOOMER POWER DIVIDERS

PD-2 Power divider for 2 1382s	\$ 71.99
PD-4 Power divider for 4 1382s	84.99

VHF/UHF BEAMS* (Horizontal polarization)

A50-3S 6m, 3 el, 6' boom, 8 db, stainless hdwre	\$124.99
A50-5S 6m, 5 el, 12' boom, 10 db, stainless hdwre	189.99
A50-6S 6m, 6 el, 20' boom, 11db, stainless hdwre	299.99
A148-10S 2m, 10 el wideband beam	109.99
A430-11S 430 MHz, 11 el, 4' boom, 13 db	89.99

*Antennas can be mounted vertically or horizontally!

MOBILE ANTENNAS

CS-28M 10m magnet mt antenna	\$ 59.99
------------------------------------	----------

Cushcraft - continued AES Price

CS-50M 6m magnet mt 3 db antenna	59.99
CS-147A 2m coil & whip only	39.99
CS-147M 2m magnet mt 3 db antenna	59.99
CS-220M 220 magnet mt 3 db antenna	59.99
CS-450M 440 magnet mt 5 db antenna	59.99

DUAL-BAND 2M/440 MOBILE ANTENNAS

CS-270A 2m/440 coil & whip only	\$ 59.99
CS-270M 2m/440 3.7/6 db magnet mt ant	84.99

MOUNTS ONLY FOR MOBILE ANTENNAS

CS-MG Magnetic mount	\$ 29.99
CS-MGN Magnetic mount w/N connector	34.99
CS-TL Trunk lip mount	29.99

MULTIBAND HF VERTICAL ANTENNAS

MA-5V 20/17/15/12/10m 14.7' vertical ant ..	\$219.99
MA-6V 20/17/15/12/10/6m 14.7' vertical ant ..	259.99
MA-8040V 80/40m 22' vertical antenna	199.99
R-6000 20/17/15/12/10/6m 19' vertical	329.99
R-8 40/30/20/17/15/12/10/6m 28.5' vert	489.99
R-86K Guy kit for R-8	49.99

ROTATABLE HF DIPOLES

D-3 20/15/10m World Ranger rotatable dipole	\$259.99
D-3W 30/17/12m rotatable dipole	259.99
D-4 40/20/15/10m World Ranger rotatable dipole	369.99
D-40 40m World Ranger rotatable dipole	319.99

BIG THUNDER HF TRI-BAND BEAM

X-7 20/15/10m, 7 el, 18' boom, 12.5/13db ..	\$669.99
X-740 40m add-on kit for X-7	299.99

BIG THUNDER HF MONOBAND BEAM

XM-240 40m, 2 el, 22' boom, 7 db	\$719.99
TEN-3 10m, 3 el, 8' boom, 8 db	199.99

MULTIBAND HF BEAM ANTENNAS

A-3S 20/15/10m, 3el, 14'bm, 8db, stainless hdwr	\$449.99
A-743 40m or 30m add-on kit; A-3/A-3S	179.99
A-4S 20/15/10m, 4el, 18'bm, 8.9db, stainless hdwre	549.99
A-744 40m or 30m add-on kit; A-4/A-4S	179.99
A-3WS 17 & 12m, 3 el, 14' boom, 8 db	369.99
A-103 30m add-on kit for A-3WS	179.99
ASL-2010 13.5-32MHz 8el 18' bm 6.4db LP ..	749.99
MA-5B 20/17/15/12/10m 7.3' boom mini beam	349.99

LIGHTNING ARRESTORS

LAC-4 200w SO-239 gas tube arrester	\$ 49.99
LAC-4H 2kw SO-239 gas tube arrester	54.99
LAC-4N 200w type N gas tube arrester	59.99
LAC-4NH 2kw type N gas tube arrester	64.99
LC-2 Extra 200w cartridge for LAC-4/N	15.99
LC-2KW Extra 2kw cartridge for LAC-4H/4N ..	17.99
5VB Vinyl connector bootspack of 5	15.99

DCI (DCI)

145-2H 2m 144-146MHz 200w bandpass filter	\$119.99
146-4H 2m 144-148MHz 200w bandpass filter	119.99
223.5-3H 222-225MHz 200w bandpass filter	119.99
2m/220 models w/N connectors add \$10 special order	
435-10C 430-440MHz 200w N bandpass filt	139.99
445-10C 440-450MHz 200w N bandpass filt	139.99
146/444-DB 144-148/438-450 200w bp filter	189.99

DAIWA (DAI)

CN-101 1.8-150 15/150/1.5kw SWR/pwr meter/light	\$ 99.99
CN-103M 140-525 20/200w SWR/power meter	99.99
CN-801H 1.8-200 20/200/2kw SWR/pwr meter	149.99
CN-801V 140-525 20/200w SWR/power meter ..	154.99
CS-201 2-position 600 MHz coax switch	26.99
SS-505 Variable 50A switch ps/ant/meter/3-outputs	399.99

DAVIS (DAV)

6150 Wireless Vantage Pro weather station D	\$449.99
6152 Wireless Vantage Pro2 weather station ..	539.99
7400 Perception II indoor WX unit	129.99
7425 Wizard III weather station	179.99

Davis - continued AES Price

7440 Monitor II weather station	269.99
7852 Rain Collector II, 0.01"	69.99
7859 External temp/humd Sensor II; 7440	119.99
7862 Weatherlink Win interface/software ...	149.99
7866 Weatherlink Mac interface/software ...D	49.99
7870 Modem adapter for 7862/7866 ...D	.49
7867 Weatherlink Mac to Win conv kit29
7868 Weatherlink Win to Mac conv kit ...D	.29
7873 Cig lighter power cord	10.99
7876-40 4-conductor 40' extension cable	18.99
7878-40 6-conductor 40' extension cable	22.99
7880 8-conductor 25' junction box cable D ..	2.99
7881 8-conductor 50' junction box cable	25.99
7882 8-conductor 100' junction box cable	45.99
7890 Mast mount for anemometer	9.99
0131 Weather forecasting quick reference card ..	9.99
0276 WindScribe electronic wind/temp indicator ..	99.99
0281 Wind Wizard handheld wind indicator ..	49.99

DIAMOND (DIA)

SWR/POWER METERS

SX-20C HF/6m/2m 30/300w meter	\$ 89.99
SX-40C 144-470 (220 w/correction) 15/150w ..	79.99
SX-100 1.6-60 MHz 30/300/3kw PEP meter ...	134.99
SX-200 1.8-200 MHz 5/20/200w PEP meter ...	94.99
SX-400 140-525 MHz 5/20/200w PEP meter ...	114.99
SX-600 Dual band 1.8-160/140-525 200w PEP mtr ..	169.99
SX-1000 1.8-160/430-1300MHz 200w PEP mtr ..	214.99

HT & HANDHELD SCANNER ANTENNAS

RH-3 2m/440 1.75" BNC mini HT duck	\$ 24.99
RH-77CA 2m/440 15" BNC rubber gain ant ..	24.99
RH-205 2m % wave telescopic HT antenna ...	24.99
RH-519 2m/440 8.3" flexible BNC whip	27.99
RH-707 2m/440 8x" tilttable BNC whip	33.99
RH-789 93-1100MHz adjustable freq BNC ant ..	34.99
RH-951S 2m/440 1.2GHz 15" BNC slim duck ..	44.99
RHF-40 2m/440 16" BNC flexible rubber gain ant ..	29.99
SRH-77CA 2m/440 15" SMA rubber gain ant ..	29.99
SRH-320A 2m/220/440 flexible SMA whip	49.99
SRH-519 2m/440 8.3" flexible SMA whip	29.99
SRH-789 93-1100MHz adjustable freq SMA ant ..	34.99
SRH-805 2m/440/1.2GHz 1.75" SMA ant	27.99
SRH-815 2m/440/1.2GHz 6" flex SMA whip ..	34.99
SRH-999 6m/2m/440 1.2GHz 20" SMA whip ..	59.99

MONO-BAND MOBILE ANTENNAS

HF-6FX 6m 2.15db 44" mobile antenna	\$ 69.99
HF-50CX 6m 3.5db 71" mobile antenna	99.99
M-285 2m 3.4db 52.4" mobile antenna	31.99
M-285SNMO 2m 3.4db 52.4" NMO mobile ant ..	31.99
M-685 6m 2.15db 52.4" mobile antenna	31.99
M-685SNMO 6m 2.15db 52.4" NMO mobile ant ..	31.99
MG-200 2.4GHz 7db 23.6" N mobile ant	99.99
NR-22L 2m 6.5db 96.8" mobile antenna	69.99
NR-124 1.2GHz 8.4db 25" N mobile antenna ..	64.99
NR-140BMO Black 22d 4db 37" NMO ant	53.99
SG-2000HD 2m 5.2db 62.6" 250w mob ant ...	89.99

DUAL-BAND MOBILE ANTENNAS

CR-270A 2m/440 2.15/3.4db 17.2" mobile ant ..	\$ 42.99
MR-77 2m/440 2.15/3.4db 20" magnetic ant ..	34.99
MR-775MA 2m/440 2.15/3.4db 20" mag w/SMA ..	39.99
NR-72BNMO Black 2m/440 2.15db 14" NMO ..	41.99
NR-73BNMO 8lk 2m/440 2.15/5.5db 34" NMO ..	57.99
NR-770HA 2m/440 3/5.5db 40" mobile ant ..	56.99
NR-770HB 2m/440 3/5.5db 40" mobile	59.99
NR-770HMO 2m/440 3/5.5db 40" NMO mobile ..	56.99
NR-770HBMNO 8lk 2m/440 3/5.5db 40" NMO ..	59.99
NR-770HRKS 2m/440 3/5.5db 40" adhesive mt ..	109.99
NR-7900A 2m/440 3.7/6.4db 57" hi pwr mob ant ..	84.99
SG-M510 2m/440 2.15/5.5db 37" mob ant ...	59.99
SG-7000A 2m/440 2.15/3.8db 19" mobile	69.99
SG-7500A 2m/440 3.5/6db 41" mobile ant ...	79.99

Diamond - continued

AES Price

SG-7500NMO 2m/440 3.5/6db 41" NMO ant	79.99
SG-7900A 2m/440 5/7.6db 62" mobile ant	114.99
SG-7900ANMO 2m/440 5/7.6db 62" NMO ant	114.99
K-400CNMO Hatch/trnk mt/coax; SG7900ANMO	69.99

TRI-BAND MOBILE ANTENNAS

CR-320A 2m/220/440 2.15/3.8/5.5db 36"	\$ 89.99
CR-320BNMO Black 2m/220/440 36" NMO ant	89.99
CR-627B 6m/2m/440 2.15/4.5/7.2db 60" ant	99.99
CR-627BNMO 6m/2m/440 2.15/4.5/7.2db 60"	99.99
HV-7A 10/6/2m/440 54" UHF mobile mobile ant	109.99
HVC-7 40m loading coil for HV-7A/MV-3A	44.99
HVC-14 20m loading coil for HV-7A/MV-3A	37.99
HVC-18 17m loading coil for HV-7A/MV-3A	37.99
HVC-21 15m loading coil for HV-7A/MV-3A	37.99
NR-2000NA 2m/440/1.2 3.15/6.3/9.7db 39" N mob	89.99
SG-M911 6m/2m/440 2.15/3/5.8db 41" mob	69.99

QUAD-BAND MOBILE ANTENNA

CR-8900A 10m/6m/2m/440 0/0/2.15/5.5db 50"	\$ 99.99
---	----------

ADHESIVE BACKED MOBILE MOUNT

HRKS S0239 mt/13" coax/SMA/PL259 adapter	\$ 69.99
--	----------

MAGNET MOUNTS

DPK-4NM-N Hvy dty mag mt, cbl, N, 45" max	\$ 49.99
K-702M Hvy dty mag mt, 6 3/4" dia, 50" max	49.99
SPM-35 Hvy dty mag mt, cable, 45" max	39.99
SPM-NMO Hvy dty NMO mag mt, cbl, 45" max	44.99

TRUNK LIP MOUNTING KITS

K-400 Hatch/trunk mt; NR/SG antennas	\$ 39.99
K-400C Hatch/trunk mt w/coax; UHF mount	69.99
K-400CNMO Hatch/trunk mt w/coax; NMO mt	69.99
K-400CS Hatch/trunk mt w/coax; UHF mt/SMA	79.99
K-400SNMO Hatch/trunk mt w/coax; NMO/SMA	79.99
K-400-3/8C Trunk mount w/6.5" cable; 3/4-24	69.99
K-412C Light duty hatch/trnk mt w/coax; UHF mt	59.99
K-412CNMO Light duty hatch/trnk mt w/coax; NMO	59.99
K-412S Light duty hatch/trnk mt w/coax; UHF/SMA	69.99
K-412SNMO Lt duty hatch/trnk mt/coax; NMO/SMA	69.99
C-110 10' extension cable for K-412 mts	14.99
K-600M Tilt angle SO-239 trunk mt w/cable	57.99
K-600S Tilt angle SO-239 trnk mt w/cable/SMA	57.99
K-601M SO-239 hideaway trunk mt, 6' coax	69.99
K-601NMO NMO hideaway trunk mt, 6' coax	69.99
C-110 10' extension cable for K-601 mts	14.99
K-604M Tilt angle trunk mt w/flexible cable D	29.99
K-9000LR Motorized luggage rack mount	109.99
K-9000TR Motorized trunk/hatchback mt	109.99

MIRROR & LUGGAGE RACK MOUNTS & KITS

K-515S Lug rack SO-239 mt; new type SUV/SMA	\$ 69.99
K-515SNMO Lug rack NMO mt; new type SUV/SMA	69.99
K-540M Mirror/luggage rack mt; under 45"	35.99
K-540KM Mirror/luggage rack mt w/coax	59.99
K-550* Luggage mt; new mini vans (use GLP)	44.99
K-550KM* Luggage mt w/SO-239 base/coax	69.99
*K-550 series not recommended for Yae ATAS-100/120	

MOUNTING GROUP WAREHOUSE

C-101 SO-239 mt, 6.5' RG-316 low-loss coax	\$ 32.99
C-101NMO NMO mt, 6.5' RG-316 low-loss coax	32.99
C-104SMA 4' RG-58 ext cbl; SMA male & SO-239	16.99
C-105SMA 5' RG-58 ext cable; C-101/SMA male	16.99
C-110 10' ext cable; C-101/K-601/K-400-3/8C	14.99
C-110BNC 10' extension cable to BNC male	22.99
C-110SMA 10' RG-58 ext cable; C-101/SMA male	22.99
C-211 SO-239 mt, 6.5' coax, 10' coax extend	44.99
C-213 SO-239 mt, 13.5' RG-316 low-loss coax	41.99
C-213NMO NMO mt, 13.5' RG-316 low-loss coax	41.99
CRM Stainless steel right angle bracket w/U-bolts	16.99
NMO/UHF NMO to UHF adapter	12.99
NMO/UHF-B Black NMO to UHF adapter	13.99

MONO-BAND BASE STATION ANTENNAS

A-14455 2m 5 el 37.5" boom 9db beam	\$ 59.99
KB-144 Side mounting bracket/hardware	24.99

Diamond - continued

AES Price

A-430S10 430 10 el 43" boom 13db beam	69.99
KB-430 Side mounting bracket/hardware	22.99
A-430S15 430 15 el 89" boom 14.8db beam	79.99
A-502HB 6m 2 el 2.6' boom 6.3db beam	99.99
A-504HB 6m 4 el 10.7' boom 10.8db beam	139.99
CP-22E 2m 6.5db 9' base antenna	54.99
DP-6H62 6m 6db 21' base antenna	139.99
F-22A 2m 6.7db 10.5' base antenna	99.99
F-23A 2m 7.8db 15' base antenna	119.99
F-718A 440 11.5db 15' type N base antenna	209.99
F-1230A1 1.2GHz 13.1db 12" N base ant	169.99
G-200 2.4GHz 11db 6" N base antenna	199.99
2400-Y12 2.4GHz 12db 8el 15"bm 25w N beam	119.99

DUAL-BAND BASE STATION ANTENNAS

U-200 440/1.2GHz 8.3/11.7db 6" N base ant	\$109.99
X-30A 2m/440 3/5.5db 4.5" base antenna	69.99
X-50A 2m/440 4.5/7.2db 5.6" base antenna	99.99
X-50NA 2m/440 4.5/7.2db 5.6" base N ant	99.99
X-200A 2m/440 6/8db 8.3" base antenna	124.99
X-300A 2m/440 6.5/9db 10.5" base antenna	139.99
X-500HNA Hvy dty 2m/440 8.3/11.7db 17.8" N ant	239.99
X-510HMA 2m/440 8.3/11.7db 17.2" h pwr base	199.99
X-510MA 2m/440 8.3/11.7db 17.2" base ant	184.99
X-510NA 2m/440 8.3/11.7db 17.2" type N ant	184.99
X-510NJ 143.5-146.5/428-442 8.3/11.7db 17.2" N	199.99
X-700HNA 2m/440 9.3/13db 24" type N ant	369.99

TRI-BAND BASE STATION ANTENNAS

D-13DJ 50-1300 MHz 200w discone antenna	\$ 99.99
D-130NJ 50-1300 MHz 200w N discone ant	99.99
V-2000A 52-54MHz/2m/440 2.1/6.2/8.4db 8.3'	162.99
X-2000A 2m/220/440 6/7.8/8db 10' base	209.99
X-6000A 2m/440/1.2 6.5/9/10db 10.5" N	189.99

DUPLEXERS & TRIPLEXERS

MX-37 440/1200MHz N/N duplexer w/cable	\$ 64.99
MX-62M HF-6m 8.2m/440, 12" cables dplx	74.99
MX-72A HF-2m/440 dplx/440 N female, 12" cbls	54.99
MX-72D HF-2m/440 400/150/100w duplexer	48.99
MX-72H HF-2m/440 duplexer w/12" cables	49.99
MX-72N HF-2m/440 dplx, 440 type N male, 12" cbls	49.99
MX-214D 2m/220 150/100w dplx, no cables	69.99
MX-324 2m/220/440 triplexer	89.99
MX-324D 2m/220/440 triplexer, no cables	84.99
MX-610 HF-6m duplexer; IC-706/FT-100	69.99
MX-2000 HF-6m/2m/440 400/400/250w triplexer	84.99
MX-3000 HF-2m/440/1.2 400/200/100w triplexer	79.99
MX-3000H HF-2m/440/1.2 400/200/100w N triplexer	85.99

ACCESSORIES

CA-23RP 2500MHz 200w N-F/M lightning protect	\$ 41.99
CA-23RS 2500MHz 200w N lightning protector	39.99
CA-23RW 2500MHz 200w N waterproof protector	44.99
CA-35R/RS 1000MHz 400w lightning protector	29.99
CA-35RPW 1000MHz 400w waterproof protector	39.99
CX-210A 1.5kw DC-1000MHz coax switch	44.99
CX-210N 1.5kw DC-1500MHz N coax switch	74.99
CX-310A HD 3-pos DC-800MHz coax switch	83.99
DL-30A 15/100w peak 0-500MHz dummy load	27.99
DL-30N 15/100w peak 0-500MHz N dummy load	39.99
GZV-4000 Variable 40A switching ps/meter/spkr	179.99

DRAKE (DRA)

1590 35-55, 108-174 MHz VHF conv; R8B	\$249.99
7852 R-8B technical manual	29.99

DURACELL (DUR)

9V 9v alkaline battery	\$ 3.49
AA-4 4-pack AA alkaline batteries	3.49

DYNAMITE (DYN)

1000 Dyna-Sport 1500mah 6-cell flat nicad	\$ 16.99
1145 Dyna-Fun 2000mah 6-cell nicad	39.99
4010 Mega 1 AC/DC quick charger	29.99
4046 Vision Peak Plus AC/DC peak charger	69.99

ECG (ECG)

U-105 Light duty antenna rotor/3-wire	\$ 69.99
U-106 Light duty ant rotor/presets/R rem/3-wire	89.99
TB-105 Thrust bearing for U-105/U-106	18.99

ESP (ESP)

ESP-1 Microphone audio processor	\$225.99
--	----------

EASY-UP (UPS OK) (EAS)

EZ 29-24S Stainless double strap chimney mt	\$ 22.99
EZ 48-3ABX 3' boxed tripod w/pitch pad kit	36.99
EZ 48-5ABX 5' boxed tripod w/pitch pad kit	49.99
EZ 5-16 5' 16 ga steel mast	pick-up only

ELK Antennas (ELK)

2M/440-15 2m/440 5el quick assembly LP beam	\$ 74.99
220-L6 220 6el quick assembly LP beam	64.99
440-L8 440 8el quick assembly LP beam	64.99

EMERSON (EME)

EVO-6550 2nd 900MHz camera; EVO-6500 D	\$ 9.99
RP-005 6-func flashing safety strobe/reflector	6.99

EXCALIBUR (EXC)

908 Talking electronic chess computer	\$ 49.99
H-222 Large Forever Flashlight (clear case)	24.99
H-223 Small Forever Flashlight (clear case)	19.99

GE (GEX)

72887 Super Radio III AM/FM radio, AC/DC	\$ 49.99
--	----------

GAP VENTURES (GAP)

DX-VIII Challenger 75'40/20/15/12/10/6/2m 31.5'	\$299.99
---	----------

*80m CW w/capacitor exchange from GAP	
Challenger Counterpoise	32.99
(SYN) 100' 3/4" black double braided rope	7.99
DX-VI Eagle 40/20/17/15/12/10m 21' rigid	329.99
DX-IV Voyager 160/80/40/20m 45'; use 350' guy	439.99
Voyager Counterpoise	64.99
(SYN) 350' 3/4" black double braided rope	44.99
Titan DX 75'40/30/20/17/15/12/10m, 25'	359.99
*80m CW w/capacitor exchange from GAP	
100' Guy Kit with clamp	15.99
200' Guy Kit with clamp	23.99
Ground Mount Quick tilt mt for vertical ant	79.99
Ladder Mount Quick tilt mt; campers/RVs	79.99
Hear It DSP noise eliminating speaker	159.99
In Line Module Hear It in line module noise elim	199.99

GARMIN (GAR)

Geko-101 Small GPS receiver	\$ 99.99
Geko-201 Small GPS receiver w/WAAS	139.99
GPS-12XL GPS receiver	219.99
GPS-72 Handheld track-plotter GPS	149.99
GA-27C Low prof rem ant/cbl; GPS-12CX/XL	89.99
010-10048-00 Mounting bracket; 12CX/XL	29.99
010-10082-00 Power/data cable	27.99
010-10085-00 Cig lighter adapter cable	23.99
010-10117-01 Carrying case; 12CX/XL	2.99
010-10117-02 Carrying case	12.99
010-10121-00 MCX-BNC adapt cbl; 12CX/XL	25.99
010-10141-00 PC interface cable	38.99
010-10165-00 PC cable w/cig adapter	45.99
GPS-60 GPS w/IMB internal memory	179.99
GPS-MAP60 GPS w/24MB internal memory	299.99
010-10117-02 Carrying case	12.99
010-10111-00 Mtg bracket; GPS-III Plus	9.99
010-10199-03 Carrying case; Street Pilot	2.99
010-10232-00 Carrying case; Street Pilot	2.99
StreetPilot III Deluxe GPS	629.99
GA-26C Low prof remote ant w/cable/BNC	89.99
010-10141-00 PC interface cable	38.99
010-10165-00 PC cable w/cig adapter	45.99

Garmin - continued

AES Price

010-10227-00 Blank 8MB mem cartridge D	19.99
StreetPilot 2610 Deluxe GPS	699.99
GA-27C Low profile remote ant/cable/MCX	89.99
StreetPilot C330 Deluxe GPS w/software	699.99
GA-27C Low profile remote ant/cable/MCX	89.99
eTrex 12 ch mini GPS receiver	99.99
eTrex Summit 12ch mini GPS/compass/barometric	179.99
010-10203-00 Cig lighter cbl; eMAP & eTrex	39.99
010-10205-00 Data cable; eMAP & eTrex	22.99
010-10206-00 PC interface cbl; eMAP & eTrex	39.99
GPS-V Deluxe Turn-by-turn navigation GPS/soft	299.99
GA-26C Low prof remote ant w/cable/BNC	89.99
010-10082-00 Power/data cable	27.99
010-10117-01 Caring case	2.99
010-10117-02 Caring case	12.99
010-10165-00 PC cable w/cig adapter	45.99
010-10468-00 MapSource MetroGuide CD	99.99
cfQue-1620 GPS module for Pocket PC's	249.99
Foretrex 101 Wrist GPS	129.99
Forerunner 201 Wrist GPS/personal trainer	149.99
GPS-18PC Dlx GPS sensor for laptop/serial/mag/soft	129.99
GPS-18USB Dlx GPS sensor for laptop/USB/mag/soft	129.99
iQue-3600 Handheld PDA w/integrated GPS	499.99
GA-27C Low prof remote ant/cbl; iQue-3600	89.99
iQue-M5 Pocket PC integrated with GPS	699.99
Rino-120 GPS/FRS/GMRS w/8mb mem/basemap	249.99
010-10117-02 Caring case; Rino-120	12.99

GEAR KEEPER (GEA)

RT2-4012 Hwy duty Mic Keeper w/snap clip	\$ 19.99
RT3-4653 Locking HT Gear Keeper/swivel belt clip	29.99

GLEN MARTIN (GME)

TOWERS

M-1330A 30' alum tower package w/Hazer	T 1614.99
M-1340A 40' alum tower package w/Hazer	T 1831.99
M-1350A 50' alum tower package w/Hazer	T 2069.99
M-1840A 40' alum tower package w/Hazer	T 2149.99
M-1850A 50' alum tower package w/Hazer	T 2409.99
M-1860A 60' alum twr pack w/Voyager Hazer	T 3355.99
M-1870A 70' alum twr pack w/Voyager Hazer	T 3659.99
ML-1800 Messenger line kit for GME towers	72.99
KB-1000 57" side arm; M-13 series	81.99
KB-1300 57" side arm; M-18 series	84.99
M-22 10' galv steel M-22 tower section	431.99
CHB-22 Footing assembly for M-22	260.99
B-22 Leveling base for M-22	379.99

ROOF-TOP TOWERS

RT-424 4.5' roof-top tower, anodized aluminum	\$163.99
RT-832 8' roof-top tower, anodized aluminum	242.99
RT-936 9' roof-top tower, anodized aluminum	396.99
RT-1832 17.5' roof-top tower, anodized aluminum	531.99
RT-2632 26' roof-top tower, anodized aluminum	879.99
LB-3755 Lag bolts, set of 8 x 1/2 x 5"	9.99
MC-10 Mast clamp; aluminum; 2 required	24.99
EL-3744 Concrete L-bolts, set of 8	14.99
RA-6024 24" side arm for roof towers	41.99
RA-6048 48" side arm for roof towers	54.99

HAZERS FOR ROHN TOWERS

H-2 Heavy duty aluminum Hazer system	\$360.99
H-3 Standard duty aluminum Hazer system	273.99
H-4 Heavy duty galv steel Hazer system	348.99
BW-8001 Brake winch for H-2/3/4	80.99
HR-2040 Roller bearing set for Hazers	64.99
HR-6010 TFX plates for H-2/3/4/5	26.99
HS-1301 Side arm for Hazers	64.99
ML-2500 Messenger line kit for Rohn towers	76.99
VH8-60 Voyager Hazer for 60' Rohn 45G	1409.99
VH9-70 Voyager Hazer for 70' Rohn 45G	1544.99
VH9-50 Voyager Hazer for 50' Rohn 55G	1329.99
VH9-60 Voyager Hazer for 60' Rohn 55G	1449.99
VH9-70 Voyager Hazer for 70' Rohn 55G	1564.99

Glen Martin - continued

AES Price

LIGHTNING PROTECTION

LR-8400 Premium lightning rod kit	\$ 99.99
GR-4400 Ground rod wire clamp	6.99
GR-5080 8' x 3/8" ground rod	20.99
TL-0470 Terminal lug	2.99
LR-8418 Lightning rod point, 18" long	38.99
LR-8452 Clamp for holding rod to 2" mast	25.99
LR-8451 Clamp for holding rod to 1 1/2" mast	24.99

BUYING

WR-125 3/8" galv 7 x 7 guy cable	per ft. \$.49
WR-380 3/8" galv 7 x 7 guy cable	per ft. .69
WRS-156 3/8" stainless 7 x 19 guy cable per ft.	.79
WRS-187 3/8" stainless 7 x 19 guy cable per ft.	.89
WRS-250 3/8" stainless 7 x 19 guy cable per ft.	.99
WR-1862 3/8" U-bolt clip	1.69
WR-2565 3/8" U-bolt clip	1.69
WR-3164 3/8" U-bolt clip	1.99
PT-2500 3/8" heavy duty thimble	2.69
PT-3100 3/8" heavy duty thimble	2.99
PT-3700 3/8" heavy duty thimble	3.39
H-165 3/8" end cap	.79
H-164 3/8" end cap	.89
H-142 3/8" end cap	.99
RG-4010 3/8" link connecting earthscrew to turnbuckle	8.99
ES-40 4" dia x 30" earth screw	22.99
EG-40 4" dia x 30" galvanized earth screw	33.99
ES-60 6" dia x 48" earth screw	39.99
EG-60 6" dia x 48" galvanized earth screw	55.99
ES-80 8" dia x 66" earth screw	68.99
TB-3806 3/4" x 6" galvanized turnbuckle	18.99
TB-5009 3/4" x 9" galvanized turnbuckle	24.99
TB-6212 3/4" x 12" galvanized turnbuckle	41.99

MASTS

M-1049 9' x 2" OD heavy duty galv steel mast	\$ 79.99
M-1040 10' x 2" OD heavy duty galv steel mast	84.99
MA-1040 10' x 1.92" OD medium duty alum mast	94.99
MA-1049 9' x 1.92" OD medium duty alum mast	89.99
MA-2069 9' x 2.375" OD heavy duty alum mast	99.99
MA-1050 5' x 1.92" OD medium duty alum mast	61.99
MA-5050 5' x 1.31" OD light duty alum mast	41.99
MP-1409 9' x 2" OD .250 wall xtra HD fg mast	129.99
MP-1809 9' x 2" OD .125 wall med duty fg mast	76.99

SIDE ARMS

HS-2500 36" universal side arm mount	\$ 65.99
HS-6000 52" universal side arm mount	78.99

WINCHES

B-800 800 lb capacity w/4.5:1 gear ratio	\$ 72.99
W-1100 1100 lb capacity w/3.9:1 gear ratio	42.99
B-2000 2000 lb capacity w/17:1 gear ratio	126.99
WA-1200 4000 lb electric winch, 115 vac	489.99
WD-1200 4000 lb electric winch, 12 vdc	448.99
W-6371 Pendant for 12 vdc	178.99
W-6372 Pendant for 115 vac	102.99

TOWER CLIMBING EQUIPMENT

FP-5600 2 d-ring full body climbing harness (S-M)	\$ 89.99
FP-5601 2 d-ring full body climbing harness (L-XL)	89.99
FP-5602 4 d-ring full body climbing harness (S-M)	106.99
FP-5603 4 d-ring full body climbing harness (L-XL)	106.99
FP-6600 6 d-ring full body climbing harness (XS)	260.99
FP-6601 6 d-ring full body climbing harness (S)	236.99
FP-6602 6 d-ring full body climbing harness (M)	236.99
FP-6603 6 d-ring full body climbing harness (L)	236.99
FP-6604 6 d-ring full body climbing harness (XL)	236.99
FP-7600 AeroClimber 6 d-ring saddle harness (XS)	231.99
FP-7601 AeroClimber 6 d-ring saddle harness (S)	209.99
FP-7602 AeroClimber 6 d-ring saddle harness (M)	209.99
FP-7603 AeroClimber 6 d-ring saddle harness (L)	209.99
FP-7604 AeroClimber 6 d-ring saddle harness (XL)	209.99
FP-2606 1"x6" web lanyard/dbl locking snaphooks	32.99
FP-2903 1"x3" web lanyard, 3/4" throat, snaphooks	38.99

Glen Martin - continued

AES Price

FP-2904 1"x4" web lanyard, 3/4" throat, snaphooks	39.99
FP-2905 1"x5" web lanyard, 3/4" throat, snaphooks	39.99
FP-2906 1"x6" web lanyard, 3/4" throat, snaphooks	40.99
FP-2913 1"x3" web lanyard, 3/8"x13/16" throat openings	63.99
FP-2914 1"x4" web lanyard, 3/8"x13/16" throat openings	64.99
FP-2915 1"x5" web lanyard, 3/8"x13/16" throat openings	64.99
FP-2916 1"x6" web lanyard, 3/8"x13/16" throat openings	65.99
FP-2923 1"x3" web lanyard, 3/8"x21/32" throat openings	69.99
FP-2924 1"x4" web lanyard, 3/8"x21/32" throat openings	70.99
FP-2925 1"x5" web lanyard, 3/8"x21/32" throat openings	70.99
FP-2926 1"x6" web lanyard, 3/8"x21/32" throat openings	71.99

All GLEN MARTIN orders are plus freight at Glen Martin's rates direct to you from the factory. There is also a \$75 residential address delivery charge on M-13 and M-18 series towers. We prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your order. Please allow sufficient delivery time. Most truck lines will not unload towers, so please be sure to have enough manpower and/or equipment on hand. 6% PRICE SURCHARGE AT PRESS TIME ON ALL GME STEEL AND ALUMINUM PRODUCTS

GROTHE (GRO)

VS-2 Emergency vehicle siren	\$ 89.99
VS-2LS/A Window mt siren/amber halogen	299.99
VS-2LS/B Window mt siren/blue halogen	299.99
VS-2LS/R Window mt siren/red halogen	299.99
VS-3 Volunteer vehicle P/A horn w/sprk	129.99
VS-4 P/A emergency vehicle siren w/sprk	139.99

GRUNDIG/ETON (GRU)

e-Zone FM receiver	D \$ 2.99
E-1 Portable AM/FM/SW/XM* satellite rcvr/ps	499.99
*Subscription required for XM satellite radio	
E-10 Portable AM/FM/SW receiver w/ps	129.99
E-100 Portable AM/FM/SW receiver	99.99
FR-100 AM/FM/clock/emergency light	29.99
FR-200 AM/FM/SW/flashlight/crank	39.99
FR-300 AM/FM/WX/TV sound/flashlight/cell cgr	49.99
G-2000A Porsche design AM/FM/SW receiver	79.99
MiniWorld 100PE Mini AM/FM/SW receiver	29.99
S-3500 Portable AM/FM/SW receiver w/ps	99.99
S-3500D Dlx portable AM/FM/SW receiver w/ps	149.99
Yacht Boy 550 Port AM/FM/SW receiver w/ps	79.99

HAL (HAL)

DXP-38 External DSP HF radio modem	\$395.99
RTTY-1 RTTY tuning indicator	99.99

HARGER (HRG)

GBIS18114AE 3/4" copper entrance ground bar kit	\$ 27.99
GBIS18148AE 3/4" copper station ground bar kit	64.99
GEL3AE Package of 5 HD grounding lugs	15.99
GP1868.78AE 3/4" copper single pt gnd panel kit	54.99
GBX976AE NEMA-4x weatherproof enclosure	89.99

HEIL (HEI)

BM-5-4 Boom mic/single headset (HC-4)	\$ 74.99
BM-5-5 Boom mic/single headset (HC-5)	74.99
BM-5-IC Boom mic/single headset/adaptor; lcom	94.99
BM-10-4 Boom mic/headset (HC-4)	99.99
BM-10-5 Boom mic/headset (HC-5)	99.99
BM-10-IC Boom mic/headset/adaptor; lcom	119.99
BAG-2 Leatherette travel bag for BM-10	20.99
PRO-SET-4 Deluxe boom mic/headset (HC-4)	135.99
PRO-SET-5 Deluxe boom mic/headset (HC-5)	135.99
PRO-SET-IC Dlx boom mic/headset/adaptor; lcom	147.99
PRO-SET-PLUS Dlx boom mic/headset (HC4&5)	210.99
PRO-SET-PLUS-IC Dlx boom mic/headset (HC4&5); lcom	227.99
PSQP-4 Pro-Set Quiet Phone 4 boom mic/headph	225.99
PSQP-5 Pro-Set Quiet Phone 5 boom mic/headph	225.99
PSQP-IC Pro-Set Quiet Phone; lcom boom mic/headph	242.99
AD-1-1 Pro-Set 8-pin adapter cord for lcom	20.99

Heil - continued	AES Price	Heil - continued	AES Price	Hustler - continued	AES Price
AD-1-ICM/AD-1IM ProSet mod adapt cord; lco	20.99	HCS Clearspeech DSP speaker systemD	209.99	C-29 Stainless steel spring	19.99
AD-1-K Pro-Set 8-pin adapt cord; Kenwood	20.99	HD-AT 6db headph attenuator, 1/2"m-Xf" adapt	5.99	BM-1 Single strap bumper mt w/C-32	23.99
AD-1-K-M Pro-Set modular adapt cord; Ken	20.99	HS-2 Magnum ergonomic hand switch	29.99	3/8-24 THREAD MOBILE MOUNTS	
AD-1-T Pro-Set 4-pin adapt cord; Ten-Tec	20.99	SM-1 Shock mount for any microphone boom	50.99	HLM Trunk lip mount w/swivel	\$ 24.99
AD-1-Y Pro-Set 8-pin adapter cord; Yaesu	20.99	TM-1 Tri-mount microphone adapter	14.99	HOT Hustloff trunk lip mt w/swivel	25.99
AD-1-Y-M Pro-Set modular adapt cord; Yae	20.99	XT-1 Audio matching xfmr; lo-Z mic/tube Xcvr	15.99	MBM Super magnet mount w/16" coax	21.99
Traveler-18 Boom mic/single headset; lcom 8-pin	94.99	HIGH SIERRA (HIS)		RVM Recreational vehicle mount	22.99
Traveler-706 Boom mic/sgl headset; IC-706/703	94.99	Platinum Pack 3.5-60MHz mobile ant w/6' whip	\$495.00	TLM Trunk lip mount	23.99
Traveler-K8 Boom mic/single headset; Ken 8-pin	94.99	HS-120 Capacity hat	50.00	HF ANTENNAS	
Traveler-KM Bm mic/sgl headset; Ken modular	94.99	HS-202CL 2" rcvr lay back adapter; univ mtg bkt	100.00	4-BTV 40/20/15/10m 21' trap vertical	\$129.99
Traveler-VX Boom mic/sgl headset; Yae VX HT	94.99	HS-214CL 1 1/2" rcvr lay back adapt; univ mtg bkt	100.00	5-BTV 80/40/20/15/10m 25' trap vertical	159.99
Traveler-YM Bm mic/sgl headset; FT-817/57/97	94.99	Sidekick 3.5-60MHz mobile ant w/3' whip ..	375.00	30-MTK 30m trap kit for 4-BTV/5-BTV	45.99
HSTD-18 Dual Traveler bm mic/headset; Ken 8-pin	114.99	Sidekick w/i-box/i-tenna 3.5-60 mob/3' whip; lco	425.00	6-BTV 80/40/30/20/15/10m 24' trap vert	189.99
HSTD-706 Dual Traveler bm mic/headset; 706/703	114.99	Stake Hole Mt SO-239 to 3/8-24 mount	27.00	VHF/UHF BASE STATION ANTENNAS	
HSTD-K8 Dual Traveler bm mic/headset; Ken 8-pin	114.99	HobbyZone (HBZ)		G3-144 2m 3db 7.5' vertical antenna	\$ 70.99
HSTD-YM Dual Traveler bm mic/headset; FT817/57/97	114.99	5500 Firebird IIST RTF electric airplane	\$ 84.99	G6-144B 2m 6db 10' vertical antenna	119.99
HTA-IHT Traveler adapter for lcom HT	23.99	1011 6v 600mah NiMH battery	17.99	G6-270R 2m/440 6db 7.6' base station ant .	169.99
HTA-KHT Traveler adapter for Kenwood HT ..	23.99	1026 DC peak charger	19.99	G7-144 2m 7db 15' vertical antenna	169.99
HTA-VX Traveler adapter; Yae VX HT (not VX7) ..	23.99	4500 Firebird Outlaw RTF electric red airplane	49.99	G7-220 220 MHz 7db 10' vertical antenna	159.99
GM-4 Goldline dual element studio mic w/HC-4	145.99	4505 Firebird Outlaw RTF electric green airplane	49.99	G6-440 440 MHz 6db 7' vertical antenna	149.99
GM-5 Goldline dual element studio mic w/HC-5	145.99	1026 DC peak charger	19.99	VHF/UHF MOBILE ANTENNAS	
GM-V Goldline vintage studio mic/matching xfmr	145.99	2500 Firebird Commander RTF electric airplane	109.99	BBG-144 2m 3.4db NMO coil/whip only	\$ 39.99
HCL-4 Classic 1930's desk mic/studio el & HC-4	240.99	3500 Aerobird Challenger RTF electric airplane	149.99	BBGT-144 2m 3.4db NMO trunk lip mt ant ...	49.99
HCL-5 Classic 1930's desk mic/studio el & HC-5	240.99	1012 7.2v 900mah NiMH;2500/3500/4000	24.99	BBG-440-5 440 5db NMO coil/whip only	39.99
HM-10-4 Microphone with HC-4 element	80.99	1013 8.4v 900mah NiMH;2500/3500/4000	29.99	BBGL-440-5 440 5db NMO trunk lip mt ant ..	49.99
HM-10-5 Microphone with HC-5 element	80.99	1026 DC peak charger	19.99	BBT-144A 2m 3/4" hole mt antenna, 3.4db ..D	24.99
HM-10-Dual Mic w/HC-4 & HC-5 elements	128.99	2015 3-prk wall charger for 4000	8.99	BBLT-144A 2m trunk lip mt ant, 3.4db	29.99
ICM Pre-PRO lcom electret mic w/cable	95.99	4020 Sonic combat module; 2500	23.99	CG-144 2m 3/4-24 ant, 7' high, 5.2db	34.99
CC-1-C 3/8" plug cable for Collins/Drake	40.99	4025 Stealth target/combant module; *2500/4000	19.99	CGT-144 2m trunk mt ant, 7' high, 5.2db	55.99
CC-1-D 4-pin cable for Drake	19.99	*Requires 4020 w/model 2500		CG-220 220 MHz 3/4-24 ant, 5.2db	34.99
CC-1-I 8-pin cable for lcom	35.99	6023 Aeroid drop module; 2500/4000	19.99	CGT-220 220 trunk mt ant, 5.2db	55.99
CC-1-I-M Modular cable for lcom	35.99	7800 Sky Surfer RTF electric airplane	249.99	LMB-144 2m 3.4db black NMO coil/whip only	22.99
CC-1-K 8-pin cable for Kenwood	35.99	1026 DC peak charger	19.99	LMB-440-5 440 5db black NMO coil/whip only	19.99
CC-1-K-M Modular cable for Kenwood	35.99	7809 7.2v 1100mah battery for 7800	29.99	LMC-144 2m 3.4db NMO coil/whip only	23.99
CC-1-T Cable for Ten-Tec	35.99	HUSTLER (HUS)		LMC-270 2m/440 2.4/4db NMO coil/whip only	31.99
CC-1-Y 8-pin cable for Yaesu	35.99	RM-80 80m CW 400w PEP resonator	\$ 28.99	LMC-440-5 440 5db NMO coil/whip only	19.99
CC-1-Y-M Modular cable for Yaesu	35.99	RM-75 75m phone 400w PEP resonator	28.99	LMG-144 2m 3.4db NMO pushpin coil/whip only	25.99
HSTA-706 Adapt; HM-1 - lco 706/703/modular	23.99	RM-60 60m phone 400w PEP resonator	28.99	LMG-440-5 440 5db NMO pushpin coil/whip only	19.99
PL-2T Topless proline boom	89.99	RM-40 40m 400w PEP resonator	26.99	MKR-2 Radial kit for CG/RX/SF-antennas	22.99
DT-1 Desk top flush mount	31.99	RM-30 30m 400w PEP resonator	26.99	MX-2 2m 3.4db black & chrome NMO mag ant	34.99
FL-1/FL-2 Flange mount for PL-2T	25.99	RM-20 20m 400w PEP resonator	23.99	MX-2B 2m 3.4db all black NMO mag mt ant	39.99
RS-1 Riser 12" flange mount for PL-2T	25.99	RM-17 17m 400w PEP resonator	23.99	MX-220 220 3.4db blk & chrome NMO mag ant ..	34.99
SB-2 Small adjustable mic boom	42.99	RM-15 15m 400w PEP resonator	16.99	MX-270 2m/440 2.4/4db chrome NMO mag mt ant	59.99
TB-1 Table base microphone stand	25.99	RM-12 12m 400w PEP resonator	16.99	MX-440 440 5db blk & chrome NMO mag mt ant	36.99
HM-4 Handi-Mic hand microphone w/HC-4	80.99	RM-11 CB 400w PEP resonator	16.99	MX-440B 440 5db all black NMO mag mt ant	39.99
HM-5 Handi-Mic hand microphone w/HC-5	80.99	RM-10 10m 400w PEP resonator	16.99	RX-2 2m 3.4db magnetic mount ant	26.99
HM-IC Handi-Mic hand mic/electret element; lco	80.99	RM-80S 80m CW 2kw PEP resonator	53.99	RX-220 220 3.4db magnetic mt antenna	26.99
HM-PRO Handi-Mic hand mic/broadcast element	80.99	RM-75S 75m phone 2kw PEP resonator	53.99	RX-440 440 5db magnetic mt antenna	26.99
CH-1-I 8-pin coiled cable for lcom	23.99	RM-40S 40m 2kw PEP resonator	38.99	SF-2 2m 3/4-24 ant, 4' high, 3.4 db	16.99
CH-1-I-M Modular coiled cable for lcom	23.99	RM-20S 20m 2kw PEP resonator	30.99	SF-220 220 MHz 3/4 antenna, 3.4 db	16.99
CH-1-K 8-pin coiled cable for Kenwood	23.99	RM-15S 15m 2kw PEP resonator	26.99	THF 140-500 MHz 1/4 wave trunk mount ant ..	24.99
CH-1-K-M Modular coiled cable for Kenwood	23.99	RM-11S CB 2kw PEP resonator	25.99	UGM 140-500 MHz 1/4 wave BNC mag mt ant	23.99
CH-1-Y-M Modular coiled cable for Yaesu ..	23.99	RM-10S 10m 2kw PEP resonator	25.99	UHT-1 140-500 MHz 1/4 wave roof mt ant	15.99
PR-20 Cardioid dynamic studio microphone	125.99	MO-1 54" mast for fender or deck mount	33.99	CB & MONITOR ANTENNAS	
PR-40 Broadcast & recording studio microphone	269.99	MO-2 54" mast for bumper mount	33.99	1C-11 White trunk mount CB antenna	\$ 13.99
CC-1-XLR-I 3-pin XLR to 8-pin lcom cable	35.99	MO-3 54" no break-over mast	25.99	1C-11B Black trunk mt CB antenna	13.99
CC-1-XLR-K 3-pin XLR to 8-pin Kenwood cable	35.99	MO-4 22" mast for special applications	21.99	1C-56 102" stainless whip	pick-up only
CC-1-XLR-Y 3-pin XLR to 8-pin Yaesu cable ..	35.99	VP-1 Tri-band adapter	6.99	1C-100 White magnetic mount CB antenna ..	19.99
PR-780 Dynamic cardioid studio mic; IC-7800	330.99	RSS-2 Resonator spring	12.99	1C-100B Black magnetic mt CB antenna	19.99
HQP Quiet Phone Noise cancelling headphones	99.99	QD-2 Stainless quick disconnect	21.99	DTG 25" fg double-tall gutter mt CB ant ..Δ	19.99
BAG-2 Leatherette travel bag for HQP	20.99	L-14-144 12" RG-58, PL-259 to lugs	9.99	FG-27S 48" CB whip	11.99
AD-100 Mic/boomset adapt; FT-100/AD-1Y/CC-1Y	20.99	L-14-240 20" RG-58, PL-259 to lugs	12.99	HQ-27 Power Packer 3/4-24 CB whip	17.99
Boom Clip for BM-series	5.99	STAINLESS 2" MOBILE BALL MOUNTS		HQ-27M Power Packer trunk mt CB antenna	36.99
CB-1 Classic base	58.99	SSM-1 Ball & spring, cadmium hardware	\$ 49.99	HQD Dual fg mirror mount CB antenna	49.99
CB-1-PTT Classic base w/soft PTT switch	69.99	SSM-2 Ball, cadmium hardware	28.99	HQD Single fg mirror mount CB antenna	27.99
Ear Pads for BM-series	Δ pair 4.99	SSM-3 Stainless steel spring	26.99	RQM Magnetic mount CB antenna	19.99
Ear Pads for PRO-series	pair 6.99	1-1/2" MOBILE BALL MOUNTS		RTG-27L 25" CB antenna w/rain gutter mt ...	26.99
FS-2 Dual switch foot switch	38.99	C-32 Chrome plated ball	\$ 12.99	RTM 25" magnetic mount CB antenna	16.99
Ham Radio Handbook	10.00	C-30 Chrome plated spring	12.99	RTS-27L 25" CB antenna w/roof mount	26.99
HC-4 DX'er's 'dream machine' mic element ..	45.99			SCB/BLK 46" black CB whip	29.99
HC-5 Full-range microphone element	45.99				

Hustler - continued

AES Price

SCB/BLU 46" blue CB whip	19.99
SCB/RED 46" red CB whip	29.99
SCB/WHIT 46" white CB whip	29.99
SCB-S/BLK 35" black CB whip	29.99
SCB-S/RED 35" red CB whip	29.99
SCB-S/WHIT 35" white CB whip	29.99
DCL-B Discone monitor ant/50' coax/BNC plug	37.99
DCX Discone monitor ant; 40-700 MHz	25.99
MOR-B Roof/deck mt tri-band BNC monitor ant	20.99
MOT-B Trunk lip mt tri-band BNC monitor ant	21.99
MRM-B Magnet mt tri-band BNC monitor ant	21.99

HY-GAIN (HYG)

HF BEAM ANTENNAS

LJ-103BA 3el 7.9db 8' boom 10m beam	\$159.99
LJ-105CA 5el 10.8db 24' boom 10m beam	289.99
LJ-153BA 3el 7.9db 12' boom 15m beam	209.99
LJ-204BA 4el 8.2db 26' boom 20 or 17m beam	539.99
TH-3JRS 3el 600w PEP 20/15/10m beam	359.99
TH-3MK4 3el 8db 14' boom 20/15/10m beam	469.99
TH-5MK2 5el 8.3db 19' boom 20/15/10m beam	699.99
TH-7DX 7el 8.77db 24' boom 20/15/10m beam	799.99
BN-86 3-30MHz balun for HF beam	79.99

MULTI-BAND HF VERTICAL ANTENNAS

AV-14AVQ 40/20/15/10m 18' vertical ant	\$169.99
AV-18AVQ II 80/40/20/15/10m vertical ant	229.99
AV-18HT Hylower 80/40/20/15/10m 53' vert T*	849.99
AV-620 20/17/15/12/10/6m 22.5' vertical	269.99
AV-640 20/30/20/17/15/12/10/6m 25.5' vert	359.99
AV-88 80/40/30/20/17/15/12/10m 25' vert	369.99

*AV-18HT is drop-shipped (shipped direct to you from the Hy-Gain factory). On these factory drop-shipsments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Starkville, Mississippi via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on these special order items.

VHF/UHF ANTENNAS

DB-218SAT VHF/UHF Oscar Link system	\$499.99
VB-25FM 5el 11.2db 75' boom 2m beam	59.99
VB-64DX 4el 10.4db 12' boom 6m beam	144.99

ANTENNA ROTORS

AR-40 3 sq ft antenna rotor/5-wire	\$269.99
CD-45-II 8.5 sq ft antenna rotor/8-wire	369.99
HAM-IV 15 sq ft antenna rotor/8-wire	529.99
HAM-V Digital 15 sq ft antenna rotor/8-wire	899.99
HDR-300A Hvy duty dig 25 sq ft rotor/8-wire	1229.99
T-2X Tailtwister 20 sq ft antenna rotor/8-wire	619.99
T-2XD Tailtwister dig 20 sq ft ant rotor/8-wire	979.99

OPTIONAL ACCESSORIES FOR ROTORS

DCU-1 Dig rotor control; CD-45/HAM-IV/T-2X	\$569.99
MSHD Lwr mast support; HAM-IV/V/T-2X/XD	99.99
MSLD Lower mast support; CD-45-II/AR-40	39.99
TSP-1 Tower spacer plate	34.99

See BELDEN for rotor cable

iBOTZ (IBO)

MR-1001 Soundtracker robot kit	\$ 29.99
MR-1002 Antoid robot kit	49.99

IBS (IBS)

2006 2006 Passport to Worldband Radio	\$ 22.95
---	----------

ICC (ICC)

Nitelogger II Automatic tape recorder activator	\$ 69.99
---	----------

ICOM (ICO)

IC-7800 Dlx 200w HF+6m Xcvr/IF-DSP/tuner/ps	10599.99
FREE Racing Jacket from Icom (XL only) Limited Time!	
CT-17 CI-V level converter	129.99

Icom - continued

AES Price

HM-36 Scanning hand mic	74.99
SM-20 Deluxe desk microphone	199.99
SP-20 Speaker w/audio filter	239.99
SP-23 Speaker w/audio filter	189.99
IC-756PRO III Xcvr/Rcvr/6m/IF-DSP/tuner/kyr	2999.99
(BET) I-Mate Msg acc; 746PRO/756PRO II/III	74.99
PS-125 25A switching power supply	299.99
AH-4 80-6m 120w auto wire ant tuner	259.99
AH-2B Whip w/mt; 40-6m use tuner	299.99
AH-2B extra whip only	143.99
CT-17 CI-V level converter	129.99
HM-36 Scanning hand mic	74.99
OPC-025D Extra DC cable	29.99
SM-6 Desk microphone	99.99
SM-20 Deluxe desk microphone	199.99
SP-20 Speaker w/audio filter	239.99
SP-23 Speaker w/audio filter	189.99
UT-102 Voice synthesizer	74.99
IC-746PRO Xcvr/Rcvr/6m/2m/IF-DSP/tuner/mic	*1499.99
*Price w/instant coupon; coupon expires 12/31/05	
*Price after rebate; rebate ends 12/31/05; USA only	
PS-125 ps FREE with IC-746PRO! thru 12/31/05	
(BET) I-Mate Msg acc; 746PRO/756PRO II/III	74.99
PS-125 25A switching power supply	299.99
AH-4 80-6m 120w auto wire ant tuner	259.99
AH-2B Whip w/mt; 40-6m use tuner	299.99
AH-2B extra whip only	143.99
CR-338 High stability crystal unit	81.99
CT-17 CI-V level converter	129.99
HM-36 Scanning hand mic	74.99
OPC-025D Extra DC cable	29.99
SM-6 Desk microphone	99.99
SM-20 Deluxe desk microphone	199.99
SP-20 Speaker w/audio filter	239.99
SP-23 Speaker w/audio filter	189.99
UT-102 Voice synthesizer	74.99
IC-718 HF Xcvr/SW Rcvr/mic	*549.99
*Price after rebate; rebate ends 12/31/05; USA only	
*UT-106 DSP now included with IC-718!	
(BET) 706 Tune Control for IC-718	32.99
PS-125 25A switching power supply	299.99
AH-4 80-6m 120w auto wire ant tuner	259.99
AH-2B Whip w/mt; 40-6m use tuner	299.99
AH-2B extra whip only	143.99
AT-180 Auto coax antenna tuner; HF+6m	369.99
OPC-598 23' extension cable for AT-180	69.99
CR-338 High stability crystal unit	81.99
CT-17 CI-V level converter	129.99
FL-52A 500 Hz 455 KHz IF CW filter	179.99
FL-53A 250 Hz 455 KHz IF CW filter	179.99
FL-222 1.9 KHz 455 KHz IF SSB filter	199.99
FL-257 3.3 KHz 455 KHz IF SSB filter	189.99
Suggest dealer installation of filters in IC-718	
MB-5 Mobile mount	59.99
MB-23 Side mount carrying handle	15.99
OPC-025D Extra DC cable	29.99
OPC-599 7+8-pin to 13-pin adapter	60.99
SM-6 Desk microphone	99.99
SM-20 Deluxe desk microphone	199.99
SP-7 Small external speaker	94.99
SP-20 Speaker w/audio filter	239.99
SP-23 Speaker w/audio filter	189.99
UT-102 Voice synthesizer	74.99
UT-106 Plug-in DSP	139.99
IC-703 Plus 10w mini HF+6m Xcvr/tuner/DSP	699.99
AH-4 80-6m 120w auto wire ant tuner	259.99
AH-2B Whip w/mt; 40-6m use tuner	299.99
AH-2B extra whip only	143.99
AH-703 40/20/15/10/6m 20w 4.6' antenna	199.99
BC-155A Battery charger for BP-228	29.99
BP-228 9.6v 2800mah external nicad pack	89.99

Icom - continued

AES Price

CT-17 CI-V level converter	129.99
FL-52A 500 Hz 455 KHz IF CW filter	179.99
FL-53A 250 Hz 455 KHz IF CW filter	179.99
FL-222 1.9 KHz 455 KHz IF SSB filter	199.99
FL-257 3.3 KHz 455 KHz IF SSB filter	189.99
Suggest dealer installation of filters in IC-703 series	
HM-118TN TTP microphone	59.99
HM-154T TTP microphone	75.99
LC-156 Back pack carrying case	89.99
MB-62 Mounting bracket for main unit	25.99
MB-63 Mounting bracket for control panel	18.99
MB-65 Mounting base platform	35.99
MB-72 Carrying handle	14.99
OPC-581 11.5' separation cable	60.99
OPC-587 16' separation cable	79.99
OPC-599 7+8-pin to 13-pin adapter	60.99
OPC-742 13-pin cable	59.99
OPC-1229 Extra DC cable	28.99
OPC-1248 IC-703 to PS-125 cable	14.99
RMK-706 Package; MB-62/MB-63/OPC-581	70.99
SM-6 Desk microphone	99.99
SM-20 Deluxe desk microphone	199.99
OPC-589 8-pin to jack adapt; SM-6/8/20	35.99
SP-7 Small external speaker	94.99
SP-10 Slim-line external speaker	69.99
UT-102 Voice synthesizer	74.99
IC-706 Mk II-G Mini Xcvr/Rcvr/6m/2m/440/DSP	*899.99
*Price after rebate; rebate ends 12/31/05; USA only	
RMK-706 FREE with IC-706 Mk II-G! thru 12/31/05	
(BET) 706 Tune Control for IC-706 series	32.99
(W4R) Antenna Boss II interface; mot ant/IC706	149.99
PS-125 25A switching power supply	299.99
AH-4 80-6m 120w auto wire ant tuner	259.99
AH-2B Whip w/mt; 40-6m use tuner	299.99
AH-2B extra whip only	143.99
AT-180 Auto coax antenna tuner; HF+6m	369.99
OPC-598 23' extension cable for AT-180	69.99
CR-282 High stability crystal unit; Mk II G	149.99
Suggest dealer install; CR-282, IC-706 Mk II-G	
CT-17 CI-V level converter	129.99
FL-100 500 Hz 9 MHz IF CW filter	119.99
FL-101 250 Hz 9 MHz IF CW filter	119.99
FL-103 2.8 KHz 9 MHz IF SSB filter	109.99
FL-223 1.9 KHz 9 MHz IF SSB filter	89.99
FL-232 350 Hz 9 MHz IF CW/RTTY filter	89.99
HM-118TN TTP microphone	59.99
HM-154T TTP microphone	75.99
LC-156 Back pack carrying case	89.99
MB-62 Mounting bracket for main unit	25.99
MB-63 Mounting bracket for control panel	18.99
MB-65 Mounting base platform	35.99
MB-72 Carrying handle; Mk II-G only	14.99
OPC-025D Extra DC cable	29.99
OPC-581 11.5' separation cable	60.99
OPC-587 16' separation cable	79.99
OPC-599 7+8-pin to 13-pin adapter	60.99
OPC-742 13-pin cable	59.99
RMK-706 Package; MB-62/MB-63/OPC-581	70.99
SM-6 Desk microphone	99.99
SM-20 Deluxe desk microphone	199.99
OPC-589 8-pin to jack adapt; SM-6/8/20	35.99
SP-7 Small external speaker	94.99
SP-10 Slim-line external speaker	69.99
UT-102 Voice synthesizer	74.99
AH-710 1.9-30 MHz 80' folded dipole/98' coax	269.99
PW-1 160-15+6m linear amplifier/ps/tuner	4699.99
OPC-137 Adapter cable; older Icom Xcvr	14.99

RECEIVERS

R-5-06 15M-13G AM/FM hand/batts/cgr/clk bldd *189.99

*Price after rebate; rebate ends 12/31/05; USA only

R-5-11* .5MHz to 1.3GHz AM/FM hand Rcvr 199.99

Icom - continued

AES Price

AD-925MA SMA-BNC adapter	16.99
CP-18A Cig lighter cable	30.99
CS-R5 Win programming software	40.99
OPC-474 Cloning cable (R-5 to R-5)	18.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
HP-4 Lightweight headphones	29.99
LC-146A Carrying case	24.99
SP-13 Earphone	4.99
R-3-26 5M-245G AM/FM/TV hand Rcvr/cell bldk	*339.99
*Price after rebate; rebate ends 12/31/05; USA only	
R-3-27* 5MHz-2.45GHz AM/FM/TV hand Rcvr	489.99
BC-135 Desktop charger w/adaptor cup	80.99
BP-206 Extra 3.7v 1650mah lith ion batt ..	63.99
CP-18A Cig lighter cable	30.99
CS-R3 Win programming software	24.99
OPC-474 Cloning cable (R-3 to R-3)	18.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
HP-4 Lightweight headphones	29.99
LC-151 Carrying case	24.99
SP-13 Earphone	4.99
R-10-05 5M-1.3G AM/FM/SSB hand/cell bldk D	299.99
R-10-15* 5MHz-1.3GHz AM/FM/SSB HH Rcvr	299.99
CP-12L Right angle cig cable w/filter	36.99
CS-R10 DOS programming software; R-10 D	6.99
OPC-474 Cloning cable (R-10 to R-10) ..	18.99
OPC-478 PC RS-232C cable	45.99
CSW-HHRX Win prog soft/cable; R-10/R-2 D	29.99
CT-17 CI-V level converter	149.99
FA-B01RE Extra BNC duck antenna	24.99
FA-B02RE High sensitivity VHF BNC duck D	29.99
HP-4 Lightweight headphones	29.99
LC-140 Carrying case for R-10	24.99
OPC-254L Right angle mini DC pwr cable ..	14.99
SP-13 Earphone	4.99
R-20-06 150KHz-3.3GHz handheld Rcvr/cell bldk ..	*494.99
*Price after rebate; rebate ends 12/31/05; USA only	
R-20-11* 150KHz-3.3GHz handheld Rcvr	519.99
BC-156-02 Desktop charger	80.99
BP-206 Extra 3.7v 1650mah lith ion batt ..	63.99
CP-18A Cig lighter cable	30.99
CS-R20 Cloning software/USB cable; R-20 ..	56.99
CT-17 CI-V level converter	129.99
LC-158 Carrying case	29.99
MB-86 Swivel belt clip	9.99
SP-13 Earphone	4.99
PCR-1000-02 BON PC Rcvr/soft/cell bldk D	499.99
PCR-1000-07 BON* PC Rcvr/software	499.99
AH-7000 25-100MHz discone ant w/coax ..	169.99
OPC-131 DC power cord	13.99
SP-7 Small external speaker	94.99
SP-10 Slim-line external speaker	69.99
UT-106 Plug-in DSP unit	139.99
BON CS-40 Bonito soft; PCR-1000-02/07 ..	68.99
CS-R2 DOS programming software; R-2	69
R-75 .03-60 MHz shortwave Rcvr w/DSP	599.99
CR-282 High stability crystal unit	149.99
CT-17 CI-V level converter	129.99
FL-52A 500 Hz 455 KHz IF CW filter	179.99
FL-53A 250 Hz 455 KHz IF CW filter	179.99
FL-100 500 Hz 9 MHz IF CW filter	119.99
FL-101 250 Hz 9 MHz IF CW filter	119.99
FL-103 2.8 KHz 9 MHz IF SSB filter	109.99
FL-222 1.9 KHz 455 KHz IF SSB filter	199.99
FL-223 1.9 KHz 9 MHz IF SSB filter	89.99
FL-232 350 Hz 9 MHz IF CW/RTTY filter ..	89.99
FL-257 3.3 KHz 455 KHz IF SSB filter	189.99
MB-5 Mobile mount	59.99
MB-23 Side mount carrying handle	15.99
OPC-869 DC cable	55.99

Icom - continued

AES Price

RS-R75 PC control software w/RS-232 cable ..	80.99
SP-23 Speaker w/audio filter	189.99
UT-102 Voice synthesizer	74.99
MB-12 Mobile mount; R-8500	39.99
RS-R8500 PC ctrl soft w/RS-232 cbl; R-8500 ..	79.99
*United States & state government agencies or a political subdivision thereof and communications utility companies and their legal agents ONLY may purchase unblocked models of R-3/R-5/R-10/R-20/PCR-1000 for official government or communications utility company use only. Mail or FAX purchase order to AES. Exports: inquire.	
BC-96 Wireless mic holder; IC-2100H	29.99
CS-2100 DOS cloning software; IC-2100H ..	9.99
CSW-2100 Win prog soft/cable; IC-2100H ..	50.99
EX-1759 Infrared receiver; IC-2100H	89.99
HM-90A Wireless microphone; IC-2100H ..	89.99
HM-133S Extra TTP mic; IC-2100H	90.99
MB-28H Mobile bkt; 2100H/207H/2800H ..	26.99
OPC-346 9.8' DC cable; 2100H/207H/2800H ..	28.99
OPC-872 Controller extension cable; 2800H D ..	9.99
UT-84 Tone squelch unit; IC-2700H/821H ..	79.99
UT-89 Tone scan/decode unit; IC-2350H ..	89.99
UT-101 DTMF unit for IC-2000H	\$ 28.99
UT-104 Tone squelch unit; IC-2710H	39.99
IC-2200H 65w 2m FM Xcvr	*209.99
*Price after rebate; rebate ends 12/31/05; USA only	
CS-2200H Windows cloning software	80.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
MB-17A Quick release bracket	49.99
OPC-347 23' DC cable	46.99
OPC-440 16.4' mic extension cable	85.99
OPC-441 16.4' speaker extension cable ..	33.99
OPC-474 Radio to radio cloning cable	18.99
OPC-589 8-pin mic jack adapter cable	35.99
OPC-647 8.2' mic extension cable	54.99
OPC-1132 9.8' DC cable	28.99
SP-10 Slim-line external speaker	69.99
UT-108 DTMF decoder unit	35.99
UT-118 Digital board	199.99
IC-B8000 75w 2m FM Xcvr w/MX alert/scan ..	*179.99
*Price after rebate; rebate ends 12/31/05; USA only	
CS-B8000 Windows cloning software	35.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
OPC-347 23' DC cable	46.99
OPC-440 16.4' mic extension cable	85.99
OPC-441 16.4' speaker extension cable ..	33.99
OPC-474 Radio to radio cloning cable	18.99
OPC-589 8-pin mic jack adapter cable	35.99
OPC-647 8.2' mic extension cable	54.99
OPC-1132 9.8' DC cable	28.99
SP-10 Slim-line external speaker	69.99
UT-108 DTMF decoder unit	35.99
V8000-MMB Extra mobile bracket	26.99
IC-208H 55w 2m/50w 440 FM Xcvr	*309.99
*Price after rebate; rebate ends 12/31/05; USA only	
CS-208 Win cloning software	35.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
MB-17A Quick release bracket	49.99
MB-58 Remote controller bracket	39.99
MB-65 Mounting base platform	35.99
OPC-347 23' DC cable	46.99
OPC-440 16.4' mic extension cable	85.99
OPC-441 16.4' speaker extension cable ..	33.99
OPC-474 Radio to radio cloning cable	18.99
OPC-589 8-pin mic jack adapter cable	35.99
OPC-601R 23' separation cable	67.99
OPC-647 8.2' mic extension cable	54.99

Icom - continued

AES Price

OPC-1132 9.8' DC cable	28.99
SP-10 Slim-line external speaker	69.99
IC-2720H 50w 2m/35w 440 FM Xcvr	*369.99
*Price after rebate; rebate ends 12/31/05; USA only	
CS-2720 Win/DOS cloning software	35.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
MB-17A Quick release bracket	49.99
MB-84 Extra remote controller bracket	18.99
MB-65 Mounting base platform	35.99
MB-85 Combination bracket	25.99
OPC-347 23' DC cable	46.99
OPC-440 16.4' mic extension cable	85.99
OPC-441 16.4' speaker extension cable ..	33.99
OPC-474 Radio to radio cloning cable	18.99
OPC-589 8-pin mic jack adapter cable	35.99
OPC-647 8.2' mic extension cable	54.99
OPC-1132 9.8' DC cable	28.99
OPC-1156 11.5' separation cable	26.99
SP-10 Slim-line external speaker	69.99
IC-910H 100w 2m/75w 430 FM/SSB Xcvr	1299.99
PS-125 25A switching power supply	299.99
AG-25 2m mast mounted GaFET preamp ..	159.99
AG-35 430 MHz mast mounted preamp	169.99
AG-2400 2.4GHz mast mt down converter D ..	499.99
CR-293 High stability xtal unit	279.99
CT-17 CI-V level converter	129.99
FL-132 500 Hz main Rcvr CW filter	119.99
FL-133 500 Hz sub band Rcvr CW filter	119.99
MB-5 Mobile mount	59.99
MB-23 Side mount carrying handle	15.99
SM-20 Deluxe desk microphone	199.99
SP-7 Small external speaker	94.99
SP-10 Slim-line external speaker	69.99
UT-102 Voice synthesizer	74.99
UT-106 Plug-in DSP unit (one per band) ...	139.99
UX-910 10w 1.2GHz module	499.99
ID-1 10w 1.2GHz FM/128k analog/digital Xcvr ..	*1279.99
*Price after rebate; rebate ends 12/31/05; USA only	
MB-17A Quick release bracket	49.99
OPC-440 16.4' mic extension cable	85.99
OPC-647 8.2' mic extension cable	54.99
SP-10 Slim-line external speaker	69.99
ID-800 55w 2m/50w 440 FM analog/dig Xcvr ..	*609.99
*Price after rebate; rebate ends 12/31/05; USA only	
CS-D800 Cloning software	45.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
MB-17A Quick release bracket	49.99
OPC-347 23' DC cable	46.99
OPC-440 16.4' mic extension cable	85.99
OPC-441 16.4' speaker extension cable ..	33.99
OPC-601R 23' separation cable	67.99
OPC-647 8.2' mic extension cable	54.99
OPC-1132 9.8' DC cable	28.99
SP-10 Slim-line external speaker	69.99

D-STAR REPEATERS

ID-RP2C Repeater controller	special order 1459.99
ID-RP2D 1.2GHz data repeater	special order 1112.99
ID-RP2C/2D Rptr controller/data rptr spec order ..	2297.99
ID-RP2L 10GHz backbone rptr	special order 5209.99
ID-RP2V 1.2GHz voice repeater	special order 3299.99
ID-RP2C/2V Rptr controller/voice rptr spec order ..	4255.99
ID-RP2D/V Complete D/V rptr package spec order ..	5246.99
ID-RP2D/V+Link D/V+link rptr pack spec order ..	9904.99

Accessories for IC-2AT

BM-112U/BC-16U Wall cgr; 5A/7/8 only	\$ 26.99
BP-4 Alkaline battery case	35.99
CP-1 Cig cgr; BP-3/7/8/DC cord	24.99
CP-11 Cig cord w/noise filter	39.99

Icom - continued

AES Price

IC-T2H Sport 6w 2m FM HT/battery holder	99.99
AD-81 Batt pack adapter for rapid charger	17.99
BC-110A/BC-74 Extra wall charger	40.99
BC-119-N01 Desk charger (adapter required)	84.99
BC-133 Drop-in trickle charger	39.99
BC-122A AC adapter for BC-133	16.99
BP-194 AA alkaline battery case	18.99
BP-195 9.6v 700mah nicad battery	42.99
BP-196 9.6v 1050mah nicad battery	53.99
CP-12L Rt angle cig charge cable w/filter	36.99
CP-17L Right angle cig cable for charger	24.99
CS-T2 DOS prog software for IC-T2	9.99
OPC-474 Cloning cable (T2 to T2)	18.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
CSW-HH4 Windows prog soft w/cable; T2	50.99
HM-46 Slim-line speaker/mic	45.99
HM-54 Hvy duty spkr/mic	79.99
HM-75A Remote control microphone	70.99
HM-128 Earphone+microphone	25.99
HM-131 Spkr/mic/earph jack/revolving clip	38.99
HS-51 Headset w/VOX	96.99
HS-94 Ear-piece style headset; use w/VS-1	24.99
VS-1 VOX-PTT unit for HS-94	42.99
LC-145 Carrying case for IC-T2	38.99
LCF36 Swivel Leather case with swivel	50.99
MB-68 Extra standard belt clip	5.99
MB-74N Spring loaded belt clip	12.99
MB-87 Swivel belt clip	9.99
NCP-1 Nylon chest pack	39.99
OPC-254L Right angle mini DC chg cable	14.99
SP-13 Earphone	4.99
IC-V8 5.5w 2m FM HT/batt/cgr/TTP	*119.99
*Price after rebate; rebate ends 12/31/05; USA only	
BC-119-N01 Desk charger (adapter required)	84.99
AD-94-11 Adapter cup; BC-119-N01	17.99
AD-101 Batt adapt; BP-211/BC-119-N01	25.99
BC-144-01/21/N51 Desk cgr/adapt; not N-series D	59.99
BC-144N Rapid desk charger	89.99
BP-208N Battery case	18.99
BP-209N 7.2v 1100mah 5.5w battery	53.99
BP-210 7.2v 1650mah 5.5w battery	79.99
BP-210N 7.2v 1650mah 5.5w battery	80.99
BP-211 7.4v 1800mah lith ion battery	89.99
BP-211N 7.4v 1800mah lith ion battery	91.99
BP-222 7.2v 600mah 5.5w battery	35.99
BP-222N 7.2v 600mah 5.5w battery	35.99
CP-17L Right angle cig cable for charger	24.99
CS-V8 Cloning software for IC-V8	35.99
OPC-474 Cloning cable (V8 to V8)	18.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
HM-46L Slim-line spkr/mic, rt angle plug	45.99
HM-54 Hvy duty spkr/mic	79.99
HM-75A Remote control microphone	70.99
HM-128L Rt angle plug earphone+mic	25.99
HM-131L Rt angle spkr/mic/earph jack/revolv clip	42.99
HM-158L Rt angle spkr/mic/earph jack/clip	38.99
HS-51 Headset w/VOX	96.99
HS-94 Ear-piece style headset; use w/VS-1L	24.99
VS-1L Right angle VOX-PTT unit for HS-94	42.99
LCF36 Swivel Leather case with swivel	50.99
MB-68 Extra standard belt clip	5.99
MB-74N Spring loaded belt clip; orig batts	12.99
MB-86 Swivel belt clip; N-series batteries	9.99
MB-87 Swivel belt clip; original batteries	9.99
MB-103 Spring loaded belt clip; N-series batts	12.99
OPC-515L Right angle DC cord for charger	20.99
SP-13 Earphone	4.99
UT-108 DTMF decoder unit	35.99

Icom - continued

AES Price

IC-V82 7w 2m FM HT/battery/charger	*159.99
*Price after rebate; rebate ends 12/31/05; USA only	
IC-U82 5w 440 FM HT/battery/charger	*159.99
*Price after rebate; rebate ends 12/31/05; USA only	
BC-144N Rapid desk charger	89.99
BP-208N Battery case	18.99
BP-209N 7.2v 1100mah 5.5w battery	53.99
BP-210N 7.2v 1650mah 5.5w battery	80.99
BP-211N 7.4v 1800mah lith ion battery	91.99
BP-222N 7.2v 600mah 5.5w battery	35.99
CS-V82 Cloning software for IC-V82/U82	40.99
OPC-474 Cloning cable (HT to HT)	18.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable	60.99
HM-75A Remote control microphone	70.99
HM-128L Rt angle plug earphone+mic	25.99
HM-131L Rt angle spkr/mic/earph jack/revolv clip	38.99
HM-158L Rt angle spkr/mic/earph jack/clip	42.99
HS-85 Headset w/VOX	89.99
HS-94 Ear-piece style headset; use w/VS-1L	24.99
VS-1L Right angle VOX-PTT unit for HS-94	42.99
MB-86 Swivel belt clip	9.99
MB-103 Spring loaded belt clip; N-series batts	12.99
SP-13 Earphone	4.99
UT-108 DTMF decoder unit	35.99
UT-118 Digital board	199.99
IC-T7H 6w 2m/440 FM HT/batt/cgr/TTP	*189.99
*Price after rebate; rebate ends 12/31/05; USA only	
IC-W32A 5w 2m/440 FM HT/batt/cgr/TTP	*279.99
*Price after rebate; rebate ends 12/31/05; USA only	
AD-51 Batt pack adapt; W32A/rapid cgr	9.99
AD-56 Batt pack adapt; T7H/T22A/rapid cgr	18.99
BC-110A/BC-74 Extra wall charger	40.99
BC-119-N11 Nicad/NIMH desk cgr (adapt required)	89.99
BP-170 Battery case	35.99
BP-172 4.8v 950mah battery	91.99
BP-173 9.6v 600mah battery	99.99
BP-180 7.2v 600mah battery	83.99
CP-12 Cig lighter cable w/filter	36.99
CP-12L Right angle cig cable w/filter	36.99
CSW-32 DOS prog software for IC-W32A	9.99
OPC-474 Cloning cable W32A to W32A	18.99
OPC-478 PC RS-232C cable	45.99
CSW-HH4 Windows prog soft/cbl; T7H/W32A	50.99
OPC-474 Cloning cable	18.99
OPC-478 PC RS-232C cable	45.99
FA-1443B Extra 2m/440 dual band duck	29.99
HM-46 Slim-line speaker/mic	45.99
HM-54 Heavy duty spkr/mic	79.99
HM-75A Remote control microphone	70.99
HM-128 Earphone+microphone	25.99
HM-131 Spkr/mic/earph jack/revolving clip	38.99
HS-10 Boom mic/headset	59.99
HS-10SA VOX unit	59.99
HS-10SB PTT switchbox	59.99
HS-85 Headset w/VOX	89.99
HS-94 Ear-pc headset; use w/VS-1	24.99
VS-1 VOX-PTT unit for HS-94	42.99
LC-128 Vinyl case; IC-W32A	38.99
LC-126 Vinyl case; T7H w/BP170/171/172	29.99
LC-137 Vinyl case; T7H w/BP173/180	38.99
NCP-1 Nylon chest pack	39.99
OPC-254 Mini DC power cable	14.99
OPC-254L Right angle mini DC pwr cable	14.99
SP-13 Earphone	4.99
AD-87 Batt pack adapter; rapid cgr; T81A	8.99
AD-88 PCB board; original BC-119-11	29.99
BC-119-N21 Nicad/NIMH desk cgr (use adapt); T81A	89.99
BC-127A Extra nicad charger; IC-Q7	6.99
BP-199 6v 700mah NIMH battery; IC-T81A	39.99
BP-200L 9.6v 760mah NIMH battery; T81A	79.99

Icom - continued

AES Price

IC-T90A 5w 6m/2m/440 HT/batt/cgr/lith	*249.99
*Price after rebate; rebate ends 12/31/05; USA only	
AD-92SMA SMA- BNC adapter	16.99
BC-139 Desk rapid charger	94.99
BP-216 Battery case for 2 AA	35.99
BP-217 7.4v 1300mah lith ion battery	89.99
CP-19R Cig lighter cable w/filter	44.99
CS-T90A Windows cloning software; IC-T90A	35.99
OPC-474 Cloning cable (radio to radio)	18.99
OPC-478 PC RS-232C cable	45.99
OPC-478U PC USB cable (Win XP only)	60.99
HM-46 Slim-line speaker/mic	45.99
HM-75A Remote control microphone	70.99
HM-128 Earphone+microphone	25.99
HM-131 Spkr/mic/earph jack/revolving clip	38.99
HS-85 Headset w/VOX	89.99
HS-94 Ear-pc headset; use w/VS-1	24.99
VS-1 VOX-PTT unit for HS-94	42.99
LC-152A Carrying case	24.99
MB-83 Swivel belt clip	9.99
SP-13 Earphone	4.99
Accessories for IC-2SAT/2SRA/24AT/W2A	
BP-83 7.2v 600mah battery	\$ 69.99
BP-84 7.2v 1000mah battery	89.99
BP-90 AA alkaline battery case	35.99
AD-28 Batt pack adapt for rapid cgr; 2GXAT	14.99
AD-44 Batt adapter; rapid cgr; T21A19
BP-157A 7.2v 900mah battery; 2GXAT	79.99
BP-174 12v 600mah battery; 2GXAT	69.99

ACCESSORIES

AG-25 2m mast mounted GASFET preamp	\$159.99
AG-35 430 MHz mast mounted preamp	169.99
CT-17 Cl-V level converter	129.99
HM-18 Scan hand microphone	74.99
MB-23 Side mount carrying handle	15.99
OPC-137 Adapter cable; older Icom Xcvr	14.99
PS-125 25A switching power supply	299.99
SM-6 Electret desk microphone	99.99
SM-20 Deluxe desk microphone	199.99
SP-5 Mobile speaker	39.99
SP-7 Small external speaker	94.99
SP-10 Slim-line external speaker	69.99
SP-20 Speaker w/audio filter	239.99
SP-23 Speaker w/audio filter	189.99

Comic Book 2 Lost in Seattle (Zack & Max)

CONSUMER ELECTRONICS

A-23 5w compact Navicom air handheld	\$329.99
IC-M1V Waterproof 5w VHF marine handheld	199.99
IC-M32 Waterproof 5w VHF marine handheld	149.99
IC-M302W02 White waterproof 25w VHF marine	159.99
IC-M402W02 White waterproof 25w VHF marine	199.99
M-710 (21) 150w HF marine SSB ..spec order	1399.99
AT-130 HF marine auto ant tuner spec order	449.99
M-802 150w DSP marine SSB Xcvr spec order	1749.99
IC-4088A Dlx family radio service handheld	89.99
BP-202 Nicad battery; IC-4008A/4088A	17.99
CP-18A Cig lighter cable	30.99
HM-46 Slim-line speaker/mic	45.99
HM-75A Remote control microphone	70.99
HM-128 Earphone+microphone	25.99
HM-131 Spkr/mic/earph jack/revolving clip	38.99
HS-51 Headset w/VOX	96.99
HS-85 Headset w/VOX	89.99
HS-94 Ear-piece style headset; use w/VS-1L	24.99
VS-1 VOX-PTT unit for HS-94	42.99
IC-F21-GM 15 ch 4w GMRS/FRS handheld	149.99
IDIDM PRESS (IDI)	
K-3 Logixkey CW keyer	\$129.99
HK-3 Hook-up kit	10.99

AES Price

International Ant (IAC)

40m double Bazooka Shorty 40' antenna ...	Δ	\$ 89.99
160m-S 160m half sloper 127' antenna ...	Δ	89.99
80m-S 80m half sloper 67' antenna ...	Δ	69.99
40m-S 40m half sloper 33' antenna ...	Δ	39.99

ISOTRON (ISO)

160C 160m 9.5'x16"x15" 100 KHz bandwidth ant	\$	173.99
80 80m 32"x16"x15" 110 KHz bandwidth ant		98.99
40 40m 22"x16"x15" 250 KHz bandwidth ant		88.99
20 20m 21"x8"x4" 350 KHz bandwidth ant		78.99
15 15m 21"x1.5"x4" 450 KHz bandwidth ant		78.99
10 10m 16"x1.5"x4" 1 MHz bandwidth ant		78.99
6 6m 16.5"x2"x4" 1.25 MHz bandwidth ant		78.99

80/40 Combo* 80/40m 32"x16"x30" ant .. 177.99

*Requires coaxial "T"Ts & jumpers - not included

20/15/10 Combo 20/15/20m combo ant .. 198.99

JR (JRP)

317275 XS3 synth FM pistol/12590W/1-2270 75MHz	\$	329.99
SP-100 SC-1 fwd/rev speed control		64.99

K-COM (KCO)

RF-1 Modular telephone 3-30 MHz RFI filter ..	\$	16.99
RF-1/Low Modular phone .5-3 MHz RFI filter ..		16.99
RF-1/2-line 2-line modular 3-30 MHz RFI filter ..		22.99
RF-1/coiled Coiled cord modular 3-30MHz filter ..		22.99
RF-2 Hard-wired telephone 3-30 MHz RFI filter ..		10.99
RF-2/Low Hard-wired phone .5-3 MHz RFI filter ..		10.99

KANTRONICS (KAN)

KPC-3 Plus/128K Small packet TNC/128K RAM	\$	198.99
KPC-9612 Plus/128K 9600 controller/128K ...		388.99
(CSS) Pacterm for Windows Soft; Kan TNCs		99.99
12VDC Adaptor 300ma adaptor; KPC-3		12.99
APRS adapter cable; GPS to Kantronics TNC		32.99
Host Master II+ IBM software	D	69.99
KAM 98 Single port multi-mode dig controller D		399.99
(CSS) Pacterm for Windows Soft; Kan TNCs		99.99
12VDC Adaptor 300ma adaptor; KAM 98		12.99
APRS adapter cable; GPS to Kantronics TNC		32.99
KAM XL All mode TNC w/DSP modems		409.99
(CSS) Pacterm for Windows Soft; Kan TNCs		99.99
12VDC Adaptor 300ma adaptor; KAM XL		12.99
APRS adapter cable; GPS to Kantronics TNC		32.99

KENT (KNT)

SK-1 Straight key	\$	129.99
SP-1 Single paddle key		139.99
TP-1 Dual paddle iambic key		149.99
VK-1 Vail Correspondent straight key		179.99

KENWOOD (KEN)

SP-950 Ext spkr/audio filters; TS-950SDX

TS-B2000 PC ctl HF/6m/2m/430 Xcvt/tuner *1449.99

*Price w/instant coupon; coupon expires 10/31/05

TS-2000 HF/6m/2m/430 Xcvt/ant tuner *1599.99

*Price w/instant coupon; coupon expires 10/31/05

*UT-20 1.2GHz module Kenwood install only

TS-2000X HF/6m/2m/430/1.2 Xcvt/tuner ... *2099.99

*Price w/instant coupon; coupon expires 10/31/05

KPS-15 23A switching ps w/fan, 25A surge 129.99

PS-53 Heavy duty 22.5A power supply

ARCPC-2000 PC control soft (inc w/TS-B2000) 82.99

DRU-3A Digital recording unit

HS-5 Deluxe headphones

HS-6 Lightweight headphones

MB-430 Mobile mounting bracket

MC-43S Extra 8-pin hand mic w/up-down ..

MC-57DM Back-lit TTP hand mic

MC-60A 8-pin amp desk mic w/up-down ..

MC-90 2-head DSP desk microphone

PG-2Y 13' DC cable

Kenwood - continued

AES Price

PG-22 6.5' heavy duty DC cable		37.99
RC-2000 Remote faceplate mobile kit		349.99
SP-23 External speaker		89.99
VS-3 Voice synthesizer		39.99
PS-52 Heavy duty power supply; TS-870S ..	Δ	269.99
SP-31 External speaker; TS-870S	Δ	99.99
TS-480HX 200w HF/100w 6m Xcvt		*1049.99
*Price w/instant coupon; coupon expires 10/31/05		
TS-480SAT 100w HF/6m Xcvt w/auto tuner ..		*949.99
*Price w/instant coupon; coupon expires 10/31/05		
PS-53 Hvy duty 22.5A ps (use 2 for 200w)		249.99
E30-3489-05 Extra 6' DC cable for TS-480		38.99
HS-6 Lightweight headphones		59.99
MB-480 Carrying bracket w/handle		47.99
MC-43S Extra 8-pin hand mic w/up-down ..		59.99
MC-47 Multi-function 8-pin hand mic		59.99
MC-60A 8-pin amp desk mic w/up-down ..		149.99
MI-88 Modular to 8-pin mic adapter		30.99
PG-4Z 13' panel extension kit		58.99
PG-20 22' DC cable		46.99
SO-3 TCXO unit		109.99
SP-23 External speaker		89.99
SP-50B High quality external mobile spkr ..		55.99
VGS-1 Voice guide & storage unit		67.99
YF-107C 500 Hz CW filter		119.99
YF-107CN 270 Hz CW filter		119.99
YF-107SN 1.8 KHz SSB filter		119.99
TS-570D(G) 9-band Xcvt/Rcv/AFDSP/tuner/mic		*919.99
*Price w/instant coupon; coupon expires 10/31/05		
TS-570S(G) 9-band Xcvt/Rcv/AFDSP/tune/mic		*1079.99
*Price w/instant coupon; coupon expires 10/31/05		
KPS-15 23A switching ps w/fan, 25A surge		129.99
PS-53 Heavy duty 22.5A power supply		249.99
DRU-3A Digital recording unit		129.99
HS-5 Deluxe headphones		79.99
HS-6 Lightweight headphones		59.99
MB-430 Mobile mounting bracket		49.99
MC-43S 8-pin hand mic w/up-down		59.99
MC-60A 8-pin amp desk mic w/up-down ..		149.99
MC-90 2-head DSP desk microphone		239.99
PG-2Y 13' DC cable		39.99
PG-22 6.5' heavy duty DC cable		37.99
SO-2 TCXO unit		179.99
SP-23 External speaker		89.99
SP-50B High quality external mobile spkr ..		55.99
VS-3 Voice synthesizer		39.99
YK-88C-1 500 Hz CW filter		129.99
YK-88CN-1 270 Hz CW filter		129.99
YK-88SN-1 1.8 KHz SSB filter		129.99
TS-50S Compact HF Xcvt/SW Rcvr/mic/mt ..		669.99
KPS-15 23A switching ps w/fan, 25A surge		129.99
PS-53 Heavy duty 22.5A power supply		249.99
AT-50 External HF auto tuner		329.99
PG-4M 18' extension cable for AT-50		29.99
HS-5 Deluxe headphones		79.99
HS-6 Lightweight headphones		59.99
MC-47 Extra multi-function 8-pin hand mic		59.99
MC-60A 8-pin amp desk mic w/up-down ..		149.99
PG-2Y 13' DC cable		39.99
PG-22 6.5' heavy duty DC cable		37.99
SO-2 TCXO unit		179.99
SP-23 External speaker		89.99
SP-50B High quality external mobile spkr ..		55.99
TC-50/50CA Travel case; TS-50S/60S ..	D	89.99
YK-107C 500 Hz CW filter; TS-50S		129.99
7-pin DIN plug		4.99
8-pin DIN plug		6.99
13-pin DIN plug		9.99
HS-5 Deluxe headphones		79.99
HS-6 Lightweight headphones		59.99
KES-5 Heavy duty 40w unterminated speaker		59.99

Kenwood - continued

AES Price

KPS-15 23A switching ps w/fan, 25A surge ..		149.99
LF-30A 1kw PEP low pass filter		64.99
MC-43S 8-pin hand mic w/up-down switch ..		59.99
MC-60A 8-pin amp desk mic w/up-down		149.99
MI-88 Modular to 8-pin mic adapter		30.99
PG-3B 15A DC line noise filter		29.99
SP-50B High quality external mobile speaker		55.99
TU-7 Prog encoder; 2550/751A/TW-4100A ..		54.99
YG-455C-1 500 Hz CW filter; TS-450/690 ..	Δ	149.99
TM-V708A 50w 2m/35w 440 FM Xcvt		399.99
TM-D700A 50w 2m/35w 440 FM/1200/9600 ..		*499.99
*Price w/instant coupon; coupon expires 10/31/05		
MB-201 Extra mobile bracket		25.99
MI-88 Modular to 8-pin mic adapter		30.99
PG-2N Extra DC cable		17.99
PG-4X 13' extension cable kit		69.99
PG-5A Packet data cable		15.99
SP-50B High quality external mobile spkr ..		55.99
VS-3 Voice synthesizer		39.99
TM-G707A 50w 2m/35w 440 FM/TTP mic		269.99
DFK-3C 9' separate display cable kit		44.99
DFK-4C 13' remote cable kit		64.99
DFK-7C Deluxe 23' remote cable kit		99.99
MB-201 Extra mobile bracket		25.99
MI-88 Modular to 8-pin mic adapter		30.99
PG-2N Extra DC cable		17.99
PG-4S PC interface cable		32.99
PG-5A Packet data cable		15.99
SP-50B High quality external mobile spkr ..		55.99
VS-3 Voice synthesizer		39.99
TM-461A 35w 440 FM Xcvt w/TTP mic	D	399.99
MB-201 Extra mobile bracket		25.99
MI-88 Modular to 8-pin mic adapter		30.99
PG-2N Extra DC cable		17.99
SP-50B High quality external mobile spkr ..		55.99
TSU-8 CTCSS decoder	Δ	59.99
TM-271A 60w 2m FM Xcvt w/WX alert		179.99
MI-88 Modular to 8-pin mic adapter		30.99
PG-2N Extra DC cable		17.99
PG-5D PC interface cable		78.99
SP-50B High quality external mobile spkr ..		55.99
DFK-3 9' separate displ cable kit; 642/742 ..	Δ	24.99
DFK-4 13' remote cable kit; 642/742AD ..	Δ	59.99
DFK-7 Dlx 22' remote cable kit; 642/742 ..	Δ	89.99
KQT-8/TSU-6 Prog CTCSS decoder; TM-541A ..		49.99
MC-57DM Back-lit TTP mic; 241/331/441/541 ..		79.99
MC-58DM Back-lit TTP mic; 251/733/742/255/7A		79.99
TSU-7 CTCSS decoder unit; TM-642/742AD ..		59.99
UT-50S 50w 6m unit; TM-642/742AD	Δ	329.99
UT-220S 25w 220 MHz unit; TM-742AD	Δ	329.99
BT-9 4-AA battery holder; TH-22		29.99
KSC-8A Drop-in cgr; 25/26/75/77/22/42/79 ..	Δ	26.99
KSC-14 2-pack rapid charger; TH-22	Δ	49.99
PB-33 6v 1200mah battery; TH-22	Δ	69.99
PB-34 9.6v 600mah 5w battery; TH-22	Δ	89.99
TSU-8 CTCSS decoder; TH-22/42AT	Δ	59.99
TH-K2AT 5w 2m FM HT/battery/charger		149.99
TH-K2AT(K2) 5w 2m FM HT/batt holder		109.99
BT-14 6-AA battery holder		19.99
EMC-3 Lapel clip mic/ear piece		24.99
HMC-3 VOX/boom mic headset		48.99
KHS-21 Boom mic headset		33.99
KSC-24 Rapid charger		46.99
PB-43N 7.2v 1100mah NiMH battery		44.99
PG-2W DC cable w/fuse		17.99
PG-3J Cig lighter cord w/filter		36.99
PG-4Y 9-pin PC programming cable		32.99
SC-54 Soft case		16.99
SMC-32 Mini water resist rt angle spkr/mic ..		52.99
SMC-33 Speaker/mic w/remote control		65.99
SMC-34 Spkr/mic w/vol cont/function keys ..		32.99

Kenwood - continued AES Price

WR-2 Water resistant bag; TH-22/42AT	29.99
TH-G71A 5w 2m/440 FM HT/batt/cgr/TTP	*209.99
*Price w/instant coupon; coupon expires 10/31/05	
TH-D7A(G) 5w 2m/440 FM HT/1200/9600 TNC	*329.99
*Price w/instant coupon; coupon expires 10/31/05	
BC-19 Rapid charger	64.99
BT-11 4-AA battery holder	17.99
EMC-3 Lapel clip mic/ear piece	24.99
HMC-3 VOX/boom mic headset	48.99
J29-0631-13 Belt clip for batt; D7A/G71A	4.99
PB-39 9.6v 600mah 5w battery	57.99
PG-2W DC cable w/fuse	17.99
PG-3J Cig lighter cord w/filter	36.99
PG-4W PC software/cable; TH-D7A(G)	55.99
PG-4Y 9-pin PC prog cable; TH-G71A	32.99
SC-45 Soft case for TH-G71A/PB-38/39	15.99
SC-47B Black soft case for TH-D7A(G)	15.99
SC-470R Orange soft case for TH-D7A(G)	15.99
SMC-32 Mini water resist rt angle spkr/mic	52.99
SMC-33 Speaker/mic w/remote control	65.99
SMC-34 Spkr/mic w/vol cont/function keys	32.99
WR-2 Water resistant bag	29.99
TH-F6A 5w 2m/220/440 FM HT/lith ion batt	329.99
BT-13 AA battery case	25.99
EMC-3 Lapel clip mic/ear piece	24.99
HMC-3 VOX/boom mic headset	48.99
KHS-21 Boom mic headset	33.99
PB-42L Extra 7.4v 1550mah lithium ion batt	79.99
PG-2W DC cable w/fuse	17.99
PG-3J Cig lighter cord w/filter	36.99
PG-4Y 9-pin PC programming cable	32.99
SC-51 Soft case w/swivel belt clip	16.99
SMC-32 Mini water resist rt angle spkr/mic	52.99
SMC-33 Speaker/mic w/remote control	65.99
SMC-34 Spkr/mic w/vol cont/function keys	32.99
WR-2 Water resistant bag	29.99
E59-0407-08 16-pin DIN plug only; VCH-1 Δ	6.99
KCT-24S VCH-1 to PC software/cable	16.99

CONSUMER ELECTRONICS

TKM-707 150w HF marine SSB Xcvr spec order	1249.99
KAT-1 HF marine auto ant tuner...spec order	569.99
UBC-3 Nicad desk charger; UBZ-LH14BK ...D	4.99
USC-5B Black nylon case; UBZ-LH14BK ...D	4.99

KESTER (KES)

82-5000-0004 .5 oz 60/40 solder, .040 dia ..	\$ 1.99
--	---------

KLEINHUIS (KLE)

1309 Isolated grounding bar	\$ 14.99
-----------------------------------	----------

KOSS (KOS)

KTX/8 Collapsible stereo phone w/vol control ...	\$ 14.99
QZ/5 Passive noise reduction stereo phone	49.99
QZ/50 Active noise reduction stereo phone	49.99
QZ/99 Noise reduction stereo phone w/mono sw ..	59.99
QZ/2000 Active noise reduction stereo phone ..	149.99
Y-88 Dual stereo phone Y-adapter	4.99

KURANISHI (KUR)

BR-210 1.8-170MHz SWR/antenna analyzer ..	\$429.99
---	----------

LDG (LDG)

MP-AL-Cable Ali interface cable; AT-11MP .D ..	\$ 4.99
MP-IC-Cable lcom interface cbl; AT-11MP .D ..	4.99
AT-100Pro 160-6m 1-125w auto tuner	199.99
AT-200Pro 160-6m 5-200w auto tuner	229.99
AL-IC1 Alinco 10' interface cable	20.99
lcom-IC1 lcom 10' interface cable	20.99
lcom-IC2 lcom 8" interface cable	8.99
K-DTT Kenwood one-touch tune interface ..	59.99
RBA-1:1 Remote 1:1 balun	30.99
RBA-4:1 Remote 4:1 balun; long/random/end fed ..	30.99
Y-ACC FT857/897 interface cable	12.99

LDG - continued

Y-DTT FT100/817/57/97 1-touch tune interface .D ..	59.99
AT-1000 1000w PEP HF/100w 6m auto tuner ..	549.99
AT-897 Bolt-on auto tuner for Yaesu FT-897 ..	199.99
RBA-1:1 Remote 1:1 balun	30.99
RBA-4:1 Remote 4:1 balun; long/random/end fed ..	30.99
DTS-4 4-pos HF/6m 1500/250w ant switch ..	79.99
DTS-4R Remote control for DTS-4	39.99
DTS-6 6-pos HF/6m 1500/250w ant switch ..	99.99
DTS-6R Remote control for DTS-6	49.99
RT-11 160-6m 1-125w/50w 6m rem auto tuner ..	199.99
AL-IC1 Alinco 10' interface cable	20.99
lcom-IC1 lcom 10' interface cable	20.99
lcom-IC2 lcom 8" interface cable	8.99
K-DTT Kenwood one-touch tune interface ..	59.99
RBA-1:1 Remote 1:1 balun	30.99
RBA-4:1 Remote 4:1 balun; long/random/end fed ..	30.99
RT-Remote RT remote head	39.99
Z-11Pro 160-6m 1-125w/100w 6m auto tuner ..	179.99
FREE lcom-IC2 or Y-ACC from LDG w/Z-11Pro thru 12/31/05	
AL-IC1 Alinco 10' interface cable	20.99
lcom-IC1 lcom 10' interface cable	20.99
lcom-IC2 lcom 8" interface cable	8.99
K-DTT Kenwood one-touch tune interface ..	59.99
RBA-1:1 Remote 1:1 balun; short random ..	30.99
RBA-4:1 Remote 4:1 balun; long/random/end fed ..	30.99
Y-ACC FT857/897 interface cable	12.99
Y-DTT FT100/817/57/97 1-touch tune interface .D ..	59.99
TW-1 6m-10m 2kw PEP talking wattmeter/SWR ..	149.99
TW-2 160-440 250w PEP talking wattmeter/SWR ..	149.99

LA CROSSE (LAC)

WS-2010 Professional wireless weather stn ..	\$389.99
WS-2010-13 PC interface/software	129.99
WS-2310 Wireless/wired weather center	249.99
WS-7013U Wireless temperature station ...D ..	24.99
WS-7038UF Wireless rain gauge	59.99
WS-7075UF Wireless forecast station	59.99
WS-8117U-Oak Atomic clock w/in/out temp/moon ..	39.99
WS-8025AL Dlx sun/moon wireless WX station ..	159.99
WS-9016U Sun/moon wireless weather stn ..	79.99
WT-5431 Projection alarm w/remote temp	49.99
TX-3U Extra temp sensor w/LCD; all WX units ..	15.99
3362U Power cost controller	29.99
IR-101 Infra-red thermometer	49.99
RS-204U Remote control outlet	29.99

LAKEVIEW (LAK)

9175 75m 7' Hamstick antenna	\$ 24.99
9160 60m 7' Hamstick antenna	24.99
9140 40m 7' Hamstick antenna	24.99
9130 30m 7' Hamstick antenna	24.99
9120 20m 7' Hamstick antenna	24.99
9117 17m 7' Hamstick antenna	24.99
9115 15m 7' Hamstick antenna	24.99
9112 12m 7' Hamstick antenna	24.99
9110 10m 7' Hamstick antenna	24.99
9106 6m 4.5' Hamstick antenna	24.99
901 Dipole mount for 2 Hamsticks	14.99
IM-1 Inducti-match for 75-12m mobile ant ..	17.99
TM-1 License plate mount, 3/4-24	44.99

LARSEN (LAR)

27-31 MHz ANTENNA	
NMO-27B 10m black ant only (no mount)	\$ 36.99

Larsen - continued

NMO-27C 10m ant only (no mount)	32.99
47-54 MHz ANTENNA	
NMO-50B 6m black ant only (no mount)	\$ 36.99
NMO-50C 6m ant only (no mount)	32.99
144-174 MHz ANTENNAS	
NMO-150B 2m black ant only (no mt), 3 db ..	\$ 33.99
NMO-150C 2m ant only (no mount), 3 db	30.99
OM-150CK 2m no ground plane ant, 2.5db ..	69.99
220-265 MHz ANTENNAS	
NMO-220B 220 black ant only (no mt), 3 db ..	\$ 36.99
NMO-220C 220 ant only (no mount), 3 db	30.99
440-460 MHz ANTENNAS	
NMO-440B 440 black ant only (no mt), 4.5db ..	\$ 35.99
NMO-440C 440 ant only (no mount), 4.5 db ..	29.99
890-960 MHz ANTENNA	
NMO-900B 900 black ant only (no mt), 3.4db ..	\$ 39.99
MM-2/70PL 2m/440 1/4 wave/2db mag mt ant ..	54.99
NMO-2/70B 2m/440 bkt ant only (no mt), 2/4db ...	69.99
NMO-2/70C 2m/440 ant (no mount), 2/4db	64.99
NMO-2/70-SH 2m/440 ant (no mt), 1/4 wv/2db ..	40.99
NMOQ-Spec-B 136-512 MHz 1/4 wave ant (no mt) ..	13.99
NMOQ-Spec-B 136-512 black 1/4 wv ant (no mt) ..	15.99
NMOQ-Spec-K 136-512MHz 1/4 wv 3/4" hole ant ..	28.99
NMO-2/70-B 2m/440 1/4 wv cell look ant (no mt) ..	38.99
GPS-NMO02 GPS NMO mount ant (no mt)	69.99
NMO-150450800 3-band scanner ant (no mt) ..	29.99
ON GLASS ANTENNAS	
KG-144-UD-PL 2m 3 db on glass antenna	\$ 86.99
KG-220-UD-PL 220 3 db on glass antenna	86.99
KG-440-UD-PL 440 2.4 db on glass antenna ..	73.99
KG-2/70-CX-PL 2m/440 2.5/4.5db on glass ..	124.99
KG-Reinstall Reinstall kit for KG-ants	8.99
KULDUCKIES - For Hand-helds	
KD4-2/70 2m/440 BNC Kulduckie	\$ 38.99
KD4-222 22m/440 BNC Kulduckie	6.99
KD14-445 440 1/4 wave BNC Kulduckie	19.99
KD4-146-HQ 2m part helical, part 1/4 wave BNC ..	25.99
KD14-2M-HW 2m 1/4 wave BNC antenna	38.99
KD14-440-HW 440 1/4 wave BNC antenna ...Δ ..	14.99
ACCESSORIES	
BSA-K Base mtg kit; NMO/UHF mt mobile ant ..	\$ 53.99
NMO-138 NMO mt hdw/A-7 NLA adapter	13.99
NMO-CAP-B Black rain cap for NMO mount ..	4.99
NMO-K 3/4" hole mt w/coax for NMO ant	15.99
NMO-MM Magnet mt, coax for NMO ant	32.99
NMO-TLP Low profile tnlk lid mt, coax; NMO ant ..	29.99
PO-K Roof mt, coax for SO-239 ant	32.99
PO-MM Magnet mt, coax for SO-239 ant	36.99
PO-TLM Trunk lip mt, coax for SO-239 ant ..D ..	9.99
RG-SS Extra super seal NMO gaskets (3)	5.99
SPRING Shock spring	10.99
TMB-34 Trunk mtg bkt for NMO antenna	5.99
TMB-34B Black trunk mtg bkt for NMO ant ..	7.99
W-2/70B 2m/440 black replacement mobile whip ..	27.99
W-KG2/70 2m/440 replacement on glass whip ..	29.99
W-490 49" replacement mobile whip	8.99
W-490B Black 49" replacement mobile whip ..	12.99
LIGHTWAVE (LIG)	
LW-HT 4 LED/3 AA-cell illuminator head torch ..	\$ 39.99
LW-PB 1 LED/2 lith-cell pocket flashlight	19.99
LW-2000 4 LED/3 AA-cell flashlight	29.99
LW-3000 7 LED/3 C-cell flashlight	49.99
LW-4000 10 LED/3 D-cell flashlight	59.99
LOGSAT (LOG)	
Logsat Professional Satellite tracking CDROM ..	\$ 69.99

AES Price

LOSI (LOS)

A0014 XXX-4 4WD electric Competition buggy kit D \$209.99
A0090 XXX-T Sport RTR w/XR21 electric car .. 269.99

M² (MSQ)

KT-36XA 20/15/10m 6el 32' boom beam 1299.99
40M-1LXD 6.9-10 MHz rotatable dipole 569.99
20M-4DX 20m 7.4db 4el 34' boom beam 669.99
15M-4DX 15m 8.5db 4el 33' 8" boom beam 569.99
12M-4DX 12m 8.6db 4el 27' boom beamΔ 299.99
10M-4DX 10m 8.7db 4el 23' boom beamΔ 369.99
6M-3 6m 50-50.6 or 51-54.6 4db 3el 6'9" boom beam 157.99
6M-5X 6m 50-50.5 or 51-54.9 4db 5el 18' boom beam 262.99
6M-7JH 6m 50-50.4 10.9db 7el 30'8" boom beam 319.99
6M-2WLC 6m 49.7-50.5 11.9db 9el 39' 6" boom T* 549.99

*6M-2WLC is drop-shipped (shipped direct to you from the M² factory). On these factory drop-shipsments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Fresno, California via truck, CDD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on these special order items.

6M-HO-LOOP 6m 50-50.3 4.4db horiz loop ant 119.99
6" x 1/2" 3/8-24 mobile mast for loop 11.99
16" x 1/2" 3/8-24 mobile mast for loop 13.99
18" x 5/8" 3/8-24 mobile mast for loop 18.99
36" x 1/2" 3/8-24 mobile mast for loop 29.99
50" x 1/2" 3/8-24 mobile mast for loop 32.99

Mast/Top Bkt Top bracket for mast; HO stack 20.99
2M-4 2m 7.5db 4el 4' boom beam 119.99
2M-7 2m 10.3db 7el 8'10" boom beam 133.99
2M-9FM 2m 14.5-148 12db 9el 14' 6" boom beam 156.99
2M-9SSB 2m 144-146 12db 9el 14' 6" boom beam 156.99
2M-12 2m 12.8db 12el 19'6" boom beam 209.99
2M-SWL 2m 14.8db 17el 33' boom beam 262.99
2M-18XXX 2m 144-146 15.3db 18el 36'3" boom beam 299.99
2M-BWLD 2m 144-147 17db 21el 55' boom beam 649.99
2M-CP14 2m 10.3db 7h/7v 10'6" boom circ beam 209.99
2M-CP22 2m 12.5db 11h/11v 18'6" boom circ beam 299.99

PS-2M 2m polarity switch; circ pol beam 186.99
FG X-Boom Kit For circular antennas, etc. 169.99
2M5-440XP 2m/440 9/12db 5/10el 5'8" boom beam 226.99
2M-HO-LOOP 2m 144-144.5 4.8db horiz loop 52.99
6" x 1/2" 3/8-24 mobile mast for loop 11.99
16" x 1/2" 3/8-24 mobile mast for loop 13.99
18" x 5/8" 3/8-24 mobile mast for loop 18.99
36" x 1/2" 3/8-24 mobile mast for loop 29.99
50" x 1/2" 3/8-24 mobile mast for loop 32.99

Big-Foot 4x-mag mt; 2M-HO-LOOP stack/etc 119.99
MAG-KIT Magnet mt kit; single 2M-HO-LOOP 24.99
Mast/Top Bkt Top bracket for mast; HO stack 20.99
STACK-KIT Stack kit for 2 2M-HO-LOOP's 74.99

EB-144/RK-2M 2m Eggbeater w/reflector kit 209.99
222-7EZ 222 9.8db 7el 5' 8" boom beam 119.99
222-10EZ 222 12db 10el 9' 9" boom beam 131.99
222-5WL 222 15.2db 15el 23'3" boom beam 209.99
222-7WL 222 16.4db 23el 32'5" boom beam 262.99
222-HO-LOOP 222-224 4.75db horiz loop ant 52.99

6" x 1/2" 3/8-24 mobile mast for loop 11.99
16" x 1/2" 3/8-24 mobile mast for loop 13.99
18" x 5/8" 3/8-24 mobile mast for loop 18.99
36" x 1/2" 3/8-24 mobile mast for loop 29.99
50" x 1/2" 3/8-24 mobile mast for loop 32.99
MAG-KIT Magnet mt kit; single 222-HO-LOOP 24.99
Mast/Top Bkt Top bracket for mast; HO stack 20.99

440-470-5W 440-470 7.8db 5el 2'2" boom beam D 129.99
420-50-11 432 11.3db 11el 5' boom beam 119.99
440-18 432 14.5db 18el 11'4" boom beam 157.99
440-21ATV 432 15.9db 21el 14'6" boom ATV beam 186.99

M² - continued

436-CP30 432 14.5db 15h/15v 9'9" boom beam 299.99
436-CP42UG 432 16.8db 21h/21v 18'10" boom beam 349.99
PS-70CM 432 polarity switch; circ pol beam 186.99
FG X-Boom Kit For circular antennas, etc. 169.99
432-9WL 432 17.3db 28el 21' boom beam 209.99
432-13WLA 432 18.6db 38el 30'8" boom beam 289.99
432-HO-LOOP 430-436 5db horiz loop ant 52.99
6" x 1/2" 3/8-24 mobile mast for loop 11.99
16" x 1/2" 3/8-24 mobile mast for loop 13.99
18" x 5/8" 3/8-24 mobile mast for loop 18.99
36" x 1/2" 3/8-24 mobile mast for loop 29.99
50" x 1/2" 3/8-24 mobile mast for loop 32.99
Big-Foot 4x-mag mt; 432-HO-LOOP stack/etc 119.99
MAG-KIT Mag mt kit; single 432-HO-LOOP 24.99
Mast/Top Bkt Top bracket for mast; HO stack 20.99
STACK-KIT-70CM Stack kit; 2 432-HO-LOOP's 74.99
EB-432/RK-70CM 432 Eggbeater w/reflector kit 199.99
902-18EZ 900MHz 14.8db 18el 5'4" boom beam D 129.99
23CM-22EZA 1.2GHz 16db 22el 5'2" boom beam 157.99
23CM-35 1.2GHz 18.4db 35el 10' boom beam 199.99
2M-2-Port-PD 2m 2-port type N power divider 73.99
70CM-2-Port-PD 432 2-port N power divider 73.99
23CM-2-Port-PD 1.2GHz 2-port N power divider 73.99
FAST Mast 20' extended port alum mastD 89.99
OR-2800PDC 35 sq ft azimuth rotor/control/8-wire 1469.99
RC-2800PP Control box; prop pitch spec order 549.99

MFJ (MFJ)

ANTENNA TUNERS

989D 1lx 1.2kw PEP w/roller inductor \$319.99
986 1.2kw PEP w/roller inductor 299.99
962D 1.5kw PEP/meter/switch/balun/roller ind 249.99
969 HF & 6m 300w roller inductor tuner 189.99
943E 300w/PEP meter/dummy/switch/balun 139.99
948 300w/meter/switch/balun 119.99
941E 300w tuner w/meter, switch, balun 109.99
945E 300w tuner w/meter plus 6m 99.99
20 Mobile bracket for 945E 4.99
901B Versa Tuner 200w ant tuner 79.99
910 80-10m mobile antenna matcher 19.99
16010 200w random wire tuner 49.99
974 3.5-54MHz balanced line ant tuner 169.99
974H 1.8-54MHz balanced line ant tuner 189.99
991 150w automatic antenna tuner 199.99
993 300w deluxe automatic antenna tuner 339.99
994 600w automatic antenna tuner 239.99
1316 12vdc 1.5A adapter; auto tuners 19.99
5124A Alnico interface cable; auto tuners 19.99
5124I lcom interface cable; auto tuners 19.99
5124K Kenwood interface; auto tuners 59.99
5124Y Yaesu interface; auto tuners 59.99
902 80-10m 150w travel tuner 79.99
903 6m antenna tuner 49.99
906 6m antenna tuner w/wattmeter 79.99
914 Auto tuner extender 59.99
921 2m/220 300w PEP tuner/SWR/wattmeter 69.99
922 2m/440 150w tuner/SWR/wattmeter 79.99
924 440 MHz 300w PEP tuner/SWR/wattmeter 69.99
934 300w tuner w/artificial ground 169.99

MEMORY KEYS

451 Dedicated CW keyboard w/memory \$ 99.99
452 CW keyboard/keys w/disp/keyboard 129.99
452X CW keyboard/keys w/disp, no keyboard 99.99
498 1lx CW keyboard/keys w/disp/keyboard D 129.99
490 492 keyer/Bencher paddle combo 189.99
490X 492 keyer for use w/Bencher or 564 99.99
564 Deluxe iambic chrome paddle for 490X 59.99
564B Deluxe iambic black paddle for 490X 59.99
492 192 char menu driven memory keyer 99.99
495 Millennium memory keyer 149.99
5409 9-pin serial port 6' cable for 493Δ 99

AES Price

MFJ - continued

ELECTRONIC KEYS

407D Deluxe electronic keyer \$ 69.99
401D Econo keyer 49.99

KEYER/PADDLES

422D Keyer/Bencher paddle combination \$159.99
422DX Keyer only 79.99
441 SlimLine econo keyer 59.99
442 SlimLine keyer/Bencher paddle combo 159.99
442X SlimLine keyer onlyΔ 49.99
447 SlimLine deluxe keyer 79.99
564 Deluxe iambic chrome paddle 59.99
564B Deluxe iambic black paddle 59.99

COMPUTER INTERFACES

1224 Interface \$ 99.99
1285 Software for IBM; 1224 19.99
1278B Multi-mode controller w/PactorD 249.99
48 1278 upgrade 24.99
52 TNC2 deviation meter boardD 6.99
780 DSP data filter for 1278BΔ 49.99
1284D 1284 disk onlyD .09
1284M 3 1/2" IBM starter packD 6.99
1284W MFJCOM for Windows 29.99
1287D 1287 disk onlyD .09
1289M 3 1/2" multicom software for IBMD 29.99
1289W Multicom for Windows with cable 59.99
1289UD Multicom for Windows, less cable 49.99
1214PC Multimode interface for IBM 139.99

781 DSP filter for any TNC or controllerΔ 59.99
1272B TNC to microphone interface 39.99
1272BYH TNC/mic switch; KAM HF 39.99
1272BYV TNC/mic switch; KAM VHF 39.99
1272M TNC/mic RJ-45 switch; MFJ/PK-900 39.99
1272MYV TNC/mic RJ-45 sw; KAM VHF; KPC3 39.99

SSB/CW FILTERS

751B Super tunable CW audio filter \$ 69.99
752C Dual tunable SSB/CW filter 99.99
784B Deluxe tuneable DSP filter 229.99
5184 Cable pack for 784B 7.99

PHONE PATCH

624D Phone patch w/audio VU meter \$119.99

DUMMY LOADS

250 2kw PEP dummy load w/oil \$ 59.99
250X 2kw PEP dummy load, less oil 39.99
21 1 gal industrial xfm oil for wet dummy 24.99
260C 300w 0-650 MHz dry dummy load 34.99
260CN 300w 0-650 MHz type N dry dummy 39.99
264 1.5kw 0-650 MHz dry dummy load 69.99
264N 1.5kw 0-650 MHz type N dry dummy 79.99
267 1.8-54 100w dry dummy load/SWR/wattmeter 139.99

SWR/WATTMETERS

812B 144-220 MHz SWR/SF/wattmeter \$ 34.99
815B 160-6m cross-needle SWR/wattmeter 79.99
816 1.8-30 MHz toroidal SWR/wattmeter 34.99
817 2m/440 cross needle meter 89.99
841 2m 5w in-line HT wattmeter/SWR 39.99
844 Compact 2m/440 SWR/wattmeter 69.99
860 1.8-60 MHz cross-needle meter 44.99
862 2m/220/440 cross-needle meter 54.99
864 1.8-60MHz/2m/440 cross needle meter 84.99
870 1.6-60MHz Grandmaster SWR/wattmeter 124.99
872 1.8-200MHz Grandmaster SWR/wattmeter 94.99
873 125-525MHz Grandmaster SWR/wattmeter 104.99
874 1.8-525MHz Grandmaster SWR/wattmeter 159.99

SHORTWAVE ACCESSORIES

306 Car radio SWL converter \$ 89.99
956 LW/MW/SW preselector/tuner 49.99
959C SW receiver ant tuner w/preamp 99.99
1020C 3-30 MHz indoor active receive ant 79.99
1022 300kHz-200MHz active rcv antenna 49.99
1024 .05-30 MHz outdoor active rcv ant 129.99

MFJ - continued

1040B Deluxe receiver preselector	D	89.99
1040C Deluxe receiver preselector		99.99
1045C Receiver preselector		69.99

BOOKS

300 Golden Classics book	\$	9.95
32 Packet Made Easy book		9.95
33 Mobile Handbook book		12.95
36 Shortwave Listeners Guide; Apts/Condos ..		9.95
37 Ham Communications Circuit Files book ..		9.95
38 Easy-up Antennas book		16.95
3036 The Packet Radio Operators book		12.95
3101 Fox Hunt Adventure book		7.95
3211 Technician license guide		9.95
3213 General license guide		9.95
3301 Troubleshooting Antenna & Feedlines book		12.95
3302 73 Dipole and Long-Wire Antennas		12.95
3303 73 Vertical, Beam, and Triangle Ants ...		12.95
3305 Antennas & Transmission Lines book ..		19.95
3400 Morse Code: Breaking the Barrier		19.95
3502 Solid State QRP Projects		12.95
3504 FET Principles, Experiments & Projects ..		16.95
3506 Ferromagnetic-Core Design book		19.95
3507 Practical RF Design Manual		19.95
3509 Ladder Crystal Filters		19.95

CLOCKS

105C 24-hour quartz wall clock	\$	19.99
107B 24-hour digital clock		9.99
108B 24/12-hour dual disp digital clock		19.99
112B Deluxe world map clock		24.99
113 24/12-hr 1.8" LED clock/batt back-up ...		19.99
115 DX'er 24-hour analog world wall clock ...		24.99
118 Giant 24/12 hour LCD clock		24.99
123 Eternity solar atomic clock		79.99
125 Calendar 24-hour analog wall clock		29.99

ANTENNAS

343 1 1/4" hole mount for 3/8-24 whip	\$	9.99
1402 2m/440/3db 16.5" 100w ant only		34.99
1412 2m/440 3/5.5db 40" 200w ant only		49.99
1422 2m/440 3.2/5.7db 41.5" 150w ant only ..		49.99
1432 2m/440 5/7.6db 62.5" 150w ant only ...		69.99
1436 6m/2m/440 2.15/4.5/7.2db 59" ant only ..		79.99
333BM 3.5" HiFlux NMO mag mt; not 1436 ..		14.99
333BS 3.5" HiFlux NMO-239 mag mt not 1436 ..		14.99
335BM 5" HiFlux NMO mag mt; not 1436 ..		19.99
335BS 5" HiFlux NMO-239 mag mt; not 1436 ..		19.99
340 Mirror/luggage pipe clamp mount		34.99
345 Trunk/hatchback lip mount NMO-239 mt ..		34.99
1516 2m 15' vertical base antenna		99.99
1621 40-10m 54" portable ant w/tuner		89.99
1622 40-2m apartment antenna		99.99
1624 40-6m mini bugcatcher antenna		79.99
1661 40-2m portable manual screwdriver ant ..		109.99
1664 80-6m portable manual screwdriver ant ..		139.99
1710 2m 3/4 wave telescopic antenna		14.99
1712 2m/440 telescopic antenna		14.99
1713 2m/440 SuperFlex Thin Duk HT ant		19.99
1713S 2m/440 SuperFlex SMA Thin Duk ant ..		19.99
1714 2m 3/4 wave telescopic antenna		16.99
1715 2m/440 SuperFlex gain Thin Duk HT ant ..		24.99
1715S 2m/440 SuperFlex gain SMA Thin Duk ..		24.99
1716 2m/440 duck for HT		16.99
1716S 2m/440 SMA duck for HT		16.99
1717 2m/2.15db 440 duck for HT		21.99
1717PL 2m/440 foldover flexi-duck, PL-259 ..		24.99
1717S 2m/2.15db 440 SMA duck for HT		21.99
1719 2m/440/1.2GHz Midget Duck		19.99
1719S 2m/440/1.2GHz SMA Midget Duck		19.99
1720S 6m/2m/440 SMA Duck		29.99
1721 2m HT UltraLite mag mt antenna		14.99
1722 2m/440 HT UltraLite mag mt antenna ..		18.99
1724B 2m/440 magnet mt antenna		16.99

MFJ - continued

1727 10m magnet mt antenna	D	19.99
1728B 6m 1/2 wv/2m 1/2 wv mag ant/PL259/BNC		29.99
1729 2m/440 magnet mt antenna		34.99
1730 2m pocket roll-up vertical antenna		19.99
1734 2m/440 2.6/6.3db glass mt antenna ...		39.99
1736 6m J-Pole travel antenna		29.99
1738 2m 2.6db glass mt antenna		29.99
94 Remount kit for 1734/1738		4.99
1740 2m 1/4 wave ground plane ant		19.99
1750 2m 3/4 wave ground plane ant		24.99
1752 220 3/4 wave ground plane ant		24.99
1754 2m/440 ground plane antenna		29.99
1762 6m 6db 3 el 6' boom beam		79.99
1763 2m 3el portable beam		44.99
1764 2 & 6m dual 1/4 super gain base ant ...		49.99
1768 2m/440 4/7 el beam antenna		79.99
1776 GSRV 160-10m 102' ant (needs tuner)		39.99
1788 Super Hi-Q 10-30 MHz loop/dx control ...		349.99
1788 Super Hi-Q 40-15m loop/dx controller ...		389.99
1796 40/20/15/10/6/2m 10' vertical ant		189.99
1798 80/40/30/20/17/15/12/10/6/2m 20' vert		269.99
1899T 80-6m telescopic antenna; FT-817 ...		69.99
1910 33' telescoping fiberglass mast		79.99
1954 3/8-24 10' telescopic whip		19.99
1956 3/8-24 12' telescopic whip		29.99

CABLES

5020 MFJ TNC - Yae FT50R/compat	\$	15.99
5020YV KAM VHF/KPC3 - Yae FT50R/compat ..		15.99
5022 MFJ TNC - Alinco/Standard HT cable ..	Δ	4.99
5022YV KAM VHF/KPC3 - Ali/Sta HT cable		15.99
5024 MFJ TNC - Ico/Yae/Alir/RS HT cable ...		15.99
5024B PK/PacComm/compat - Ico/Yae/RS ...		15.99
5024YV KAM VHF/KPC3 - Ico/Yae/Alir/RS HT		15.99
5026 MFJ TNC - Kenwood HT cable		15.99
5026YV KAM VHF/KPC3 - Kenwood HT cable ...		15.99
5060 MFJ TNC - Ken/Yae acc 6-pin mini DIN ..		19.99
5060YQ KPC9612 - Ken/Yae acc 6-pin mini DIN		19.99
5060YV KAM VHF/KPC3 - Ke/Yae acc 6-pin mini		19.99
5063 MFJ TNC - Icom HF acc 8-pin DIN		19.99
5063YH KAM DIN HF - Icom HF acc 8-pin DIN ..		19.99
5064 MFJ TNC - Icom VHF acc 8-pin DIN		19.99
5064YQ KPC9612 - Icom VHF 8-pin DIN	Δ	.69
5065 MFJ TNC - Ico IC-706 acc 13-pin DIN ...		19.99
5065YH KAM HF - Ico IC-706 acc 13-pin DIN ..		19.99
5065YV KAM VHF - Ico IC-706 acc 13-pin DIN		19.99
5066 MFJ TNC - Kenwood HF acc 13-pin DIN ..		19.99
5066YH KAM HF - Ken HF acc 13-pin DIN		19.99
5080 MFJ TNC - Yaesu 8-pin cable		15.99
5080MFJ MFJ TNC - Yaesu 8-pin modular		15.99
5080MYV KAM VHF/KPC3 - Yae 2500M/7400H		15.99
5080YH KAM HF port - Yaesu 8-pin cable		15.99
5080YV KAM VHF/KPC3 - Yaesu 8-pin cable ...		15.99
5082 Open end - 8-pin mic cable		9.99
5084 MFJ TNC - Icom 8-pin cable		15.99
5084MFJ MFJ TNC - Icom 8-pin modular		15.99
5084MYV KAM VHF/KPC3 - Icom 8-pin mod ...		15.99
5084YH KAM HF port - Icom 8-pin cable		15.99
5084YV KAM VHF/KPC3 - Icom 8-pin cable ...		15.99
5086 MFJ TNC - Kenwood/Alinco 8-pin cable ..		15.99
5086MFJ MFJ TNC - Kenwood 8-pin modular ...		15.99
5086MYV KAM VHF/KPC3 - Ken 8-pin mod ...		15.99
5086YH KAM HF port - Ken/Alir 8-pin cable ...		15.99
5086YV KAM VHF/KPC3 - Ken/Alir 8-pin cable ..		15.99
5088MFJ MFJ TNC - Radio Shack 8-pin modular		15.99
5205 5-pin DIN open end		4.99
5208 Open end - Ico HF/VHF acc 8-pin DIN ...		9.99
5213 Open end - Kenwood acc 13-pin DIN ...		9.99
5220R/5220 Open end - Yae FT50R/compat ..		9.99
5222 Open end - Ali split HT cable		9.99
5224 Open end - Ico/Yae/Alir/RS HT cable ...		9.99
5268 Open end - modular phone plug cable ..		9.99

MFJ - continued

5412 IBM printer cable		9.99
5413 RS-232 6' cable DB-25M-25F	Δ	.49
5414 RS-232 6' cable DB-25M-9F		9.99
5429 Cable/adapt; RS-232 to USB w/drivers ..		24.99
5803/10 3' coax jumper cable		5.99

RADIOS/TRANSCIVERS

8100K Shortwave regenerative Rcvr kit	\$	69.99
8100W Shortwave regenerative Rcvr wired		89.99
8621 5w 2m data radio w/145.01 MHz		139.99
8621X2 5w APRS ready 2m data radio/144.39 ..		149.99
5110 Portable AC power supply		49.99
5100 Data radio cable - MFJ/TAPR		15.99
5100YH Data radio cable - KPC-9612	Δ	.69
5100YV Data radio cable - KAM/KPC-3		15.99
5106 Open end - 6pin mini Ken/Yae cable		4.99
8708 4ch ham micro ATV transmitter		149.99
9015 5w 15m CW Xcvr		169.99
9020 5w 20m CW Xcvr		169.99
9030 5w 30m CW Xcvr		169.99
9040 5w 40m CW Xcvr		169.99
27 Handle for CW station		4.99
412 Plug-in Curtis keyer		49.99
726 Plug-in audio filter		29.99
971 200w portable ant tuner w/meter		99.99
1772 Portable 20m dipole		39.99
1774 Portable 40m dipole		39.99
4110 Portable AC power supply		49.99
4114 Rechargeable power pack		69.99
9402X 7w PEP 2m SSB Xcvr w/mic		269.99
9406X 10w PEP 6m SSB Xcvr w/mic		249.99
9410X 20w PEP 10m SSB Xcvr w/mic		239.99
9420X 20w 10m SSB Xcvr w/mic		229.99
9440X 12w 40m SSB Xcvr w/mic		229.99
9475X 12w 75m SSB Xcvr w/mic		229.99
415B SSB Xcvr CW adapter; 9420X/9440X ..		49.99
416 CW adapter for 9402X/9406X/9410X ..		49.99
971 200w HF portable ant tuner w/meter ...		99.99
1770A 10m dipole for 9410X		39.99
1772 Portable 20m dipole		39.99
1774 Portable 40m dipole		39.99
4110 Portable AC power supply		49.99
4114 Rechargeable power pack		69.99

ACCESSORIES

1305 5v 300ma adapter	D	\$.99
1306 6v 300ma adapter	Δ	4.99
1312 12vdc 300ma adapter, 2.5mm plug		14.99
1312D 12vdc 500ma adapter, 2.1mm plug ...		14.99
1316 12vdc 1.5A adapter		19.99
10-BC1-2 Charger cup; Icom BP-131/132 ..	Δ	.09
10-BC1-3 Charger cup; Icom BP-173/180 ..	Δ	.09
10-BCY-2 Cgr cup; Yae FNB10/11/12/17/27 ..	Δ	.09
10-BCY-3 Charger cup; Yae FNB-31/33	Δ	.09
15 HamGear belt loop radio holder		14.99
16C01 Glazed ceramic end insulator99
18 HamGear chest harness/cargo pocket		29.99
92AA01 1300ma AA NiMH cell	each	2.99
92AA10 10-pack 1300ma AA NiMH cells		24.99
201 1.5-250 MHz dip meter		109.99
202B RF noise bridge		59.99
204B HF Antenna bridge		79.99
207 160-10m SWR analyzer		79.99
208 2m SWR analyzer		79.99
209 1.8-170 MHz SWR analyzer		129.99
212 MatchMaker tune up device		79.99
219B SWR analyzer, 440 MHz/NSO-239 adapt ..		99.99
224 2m FM signal analyzer		149.99
249B 1.8-170 MHz SWR anal/LCD counter ...		219.99
259B 1.8-170 MHz SWR anal/RF res meter ...		239.99
269 1.8-170-440 MHz SWR anal/RF res mtr ..		319.99
29C Carrying case w/window; 209/249B/259B		24.99

MFJ - continued

	AES Price
39C Latching case w/window; 269	24.99
66 1.8-30/30-170 dip coils; 209/249B/259B	19.99
92AA10 10-pack 1300ma AA NiMH cells ...	24.99
98 Package of 39C/66/1312D for 269	54.99
98B Pack of 92AA10/39C/66/1312D for 269	77.99
99 Pack of 29C/66/1312D; 209/249B/259B	54.99
99B Pack 92AA10/29C/66/1312D; 209/249B/259B	77.99
99C Pack - 92AA10/1312D; 209/249B/259B/269	34.99
731 RFI filter for SWR analyzer	89.99
1312D 12vdc 500ma ps for SWR analyzers	14.99
270 Guardian Angel 400w PEP lightning protect	29.99
97 Gas tube plug for 270	9.99
281 ClearTone communications speaker	12.99
2881 Headset/mic; Icom/ADI/Sta/RS/older Yae	24.99
288K Headset/mic for Kenwood	24.99
288Y Headset/mic; Ico Q7/Yae FT10/50/VX1 ..	24.99
291 Earph/mic; Ico/older Yae/compatibles ..	17.99
292Y Earphone/mic; Ico Q7/Yae FT10/50/VX1	17.99
2931 Rubber flex earloop earbud/mic; Icom ..	24.99
293K Rubber flex earloop earbud/mic; Kenwood	24.99
293Y Rubber flex earloop earbud/mic; Yaesu	24.99
2951 Mini spkr/mic; Icom & compatible HT ..	15.99
295K Mini spkr/mic; Kenwood & compatible HT	15.99
295Y Mini spkr/mic; Ico Q7/Yae FT10/50/VX1	15.99
297 Desk mic with flexible boom	69.99
5082 Open end - 8-pin mic cable for 297 ..	9.99
5268 Open end - mod phone plug cbl; 297 ..	9.99
5397I Cable/8-pin for 297; Icom HF	15.99
5397K Cable/8-pin for 297; Kenwood HF	15.99
5397Y Cable/8-pin for 297; Yaesu HF	15.99
5397MX Cable/modular for 297; Icom/Kenwood	15.99
5397MY Cable/modular for 297; Yaesu	15.99
310 BNC HT antenna window mount clip	14.99
341M 17' antenna cable; NMO	19.99
341S 17' antenna cable; SO-239	19.99
382 Deluxe amplified communications spkr ..	39.99
388 Cyber Ear 12db ear amplifier	29.99
392B Deluxe communication headphones	19.99
394 Boom mic/single headphone	29.99
5396K Adapter; 394/396 with Ken Xcvr ...D	49
414 Professional Morse Tutor w/LCD	189.99
417 Code Tutor with QSO	59.99
418 Code Tutor with LCD display	79.99
434 Deluxe Voice Memory Keyer	169.99
73 Remote control head w/cable for 434 ..	29.99
461 Pocket size Morse code reader	79.99
5161 DB-9 PC serial port cable	14.99
5162 Cable for radio external speaker	5.99
462B RTTY/ASCII/CW/AMTOR Rcvr multi-reader	169.99
5162 Cable for radio external speaker	5.99
464 CW reader w/built-in keyer	169.99
550 Hand key	9.99
554 Deluxe CW practice oscillator	79.99
557 Code oscillator w/key	34.99
616 Speech intelligibility enhancer	159.99
1316 12vdc 1.5A adapter	19.99
281 ClearTone speaker (requires 2)	12.99
392B Deluxe communication headphones ..	19.99
633 Rapid charger; NiMH/nicad AA/AAA/VV ..	24.99
662 Simplex pocket repeater	79.99
701 Toroid RFI filters	14.99
704 1kw low-pass filter	49.99
762 81db 170MHz BNC attenuator	69.99
801 Super compact field strength meter	19.99
802 Bipolar field strength meter	39.99
802R Field strength remote meter	14.99
802X Field strength/remote meter combo	59.99
805 RFI current detector meter	79.99
850 AC line voltage monitor	19.99
852 AC power line noise finder meter	99.99
854 HF RF current meter	99.99

MFJ - continued

	AES Price
886 1MHz - 3GHz pocket frequency counter ..	109.99
888 Deluxe 10Hz - 3GHz frequency counter ..	174.99
890 DX beacon monitor	99.99
912 W9INN remote balun	49.99
916B 2m/440 duplexer	29.99
931 Artificial ground unit	89.99
1025 Noise canceling antenna	149.99
1026 Deluxe noise canceling unit w/antenna	169.99
1046 1.6-33MHz receiver passive preselector	99.99
1048 1.6-33MHz Xcvr passive preselector	109.99
1112 Multiple DC outlet	34.99
1116 Dlx multiple DC outlet	49.99
1117 High current multiple DC outlet	54.99
1118 Dlx high current multiple DC outlet	74.99
1213 Interface for JVAAX/HamComm	24.99
1262 Microphone switch; 8-pin round	59.99
1263 2mic in/2sig out switch/2 8pin round mic cbls	99.99
5397MX Modular mic cable for 1263	15.99
1273B Basic soundcard interface/soft; 8P-R	59.99
1273BM Basic soundcard interface/soft; 8P-M	59.99
1275 Soundcard/rig interface/software; 8P-R	99.99
1275M Soundcard/rig interface/software; 8P-M	99.99
1279 Super soundcard interface/soft; 8P-R ..	129.99
1279M Super soundcard interface/soft; 8P-M	129.99
1700C 6-pos combo ant/xmtr switch/protect	99.99
1701 6-position coax switch	59.99
1702C 2-pos coax switch/lightning protect ..	24.99
1702CN 2-pos 1GHz N switch/lightning protect	34.99
1703 2-rig/2-antenna RF safety switch	19.99
1704 4-pos 500 MHz switch/lightning protect	64.99
1704N 4-position type N switch	74.99
1925 Controller; Yaesu ATAS-series/other rigs	59.99
1925I2 Controller; Yae ATAS-series/IC IC-706	59.99
4035MV Dlx 30A adjustable ps, 35A surge ...	139.99
4103 Switching power supply for Yaesu FT-817	39.99
4125MV MightyLite 22A 3.5 lb switch ps, 25A surge	99.99
4225MV MightyLite 22A switching ps, 25A surge	139.99
4245MV MightyLite 40A switching ps, 45A surge	189.99

MAGELLAN (MAG)

Meridian Gold GPS with 16MB base map ...Δ	\$189.99
Meridian Platinum GPS/16MB/compass/bar Δ	259.99
Meridian Color Handheld color GPS/16MB Δ	299.99
980611-09 MapSend Topo 3D CD-ROM ...Δ	59.99
980613-01 MapSend Streets & Destinations CD D	59.99
980654-01 MapSend DirectRoute; Gold/Plat/Col D	89.99
980654-03 MapSend DirectRoute; Gold/Plat/Col Δ	89.99
SporTrak GPS receiver w/1MB memory	129.99
SporTrak Map GPS w/2MB map+4MB mem Δ	159.99
SporTrak Pro GPS w/3MB map+23MB mem Δ	219.99
SporTrak Color Handheld color GPS/9MB ...Δ	279.99
980611-09 MapSend Topo 3D CD-ROM ...Δ	59.99
980613-01 MapSend Streets & Destinations CD D	59.99
980654-01 MapSend DirectRoute; Pro/Col D	89.99
980654-03 MapSend DirectRoute; Gold/Plat/Col Δ	89.99
730275 Ext pwr cbl w/cig adapt; MAP330 ...D	4.99

MAHA (MAH)

9V 8.4v 170mah 9v size NiMH batt cellea	\$ 8.99
AAA-T 1.2v 650mah AAA size NiMH batt cell ea	2.99
AA-FB 1.2v 1400mah AA NiMH batt w/tabs D,ea	1.99
4-AA-220-BH 4pk 1.2v 2200mah AA NiMH cells Δ	8.99
4-AA-230 4pk 1.2v 2300mah AA NiMH cells Δ	12.99
4-AA-250-BH 4pack 1.2v 2500mah AA NiMH cells	14.99
MH-C204F Quick cgr/condi; 2/4 AA/AAA/NiMH/NCID Δ	24.99
MHS-C-124 Cig adapter; MH-C124S/C204F Δ	99
MH-K5000 Quick cgr/conditioner w/4 AA2500	39.99
MH-C204F8AA22 Charger/8 AA2200/car adapt Δ	44.99
MH-BP-7 13.2v 1000mah Icom nickel hydride	69.99
MH-BP-8 8.4v 1200mah Icom nickel hydride	59.99
MH-BP-8H 8.4v 1800mah Icom nickel hyd ...Δ	49.99
MH-BP-83 7.2v 1300mah Icom nickel hydride	49.99

Maha - continued

	AES Price
MH-BP-132B 12v 1300mah Ico blk nick hyd/mic Δ	19.99
MH-BP-173 9.6v 650mah Icom nickel hydride	69.99
MH-BP-180 7.2v 1000mah Icom nickel hydride	49.99
MH-BP-196M 9.6v 1350mah Icom nick hyd Δ	19.99
MH-BP-199 6v 700mah Icom nick hyd/clip ...Δ	29.99
MH-BP-200 9.6v 680mah Icom nick hydride/clip	59.99
MH-CNB-152 12v 1000mah Sta nickl hydride Δ	49.99
MH-CNB-153 7.2v 1300mah Sta nick hydride Δ	39.99
MH-FNB-12 12v 1000mah Yaesu nickel hydride	59.99
MH-FNB-17 7.2v 1000mah Yaesu nickel hydride	49.99
MH-FNB-27 12v 900mah Yaesu nickel hydride	59.99
MH-FNB-38 9.6v 650mah Yaesu nickel hydride	59.99
MH-FNB-41 9.6v 1000mah Yae nick hyd/spg clip	55.99
MH-FNB-V47 7.2v 1800mah Yae nick hyd/spg clip	69.99
MH-FNB-V57 7.2v 1500mah Yae nickel hydride	49.99
MH-FNB-58LI 1200mah li-polymer; Yae VK5R	59.99
MH-FNB-72 9.6v 1700mah Yae nickel hydride ..	59.99
MH-PB-8 12v 1300mah Kenwood nickel hydride	62.99
MH-PB-17 12v 1300mah Kenwood nickel hydride	69.99
MH-PB-18 7.2v 1300mah Ken nick hyd; wall cgr only	49.99
MH-PB-32 6v 1000mah Kenwood nickel hydride	47.99
MH-PB-34 9.6v 1000mah Kenwood nickel hydride	57.99
MH-PB-39 9.6v 1050 mah Ken nickel hyd/clip ..	59.99
MH-PB-39H 6v 1800mah Ken nickel hyd/clip ...	59.99
MH-PB-42LI 1800mah li-polymer; Ken THF6A	69.99
MHS-CW4 Clip-leads; external charging/MH-C777 Δ	2.99
MH-C777 Plus II Univ cgr/analy; lith/nicd/nimh	89.99
MH-C888 Univ drop in rapid cgr/cond; nicad/nimh	59.99
MHS-C800U External charger pin shell	49
MHS-C801 Cup; T2/W32/TH22/79/FT10/50	7.99
MHS-C802 Cup; IC20AT/TH78/FT470/530 Δ	1.99
MHS-C803 Cup; Kenwood TH-D7A/G/V1A	7.99
MHS-C804 Cup; Icom IC-T8A/T81A	1.99
MHS-C805 Cup; Yaesu FT-11/41/51R	2.99
MHS-C806 Cup; Ali 195/580/FL1/G5/V5/etc	7.99
MHS-C8-777 Cig lighter cord	5.99
MH-101-I1 Cgr/ko157/160/174/131/2Mh 132B/G D	1.99
MH-101-Y1 Cgr/Yae 101/12/17/25/27Mh 1227 D	1.99
MH-800K 500mw spkr/mic w/clip; Kenwood ..	19.99
MH-800S 500mw spkr/mic/clip; Ali/Ico/Sta/Yae	19.99
MH-800Y 500mw spkr/mic; Yae FT50/VX1R ..	24.99
MHS-I2 Ico 2SAT/W2 adapter; A301/302D	.09
MHS-K1 Ken 25/26/57/77 adapt; A301/302D	.29
MHS-K2 Ken TH22/79 adapter; A301/302D	.29
MHS-S1 ADI/Standard adapt; A301/302D	.19
MHS-Y3 Yae FT11/41/51 adapt; A301/302 D	.19

MALDOL (MAL)

AH-14 20m telescoping ant w/BNC; FT-817 ...	\$ 45.99
AH-28 10m telescoping ant w/BNC; FT-817 ...	45.99
AH-37 40m loading coil only w/BNC; FT-817	33.99
AH-C14 20m loading coil only w/BNC; FT-817	33.99
AH-C21 15m loading coil only w/BNC; FT-817	33.99
AH-C28 10m loading coil only w/BNC; FT-817	33.99
AH-R Telescoping whip for AH-C7/14/21/28	17.99
AH-510R 62m/440 37" BNC tele whip; FT-817/H	59.99
AH-510R/SMA 62m/440 37" SMA tele whip .D	39.99
AH-W100RX 70-900MHz 40" tele BNC rcv ant	32.99
AS-20 2m/440 8.5" superflex SMA antenna ...	26.99
AS-25 2m/440 1" SMA antenna	19.99
AS-30 2m/440 15" 0/2.15db superflex SMA ant	29.99
AX-50 2m/440 0/5db 21" mobile antenna	49.99
AX-75 2m/440 3/2.5db 30" mobile ant	59.99
AX-95 2m/440 3.3/5.8db 38" mobile ant	66.99
EM-B80 Small trunk/hatch/van door lip mt ...	25.99
EX-104B 2m/440 black 0/2.15db 15" mob ...	44.99
EX-104BNMO 2m/440 blk 0/2.15db 15" NMO	44.99
EX-107RB 2m/440 black 2.6/4.9db 29" mob	56.99
EX-107RBNMO 2m/440 blk 2.6/4.9db 29" NMO	56.99
EX-510B 6m/2m/440 blk 0/2.15/5.5db 37" mob	66.99
EX-510BNMO 6m/2m/440 blk 0/2.15/5.5db 37" NMO	66.99

Maldol - continued

	AES Price
FVS-50 Dlx 2-step 16' 9" cable w/UHF connects	42.99
HMC-6S 20/15/10/6/2m/440 66" mobile ant	159.99
HMC-7C 40m loading coil for HMC-6S	34.99
HVU-8 80/40/20/15/10/6/2m 8.6' vert w/radials	319.99
MH-209 2m/440 3" BNC duck	23.99
MH-209SMA 2m/440 3" SMA duck	23.99
MH-510 6m/2m/440 0/3.0/2db 20.75" SMA duck	37.99
MH-511 6m/2m/440 4" SMA duck	33.99
MH-610 2m/220/440 0/1.8/3.2db 14" SMA duck	49.99
MK-30H Motorized tilt lip/hatch/van door mt	109.99
MK-RR Roof rack bracket for MK-30H	19.99
PRM-T Large trunk/hatch/van door lip mt	33.99
SHG-140B 2m 4.1db 56" mobile antenna ...D	39.99
SHG-140BNMO 2m 4.1db 56" NMO mob ant D	39.99

MEADE (MEA)

0705-04-01 ETX-70AT Astro telescope w/tripod	\$319.99
07027 #884 Deluxe tripod	199.99
07137 1.25" 5mm Plossl lens	59.99
07139 1.25" 18mm WA lens	49.99
07170-02 1.25" 6.4mm super Plossl lens	49.99
07173-02 1.25" 15mm super Plossl lens	49.99
07220 #933 45° 1.25" erecting prism	69.99
07273 #126 1.25" 2x short-focus Barlow lens	59.99
07279 #670 dew shield	19.99
3514-03-20 ETX-90AT Astro tele/ctrlr/tripod	599.99
0515-03-20 ETX-125AT Astro tele/ctrlr/tripod	999.99
07137 1.25" 5mm Plossl lens	59.99
07139 1.25" 18mm WA lens	49.99
07170-02 1.25" 6.4mm super Plossl lens	49.99
07173-02 1.25" 15mm super Plossl lens	49.99
07273 #126 1.25" 2x short-focus Barlow lens	59.99
494 #494 Autostar controller; DS-EC-series ...D	6.99
20117 DS-2114ATS 114mm reflector telescope	399.99
20211 NGC-70SP 70mm refractor telescope	219.99
07137 1.25" 5mm Plossl lens	59.99
07139 1.25" 18mm WA lens	49.99
07170-02 1.25" 6.4mm super Plossl lens	49.99
07173-02 1.25" 15mm super Plossl lens	49.99
07273 #126 1.25" 2x short-focus Barlow lens	59.99
07522 908B broadband nebula filter ...Δ	19.99

MEADOW RIDGE (CRO)

SOLID COPPERWELD ANTENNA WIRE

AN-122 100 feet No. 12	\$ 29.99
AN-123 150 feet No. 12	39.99
AN-124 250 feet No. 12	59.99
AN-126 500 feet No. 12	99.99
AN-128 1000 feet No. 12	179.99
AN-142 100 feet No. 14	24.99
AN-143 150 feet No. 14	29.99
AN-144 250 feet No. 14	39.99
AN-146 500 feet No. 14	69.99
AN-148 1000 feet No. 14	119.99
AN-181 250 feet No. 18	17.99
AN-182 500 feet No. 18	29.99

MIDLAND (MID)

74-200 SAME weather/hazard alert radio/ps ...D	\$ 49.99
74-250C SAME handheld WX/hazard alert radio	49.99
WR-300 AM/FM/SAME WX/hazard alert radio/ps	59.99
NT-1 Nautico 1 5w VHF marine handheld	59.99
AVP-5 Accs/batt/cgr/dcadapt/acadapt/headset/mt	29.99

Miracle Antenna (MIA)

Ducker IL In-line HF rcv tuner; HH/QRQ xmit	\$129.99
Miracle Whip 3.5-450MHz 57" QRP ant/tuner	129.99

MIRAGE (MIR)

A-10156 50-52 FM/SSB 10/150w amp/preamp	\$349.99
B-34 2m FM 2/35w amplifier; no mob bkt	79.99
B-34G 2m FM/SSB 2/35w amp/preamp	99.99

Mirage - continued

	AES Price
B-310G 2m FM/SSB 4/100w amp/preamp	179.99
B-320G 2m FM/SSB 50/200w amp/preamp	429.99
B-1018G 2m FM/SSB 10/160w amp/preamp	369.99
B-2518G 2m FM/SSB 25/160w amp/preamp	299.99
B-2530G 2m FM/SSB 25/300w amp/preamp	689.99
B-5018G 2m FM/SSB 50/160w amp/preamp	299.99
B-5030G 2m FM/SSB 50/300w amp/preamp	669.99
BD-35 2m/440 4/45/4/35w HT amp	149.99
B-24G 5/50w 2m HT dock boost amp/pre	109.99
MI-1 Ico 2G/02/23 adapter; B24G/BD25 D	2.99
MI-2 Ico 2SAT/W2 adapter; B24G/BD25	3.99
MI-3 Ico W21AT/X21AT adapt; B24G/BD25	9.99
MK-1 Ken 25/26/75/77 adapt; B24G/BD25	3.99
MK-2 Ken 27/79 adapter; B24G/BD25	3.99
MY-1 Yae 23/411E/470 adapt; B24G/BD25	3.99
MY-2 Yae 26/415/530 adapt; B24G/BD25	3.99
C-22G 220 FM/SSB 2/20w amp/preamp	154.99
C-211G 220 FM/SSB 2/110w amp/preamp	329.99
C-1012G 220 FM/SSB 10/120w amp/preamp	329.99
C-1022G 220 FM/SSB 10/220w amp/preamp	689.99
C-2512G 220 FM/SSB 25/120w amp/preamp	309.99
D-15N 430 FM/SSB/ATV 2/15w type N amp	169.99
D-26N 440 FM/SSB 2/60w type N amplifier	259.99
D-1010N 440 FM/SSB 10/100w type N amp	379.99
D-3010N 440 FM/SSB 30/100w type N amp	349.99
D-1010-ATVN 430 ATV 10/100w type N amp	399.99
RC-1* Remote control head w/18" cable	45.99
*Not for B-23/C-22/D-26	
RC-2 Rem ctrl head/cable; B-X118G	45.99

The following Repeater Amplifiers are Special Order. Specify S0-239 or type N connectors.

A-1015NR 6m FM 2/80w type N amplifier	\$549.99
A-1015R 6m FM 2/80w S0-239 amplifier	529.99
C-211NR 220 FM .5/80w type N amplifier	619.99
C-211R 220 FM .5/80w S0-239 amplifier	599.99
C-1012NR 220 FM 5/90w type N amplifier	619.99
C-1012R 220 FM 5/90w S0-239 amplifier	599.99
C-2512NR 220 FM 15/90w type N amplifier	589.99
C-2512R 220 FM 15/90w S0-239 amplifier	569.99
D-1010NR 440 FM 4/80w type N amplifier	629.99
D-3010NR 440 FM 12/80w type N amplifier	599.99
D-1010-ATVN-R 430 ATV 4/80w type N amp	629.99

PREAMPS

KP-1/10M 10m in shack preamp	\$ 89.99
KP-1/6M 6m in shack preamp	129.99
KP-1/2M 2m in shack preamp	129.99
KP-1/440 440 in shack preamp	129.99
KP-2/10M 10m mast mount preamp	89.99
KP-2/6M 6m mast mount preamp	179.99
KP-2/2M 2m mast mount preamp	179.99
KP-2/220 220 mast mount preamp	99.99
KP-2/440 440 mast mount preamp	179.99

WATTMETER

MP-3 420-450 5/50/150w PEP wattmeter	Δ \$169.99
--------------------------------------	------------

NCG (NCG)

Power Pocket 12v 2AH lead acid batt/cgr	\$ 66.99
---	----------

NCS (NCS)

NCS-3230 Multi-receiver receive console	\$349.99
NCS-1514 Wall power supply; NCS-3230	24.99
NCS-P2PH35-A Multi-rx/spkr out set 6 cables	26.99
NCS-MRX2MS-A 3240 & 3230 interface cbl kit	49.99
NCS-3240 Multi-switcher audio device	299.99
NCS-1512 Wall power supply; NCS-3240	12.99
NCS-LoZNC Unterminated interface cable	17.99
NCS-LoZ8PI-I Icom 8-pin interface cable	24.99
NCS-LoZJR45-I Icom modular interface cable	23.99
NCS-LoZ8PI-K Kenwood 8-pin interface cable	24.99
NCS-LoZJR45-K Kenwood modular interface cbl	23.99

NCS - continued

	AES Price
NCS-LoZ8PI-Y Yaesu 8-pin interface cable	24.99
NCS-LoZJR12-Y Yaesu modular interface cbl	23.99

Night Owl Optics (NOO)

NONW24-BPH2 2.4x night vision/illuminator	\$159.99
NODS-5 5x48 night vision scope w/illuminator	249.99
NCCA-42 Camera adapter	39.99
NOXG-2 3x G2 night vision scope w/illuminator	999.99
NCCA-42 Camera adapter	39.99

NORCOMM (NOR)

NC-101 Tunable CTCSS encoder	\$ 21.99
NC-104 Programmable CTCSS encoder	26.99
NC-106 Prog CTCSS encoder/decoder	62.99
NC-401 Sub-miniature DTMF decoder	62.99

Oregon Scientific (ORE)

EMR-812A Wireless thermometer	D \$ 19.99
PE-319 Pedometer with personal security	D 19.99
RGR-122 Wireless rain gauge w/LCD console	D 44.99
WMR-112A Wireless weather station	D 149.99
WMR-968 Dlx wireless WX stn w/rain gauge	D 259.99
WR-102 Port WX/hazard radio/SAME alert	D 24.99
WR-196T AM/FM/SAME WX alert clock radio	D 39.99

OUTBACKER (OUT)

OB-8 75-10m 300w PEP 6' 8-band mobile ant	\$319.99
OB-8HP 75-10m 500w PEP 6' 8-band mob ant	329.99
OB-SB 75-10m 300w PEP split ant/storage bag	329.99
OB-8TRI 75-10m 300w PEP 3pc 6' port ant/bag	339.99

Joey 80-2m 20w antenna w/counterpoise	299.99
MicroMond Tripod system for Joey	49.99
OB-M 75/40/20/17/10m/HF marine 300w PEP 6'	449.99
Perth 75-10m 150w PEP 7.5' mobile ant	329.99
Perth Plus 75-10m+6m/2m 150w PEP 6' mob ant	329.99
Stealth Plus 75-10m+6/2m 100w PEP 4' ant	319.99
Outreach 160-10m 300w PEP 12' antenna	419.99
Outreach 500 80-6m 600w PEP 12' antenna	449.99
Outpost Base tripod mtg system for mobile ant	199.99
OB-SB ¼-24 spring and ¼" hole base	129.99
Diamond K-400-3/8C ¼-24 trunk mt, 6' coax	69.99
Diamond C-110 10' ext cable; K-400-3/8C	14.99

Palomar Engineers (PAL)

PT-340 Tuner-Tuner (use with ant tuner)	\$ 99.99
RFI-4 RF interference kit	25.99
VLF-A VLF converter; 10-500 KHz to 80m	99.99
VLF-S VLF conv; 10-500 KHz to 4-4.5 MHz	99.99

PALSTAR (PLS)

AT-1KM 600w T-match differential tuner/crossneedle mtr	\$359.99
AT-4K 2.5kw T-match edgedwood roller ind tuner	895.99
AT-1500CV 750w T-match ceramic roller ind tuner	459.99
BT-1500A 750w dual edgedwood roller ind tuner	695.99
ZM-30 1-30MHz antenna analyzer	349.99

PAR (PAR)

SK-144 Stacking harness for OA-144	Δ 24.99
OA-222 220 horizontal omni antenna	Δ 34.99
OA-432 Type N stacking harness; OA-432	Δ 34.99
UHFND450 440 dual band notch filter	Δ 44.99
VHFND152 2m dual band notch filter	Δ 44.99
VHFND152HT 2m dual band HT notch filter	Δ 44.99

PENETROX (PEN)

Penetrox A 4 oz tube for antennas	\$ 12.99
-----------------------------------	----------

POLYPHASER (PLY)

LIGHTNING PROTECTION

IS-50NX-C2 125-1000 375/125/50w N flange	\$ 61.99
IS-50UX-C0 1.5-400 2kw/375/125w flange mt	61.99
IS-50UX-C1 50-700kHz 375/125w flange mt	61.99
IS-50ULN-C2 125-1000 375/125/50w N bulkhead	64.99
IS-50ULU-C0 1.5-400 2kw/375/125w bulkhead	64.99

Polyphaser - continued AES Price

IS-B50LU-C1	50-700 375/125w bulkhead mt	64.99
IS-IE50LU-CO	1.5-400 dk 2kw/375/125w bulkhd Δ	69.99
BF Adapter	Bulkhead to flange mt adapter Δ	2.99
FB Adapter	Flange to bulkhead mt adapter Δ	2.99
PLDO-120US15A	120v 15A power protector	159.99
PLDO-120US20A	120v 20A power protector	199.99
IS-RCT	8-wire rotor control protector	54.99
J-1	1/2" to 1 1/2" bronze transition clamp	8.99
J-2	1 1/2" to 2 1/4" bronze transition clamp	12.99
IS-SPTL	Single phone line protector	57.99
CS112-25	25' 1 1/2" copper strap	25.99
CS112-50	50' 1 1/2" copper strap	49.99
CS112-100	100' 1 1/2" copper strap	99.99
CS3-25	25' 3" copper strap	49.99
CS3-50	50' 3" copper strap	99.99
CU-SPEP	Copper single point ground panel	69.99
TK-2	1 1/2" strap to Rohm tw corrosion free clamp	5.99
TK-3	1 1/2" strap-2 1/4" to 3 1/4" mast corr free clamp	8.99
1C-112S	#6-#1 wire to 1 1/2" strap clamp bond	10.99
58R-112S	1 1/2" strap to 5/8" gnd rod clamp bond	12.99
MSC-3	Junc; 2+ 1 1/2" or 3" strap clamp bond	10.99
UNI-KIT 2CT	Gnd kit; coax to alum/tin/galv	29.99
UNI-KIT 2TC	Gnd kit; galv tw leg to copper	32.99
UNI-KIT 2CC	Ground kit; coax to copper	29.99
CCK	Copper cleaning kit; 4 oz can, brush	27.99
LP6S	Lightning Protection/Grounding book	20.00

PREMIER (PRE)

AL-800	2m/440 34" BNC rubber duck ant	\$ 29.99
RD-2	2m/440 2" BNC duck	14.99
RD-2SMA	2m/440 2" SMA duck	15.99
RD-8	2m/440/900 6.5" BNC duck	14.99
RD-9	2m/440/900 7" BNC duck	18.99
RD-9SMA	2m/440/900 7" SMA duck	20.99
RD-78	2m/440/900 15" BNC whip	19.99
RD-98	2m/440 17" BNC whip	24.99
RD-98SMA	2m/440 17" SMA whip	27.99
SPM-100	Sprk/mic; ADI/Alinco/Icom/Yaesu	31.99
SPM-101	Sprk/mic for Kenwood	31.99
SPM-102	Sprk/mic; Yaesu FT-50R/VX-1R/5R	31.99
SPM-400A	Boom/mic; ADI/Alinco/Icom/Yaesu	39.99
SPM-402A	Boom mic; Yae FT-50R/VX-1R/5R	39.99

PRO AM by VALOR (VAL)

ASTATIC MOUNTS

AST-MMK	Heavy duty 3/8-24 magnet mt kit	\$ 29.99
AST-NMO	NMO mounting adapter	6.99
AST-SO239	SO-239 mounting adapter	6.99
AST-TMK	Universal 3/8-24 trunk mount kit	29.99
AST-NMO	NMO mounting adapter	6.99
AST-SO239	SO-239 mounting adapter	6.99

VHF/UHF ANTENNAS ONLY (No Mounts)

MO144-440	2m/440 antenna only	\$ 21.99
PAQA	136-515 MHz 1/2 wave antenna only	9.99
PHB-144	2m 1/2 wave 3 db antenna only	29.99

MOUNTS ONLY FOR ABOVE ANTENNAS

PAMB	Black low profile mag mount w/coax	\$ 24.99
PAN38	3/24 antenna to NMO mt adapter	14.99
PAS3	3/8" surface mount w/coax	19.99
PASMO	3/8" surface mt only (no coax)	7.99
PAT-2	No hole trunk mount w/coax	19.99
PAT-2B	Black no hole trunk mount w/coax	19.99

OTHER VHF/UHF ANTENNAS & MOUNTS

100ADN	2m/439 horizontal mirror mt	\$ 10.99
101ADN	HD alum mirror mt w/SO-239	10.99
105AD/105ADT	Hvy duty 3/8" mount assembly	6.99
105HD/105HDT	Hvy duty mount assembly	3.99
120	Sawtooth hump mt for mobile radios	7.99
301	4" low profile 3/24 magnet mt w/coax	16.99
401	5" low profile 3/24 magnet mt w/coax	19.99

Pro Am - continued AES Price

BNC-SC-RS	Suction cup extension; ducks	14.99
DAK-AD	Mt for 2 vert ants or horizontal dipole	13.99
GM-144	2m 2.5db on glass antenna	29.99
GM-270	2m/440 2.6/6.3db on glass antenna	59.99
TGMKO	On glass replacement mtg kit	8.99
MM-3401	Maxi-mag mt w/24NMO kit (3-5" mags)	59.99
SS-100MOT	3-way NMO mirror mt w/coax	23.99
CX-144	2m 1/2 wave 3db 3/24 whip	19.99
MM-270B	2m/440 micro mag mt ant w/BNC	19.99
PM-144-440BN	2m/440 BNC mag mt ant	29.99
PM-38B	Micro mag mt monitor ant w/BNC	19.99
TGS	30-120MHz on-glass scanner ant	34.99
VAA-002B	144-450 black 1/2 wv mag mt ant	23.99
VAA-002BBN	144-450 black 1/2 wv BNC mag ant	24.99

MOBILE HF ANTENNAS (No Mounts)

AB-5-PHF-SB	75/40/20/15/10m mobile ant D	\$ 119.99
-------------	------------------------------	-----------

PHF-160B	160m 8' 3/4 whip	89.99
----------	------------------	-------

PHF-75B	75m 8' 3/4 whip (4' coil, 4' whip)	29.99
---------	------------------------------------	-------

PHF-40B	40m 8' 3/4 whip (4' coil, 4' whip)	23.99
---------	------------------------------------	-------

PHF-30B	30m 8' 3/4 whip (4' coil, 4' whip)	23.99
---------	------------------------------------	-------

PHF-20B	20m 8' 3/4 whip (4' coil, 4' whip)	23.99
---------	------------------------------------	-------

PHF-17B	17m 8' 3/4 whip (4' coil, 4' whip)	23.99
---------	------------------------------------	-------

PHF-15B	15m 8' 3/4 whip (4' coil, 4' whip)	23.99
---------	------------------------------------	-------

PHF-12B	12m 8' 3/4 whip (4' coil, 4' whip)	23.99
---------	------------------------------------	-------

PHF-10B	10m 8' 3/4 whip (4' coil, 4' whip)	23.99
---------	------------------------------------	-------

PHF-6B	6m 58" 3/4 whip	23.99
--------	-----------------	-------

103S	Quick disconnect/5 twist lock connectors	24.99
------	--	-------

ASTATIC MOBILE HF ANTENNA (No Mounts)

AST-6BTV	75/40/20/15/10m mobile antenna	\$ 119.99
----------	--------------------------------	-----------

QRZ (WAL)

Ham QRZ	US & international calls plus programs	\$ 24.99
---------	--	----------

QSL Card Holders (ART)

QSL Card Holders	pack of 3, 20 cards/holder	\$ 18.99
------------------	----------------------------	----------

QUEST (QUS)

1004	Astra 1 hobby rocket kit	\$ 7.49
------	--------------------------	---------

1014	Big Betty hobby rocket kit	9.99
------	----------------------------	------

1604	QE-Z payloader quick kit	11.99
------	--------------------------	-------

2001	Evader cruise missile kit	D 4.99
------	---------------------------	--------

5721	Cyclone RTF rocket kit	D 9.99
------	------------------------	--------

5740	A6-4 motor flight pack (3)	6.29
------	----------------------------	------

5741	B6-4 motor flight pack (3)	6.79
------	----------------------------	------

5743	C6-3 motor flight pack (3)	7.49
------	----------------------------	------

5744	C6-5 motor flight pack (3)	7.49
------	----------------------------	------

7010	TigerTail II igniters (6)	2.99
------	---------------------------	------

7021	Recovery wadding (100 sheets)	2.99
------	-------------------------------	------

7700	Complete launch system	18.99
------	------------------------	-------

RCA (RCA)

108	F-56 connector w/o-ring for TV coax	\$ 4.99
-----	-------------------------------------	---------

ACAC-5960	TV coax hex crimp tool	17.99
-----------	------------------------	-------

AH-19	6' audio cable w/RCA plugs	2.99
-------	----------------------------	------

AH-211	25' audio cable w/RCA plugs	D 6.99
--------	-----------------------------	--------

ANT-1020	VHF TV/UHF TV/FM indoor antenna	19.99
----------	---------------------------------	-------

RP-3710	AM/FM clock radio	24.99
---------	-------------------	-------

TA-25	25db VHF/UHF TV/FM distribution amp	19.99
-------	-------------------------------------	-------

VH-84	6' audio/video cable w/gold RCA plugs	5.99
-------	---------------------------------------	------

RF PARTS (See Diamond)

RAMSEY (RAM)

AA-7	Active antenna kit	D \$ 24.99
------	--------------------	------------

AR-1	Aircraft receiver kit	D 24.99
------	-----------------------	---------

FR-1	FM broadcast receiver kit	D 14.99
------	---------------------------	---------

QRP-20	20m CW transmitter kit	D 24.99
--------	------------------------	---------

QRP-40	40m CW transmitter kit	D 24.99
--------	------------------------	---------

SR-2	Shortwave receiver kit	D 24.99
------	------------------------	---------

UT-5	Universal timer kit	D 4.99
------	---------------------	--------

VS-1	Voice activated switch kit	D 6.99
------	----------------------------	--------

AES Price

Robinson Racing (RRP)

1422	48P absolute pinion 22T	\$ 4.99
------	-------------------------	---------

SGC (SGC)

05-04	SG-2020 Mini 20w PEP QRP Xc/mic/ADSP2	*\$595.99
-------	---------------------------------------	-----------

*Price w/instant coupon; coupon expires 10/31/05

05-04	54-18 SG-2020/SG-237 combo	*\$855.98
-------	----------------------------	-----------

*Price w/instant coupon; coupon expires 10/31/05

52-96	SG-500 1.8-24MHz 12v 500w PEP amp	1249.99
-------	-----------------------------------	---------

51-82	Fan kit; continuous duty xmit SG500	269.99
-------	-------------------------------------	--------

54-14	SG-230 200w 1.8-30MHz 12v Smartuner	489.99
-------	-------------------------------------	--------

54-15	SG-235 500w 1.8-30MHz 12v Smartuner	1169.99
-------	-------------------------------------	---------

54-18	SG-237 100w PEP HF+6m mini Smartuner	*\$309.99
-------	--------------------------------------	-----------

*Price w/instant coupon; coupon expires 10/31/05

54-22	SG-239 200w Smartuner	179.99
-------	-----------------------	--------

54-61	25' extension cable; Smartuners	60.99
-------	---------------------------------	-------

54-62	50' extension cable; Smartuners	90.99
-------	---------------------------------	-------

54-63	SmartLock; SG230/237/239 after 9/1/93	54.99
-------	---------------------------------------	-------

54-25	MAC-200 Smartuner/ant switch combo	299.99
-------	------------------------------------	--------

54-26	SG-211 60w mini Smartuner	179.99
-------	---------------------------	--------

55-28	SG-307 1.8-60' mobile whip & mt	449.99
-------	---------------------------------	--------

55-69	SG-307 whip only	265.99
-------	------------------	--------

55-47	QMS-2 Quick mt sys w/SG-230/303 whip	894.99
-------	--------------------------------------	--------

55-50	QMS-37 Quick mt sys/SG-237, less whip	549.99
-------	---------------------------------------	--------

70-14	ADSP2 DSP noise reduction speaker	129.99
-------	-----------------------------------	--------

SAMLEX (SAM)

FCP-1000	1A ps w/cigarette lighter socket	\$ 9.99
----------	----------------------------------	---------

SEC-1223	23A switching ps w/fan, 24A surge	99.99
----------	-----------------------------------	-------

SI-175HP	175w 12vdc-115vac inverter	29.99
----------	----------------------------	-------

SI-400HP	400w 12vdc-115vac inverter	49.99
----------	----------------------------	-------

SPS-1204UL	3.5A switching ps+cig socket	29.99
------------	------------------------------	-------

SANGEAN (SAN)

ATS-404	AM/FM/SW portable receiver w/case	\$ 79.99
---------	-----------------------------------	----------

ATS-505P	AM/FM/SW portable receiver	129.99
----------	----------------------------	--------

ATS-606AP	AM/FM/shortwave portable receiver	139.99
-----------	-----------------------------------	--------

ATS-909	AM/FM/shortwave portable Rcvr	249.99
---------	-------------------------------	--------

DT-200V	AM/FM/VHF TV sound dig port Rcvr	69.99
---------	----------------------------------	-------

PR-D2	AM/FM portable dark grain "Q" radio	99.99
-------	-------------------------------------	-------

PT-50	AM/FM/SW portable receiver	79.99
-------	----------------------------	-------

PT-80	Deluxe AM/FM/SW portable receiver	159.99
-------	-----------------------------------	--------

RCR-2	AM/FM atomic clock radio	69.99
-------	--------------------------	-------

WR-1	AM/FM wooden cabinet receiver	119.99
------	-------------------------------	--------

ANT-60	Portable wind-up SWL antenna	13.99
--------	------------------------------	-------

SCANCAT (SCA)

Lite-Plus	Scanner programming software	\$ 29.99
-----------	------------------------------	----------

Gold for Windows	Dix scanner prog software	99.99
------------------	---------------------------	-------

SEQUOIA (SEQ)

POCKET PC REF	Pocket PC reference book	\$ 15.99
---------------	--------------------------	----------

POCKET REF	Pocket reference book	12.99
------------	-----------------------	-------

WinRef 98-95	Windows pocket reference book	9.99
--------------	-------------------------------	------

SHAKESPEARE (SHA)

396-1	3db 5' VHF marine ant, less mount	\$ 69.99
-------	-----------------------------------	----------

5101	6db 8' VHF marine ant, less mount	59.99
------	-----------------------------------	-------

5202	6db 8' VHF mar ant/chrome ferrule, less mt	89.99
------	--	-------

5206-C	Econo 8' VHF mar ant/chrome ferrule, no mt	49.99
--------	--	-------

495	White plastic fill & lay mount	2.99
-----	--------------------------------	------

4187	Stainless steel ratchet mount	36.99
------	-------------------------------	-------

5215	3db 36" sailboat VHF marine ant w/mt	39.99
------	--------------------------------------	-------

420	3db 5' VHF marine ant w/fold-down mt	69.99
-----	--------------------------------------	-------

PL-259-CP-G	Solderless PL-259; RG-8X/58	6.99
-------------	-----------------------------	------

PL-258-CP-G	Solderless splice; RG-8X/58	9.99
-------------	-----------------------------	------

Smiley Antenna (SMI)

270A	2m/440 gain telescopic whip	\$ 19.99
------	-----------------------------	----------

270A/S

Smiley - continued

5/8 SLD-2 Combo 2m 3/4 duck & stubby ant ..	29.99
5/8 SLD-220 Combo 220 3/4 duck & stubby ant	29.99
5/8 SLD-440 Combo 440 3/4 duck & stubby ant	29.99
FLX 1/2 WAV-2M 1/2 wv 2m-BNC whip/flex coil	25.99
RD-2 2m rubber duck antenna	15.99
RD-220 220 rubber duck antenna	15.99
RDM-2 2m mini rubber duck antenna	15.99
RDM-220 220 mini rubber duck antenna	2.99
RDM-440 440 mini rubber duck antenna	15.99
RDS-2 2m stubby rubber duck antenna	15.99
RDS-220 220 stubby rubber duck antenna	15.99
RDS-440 440 stubby rubber duck antenna	15.99
SD-2 2m Slim Duck thin rubber antenna	15.99
SD-220 220 Slim Duck thin rubber antenna	15.99
SL-440 440 slimline type duck	15.99
SS-II Super Stick 2m 3/4 wv telescopic ant	19.99
SS-III Super Stick 220 3/4 wv telescopic ant	19.99
SS-IV Super Stick 440 3/4 wv telescopic ant	19.99
SS-II/Combo 2m 3/4 wv telescopic & stubby ant	29.99
SS-III/Combo 220 3/4 wv telescopic & stubby ant	29.99
SS-IV/Combo 440 3/4 wv telescopic & stubby ant	29.99
TAQ-2 2m 1/4 wave stainless whip	10.99
TAQ-220 220 1/4 wave stainless whip	10.99
TAQ-440 440 1/4 wave stainless whip	10.99
TS Thin Stick 2m/220 3/4 wave telescopic whip	16.99

SOLARCON (SOL)

A-99 10m/CB 17' 8" fiberglass base ant	\$ 79.99
GP-1 Ground plane radial kit	59.99

SONY SHORTWAVE (SON)

ICF-SW07 AM/FM/SW micro Rcvr w/ps	\$399.99
ICF-SW11 AM/FM/SW compact receiver	49.99
ICF-SW12 AM/FM/SW travel Rcvr/world clock	89.99
ICF-SW35 AM/FM/SW portable receiver	89.99
ICF-SW40 AM/FM/SW port receiver	119.99
ICF-SW7600GR AM/FM/SW portable receiver	159.99
AN-LP1 Folding active loop ant w/case	89.99
DCC-E260 Mobile DC adapter; ICF-SC1	69

STICKY PAD (STI)

13810 7 1/2" x 4 1/2" sticky pad for handhelds, etc	\$ 5.99
13820 8 1/4" x 6 1/2" sticky pad for larger items	9.99

Synthetic Textiles (SYN)

100' 3/8" black double braided rope	\$ 7.99
100' 3/16" 3/8" black double braided rope	16.99
100' 5/16" 3/8" black double braided rope	22.99
350' 3/8" black double braided rope	44.99

TV GUARDIAN (TVG)

TV Guardian TV/video foul language filter ...	\$ 49.99
---	----------

Terk Technologies (TER)

Advantage Indoor passive fine-tunable AM ant	\$ 49.99
FM-50 Amplified indoor/outdoor FM ant kit.Δ	19.99
HDTV-I Indoor UHF/VHF HDTV antenna	39.99
LF-30S 2.4GHz wireless vid/aud sys/rem features	99.99
IR-IRX Remote control extender	39.99
MOD-41 Deluxe RF modulator/switch	39.99
PI-B Indoor AM/amplified FM loop antenna ..	49.99
Tower Indoor AM/amplified FM tower antenna	24.99
TSP-6 AC/TV/telephone surge protector	19.99
TV-42 Clip-on/mini dish mt amp TV ant; 2 LNB dish	49.99
TV-55 Indoor/outdoor TV antenna	89.99
TV-MAST TV antenna mast mount kit	69
VR-1 TV volume regulator	49.99
VS4-MOD Dlx 4 input RF modulator/switch ...	49.99

TESTORS (TES)

800001 1/2 radio control mini coooper/metal	\$ 29.99
800002 1/2 radio control audi tt coupe/metal	29.99

AES Price

Times Microwave (TMS)

LMR-400 Standard 3/4" coax cable	\$.70
LMR-400	500 ft. Roll 269.99
LMR-400-DB Watertight 3/4" coax cable per ft.79
LMR-400-DB	500 ft. Roll 309.99
LMR-400-UF UltraFlex 3/4" coax cable	per ft. 1.05
LMR-400-UF	500 ft. Roll 419.99

TIMESWAVE (TIM)

ANC-4 RF noise canceller	\$209.99
AC-1 12vdc 600 ma adapter	15.99
AC-5 12vdc 1.7A desktop ps	24.99
DSP-599zx All-mode DSP noise filter	436.99
AC-5 12vdc 1.7A desktop ps	24.99
PK-96/100K 9600 baud controller/128K RAM	219.99
(CSS) PKTerm for Windows Soft; PK-96/232	99.99
AC-1 12vdc 600 ma adapter	15.99
AC-5 12vdc 1.7A desktop ps	24.99
PK-232/PSK Multimode controller w/sound card	531.99
(CSS) PKTerm for Windows Soft; PK-96/232	99.99
AC-5 12vdc 1.7A desktop ps	24.99
HSC-99 HamHub station controller	349.99

TRAXXAS (TRX)

2410 Bandit RTR electric buggy w/TQ radio ..	\$129.99
3606 Stamped RTR electric monster truck w/ESC	174.99
3706 Rustler RTR electric stadium truck w/ESC	154.99
3710 Rustler RTR electric stadium truck w/TQ Tx	134.99
3906 E-Maxx RTR electric monster truck	334.99

TRINITY (TRN)

RC-2141 Monster horsepower stock pro	\$ 39.99
--	----------

TRIPP LITE (TRI)

PV-140 140w 12vdc-115vac inverter	D \$ 16.99
ISOBAR-8 ULTRA 8 outlet surge suppress/LEDs	79.99
SUPER-7 7 outlet surge suppressor	19.99
SUPER-7+TEL 7 outlet/fax modem surge	29.99

TUBES (TUB)

6146B Tube	\$ 26.99
12BY7A Tube	12.99
3-500ZG-RFP High dissipation tube (3-500Z)	179.99
572B Tube	49.99
811A Tube	19.99

US TOWER (UST)

FREE STANDING CRANK-UPS (not for T-X)

TX-438 38' crank-up tower	T 1399.99
TX-455 55' crank-up tower	T 1929.99
TX-472 72' crank-up tower	T 3169.99
TX-472MDP 72' crank-up w/motor drive	T 5099.99
TX-489MDPL 89' crank-up w/motor drive	T 8269.99

FREE STANDING HD CRANK-UP TOWERS

HDX-538 38' crank-up tower	T 1659.99
HDX-555 55' crank-up tower	T 2899.99
HDX-572MDPL 72' crank-up w/motor drive	T 7579.99
HDX-589MDPL 89' crank-up w/motor drive	T 9919.99
HDX-689MDPL 89' HD crank-up w/motor	T 19159.99
HDX-5106MDPL 106' HD crank-up w/motor T	20849.99

COMPACT TMM (Top mt rotor for full retraction)

TMM-433SS 33' crank-up tower	T 1489.99
TMM-433HD 33' HD crank-up tower	T 1799.99
TMM-541SS 41' crank-up tower	T 1959.99

ACCESSORIES FOR CRANK-UP TOWERS

CX-2 Coax arms (2) for 2-section tower	\$ 68.99
CX-3 Coax arms (3) for 3-section tower	94.99
CX-4 Coax arms (4) for 4-section tower	139.99
CX-5 Coax arms (5) for 5-section tower	189.99
CX-6 Coax arms (6) for 6-section tower	239.99
HDP Service platform	T 1369.99
IV-16 Inverted vee arm for MA's	51.99

AES Price

US Tower - continued

M-5 2" OD 5' mast extension for MA's	51.99
M-10 2" OD 10' mast	T 94.99
M-15 2" OD 15' mast	T 129.99
M-15R 2" OD 15' reinforced mast	T 199.99
M-20 2" OD 20' mast	T 169.99
M-20R 2" OD 20' reinforced mast	T 249.99
CM-20 2" OD 20' cromoly mast	T 519.99
MD-75 Heavy duty 1 HP motor drive	T 1119.99
MDP-750* Pull-down drive; TX-472/HDX-555 T	1739.99
MDPL-1000* Pull-down drive; HDX-572	T 2359.99
*Requires MCL-100 or RMC-1000. MDP-750 and MDPL-1000 not sold separately	
MRF Mast raising fixture	329.99
MCL-100 Limit switch package	529.99
RMC-1000 Remote control w/limit switch	1119.99
RP-3 Rotor plate for 10' section	52.99
RP-4 Rotor plate for 12 1/2" section	63.99
RP-5 Rotor plate for 15" section	70.99
TRX-80 Raising fixture; TX-438/455/HDX-538/555 T	499.99
TRX-80HD Raising fixture; TX-472/489/HDX-572/589 T	699.99
TRX-100HD Raising fixture; HDX-689/5106 T	899.99
TB-2US Thrust bearing; 2" mast w/2 flange holes	119.99

MA-SERIES TUBULAR TOWERS

MA-40 40' crank-up tubular tower	T 1109.99
MA-550 55' crank-up tubular tower	T 1719.99
MA-550MDP 55' crank-up tubular w/motor T	3279.99
MA-770* 70' crank-up tubular tower	T 2829.99
MA-770MDP* 70' crank-up tubular w/motor T	4479.99
MA-850* 85' crank-up tubular tower	T 4379.99
MA-850MDP* 85' crank-up tubular w/motor T	6029.99

*Requires MAB or MARB-series base

MA-SERIES ACCESSORIES

CX-2M Coax arms (2) for MA-40	\$ 72.99
CX-3M Coax arms (3) for MA-550	99.99
CX-4M Coax arms (4) for MA-770	169.99
CX-5M Coax arms (5) for MA-850	199.99

MAB-40 Hinged base for MA-40	T 409.99
MAB-550 Hinged base for MA-550	T 519.99
MAB-770 Hinged base for MA-770	T 629.99
MAB-850 Hinged base for MA-850	T 769.99
MAF-40 Raising fixture for MA-40	269.99
MAF-550 Raising fixture for MA-550	T 369.99
MAF-770 Raising fixture for MA-770	T 379.99
MAF-850 Raising fixture for MA-850	T 499.99

MARB-40 Rotor base accessory for MA-40	T 659.99
MARB-550 Rotor base accessory for MA-550 T	769.99
MARB-770 Rotor base accessory for MA-770 T	899.99
MARB-850 Rotor base accessory for MA-850 T	1099.99

All US TOWER products are drop-shipped (shipped direct to you from the US TOWER factory). On these factory drop-shipsments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Visalia, California or Lincoln, Kansas via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on these special order products. Most truck lines will not unload the tower for you, so please be sure to have enough manpower and/or equipment on hand when your tower is delivered by the carrier.

UNADILLA (See W2AU)

UNIDEN (UNI)

PC-68Elite AM Mobile CB w/WX alert	*\$59.99
*Price after Uniden rebate; rebate ends 12/31/05	
PC-68LTW AM Mobile CB w/WX alert	*\$49.99
*Price after Uniden rebate; rebate ends 12/31/05	
PC-68XL AM Mobile CB	74.99

Uniden - continued

PC-78Elite AM Mobile CB w/WX alert	*79.99
*Price after Uniden rebate; rebate ends 12/31/05	
PC-78LTW AM Mobile CB w/WX alert	*69.99
*Price after Uniden rebate; rebate ends 12/31/05	
PC-78XL AM Mobile CB	*64.99
*Price after Uniden rebate; rebate ends 12/31/05	
PRO-510XL AM Mobile CB	39.99
PRO-520XL AM Mobile CB	54.99
PRO-538W AM Mobile CB w/WX	59.99

UNIDEN BEARCAT

BC-244CLT 30 ch scanner w/instant WX	\$ 99.99
BC-248CLT 50 ch scanner w/WX alert	109.99
BC-278CLT 100 ch scanner/800/SAME WX alert	139.99
BC-350C 100 ch prog/service search w/AC ps	99.99
BC-796D 1000 ch pocket/trunk/SAME WX/dig	549.99
BC-898T 500 ch prog scanner/trunking/preprog	209.99
BCT-8 Preprog warning scan/800/trunk/AC ps	179.99
BC-72XLT 100 ch pocket scanner	99.99
BC-92XLT 200 ch prog pocket scanner/800	119.99
AD-100 AC adapter/batt cgr; earlier scanners	4.99
BC-003 Switch box for BC-002	Δ 6.99
BCI-250 Digital board for BC-785D/250D	Δ 189.99
BP-180 Extra battery; BC-245XLT	Δ 16.99
BP-200 Extra battery; BC-200XLT	Δ 26.99
BP-205 Extra battery; BC-100XLT	Δ 26.99
BP-2500 Extra battery; BC2500/3000	Δ 63.99
CRX-120 Desk charger; BC-245XLT	Δ 24.99
LC-120 Carrying case; BC230XLT/245XLT	Δ 19.99
SC-180B 100 ch sport pocket/800 MHz	Δ 149.99
SC-200 200 ch sport pocket/800 MHz	Δ 169.99
AD-70 Extra charger	10.99
BP-120 Extra battery	18.99
(KOS) QZ/99 Noise reduction headphones	59.99
UA-502 Cig power cord	11.99
SC-230 1600+ch pocket/800/SAME WX	199.99
BC-246T 1600+ch pocket scanner/trunking	229.99
BCD-396T 3000+ch pocket/trunk/SAME/dig	549.99
BC-296D 1000 ch pocket/trunk/SAME WX/dig	499.99
BP-250 Extra battery	14.99
NC-250D Carrying case	29.99
UA-502 Cig power cord	11.99

MARINE

Atlantis-250 5w VHF marine handheld	\$ 99.99
MHS-350 Waterproof 5w VHF marine handheld	149.99
Mystic 5w VHF marine handheld/GPS/DSC	339.99
Voyager 5w VHF marine handheld/lith ion batt	159.99
Oceanus-DSC 25w 90 ch VHF marine Xcvr/DSC	139.99
Polaris 25w VHF marine Xcvr w/hailer	Δ 139.99
Solara-DSC 25w 90 ch VHF marine Xcvr/DSC	119.99
UM-525 25w VHF marine Xcvr w/hailer	199.99
UM-625C 25w VHF marine Xcvr/color TFT/hailer	299.99

Unified Microsystems (UNM)

VK-64 CW/voice keyer	\$229.99
KC-4 CW cable for VK-64 to transceiver	9.99
VKC-8 8-pin audio cable for VK-64 to Xcvr	24.99
XT-4 Small size CW memory keyer	69.99
KC-4 CW cable for XT-4 to transceiver	9.99
W9XT Contest card for IBM PC & compatible	139.99
CCC-8 8pin mic contest card cable semi-kit	44.99

UNI-SOLAR (UNS)

FLX-5 5w flexible solar cell	Δ \$ 89.99
FLX-32 32w flexible solar cell	Δ 269.99

Universal Towers (UNT)

4-30 4 sq ft wind load 30' alum tower	T \$342.99
9-30 9 sq ft wind load 30' alum tower	T 459.99
12-30 12 sq ft wind load 30' alum tower	T 604.99
21-30 21 sq ft wind load 30' alum tower	T 719.99
23-30 23 sq ft wind load 30' alum tower	T 951.99

AES Price

Universal - continued

35-30 35 sq ft wind load 30' alum tower	T 1071.99
4-40 4 sq ft wind load 40' alum tower	T 573.99
7-40 7 sq ft wind load 40' alum tower	T 720.99
9-40 9 sq ft wind load 40' alum tower	T 802.99
12-40 12 sq ft wind load 40' alum tower	T 951.99
15-40 15 sq ft wind load 40' alum tower	T 1063.99
21-40 21 sq ft wind load 40' alum tower	T 1181.99
23-40 23 sq ft wind load 40' alum tower	T 1414.99
4-50 4 sq ft wind load 50' alum tower	T 807.99
5-50 5 sq ft wind load 50' alum tower	T 918.99
7-50 7 sq ft wind load 50' alum tower	T 1034.99
9-50 9 sq ft wind load 50' alum tower	T 1149.99
15-50 15 sq ft wind load 50' alum tower	T 1527.99
16-50 16 sq ft wind load 50' alum tower	T 1648.99
4-60 4 sq ft wind load 60' alum tower	T 1150.99
6-60 6 sq ft wind load 60' alum tower	T 1411.99
7-60 7 sq ft wind load 60' alum tower	T 1502.99
9-60 9 sq ft wind load 60' alum tower	T 1611.99
3-70 3 sq ft wind load 70' alum tower	T 1500.99
4-70 4 sq ft wind load 70' alum tower	T 1844.99
6-70 6 sq ft wind load 70' alum tower	T 1877.99
7-70 7 sq ft wind load 70' alum tower	T 1962.99
3-80 3 sq ft wind load 80' alum tower	T 2023.99
4-80 4 sq ft wind load 80' alum tower	T 2342.99
2-90 2 sq ft wind load 90' alum tower	T 2426.99
B-14 Base for tower	74.99
B-18 Base for tower	74.99
B-22 Base for tower	113.99
B-26 Base for tower	143.99
Extra 14" stubs (between base & tower)	.set 14.99
Extra 18" stubs (between base & tower)	.set 26.99
Extra 22" stubs (between base & tower)	.set 42.99
Extra 26" stubs (between base & tower)	.set 42.99
RFM-11 Flat roof mt for guyed tower	49.99
RFM-14 Flat roof mt for guyed tower	49.99
RFM-18 Flat roof mt for guyed tower	77.99
RFM-22 Flat roof mt for guyed tower	103.99
RFM-26 Flat roof mt for guyed tower	138.99
R-11 Rotor mount	34.99
R-14 Rotor mount	52.99
R-18 Rotor mount	69.99

SEE LITERATURE FOR TOWER CONFIGURATIONS

11 Top 11" top tower section	T 116.99
14 Top 14" top tower section	T 145.99
18 Top 18" top tower section	T 264.99
14 Taper 14" taper tower section	T 128.99
18 Taper 18" taper tower section	T 230.99
22 Taper 22" taper tower section	T 343.99
26 Taper 26" taper tower section	T 461.99
11 Straight 11" straight tower section	T 114.99
14 Straight 14" straight tower section	T 128.99
18 Straight 18" straight tower section	T 230.99
22 Straight 22" straight tower section	T 343.99
26 Straight 26" straight tower section	T 461.99
HD35-40 35 sq ft wind load 40' alum tower	T 1651.99
HD21-50 21 sq ft wind load 50' alum tower	T 1761.99
HD9-60 9 sq ft wind load 60' alum tower	T 1847.99
HD16-60 16 sq ft wind load 60' alum tower	T 2224.99
HD21-60 21 sq ft wind load 60' alum tower	T 2344.99
HD8-70 8 sq ft wind load 70' alum tower	T 2078.99
HD12-70 12 sq ft wind load 70' alum tower	T 2574.99
HD17-70 17 sq ft wind load 70' alum tower	T 2808.99
HD21-70 21 sq ft wind load 70' alum tower	T 2926.99
HD8-80 8 sq ft wind load 80' alum tower	T 2659.99
HD9-80 9 sq ft wind load 80' alum tower	T 2773.99
HD11-80 11 sq ft wind load 80' alum tower	T 3151.99
HD12-80 12 sq ft wind load 80' alum tower	T 3157.99
HD16-80 16 sq ft wind load 80' alum tower	T 3388.99

AES Price

Universal - continued

HD4-90 4 sq ft wind load 90' alum tower	T 2769.99
HD8-90 8 sq ft wind load 90' alum tower	T 3267.99
HD11-90 11 sq ft wind load 90' alum tower	T 3736.99
HD4-100 4 sq ft wind load 100' alum tower	T 3709.99
HD8-100 8 sq ft wind load 100' alum tower	T 3969.99
B-30 Base for HD tower	211.99
Extra 30" stubs (between base & tower)	.set 63.99
RFM-30 Flat roof mt for guyed tower	193.99
30 Taper 30" taper tower section	T 581.99
30 Straight 30" straight tower section	T 581.99

SEE LITERATURE FOR TOWER CONFIGURATIONS

1-5/8SC Flange bearing	94.99
2-3/16SC Flange bearing	108.99
Top Plate Flange plate welded to top section	25.99
1-1/4" OD x 5 ft aluminum mast	T 23.99
1-1/4" OD x 10 ft aluminum mast	T 35.99
1-1/2" OD x 10 ft aluminum mast	T 43.99
2" OD x 8 ft aluminum mast	52.99
2" OD x 16 ft aluminum mast	T 96.99

All UNIVERSAL TOWERS products are drop-shipped (shipped direct to you from the UNIVERSAL TOWERS factory). On these factory drop-shipments we prefer payment in full with order, however, we will accept your credit card with the understanding that we will process the charge when we order the merchandise from the factory. This means that you may be billed before you receive your drop-shipped merchandise. Shipment is FOB Mt. Clemens, Michigan via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier. Please allow sufficient time for delivery on these special order products. Most truck lines will not unload the tower for you, so please be sure to have enough manpower and/or equipment on hand when your tower is delivered by the carrier.

VALOR (See PRO AM)

VANCO (VCO)

370052 3 1/2 digit multimeter	\$ 19.99
CL-3 Extra heavy duty alligator clip leads (10)	6.99
HF-24RS Scanner headphones w/dual volume	19.99
SWR-1 SWR/field strength meter	24.99
SWR-3 Mini SWR meter	14.99

VAN GORDEN (VAN)

Hi-Q 1:1 balun	\$ 18.99
Hi-Q 4:1 balun	18.99
Antenna center insulator	9.99
Antenna end insulator	pair 6.99
Dog bone type antenna insulator	each .99
NR-100 Nylon antenna guy rope	100 ft. 6.99
NR-1000 Nylon ant guy rope	1000 ft. 50.99
D-80 80m 130' wire dipole antenna	41.99
SD-80 Short 90' 80m wire dipole antenna	46.99
D-40 40m 66' wire dipole antenna	38.99
SD-40 Short 45' 40m wire dipole antenna	44.99
D-20 20m 33' wire dipole antenna	36.99
D-15 15m 22' wire dipole antenna	35.99
D-10 10m 16' wire dipole antenna	34.99
PD-4010 40/20/15/10m 66' parallel dipole	49.99
PD-4020 40/20/15m 66' parallel dipole	43.99
PD-8010 80/40/20/15/10m 130' parallel dipole	55.99
PD-8040 80/40/15m 130' parallel dipole	51.99
All Bander Dipole 160-10m (use tuner) 135' ant	35.99
Shorty All Bander 160-10m (use tuner) 70' ant	55.99
G5RV Flat-top 3.5-30 102' ant/xmfr/100' cable	60.99
G5RV-E Flat-top 3.5-30 102' ant/31' twinlead	35.99
G5RV JR Flat-top 7-30 52' ant/17' twinlead	30.99
G5RV-M Flat-top 1.8-30 204' ant/65' twinlead	60.99
Silver plated teflon PL-259	2.99
N connector Type N connector for 9913/8214	4.99
#14 Stranded hard drawn ant wire	100 ft. 11.99
#14 Stranded hard drawn ant wire	150 ft. 16.99

Van Gorden - continued AES Price

300 ohm 1kw transmitting twinlead ...	100 ft.	19.99
450 ohm 18ga solid ladderline ...	100 ft.	19.99
450 ohm 18ga solid ladderline ...	1000 ft.	149.99
450 ohm 14ga stranded ladderline ...	100 ft.	39.99
450 ohm 14ga stranded ladderline ...	1000 ft.	299.99
(WA1) WA1FFL Ladder-Loc 450 ohm ctr ins		12.99
RG-213 Non-contaminating ...	per ft.	.59
RG-213/500 Non-contaminating ...	500 ft. Roll	219.99
8X-1.5ST 1.5' RG-8X coax/silver teflon PL259s		9.99
8X-3ST 3' RG-8X coax/silver teflon PL259s		10.99
8X-6ST 6' RG-8X coax/silver teflon PL259s		12.99
8X-12ST 12' RG-8X coax/silver teflon PL259s		15.99
8X-25ST 25' RG-8X coax/silver teflon PL259s		22.99
8X-50ST 50' RG-8X coax/silver teflon PL259s		32.99
8X-75ST 75' RG-8X coax/silver teflon PL259s		40.99
8X-100ST 100' RG-8X coax/silver teflon PL259s		47.99
213-25ST 25' RG-213 coax/silver teflon PL259s		34.99
213-50ST 50' RG-213 coax/silver teflon PL259s		50.99
213-75ST 75' RG-213 coax/silver teflon PL259s		72.99
213-100ST 100' RG-213 coax/silver teflon PL259s		90.99

VECTRONICS (VEC)

VC-300M 300w mobile antenna tuner		\$ 99.99
VC-300DLP 300w antenna tuner		149.99
VC-300D 300w digital antenna tuner		169.99
HFT-1500 1.5kw antenna tuner		399.99
AT-100 .3-30 MHz active antenna/tuner		79.99
HPF-1 High pass filter, 75 or 300 ohms		24.99
HPF-2 Deluxe high pass filter, 75 or 300 ohms		29.99
LP-30 1.5kw low pass filter		69.99
LP-2500 2.5kw low pass filter		129.99
DL-300M 300w 150MHz dummy load		44.99
DL-650M 1.5kw 650MHz dummy load		74.99
DL-2500 2.5kw 150MHz dummy load		179.99
PM-30HF 300/3kw HF wattmeter		79.99
PM-30UV 30/300w VHF/UHF wattmeter		89.99
121K Crystal radio set kit		19.99
131K Aircraft receiver kit		29.99
201K CW keyer kit		24.99
412K Nicad/NiMH battery conditioner kit		9.99
422K FM broadcast SCA decoder kit		27.99
830K Super SSB audio filter kit		19.99
841K Tunable SSB/CW audio filter kit		34.99
1140K 40m receiver kit		29.99
1240K 40m QRP CW transmitter kit		29.99
1290K AM radio transmitter kit		29.99

VELLEMAN (VEL)

AVW-089 3 channel audio/video switcher		\$ 8.99
DVM-810 3 1/2 digit digital multimeter		9.99
DVM-850BL Deluxe 3 1/2 digit DMM w/holder		19.99
EL-301 30 in 1 electronic lab kit		39.99
EL-1301 130 in 1 electronic lab kit		89.99
EL-3001 300 in 1 electronic lab kit		129.99
VT-COAX Coax stripper; RG-58/59/62/6		14.99
VT-LAMP2U Hobby magnifier lamp w/table mt		49.99
VT-SET3N 6-pc electronics screwdriver set		9.99
VT-SET21N 8-in-1 screwdriver set		4.99
VT-TS 25-piece hobbyist tool set		9.99

VIBROPLEX (VIB)

090 Original Gold Bug		\$309.99
100 Original Presentation Super deluxe bug		269.99
105 Original Deluxe Bug		199.99
110 Original Standard Bug		169.99
113 VibroKeyer Gold Paddle		279.99
115 VibroKeyer Deluxe Paddle		184.99
120 VibroKeyer Standard Paddle		149.99
123 Iambic Gold Paddle		279.99
125 Iambic Presentation Paddle		249.99
130 Iambic Deluxe Paddle		189.99

Vibroplex - continued AES Price

135 Iambic Standard Paddle		149.99
145 Triangular Brass Racer Iambic paddle		129.99
150 Square Brass Racer Iambic paddle		139.99
153 Gold straight key		279.99
155 Standard straight key		149.99
160 Deluxe straight key		189.99
162 Gold Hand key/Iambic Paddle double		369.99
163 Gold Hand key/VibroKeyer Paddle double		369.99
165 Deluxe Hand key/Iambic Paddle double		329.99
170 Dlx Hand key/VibroKeyer Paddle double		329.99
175 Standard Hand key/Iambic Paddle double		279.99
180 Std Hand key/VibroKeyer Paddle double		199.99
185 Square Racer Deluxe Iambic paddle		129.99
190 Square Racer Standard Iambic paddle		109.99
195 Blue Racer 2000 Std. Millennium Bug		189.99
198 Blue Racer 2000 Dlx. Millennium Bug		209.99
200 Code Warrior Junior Paddle		99.99

WA1FFL (WA1)

Ladder-Loc 450 ohm ladderline center attach		\$ 12.99
---	--	----------

W2AU (Unadilla) (W2A)

W2AU 1:1 160-10m balun, lightning arrestor		\$ 24.99
W2AU 4:1 160-10m balun, lightning arrestor		24.99
W2AU Beam Balun, 1:1		24.99
W2DU-HF 1:1 1.8-30 MHz choke balun		26.99
W2DU-VHF 1:1 30-250 MHz choke balun		26.99
W2DU Beam Balun 40-10m 1:1 choke balun		26.99
HA AN-sulator center insulator		9.99
HE END-sulator end insulators		pair 6.99
KW-80CW Reycow 80m CW ant traps		pair 48.99
KW-80F Reycow 75m phone ant traps		pair 48.99
KW-60 Reycow 60m antenna traps		pair 46.99
KW-40 Reycow 40m antenna traps		pair 42.99
KW-30 Reycow 30m antenna traps		pair 42.99
KW-20 Reycow 20m antenna traps		pair 41.99
KW-17 Reycow 17m antenna traps		pair 41.99
KW-15 Reycow 15m antenna traps		pair 41.99
KW-12 Reycow 12m antenna traps		pair 41.99
KW-10 Reycow 10m antenna traps		pair 41.99
W2AU/W2VS 5-band ant kit (use tuner)		85.99

W4RT (W4R)

Antenna Boss interface; mot ant/FT100/847/57/97		\$149.99
Antenna Boss II interface; motor ant/IC-706/etc		149.99
(LDG) K-OTT Kenwood 1-touch tune interface		59.99
KB-2 Cable for Ant Boss II w/LDG K-OTT		10.99
YB-OTT FT-100/817/857/897 interface		59.99
YB-2 Cable for Ant Boss II w/W4R YB-OTT		10.99
OBP-STD Speech compressor; 817/47/57/97 handmic		49.99
OBP-UNIV Speech compressor; IC706/FT100 handmic		49.99
OPF-CW 500Hz Collins CW filter; FT817/57/97		114.99
OPF-SSB 2.3KHz Collins SSB filter; FT817/57/97		129.99
OTT-897 One-touch tune; FT-817/857/897		64.99

W5YI (W5Y)

BCOM Basic Communications Electronics book		\$ 19.99
BDIG Basic Digital Electronics book		19.99
BELC Basic Electronics book		19.99
ECOL-02 Extra upgrade software/manual/code		39.99
GROL Commercial license elements 1/3/8 manual		39.99
GRSP Commercial study software w/GROL book		69.99
GSTD Getting Started in Electronics book		19.99
GUS-04 General upgrade software/manual/code		39.99
GW05/CD Gordon West 8 ea 0-5 wpm code CD's		39.99
GW13 Gordon West 6 ea 5-16 wpm code tapes		29.99
GW20 Gordon West 6 ea 10-28 wpm code tapes		19.99
GWCT Gordon West refresher code course CD's		14.99
GWEM-02 Gordon West Extra study manual		19.99
GWEM-02/CD Gordon West 7 ea Extra theory CD's		39.99
GWGM-04 Gordon West General study manual		17.99
GWGM-04 Gordon West 4 ea General theory CD's		24.99

W5YI - continued AES Price

GWTM-03 Gordon West Tech study manual		15.99
GWTV-03 Gordon West 6 ea Tech theory CD's		34.99
HOS-04 Ham operator software/code (all classes)		39.99
HOSB-04 Ham op soft/code/3 books (all classes)		79.99
Mini-1 Timer, op amp & optoelectronics		12.99
Mini-2 Science & communications		12.99
Mini-3 Electronic sensors		12.99
Mini-4 Electronic formulas, symbols & circuits		12.99
NCS-03 Technician software w/manual		39.99
TPG-04 Tech/General software/manuals/code		59.99
WMC 0-48 wpm code software		14.99

WAHL (WAH)

7740 Quick charge cordless soldering iron kit		\$ 51.99
7971 30 minute butane soldering iron		25.99
7974 120 minute butane soldering iron		38.99

Watson Guptill (WAT)

059367 2006 World Radio TV Handbook		\$ 29.95
-------------------------------------	--	----------

WELLER (WEL)

7200PK 75w soldering gun kit		\$ 29.99
7235 Extra standard tips (2) for 7200PK		3.99
SP-23LK 25w soldering iron kit		18.99
WP-25 25w professional soldering iron		35.99
ST-4 3/4" screwdriver tip for WP-25		4.99
ST-5 1/2" single flat tip for WP-25		4.99
W-60P 60w temp controlled soldering iron		66.99
CT-5E7 3/4" screwdriver tip for W-60P		6.99
WESD51 50w adjustable soldering station		149.99
WST3A Pyroport portable LP soldering iron		99.99
WST2 Pyroport Jr. portable butane iron		89.99
WTCTP 60w temp controlled soldering stn		119.99

West Mtn Radio (WES)

CBA-2 Computerized battery analyzer w/software		\$ 99.99
CBA/Temp Temperature probe for CBA-2		10.99
PG-40 PWRgate simple backup power system		69.99
RB/PR/C Rigblaster Pro; 8-pin/RJ-45		249.99
RB/PL/C Rigblaster Plus; 8-pin/RJ-45		139.99
RB/NO/C Rigblaster nomic universal; 8-pin/RJ-45		59.99
RR/4010S/C Rigrunner FET 9outlet/cbl/connectors		119.99
RR/4012/C Rigrunner 40A 12outlet/cbl/connectors		112.99
RR/4008/C Rigrunner 40A 8outlet/cbl/connectors		92.99
RR/4005/C Rigrunner 40A 5outlet/cbl/connectors		59.99
CS/PK/12 12pr PowerPole 30A connectors		10.99
PWR/TOOL PWRcrimp PowerPole crimp tool		49.99
Whatt Meter WVA/WAHP meter for any PowerPole D		49.99

Wiley Publishing (WIE)

Astro Dummies Astronomy for Dummies book		\$ 19.99
GPS Dummies Gps for Dummies book		21.99
HR for Dummies Ham Radio for Dummies book		21.99
WX for Dummies Weather for Dummies book		21.99

WILSON (WIL)

F6T-4/BLK 4' black fiberglass CB whip		\$ 28.99
F6T-4/WHI 4' white fiberglass CB whip		28.99
Little Wtl Magnetic mt CB antenna		31.99
Trucker 2000 Black mobile %24 CB whip		54.99
W-1000 Magnetic Black mobile CB antenna		76.99
W-1000 Roof Top Black mobile CB antenna		57.99
W-1000 Trunk Lip Black mobile CB antenna		65.99

WINEGARD (WIN)

CX-0625 25' RG-6 TV coax w/F connectors		\$ 10.99
CX-0650 50' RG-6 TV coax w/F connectors		15.99
CX-0675 75' RG-6 TV coax w/F connectors		19.99
CX-6100 100' RG-6 TV coax w/F connectors		24.99
PR-7010 22 el 66.5" boom Prostar TV ant		39.99
PR-7032 33 el 103.25" boom Prostar TV ant		64.99
PR-7042 43 el 149.75" boom Prostar TV ant		99.99
TV-2900 Outdoor TV matching transformer		2.99

AES Price

YAESU (YAE)

FTDX-9000 Contest Contest 200w HF Xcvr	5699.99
FTDX-9000D Deluxe 200w HF Xcvr	11499.99
FTDX-9000MP 400w HF Xcvr special order	12049.99
MD-100A8X Desk mic w/tone control	139.99
MD-200A8X Deluxe high fidelity desk mic	399.99
MH-3188 Extra hand microphone	49.99
YH-77STA Open-air type stereo headphones	59.99
FT-1000MP Mk V 200w HF Xcvr/EDSP/tuner/ps	Call/Web
Mk V Field 100w HF Xcvr/EDSP/tuner/ps	Call/Web
DVS-2 Digital voice recording module	239.99
EDC-20 Extra DC cable; Field	18.99
FH-1 Remote control keypad	94.99
FTV-1000 200w 6m transverter; Mk V	949.99
FP-29 30vdc ps; FTV-1000 w/orig MP/Field	539.99
FRB-5 Relay board; FTV-1000 w/orig MP	65.99
MD-100A8X Desk mic w/tone control	139.99
MD-200A8X Deluxe high fidelity desk mic	399.99
MH-3188 Extra hand microphone	49.99
SP-8 External speaker w/filters	174.99
LL-7 Phone patch unit for SP-8	149.99
T-9018320 Extra DC cable; Field	26.99
TCXO-6 Deluxe TCXO unit, 0.5 ppm	189.99
YA-007FG FG whip w/bpr mt; 80-10m use tuner	159.99
YF-110CN 2 kHz 3rd IF main Rcvr CW filter	159.99
YF-110SN 2 kHz 3rd IF main Rcvr SSB filter	159.99
YF-114CN 250 Hz 2nd IF main Rcvr CW filter	159.99
YF-114SN 250 Hz 2nd IF main Rcvr SSB filter	159.99
YF-115C 500 Hz CW Collins mech filter	169.99
YH-77STA Open-air type stereo headphones	59.99
FT-840 HF Xcvr/SW Rcvr/mic	Call/Web
EDC-20 Extra DC cable	18.99
FP-1023 23A switching ps w/fan, 25A surge	169.99
FP-1030A 25A ps, 30A surge w/meters	269.99
FC-10 External coax fed auto tuner	399.99
FC-800 External long wire auto tuner	469.99
FIF-232C Interface for RS-232	99.99
FM-747 FM unit	69.99
MD-100A8X* Desk mic w/tone control	139.99
*Cable needed for FT-840; contact service for info	
MD-200A8X Deluxe high fidelity desk mic	399.99
MLS-100 Mobile speaker	49.99
MMB-20 Mobile mount	39.99
SP-6 External speaker w/filter	154.99
T-9018320 Extra DC cable	26.99
TCXO-4 TCXO unit	109.99
YA-007FG FG whip w/bpr mt; 80-10m use tuner	159.99
YF-112A 6 KHz AM filter	129.99
YF-112C 500 Hz CW filter	129.99
YH-77STA Open-air type stereo headphones	59.99
FT-897D HF/6m/2m/430 port/base Xcvr/TCXO	Call/Web
(BET) Yae Tune Control for FT-897 series	44.99
(W4R) Antenna Boss interface; other mfg mot ant	179.99
(W4R) OTT-897 One-touch tune; 817/857/897	64.99
FP-30 Internal power supply	229.99
ADMS-4B Windows programming software	59.99
ATAS-120 HF/6/2/430 motorized mob ant	Call/Web
ATBK-100 Antenna base kit; use w/base mt	99.99
ATAS-25 40/20/15/10/6/2/430 7.2" port ant	Call/Web
CT-39A Packet cable	11.99
CT-62 CAT interface cable	34.99
EDC-20 Extra DC cable	18.99
FC-30 Antenna tuner; bolts to FT-897	199.99
FC-40 Automatic antenna tuner	Call/Web
FNB-78 4.5ah NiMH batt (will accept 2)	129.99
CD-24 4-hr charge adapter for FNB-78	129.99
PA-26B 110vac charger for CD-24	89.99
MD-100A8X Desk mic w/tone control	139.99
MD-200A8X Deluxe high fidelity desk mic	399.99
MH-36E8J TTP mic	69.99
MH-59A8J Remote control TTP mic	69.99

Yaesu - continued

MLS-100 Mobile speaker	49.99
MMB-80 Mobile mounting bracket	39.99
SP-6 External speaker w/filter	154.99
T-9023225 Extra DC cable	26.99
YA-007FG FG whip w/bpr mt; 80-10m use tuner	159.99
YF-122C 500Hz Collins CW filter	169.99
YF-122CN 300Hz Collins CW filter	169.99
YF-122S 2.3KHz Collins SSB filter	169.99
YH-77STA Open-air type stereo headphones	59.99
FT-857D Mini HF/6m/2m/430 Xcvr/DSP	Call/Web
(BET) Yae Tune Control for FT-857 series	44.99
(W4R) Antenna Boss interface; other mfg mot ant	179.99
(W4R) OTT-897 One-touch tune; 817/857/897	64.99
FP-1023 23A switching ps w/fan, 25A surge	169.99
FP-1030A 25A ps, 30A surge w/meters	269.99
ADMS-4B Windows programming software	59.99
ATAS-120 HF/6/2/430 motorized mob ant	Call/Web
ATBK-100 Antenna base kit; use w/base mt	99.99
ATAS-25 40/20/15/10/6/2/430 7.2" port ant	Call/Web
CT-39A Packet cable	11.99
CT-58 Band data cable; Yaesu amplifier	34.99
CT-62 CAT interface cable	34.99
EDC-20 Extra DC cable	18.99
FC-30 Antenna tuner	199.99
FC-40 Automatic antenna tuner	Call/Web
MD-100A8X Desk mic w/tone control	139.99
MD-200A8X Deluxe high fidelity desk mic	399.99
MH-36E8J TTP mic	69.99
MH-59A8J Remote control TTP mic	69.99
MLS-100 Mobile speaker	49.99
SP-6 External speaker w/filter	154.99
T-9023225 Extra DC cable	26.99
TCXO-9 TCXO unit, 0.5 ppm	109.99
YA-007FG FG whip w/bpr mt; 80-10m use tuner	159.99
YF-122C 500Hz Collins CW filter	169.99
YF-122CN 300Hz Collins CW filter	169.99
YF-122S 2.3KHz Collins SSB filter	169.99
YH-77STA Open-air type stereo headphones	59.99
YSK-857 Separation kit	59.99
FT-817MD 5w HF/6/2/430 Xcvr/FNB85/NC72B	Call/Web
(W4R) OTT-897 One-touch tune; 817/857/897	64.99
ADMS-4A Windows programming software	59.99
ATAS-25 40/20/15/10/6/2/430 7.2" port ant	Call/Web
CSC-83 Soft case w/side pocket for FT-817	29.99
CT-39A Packet cable	11.99
CT-62 CAT interface cable	34.99
EDC-6 Extra DC cord; plug & wire only	8.99
FNB-72 9.6v 1000mah nicad battery	29.99
FNB-85 9.6v 1400mah NiMH battery	69.99
MH-36E8J TTP mic	69.99
MLS-100 Mobile speaker	49.99
NC-72B Extra nicad wall charger	19.99
TCXO-9 TCXO unit, 0.5 ppm	109.99
YA-007FG FG whip w/bpr mt; 80-10m use tuner	159.99
YF-122C 500Hz Collins CW filter	169.99
YF-122CN 300Hz Collins CW filter	169.99
YF-122S 2.3KHz Collins SSB filter	169.99
CT-61 Interface cable; FT-847 to amp	15.99
DSP-2 DSP unit for original FT-857	49.99
FC-20 Automatic antenna tuner; FT-847	289.99
FM-1 FM unit for FT-920	49.99
FP-1023 23A switching ps w/fan, 25A surge	169.99
FP-1030A 25A ps, 30A surge w/meters	269.99
FVS-1A Voice synthesizer for FT-847	49.99
MH-36D8 TTP mobile mic; FT-847	69.99
MMB-66 Mobile mounting bkt; FT-847	44.99
MMB-67 Quick release bracket; FT-100D	29.99
T-9021925 Extra DC cord; FT-100D	42.99
TCXO-7 TCXO unit for FT-920	99.99
XF-117A 6 KHz AM filter; FT-100D	119.99
XF-117CN 300 Hz CW filter; FT-100D	89.99

AES Price

Yaesu - continued

YA-007FG FG whip w/bpr mt; 80-10m use tuner	159.99
YA-30 1.8-30 MHz broadband dipole ant	259.99
YF-115S-D2 2.5KHz Collins SSB filter; FT847	169.99
YF-116A 6 KHz AM filter for FT-920	99.99
YF-116C 500 Hz CW filter for FT-920	99.99
YH-77STA Open-air type stereo headphones	59.99
YSK-100 Separation kit for FT-100D	89.99
Quadra System VAMP1000HF+6m ampps/tuner	3999.99
FRG-100B .1-30 MHz shortwave receiver	599.99
FIF-232C Interface for RS-232	99.99
FM Unit-100 FM unit	49.99
TCXO-4 TCXO unit	109.99
YF-110CN/XF-F 250 Hz CW xtal filter	159.99
YF-115C 500 Hz CW Collins mech filter	169.99
VR-120D .1MHz-1.2995GHz AM/FM hand/cell bkld	199.99
CA-34 Charger sleeve; NC-82/VR-120D	5.99
CSC-76 Soft case for VR-120/D	19.99
CT-35 Clone cable; VR-120/D	2.99
EDC-15 DC adapter	39.99
FNB-79 Nicad battery for VR-120D	10.99
NC-82 Charger stand	10.99
PA-30B AC adapter	8.99
VR-500 .1M-1.3G AM/FM/SSB hand/cell bkld	299.99
ADMS-3 Windows programming software	39.99
CSC-72 Soft case for VR-500	19.99
EDC-58 DC adapter w/noise filter	26.99
EDC-6 DC adapter; plug & wire only	8.99
FNB-59 Nicad battery for VR-500	29.99
NC-60B Wall charger	16.99
VR-5000 .1M-2.6G base rcvr AM/FM/SSB/cell bkld	599.99
DSP-1 DSP unit	119.99
DVS-4 Digital voice recorder	49.99
FVS-1A Voice synthesizer	49.99
E-736 DC cable for FT-736R	19.99
FT-7800R 50w 2m/40w 440 FM Xcvr	Call/Web
ADMS-2K Windows programming software	39.99
CT-39A Packet cable	11.99
MLS-100 Mobile speaker	49.99
MMB-60 Quick release mobile mount	39.99
T-9021715 Extra DC cable	12.99
YSK-7800 Remote separation kit	59.99
FT-8800R 50w 2m/35w 440 FM Xcvr	389.99
ADMS-21 Windows programming software	39.99
CT-39A Packet cable	11.99
MLS-100 Mobile speaker	49.99
MMB-60 Quick release mobile mount	39.99
MMB-62 Remote front panel mounting bkt	44.99
T-9021810 Extra DC cable	12.99
YSK-8900 Remote separation kit	59.99
FT-8900R 50w 10m/6m/2m/35w 440 FM Xcvr	439.99
ADMS-2H Windows programming software	39.99
CT-39A Packet cable	11.99
MLS-100 Mobile speaker	49.99
MMB-60 Quick release mobile mount	39.99
MMB-62 Remote front panel mounting bkt	44.99
T-9021810 Extra DC cable	12.99
YSK-8900 Remote separation kit	59.99
AD-3 100w 2m/440 duplexer	59.99
ADMS-2E Windows prog soft; FT-2600M/90R	39.99
ADMS-2F Windows prog software; FT-1500M	39.99
ADMS-2G Windows prog soft; FT-7100M	39.99
FRG-6 DTMF pager; 2400M/2500M/7400H	19.99
RA-013190 Extra mobile bracket; FT-90R	2.99
RA-024290 Extra mobile bkt; FT-1500M	6.99
YSK-90 Remote separation kit; FT-90R	59.99
YSK-7100 Rem separation kit; FT-7100M	69.99
YSK-8100 Rem separation kit; FT-8100R	74.99
FT-2800M 65w 2m FM Xcvr w/TTP mic	Call/Web
ADMS-2J Windows programming software	39.99
MLS-100 Mobile speaker	49.99
S-8002051/MMB-83 Extra mobile bracket	4.99

Yaesu - continued

AES Price

S-8101436 Extra DC cable	7.99
FP-1023 23A switching ps w/fan, 25A surge	169.99
FP-1030A 25A ps, 30A surge w/meters	269.99
HRI-100 WIRES II interface box	149.99
LF-1 Mobile 13A DC noise filter	29.99
MLS-100 Mobile speaker	49.99
VXR-7000VA/Vertex 50w 2m FM AC/DC rpt'r	1269.99
VX VPL-1 Repeater programming cables ...	87.99
Repeaters require service dept set-up; \$45 minimum	

Access for FT-23/33/73/411/811/470/911

CSC-24S Soft case; FT-23/33/73 w/FNB-12S ..D	\$.09
CSC-35 Soft case; FT-411/811/911/FNB-17 ..D	.19
FBA-17 1A battery holder	19.99
FNB-12S 12v 600mah 5w battery	59.99
FNB-17 7.2v 600mah battery	39.99
NC-34B Wall charger for FNB-14	1.49
CA-15 Charging stand; NC-60B; FT-10/50 ..D	24.99
CLIP-10 Spring loaded belt clip; FT-50	6.99
CSC-68 Soft case; FT-50/FNB-41/FBA-15 ..D	18.99
CSC-V10 Cordura soft case; FT-10/40/50 ..D	19.99
FBA-15 4-AA battery holder; FT-50RD	19.99
FBA-21 6-AA battery holder; FT-50RD	39.99
FEF-10 Earphone; FT-50RD/VX-1R	6.99
FNB-41 9.6v 600mah 5w battery; FT-50RD ..D	59.99
FNB-V47 7.2v 1100mah batt/belt clip; FT-50 ..D	49.99
PA-17 Battery cable extender; FT-50RD	9.99
LCC-10S Leather case/swivel; 50/FNB41/V47 ..D	29.99
NC-50 1-hour dual slot charger; FT-50RD ..D	99.99
CA-14 2 charging sleeves; NC-50	29.99
YHA-54 2m/440 duck antenna	19.99

FT-60R 5w 2m/440 FM HT	199.99
ADMS-1J Windows programming software ..	39.99
CN-3 BNC to SMA adapter	11.99
CT-27A Cloning cable	14.99
CT-44 2-pin spkr/mic adapter	14.99
EDC-5B DC adapter w/noise filter	26.99
EDC-6 DC cord; plug & wire only	8.99
FBA-25 6 AA cell battery case	19.99
FNB-83 7.2v 1400mah NiMH battery	59.99
MH-34B4B Speaker/mic	38.99
MH-37A4B Earpiece/microphone	39.99
VAC-370 Rapid charger	69.99
VC-25 VOX headset	69.99

VX-150 5w 2m FM HT/batt/cgr/16-key TTP ..	129.99
ADMS-1F Windows programming software ..	39.99
CN-3 BNC to SMA adapter	11.99
CT-27A Cloning cable	14.99
CT-44 2-pin spkr/mic adapter	14.99
CT-53 Packet cable	9.99
EDC-5B DC adapter w/noise filter	26.99
EDC-6 DC cord; plug & wire only	8.99
FBA-25 6 AA cell battery case	19.99
FNB-V57 7.2v 1100mah battery	49.99
FNB-64 Extra 7.2v 700mah battery	36.99
LCC-150/TT Leather case	29.99
LCC-150S/TT Leather case w/swivel	36.99
MH-34B4B Speaker/mic	38.99
MH-37A4B Earpiece/microphone	39.99
NC-72B Extra wall charger	19.99
VAC-400B 1-hour desk top rapid charger ..	69.99
VC-25 VOX headset	69.99

VX-170 5w 2m FM HT/batt/cgr/16-key TTP ..	149.99
CD-26 Charger cradle	30.99
CMP-460A Waterproof speaker/mic	59.99
CN-3 BNC to SMA adapter	11.99
CT-91 Microphone adapter	12.99
EDC-5B DC adapter w/noise filter	26.99
EDC-6 DC cord; plug & wire only	8.99
FBA-25 6 AA cell battery case	19.99
FNB-83 7.2v 1400mah NiMH battery	59.99
MH-57A4B Speaker/mic	30.99

Yaesu - continued

AES Price

VC-270 Rapid charger	69.99
VC-24 VOX headset	69.99
VC-27 Earpiece/microphone	34.99
CSC-71 Soft case for VX-1R	4.99
FBA-20 Battery holder for VX-1R	19.99
FNB-52L1 3.6v 700mah lith ion batt; VX-1R ..D	39.99
NC-66B Extra 2 hour wall charger; VX-1R ..D	19.99

VX-2R 1.5w 2m/1w 440 submini HT/lith ion	Call/Web
ADMS-1H Windows programming software ..	39.99
CN-3 BNC to SMA adapter	11.99
CSC-90 Soft case	16.99
CT-27A Cloning cable	14.99
CT-44 2-pin spkr/mic adapter	14.99
EDC-21 DC adapter	39.99
FNB-82L1 Extra 3.7v 1000mah lith ion batt	34.99
MH-34B4B Speaker/mic	38.99
MH-37A4B Earpiece/microphone	39.99
VC-25 VOX headset	69.99

VX-5RS Silver 5w 6m/2m/4.5w 440 HT/lith ion D	199.99
ADMS-1E Windows programming software ..D	39.99
CD-15A Charger stand (use with NC-72B)	34.99
CN-3 BNC to SMA adapter	11.99
CSC-73 Soft case	19.99
CT-27A Cloning cable	14.99
CT-44 2-pin spkr/mic adapter	14.99
CT-53 Packet cable	9.99
EDC-5B DC adapter w/noise filter	26.99
EDC-6 DC cord; plug & wire only	8.99
FBA-23 2 AA cell battery case	29.99
FNB-80L1 Extra 7.4v 1300mah lith ion batt	69.99
MH-34B4B Speaker/mic	38.99
MH-37A4B Earpiece/microphone	39.99
NC-72B Extra wall charger	19.99
Q-3000166 Replacement duck ant	30.99
SU-1 Altitude/barometric pressure sensor ...	39.99
VC-25 VOX headset	69.99

VX-6R 5w 2m/440/1.5w 220 FM HT	255.99
CD-15A Charger stand (use with NC-72B)	34.99
CMP-460A Waterproof speaker/mic	59.99
CN-3 BNC to SMA adapter	11.99
CSC-91 Soft case	14.99
CT-91 Microphone adapter	12.99
EDC-5B DC adapter w/noise filter	26.99
EDC-6 DC cord; plug & wire only	8.99
FBA-23 2 AA cell battery case	29.99
FNB-80L1 Extra 7.4v 1300mah lith ion batt	69.99
MH-57A4B Speaker/mic	30.99
NC-72B Extra wall charger	19.99
SU-1 Altitude/barometric pressure sensor ...	39.99
VC-24 VOX headset	69.99
VC-27 Earpiece/microphone	34.99

VX-7R Silver 5w 6m/2m/440/300mw 220 FM HT	Call/Web
VX-7RB Black 5w 6m/2m/440/300mw 220 FM HT	Call/Web
ADMS-1G Windows programming software ..	39.99
CT-91 Microphone adapter	12.99
CD-15A Charger stand (use with NC-72B)	34.99
CMP-460A Waterproof speaker/mic	59.99
CN-3 BNC to SMA adapter	11.99
CSC-98 Soft case	14.99
CT-91 Microphone adapter	12.99
EDC-5B DC adapter w/noise filter	26.99
EDC-6 DC cord; plug & wire only	8.99
FBA-23 2 AA cell battery case	29.99
FNB-80L1 Extra 7.4v 1300mah lith ion batt	69.99
MH-57A4B Speaker/mic	30.99
NC-72B Extra wall charger	19.99
Q-3000185 Replacement duck ant	29.99
SU-1 Altitude/barometric pressure sensor ...	39.99
VC-27 Earpiece/microphone	34.99

Yaesu - continued

AES Price

ANTENNA ROTORS	
G-450A 10 sq ft antenna rotor/5-wire	259.99
G-550 12 sq ft elevation rotor/6-wire	299.99
G-800SA Med/hvy duty 450 degree 17sq ft/5-wire	339.99
G-800DXA Med/hvy duty 17sq ft/presets/5-wire	429.99
G-1000DXA HD 450 degree 23sq ft/presets/6-wire	519.99
G-2800DXA HD 450 degree 34sq ft/presets/6-wire	1139.99

Note: G-2800DXA comes w/40m (131') of rotor cable	
G-5500 11 sq ft azimuth/elevation rotor/2x6-wire	629.99
GA-3000 Tower absorber joint; G-1000/2800 ..D	119.99
GC-038 Mast clamp; G-450/800/1000/5500 ..D	39.99
GC-048 Mast clamp; G-2800	49.99
GL-33 Mast adjustment plate	18.99
GS-050 50mm thrust bearing; mast 1/4-2" ...	39.99
GS-065 65mm thrust bearing; mast 1/4-2" ...	54.99
GS-232B Computer interface; DXA rotors	569.99
G-1000 Interface cable; GS-232A/B - SDX/G5500	34.99
GS-680U Universal self-adjusting mast bearing	109.99
Sep Kit Separation kit for G5500	29.99

See BELDEN for rotor cable

CONSUMER ELECTRONICS

VXA-700 Spirit 5w air handheld/2m FM ham	\$419.99
--	----------

FNB-53 Nicad battery pack; Yaesu FRS49
--	-----

CLOSE-OUTS

ADI AR-447 35w 440 MHz FM Xcvr/TTP mic ...	209.99
ALI EBP-34N 4.8v 1200mah nicad battery ...	79.99
ALI EJ-43U Digital board for DJ-596T	69.99
ALP Pathfinder 1.8-30+6m dig auto ant tuner	249.99
AOR SDU-5500 Spectrum disp unit/PC interf	899.99
B&W ACS-5-30 5-30 Mhz stainless 65' folded dip	219.99
B&W AP-10A 51" port 40/20/15/10/6/2m ant ..	79.99
B&W AT-55 40/20/15/10m 55' trap dipole ant	79.99
BEN BY-3 Iambic keyer paddle, gold plated ...	299.99
BUS 7B-0040 90mm refractor telescope	349.99
BUS 7B-0200 4.5" reflector telescope	269.99
CEL 21086 FirstScope 80EQ refractor telescope	249.99
CEL 22062 NexStar 60GT telescope	249.99
CEL 22082 NexStar 80GT telescope	299.99
CEL 31142 NexStar 114GT reflector telescope	369.99
CEL 52211 60mm wildlife zoom spot scope/tripod	129.99
CEL 93501 Heavy duty tripod; NexStar 8i	249.99
DAY 6150 Wireless Vantage Pro weather station	449.99
DRA 1590 35-55/108-174MHz convert; R8B ..	249.99
GAR StreetPilot III Deluxe GPS	629.99
HBZ 2500 Firebird Commander RTF electric airplane	109.99
HEI HCS Clearspeech DSP speaker system ...	209.99
IAC 160m-S 160m half sloper 127' antenna ..	89.99
IAC 80m-S 80m half sloper 67' antenna	69.99
IAC 40m double Bazooka Shorty 40' antenna	89.99
ICO AG-2400 2.4GHz mast mt down converter	499.99
ICO BC-119-N21 Nicad/NiMH desk cgr; T81A ..	89.99
ICO BP-83 7.2v 600mah battery	69.99
ICO BP-84 7.2v 1000mah battery	89.99
ICO BP-157A 7.2v 900mah battery	79.99
ICO BP-174 12v 600mah battery	69.99
ICO BP-200 9.6v 760mah NiMH batt; T81A ..	79.99
ICO BP-210 7.2v 1650mah 5.5w battery	79.99
ICO BP-211 7.4v 1800mah lith ion battery ..	89.99
ICO EX-1759 Infrared receiver; IC-2100H ..	89.99
ICO HM-90A Wireless microphone; IC-2100H ..	89.99
ICO PCR-1000-02 BON PC Rcvr/soft/cell bkld	499.99
ICO R-10-05 .5M-1.3G AM/FM/SB hand/cell bkd	299.99
ICO RS-R8500 PC ctt soft/RS-232 cbl; R8500	79.99
ICO SP-7 Small external speaker	94.99
ICO UT-84 Tone squelch unit; 2700H/821H ..	79.99
ICO UT-89 Tone scan/decode unit; IC-2350H ..	89.99
KAM KAM 98 Sgl port multi-mode dig controller	399.99
KEN DFK-7 Dlx 22' rem cable kit; 642/742AD	89.99
KEN PB-33 6v 1200mah battery; TH-22ATN ..	69.99
KEN PB-34 9.6v 600mah 5w batt; TH-22ATN	89.99

Close-Outs - continued AES Price

KEN PS-52 Heavy duty ps; TS-870S	269.99
KEN SP-31 External speaker; TS-870S	99.99
KEN SP-950 Ext spkr/audio filters; TS-950SDX	149.99
KEN TC-50/50Case Travel case; TS-50S/60S	89.99
KEN TM-461A 35w 440 FM Xcvt w/TTP mic ...	399.99
KEN UT-50S 50w 6m unit; 642/742AD	329.99
KEN UT-220S 25w 220 MHz unit; 742AD	329.99
KEN YG-455C-1 500 Hz CW filter; TS-450/690	149.99
LOS A0014 XXX-4 4WD electric Competition buggy kit	209.99
MAG 980654-01 MapSend DirectRoute; Gold/Plat/Col	89.99
MAG 980654-03 MapSend DirectRoute; Gold/Plat/Col	89.99
MAG Meridian Color Handheld color GPS/16MB	299.99
MAG Meridian Gold GPS w/16MB base map	189.99
MAG Meridian Platinum GPS/16MB/compass/bar	259.99
MAG SporTrak GPS receiver w/1MB memory	129.99
MAG SporTrak Color Handheld color GPS/9MB	279.99
MAG SporTrak Map GPS w/2MB map+4MB mem	159.99
MAG SporTrak Pro GPS w/9MB map+23MB mem	219.99
MFJ 498 Dlx CW keyboard/kyr w/disp/keyboard	129.99
MFJ 1040B Deluxe receiver preselector	89.99
MFJ 1278B Multi-mode controller w/Pactor ..	249.99
MIR KP-1/10M 10m in shack preamp	89.99
MIR KP-2/10M 10m mast mount preamp	89.99
MIR KP-2/220 220 mast mount preamp	99.99
MIR MP-3 420-450 5/50/150w PEP wattmeter	169.99
MSQ 10M-4DX 10m 8.7db 4el 23' bm beam	369.99
MSQ 12M-4DX 12m 8.6db 4el 27' bm beam	299.99
MSQ 440-470-5W 440-470 7.8db 5el beam	129.99
MSQ 902-18EZ 900MHz 14.8db 18el 5'4" boom	129.99
MSQ FAST MAST 20' extended port alum mast	89.99
ORE WMR-112A Wireless weather station	149.99
ORE WMR-968 Dlx wireless WX stn w/rain gauge	259.99
PLY IS-IE50LU-CD 1.5-400 dk 2w/375/125w bulb/d	69.99
UNI BCI-25D Digital board; BC-785D/250D ..	189.99
UNI Polaris 25w VHF marine Xcvt w/hailer ...	139.99
UNI SC-180B 100 ch sport pocket/800 MHz	149.99
UNI SC-200 200 ch sport pocket/800 MHz	169.99
UNI FLX-5 5w flexible solar cell	89.99
UNI FLX-32 32w flexible solar cell	269.99
VAL AB-5 75/40/20/15/10m mobile antenna	119.99
VIB 180 Std Hand key/VibroKeyer Paddle double	199.99
YAE FC-20 Automatic antenna tuner; FT-847	289.99
YAE GA-3000 Twr absorber joint; G-1000/2800	119.99
YAE MH-360B TTP mobile mic; FT-847	69.99
YAE TCXO-7 TCXO unit; FT-920	99.99
YAE VX-5RS Silver 5w 6m/2m/4.5w 440 HI/10th ion	199.99
YAE XF-117A 6 KHz AM filter; FT-100D	119.99
YAE XF-117CN 300 Hz CW filter; FT-100D	89.99
YAE YF-115S-02 2.5KHz Collins SSB filt; FT847	169.99
YAE YF-116A 6 KHz AM filter; FT-920	99.99
YAE YF-116C 500 Hz CW filter; FT-920	99.99
YAE YSK-100 Separation kit for FT-100D	89.99
YAE YSK-7100 Rem separation kit; FT-7100M	69.99
YAE YSK-8100 Rem separation kit; FT-8100R	74.99

**For latest price
updates please
call your favorite
location or visit
our web site
www.aesham.com**

Do you recognize this Ham Gear from the 50's & 60's ?



Store manager Steve Potyandy, W9EAN and AES founder Terry Sterman, W9DIA showing the Central Electronics 200V



Used Gear featuring HALLICRAFTERS equipment



Used Gear featuring HAMMARLUND equipment

Note: the equipment shown in these photos is no longer available.

USED EQUIPMENT

- Fully Service Tested Trade-ins
- 10-day Trial (pay only shipping charge)
- 30 Day Guarantee
- Full Trade-in Credit within 90-days on Higher-Priced New Equipment

DEMO EQUIPMENT

- Fully Serviced Tested New Demonstrator or Display Equipment
- Repacked in Original Cartons
- Manufacturer's Warranty

Please be aware that there may be instant coupons that apply to Demo equipment which are not reflected in the displayed price. Coupons will be applied to your final total. Ask a salesperson for coupon availability. Used Equipment policies do not apply to Demo equipment.

These
Equipment Lists
are updated
regularly on the web
www.aesham.com

LOCATION CODES (m) Milwaukee 1-800-558-0411 • (c) Cleveland 1-800-321-3594 • (f) Orlando 1-800-327-1917 • (v) Las Vegas 1-800-634-6221

USED EQUIPMENT

AIM	TS930S HF XCVR	599.99m
38312 12V 1.2A DC SUPPLY	TS950S XCVR/DSP10+	1,349.99m
ALINCO	LDG	
DJX10T RCVR/WES29	RT REMOTE HEAD	29.99f
DJX2000T RCVR+	RT11 AUTO TUNER	149.99f
EDC6 CHARGER	MAHA	
EDC63 CHARGER	MHC204F CHARGER	15.99m
ALPHA DELTA	MFJ	
DXSWL 60° SLOPER SWL ANT	1278B CONTROLLER	224.99f
AOR	7518 TUNABLE AUDIO FILT	54.99f
AR3000A DLX RCVR	9420X 20M SSB WITH MIC	184.99m
AR8600 BASE RCVR+	962C 1.5 KW ANT TUNER	169.99m
SU5500 SPEC DISPLAY	989C TUNER	239.99m
ASTRON	MIDLAND	
RS10A POWER SUPPLY	75510 FRS XCVR	49.99f
RS12S POWER SUPPLY	MIRAGE	
RS35M 25A POWER SUPPLY	BC15G 2M 2/150W AMP	239.99f
DIAMOND	N2G	
SX100 SWR METER/ HF-6M	MH900PK EARPHONE/MIC	29.99c
HEIL	SAMLEX	
HLCLIC MIC/ICOM	SEC1223 23A PWR SUPPLY	79.99m
ICOM	SANGEAN	
A056 BATT ADAPTER	ATS181CS SW RCVR	179.99m
AH4 AUTO ANT TUNER	SGC	
IC2100H 2M XCVR	5304 PS30 UNREG PS	319.99c
IC706MKIIG HF/6M/2M/440	YAESU	
IC728 HF XCVR	CSC29 SOFT CASE	14.99c
IC735 HF XCVR	DVS2 VOICE RECORD MODULE	174.99m
IC746PRO HF/6/2 XCVR	FB43 CHARGING SLEEVE	19.99c
IC756 HF/6M XCVR	FC20 TUNER	189.99m
IC756PRO HF/6M XCVR	FC30 AUTO-TUNER/FT897	169.99f
IC756PROII HF/6M XCVR	FC757AT AUTO TUNER	309.99c
IC820H 2M/70CM XCVR	FN87B BATTERY, FT897	84.99f
IC821H 2M/440 XCVR	FP1023 PWR SUPPLY	127.99m
MB17A QUICK RELEASE BKT	FT100D XCVR	639.99m
MB85 MOUNT	FT100H HF XCVR	2,174.99m
PS125 25 AMP PWR SUPPLY	FT100H XCVR/2 FILTERS	2,219.99m
PS85 POWER SUPPLY	FT100HD HF XCVR	2,699.99m
PW1 1KW HF/6M AMP	FT767GX HF XCVR	749.99m
R7000 RCVR/AC+DC CORDS	FT847 HF/6/2/440 XCVR	1,079.99m
R7000 RCVR/MB430	MD100A8X MIC	109.99m
R7000 25-2000MHZ RCVR	MMB66 MOBILE BKT; FT847	31.99f
R71A PBT SWL RCVR	R2000 RCVR /VHF CONV+	449.99m
R75 SWL RCVR	VC27 EARPICE/MIC	31.50v
KENWOOD	VR500 -1.1-300 MHZ RX	239.99m
MB100 MOBILE MOUNT	WX150 2M 5W HT	95.99m
MC85 DESK MIC		
PS30 POWER SUPPLY		
PS53 POWER SUPPLY		
SM220 MONITOR/ROUGH		
SP940 SPEAKER		
TMG07A 2M/440 XCVR		
TM461A35W/440MHZ FM		
TS480HX 200W XCVR		
TS480HX XCVR/MB480		
TS480SAT 100W/MB480		
TS50S HF XCVR		
TS870S HF XCVR		

DEMO EQUIPMENT

ADI	AR147+ 2M XCVR	134.99c
AES	SPN SURGE PROTECTOR/N	35.99f
AIM	38305 MULTI-VOLT ADAPTER	5.99v
ALINCO	38384 4A POWER SUPPLY	35.99c
	DJ5VHT 5W 2M/440 HT	188.99f
	DJX2T RCVR	179.99m
	DJ496T 440 HT	134.99m

DR135TPMKII XCVR/TNC	239.99m
DX777 HF XCVR	629.99f
EBP16N BATTERY	29.99v
EBP35N BATT	69.99c
EBP36N BATT	61.99v
EDC43 CIG LTR CABLE	7.99c
EDC88 CHARGER	54.99m
EDS9 SEP KIT	39.99m
EM13 HEADSET	63.99m
EMS47 SPKR/MIC	19.99m
EMS49 SPKR MIC	29.99c
EMS51 HEADSET	34.99m
EMS57 DTMF MIC	49.99v
ALINCO ESC18 CASE	9.99m
ALPHA DELTA	
PATHFINDER ANT TUNER	269.99mv
PATHFINDER SWITCH	134.99m
AMECO	
HP300T HIGH PASS FILTER	8.99v
HP75T HIGH PASS FILTER	8.99v
HP75T CODE SOFTWARE	12.99mf
AMERITRON	
ALS500M AMPLIFIER	664.99m
AL811 600W HF AMP	539.99c
ARB704 AMP INTERFACE B	44.99f
PNP70 KNWD CABLE	14.39c
PNK8MK TS480 CABLE	14.39c
QSK5 BREAK-IN SWITCH	296.99mv
RCS8VX REMOTE SWITCH	139.99m
ANTENEX	
ABSCANC SCAN ANT/NMO	26.99v
LBMB9034 MIRROR MOUNT	8.99v
TRAB1420 VHF PHANTOM	53.99v
TRAB4303 UHF PHANTOM	26.99v
AOR	
AR168 RCVR	179.99v
AR3000A RCVR	989.99mf
AR3000A RCVR/NO ANT	989.99m
AR8200B RCVR	429.99c
AR8200MKIIB RCVR	499.99c
SU5500 SPECT SCOPE	809.99mv
TDF370 DSP UNIT	299.99m
ARRL	
242 OPERATING MANUAL CD	34.99v
ASTRON	
RS12A POWER SUPPLY	71.99c
RS7A 7 AMP POWER SUPPLY	53.99v
VS20ML POWER SUPPLY	125.99c
12-115 DC-AC INVERTER	19.99m
B&W	
ACS1.830 HF WIRE ANT	269.99m
AS40 40-10 TRAP DIPOLE	139.99c
BWD65 4-30 MHZ DIPOLE	179.99c
BENCHER	
YA1 LOW PASS FILTER	77.99c
BUSHNELL	
780103 ERECTING PRISM	44.99m

782010 4.5" TELESCOPE	179.99m
BUTTERNUT	
CPK COUNTERPOISE	116.99c
CELESTRON	
11033 NEXSTAR 51 TELES	894.99m
CES	
SD150 TELE INTERCONNECT	399.99f
CHANNEL MASTER	
9515A ROTOR/KN0B	99.99m
COAXIAL DYNAMICS	
82007 ELEMENT	79.99m
COBRA	
HH75ST CB HT	49.99m
PR3000-2 GMRS/FRS PAIR	71.99v
29WXNWSN N WATCH CB	116.99v
COM-SPC	
TE-32 TONE ENC BOX	44.99c
CFK5141 HF/2M/440 TRIPLEX	67.99v
COMET	
CK5N "N" MOUNT	39.99m
CP5M MOUNT/COAX; UHF	59.99m
GR5M TKN LP W/COAX	60.99m
HP32 2M/440 ANT	80.99v
SB14 6M/2M/440 ANTENNA	60.99v
CONNECT SYSTEMS	
CS800 MANUAL	7.99v
CSS	
PACTERMFORWINX/KANTRONICS	89.99v
CUSCRAFT	
A2706S 2M/70CM BEAM	80.99m
A505S 5 EL 6M BEAM	170.99c
A743 40/10 KIT	159.99m
PD4 2M PWR DIVIDER	76.99c
X740 40M KIT/7	287.99v
DAVIS	
7400 INDOOR WX STATION	125.99v
7852 RAIN COLLECTOR	62.99c
7862 WXLINK INTRFC/SOFT	134.99m
DCI	
44510C UHF FILTER	107.99v
DIAMOND	
K412CNMO MOUNT	54.99m
K601NMO NMO MOUNT	59.99m
MG72N DUPLEXER	44.99c
SG7900ANMO 2M/440 ANT	102.99v
SPMNMO MAG MT	39.99v
SPM35 MAG MOUNT	34.99m
SRH815 2M/440/1.2 ANT/SM	33.99v
ELK	
2206L 6EL 220 YAGI	58.99c
EXCALIBUR	
EXC908 CHESS COMPUTER	44.99v
GARMIN	
0101014100 CABLE	34.99m
GE	
72887 SUPERADIO III	44.99v

GROTHE		
VS4 P/A SETUP		124.99m
GRUNDIG		
ETRAVII SWL RCVR		69.99f
G2000A RCVR		69.99m
MINIWORLD100PE SW RX		26.99m
S350 SWL RCVR		89.99c
YB400P SWL RCVR		116.99c
YB550PE SWL RCVR		69.99m
HEIL		
AD11CM ICOM MODULAR CBL	18.99m	
BM105 BOOM/MIKE/HC5		79.99c
BM55 MIC/HDS/HC5		62.99mv
CC11 ICOM CABLE		27.99c
CC1K KNWD CABLE		27.99c
CC1T CABLE FOR TEN-TEC		27.99v
HCL5 CLASSIC MIC		199.99m
HCS DSP SPKR		189.99v
HMPO HAND-MIC		74.99m
HQP HEADPHONES		89.99v
ICM MICROPHONE		89.99m
TB1 TABLE BASE MIC STAND		23.99v
TRAVELER18 HEADSET		80.99m
TRAVELERM HDSET/KENW		79.99m
TRAVELERYM HDST		79.99m
HOBBYZONE		
4000 FIGHTERBIRD RC PLANE	99.99m	
HUSTLER		
G7144 2M ANTENNA		149.99m
G71504 2M ANTENNA		179.99m
M01 MAST/NEW/NO BOX		28.99m
MX270 ANT		55.99m
SCB-S SUPER CB ANT		24.99m
SCB/WHT CB ANT		26.99c
HY-GAIN		
AV620 20-6M VERT ANT		219.99f
ICOM		
AD51 CHARGE ADAPTER		9.99mv
AD56 CHARGE ADAPTER		12.99v
BC119(11) DESK CHARGER		62.99c
BC119(31) DESK CHARGER		89.99c
BC119N21 CHARGER		79.99m
BC127A CHARGER		8.99m
BC135 CHARGER		69.99m
BC144(01) CHARGER		80.99mv
BP157 BATTERY		59.99c
BP173 BATTERY		89.99m
BP198 BATTERY		49.99m
BP209 BATTERY		44.99m
BP211 BATTERY		79.99mc
BP211N BATTERY		82.99c
CP12L CIG ADAPTER		29.99m
CP13 CIG ADAPTER		34.99m
CP17L CIG ADAPTER		19.99m
CP18A CIG DC CBL		27.99c
CR282 STABILITY XTAL		107.99v
CSWH44 SOFTWARE/CABLE		44.99m
s as of 9/6/2005		

This Used and Demo Equipment inventory is as of 9/6/2005
A current list is available at www.aesham.com or Call Toll Free

DEMO EQUIPMENT - Continued

CSWR10 SOFTWARE	40.99c	LW3000 FLASHLIGHT	44.99v
FL103 WIDE SSB FILTER	99.99c	MAHA	
HM46 SPEAKER MIC	40.99c	MHC204F CHARGER	19.99m
HM54 HD SPKR MIC	75.99c	MHC888 CHARGER	53.99v
HM92A HAND MIC	89.99m	MHSC803 ADAPTER/MHC888	6.99m
HS10SA HEADSET	59.99m	MAXON	
HS85 HEADSET	79.99mv	FRS114 FRS HT	44.99c
ICF21GM GMR/FRS HT	134.99mf	GMR521X GMR/FRS HT	89.99c
ICM402W02 MARINE XCVR	179.99m	MX49FX 49 MHZ XCVR	19.99m
IC122A HT/SPK-MIC/CP12	199.99v	MX49SX 49MHZ XCVR	24.99m
IC122A 2M HT	149.99m	MFJ	
IC190A 5W 6M/2/440 FM HT242.99f		1040B RCVR PRESELECTOR	89.99v
ICV8 2M HT	114.99m	1118 POWER STRIP	64.99m
IC2100H25N 2M FM XCVR	161.99v	118 24/12 CLOCK	22.99cv
IC4088A FRS HT	79.99m	1214PC INTERFACE; IBM	124.99m
IC746 SERVICE MANUAL	19.99v	1224 INTERFACE	89.99m
IC746PRO HF XCVR	1,574.99fv	1272MYH TNC/MIC SW	35.99v
IC756PROII OWNERS MAN	14.99v	1272MZ TNC/MIC SWITCH	19.99f
LCF21L CASE	34.99v	1275M SOUNDCAORD INTERF	89.99f
LC128 CASE	34.99cv	1278B INTERFACE	251.99f
LC137 CASE	34.99cv	1279 SNDCRD INTF/ 8P-R	115.99c
MB17A QWK RLS BRACKET	44.99c	1279M SNDCRD INTF	115.99v
MB62 BRACKET	23.99m	128 CLOCK	49.99m
MB85 BCKT	22.99m	1289M 3 1/2 IBM	53.99cv
OPC598 CABLE/AT180	65.99v	1621 PORTABLE ANTENNA	79.99m
PS85 POWER SUPPLY	239.99m	1786 LOOP ANTENNA	314.99m
RSR75 SOFTWARE/R75	69.99m	206 CURRENT PROBE	69.99m
RI0(05) RCVR	269.99mf	297 DESK MIC	62.99m
R20(06) RCVR	469.99m	4110 PORT POWER SUPPLY	44.99m
R5(06) RCVR	179.99mv	4114 POWERPACK	59.99m
R75 SWL RCVR	539.99m	44 SCOPE TUNE	13.99c
SM6 MIC	89.99m	451 MORSE KEYBOARD	89.99v
SP7 SM EXLT SPKR NO BOX	79.99c	452 CW KYBRD UNIT	119.99mv
SP7 SMALL EXTERNAL SPKR	85.99v	462B MULTI-RCVR	149.99mf
INTERNATIONAL ANTENNA		490 PADDLE/KEYER	169.99v
160M HALF-SLOPER	124.99m	492 MEMORY KEYS	79.99v
KANTRONICS		498X KEYS	134.99m
KAM98 TNC	359.99v	5022X HT TO PK232 CABLE	12.99m
KENWOOD		5063 TNC CABLE ICO	17.99c
BC19 RAPID CHGR	58.99c	5084 TNC/ICO 8P	13.99mc
EMC3 LAPEL MIC/EARPHONE	24.99m	5086 TNC-KENVALI 8-PIN CBL	12.99v
HMC3 VOX/BOOM MIC	53.99c	5086YK KAM HF KEN 8P	12.99v
HMC3 VOX/HDST	44.99m	5383Y YAE INTERFACE CBL	35.99v
KSC14 RAPID CHARGER	44.99m	5429 RS232/USB CONV	22.99c
K5C8 CHARGER (220V)	19.99f	6A113 CHARGER	44.99m
MC520M MIC	71.99m	641K CHARGER	44.99cv
MC580M MIC	71.99v	784B TUNABLE DSP FILTER	206.99c
PB33 BATTERY	80.99v	802X FIELD STR MTR	53.99c
PG36 CIG CORD	8.99m	862 2/220/440 SWR/W/M	49.99c
PS53 HEAVY DUTY PS	224.99v	870 1.6-60 SWR/WATTMETER	112.99v
RC2000 REMOTE FACE KIT	314.99v	924 440MHZ ANT TUNER	62.99v
THK2AT 5W 2M HT	139.99f	941E 300W ANT TUNER	93.99v
TM271A 60W 2M FM XCVR	161.99f	948 300W ANT TUNER	107.99v
TSB2000 XCVR	1,439.99f	949E 300W TUNER/METER	125.99v
TS570S(G)	1,034.99v	956 PRESELECTOR	44.99m
UBC4 DESK CHGR/UPB1	9.99v	962D 1.5KW ROLLER TUNER	224.99c
LACROSSE		969 HF/6M ROLLER TUNER	169.99m
WS7038UF WIRELESS RAIN	53.99v	989C TUNER	269.99m
WS8015U THERMOMETER	139.99mv	993 AUTO TUNER	214.99m
LARSEN		MIDLAND	
KG144UDPL 2M GLASS MT	69.99mc	75510 FRS RADIO	29.99c
NMOTLP TRUNK LIP MOUNT	26.99v	MIRAGE	
NM0150C 2M ANTENNA	24.99m	A10156 5M 10/150W AMP	314.99f
NM0150TLM 2M ANT/TRNK MT	49.99v	B025 AMPLIFIER	144.99m
NM02770B 2M/440 ANT	62.99v	B215G 150W 2M	239.99m
NM02770C 10M ANT ONLY	58.99v	B2516G AMPLIFIER	239.99m
NM02770C 10M ANT ONLY	58.99v	C211G 220 AMP/PREAMP	299.99v
POK ROOF MT/UHF-F	27.99v	D15N 2/15W 430 AMP	149.99m
LDG		KP1/220 PREAMP	89.99m
RT11 160-60M AUTO TUNER	179.99c	KP1/440 PREAMP	116.99v
Z100 TUNER	134.99m	KP2/440 PREAMP	161.99c
Z11 TUNER/MINOR DAMAGE	113.99v	RC1 REMOTE CONTROLLER	39.99m
LIGHTWAVE		M SQUARED	
LWHT HEADBAND LIGHT	35.99v	2M5440X 2M/440 YAGI	179.99c

NCS		370052 DIG MULTIMETER	17.99c
LOZ8PI-K CABLE	22.50v	VECTRONICS CK200 KEYS	69.99m
3240 MULTISWITCHER	269.99v	VECTRONICS	
NIGHT OWL		HPF1 HI-PASS FILTER	19.99m
NOC63 NIGHT VISION SCO	139.99f	LP30 LOW PASS FILTER	62.99v
OREGON SCIENTIFIC		VC300DLP TUNER	134.99mc
RM116E EXACTSE	26.99m	VC300M TUNER	84.99f
WMR112A SCI WI	179.99v	VIBROPLEX	
WR196T WX RAD	34.99m	123 PADDLE/GOLD KEYS	249.99m
PALOMAR		190 SQ RACER STD KEYS	98.99c
SMARTBRIDGE SOFTWARE	4.99v	WELLER	
PALSTAR		WESD51 SOLDER STATION	134.99m
AT1KM TUNER	319.99m	WILSON	
POLYPHASER		FGT3/BLK 3' CB WHIP	23.99c
ISSONXC2 125-1000 N F	55.99v	TRUCKER 2000	49.99m
PLD0120US20A SURGE	179.99m	W10000 CB MAG ANTENNA	69.99m
POUCH		W4RT	
RS POUCH	13.50v	YB0TT ANTENNA BOSS/YAE	53.99c
QRP40 40M CW TX KIT	32.99v	ANTBOSSII INTERF; IC706	134.99mv
RCA		OTT897 TUNE CONTROL	58.99v
TA25 DISTRIBUTION AMP/TV	17.99m	W5YI	
SAMLEX		GW103 TECH THEORY TAPES	29.99m
SEC1223 POWER SUPPLY	89.99m	GW05 CODE TAPES	26.99m
SANGEAN		X-10	
ATS505 AM/FM/SW RCVR	116.99f	SP554A WIRELESS MOT DET	26.99v
ATS181CS SW RCVR	169.99f	YAESU	
ATS909 SWL RCVR	224.99v	ADMS2G PROG SOFTWARE	34.99cv
SGC		ADMS2J SOFTWARE	34.99m
0401 SG2000 HF XCVR	1,079.99fv	CSCV10 CASE	24.99v
0401 SG2000/NO MIC	1,049.99mv	CSC69 FOR FNB40	13.99m
5417 SG-231 SMARTUNER	476.99v	CSC88 CASE FOR VX7R	12.99mv
5425 MAC-200 TUNER	224.99m	CSC91 DSP CASE FOR VX6R	12.99v
7007 POWER CLEAR DSP	249.99m	DSP1 SOFT FOR VR5000	89.99c
7014 ADSP2 DSP SPEAKER	116.99v	EDC12 CIG ADAPT	24.99m
SHAKESPEARE		FBA15 BATTERY	14.99m
495 MARINE ANT MOUNT	15.99v	FBA23 BAT CASE	26.99c
SMILEY		FC20 AUTO ANTENNA TUNER	259.99v
SSII 2M SUPER STICK/14610	17.99v	FNB41 BATTERY	52.99c
SSIII 220 SUPER STICK/220	17.99v		
SSIV 440 SUPER STICK/4401	17.99v		
270A 2M/440 TELES WHIP	17.99v		
5/8SLD2 2M DUCK	15.99v		
SONY			
ANLP1 ACTIVE LOOP ANT	79.99v		
ICFSW07 SWL RCVR	359.99mf		
ICFSW100S RCVR	274.99m		
ICFSW30 SWL RCVR	69.99c		
ICFSW40 SWL RCVR	109.99m		
TERK			
TV50 TERK AMP TV ANT	71.99v		
TIMEWAVE			
WEFAX256 WX FAX PROG	116.99v		
UNIDEN			
BC17 SCANNER	149.99c		
BC147XL1 SCANNER	80.99c		
BC244CLT SCANNER	89.99c		
BC245XLT SCANNER	169.99c		
BC250D SCNR	287.99c		
BC296D SCANNER	494.99m		
BC60XL1 SCANNER	79.99m		
BC895XLT SCANNER	169.99m		
BC898T SCANNER	188.99c		
BC92XL1 SCANNER	104.99m		
PC68LTM MOBILE CB	71.99cv		
PC78ELITE CB XCVR	99.99m		
PC78XL CB XCVR	84.99m		
PRO510XL CB	34.99m		
SC150B SCANNER	143.99c		
SC200 SCANNER	179.99f		
VALOR			
PHF6 6M ANT	19.99m		
VANCO			

FNB78 BATTERY; FT897	107.99f
FNB79 BATTERY; VR120D	7.99c
FNB83 BATTERY	54.99m
FP1030A 25A PS W/MTRS	239.99m
FP30 POWER SUPPLY	199.99m
FRG100B RCVR	494.99v
FT60R 2M/440 HT	179.99c
FT7800R 2M/440W 440 FM	242.99f
FT840 HF XCVR	522.99c
FT847 HF XCVR	1,304.99f
FT8900 CIRCUIT DIAGRAM	2.99v
G1000DXA ROTOR	467.99f
G450A ANT ROTOR	229.99mv
G550 ELEVATION ROTOR	279.00c
HR1100 WIRE UNIT	134.99m
MD100A8X DESK MIC	125.99f
MD200A8X DLX DESK MIC	359.99f
MEK2 MIC EXND	44.99m
MH30A2B SPKR/MIC	24.99m
MH30C2B SPKR MIC	41.99mc
MH32A2B SPK/MIC	22.99m
MH37A4B SPKR/MIC	34.99m
MH57A4B SPKR MIC	27.99cv
NC558 CHARGER	11.99v
PA30B AC ADAPTER	6.99c
SU1 ALT/BARO SEN	32.99c
VC25 VOX HEADSET	62.99c
VR120 RCVR	152.99c
VR120D COMM RCVR	179.99f
VR500 COMM RCVR	269.99c
VR5000 COMM RCVR +	324.99c
VR5000 RCVR ALL MODE	539.99mf
VXR7000VA REPEATER	1,142.99v
VX2R 1.5W 2/440 HT	161.99mf
VX5R 6/2/440 HT	179.99c
YAO07FG ANTENNA	134.99m
YK57100 SEPARATION KIT	62.99v




Trade & Upgrade We need your Clean SSB & FM Gear! **Call for our Quote**
Sorry, no Handhelds

Please use these lists as a Guide

These Used and Demo Equipment lists are compiled from an actual inventory as of 9/6/2005. However, due to turnover from daily selling and trading, the actual items listed may or may not be available. All of our stores are linked on-line which allows real time access to our ever changing inventory. For your needs, you may call any of our locations to check for availability or to discuss an alternative with one of our salespersons. The Used and Demo Equipment lists are also available on our web site and are updated regularly.

www.aesham.com


German designed and
radio engineered
by Sangean.



ATS-404 PLL Synthesized World Band Receiver Coverage includes AM (520-1710 kHz), 14 SW bands, or continuous 2.3 to 26.1 MHz tuning. Tune via Up-Down buttons; Automatic scan tuning; Keypad entry or the 45 Memory presets. Backlit LCD shows frequency or 12/24 hour clock-timer with alarm and snooze. Other: FM stereo with earphones, MW 9/10 kHz, low-battery indicator, lock; dial lamp switch, stereo-mono switch, tune LED, flip-out tilt-stand and 6VDC jack. Includes carrying case and stereo earbuds. Uses (4) "AA" batteries. Dim: 6.5" w x 4" h x 1.5" d; 10 oz. **\$79.99**



ATS-505 PLL Digital World Radio - Coverage: LW (153-279 kHz), AM (520-1710 kHz), SW (1711 kHz - 29,999 MHz) & FM (87.5-108 MHz). Tune via Manual tuning knob; Up-Down buttons; Automatic scan tuning; Keypad entry or from the 45 memories. SSB reception with fine tuning. Other features: Stereo via earphones, Auto Preset System, MW 9/10 kHz switch, lock, tone control, Local/DX switch, backlit LCD, 12/24 hour clock with alarm and snooze. Includes AC adapter, the ANT-60 wind-up antenna, carry case & earphones. Uses (4) "AA" batteries. Dim: 8.5" w x 5.3" h x 1.6" d; 24 oz. **\$129.99**



ATS-606A PLL World Band Receiver - Coverage: 153 kHz to 30 MHz, AM/FM with Manual or Keypad tuning. Backlit LCD; 54 memories; Scanning; Fine tuning; Dual digital clock-timer-alarm; FM stereo with earphones. Uses (3) "AA" batteries. Includes ANT-60 wind-up antenna, AC adapter and earbuds. Dim: 5.75" w x 3.5" h x 1.25" d; 1 lb. **\$139.99**

ATS-909 PLL World Band Receiver - Coverage: LW (153-519 kHz), MW (520-1710 kHz), SW (1711 kHz - 29,999 MHz) & FM (87.5-108 MHz). Tune via: Manual knob; Direct keypad entry; Auto scan. Manual up-down tuning or Memory recall. Wide/Narrow bandwidth switch and SSB/CW reception with fine tuning. Store 307 presets in Alphanumeric memories; RDS display of Station Name & Time. Other: MW 9k/10k switch; 12/24 hour time; (3) timers and sleep timer; Displays 42 city times; Recorder output. Uses (4) "AA" batteries. Includes AC adapter, ANT-60 wind-up antenna, stereo earbuds and carrying case. Dim: 8.5" w x 5.375" h x 1.375" d; 1.9 lbs. **\$249.99**

PT-50 ProTravel World Receiver - This handsome ultra compact radio is for the globetrotting traveler. It features AM, FM, plus seven shortwave bands and FM Stereo reception with earphones. Two LCD window displays with built-in 12/24 hour clock that will wake you to radio or buzzer. Handy selector disc provides time in 24 world cities and your hometown local time. Soft-leather protective case is included. Uses (2) "AA" batteries. Dim: 5" w x 3.4" h x 1.29" d; 9.5 oz. **\$79.99**

PT-80 ProTravel - This great looking travel radio has all the features a traveler will ever need. AM, FM, Longwave, and continuous shortwave coverage from 1711 to 29,999 kHz with SSB capability. Five tuning methods: Direct frequency access, Auto scan, Manual tuning, Memory recall from 45 presets, and Rotary tuning. Built-in 12/24 dual world time clock with alarm, snooze, and sleep timer. Snap-on leather case, AC adapter, earphone, and SW antenna included. Uses (4) "AA" batteries. Dim: 7" w x 4" h x 1.0" d; 1 lb. 2 oz. **\$159.99**

RCR-2 Digital Atomic Clock Radio - A combination of Atomic Clock function and sleek design. To ensure accurate time, the clock is adjusted by radio signals received from the U.S. atomic clock in Boulder, Colorado. An easy-to-read LCD displays time, date, day of week, sleep, wake, and nap time. Dual alarms can be set and used independently with selectable days, with the option to wake to a radio buzzer alarm that starts softly, then gradually increases in volume. The AM/FM radio with ATS system locates stations and automatically sets up 14 preset memories. Dim: 7.5" w x 3" h x 5.25" d; 2 lbs **\$69.99**

WR-1 High Fidelity Radio - This beautifully crafted AM/FM radio creates the warm rich tones normally found in only larger, more expensive home systems. A specially designed HI-FI circuit with 7W output, a custom made 3 in. speaker, and bass compensation combine in an attractive and acoustically corrected wood cabinet. No other radio will be found with a better sound quality, at a comparable price. The walnut and black cabinet will accent any room. Headphone, record out and 12V DC input jacks. Dim: 9.4" w x 4.4" h x 6.6" d; 5.18 lb. **\$119.99**

PRD-2
FM-Stereo/AM/TV
Digital tuning Portable
Receiver

A retro-1960's classic design with modern technology that come together in this stylish decorative portable/table-top radio. Attractive gold faceplate with simulated walnut exterior. Four tuning methods: Scan tuning, Rotary tuning, Manual tuning and 10 Memory preset tuning - also tunes TV channel audio. Clock feature with alarm. Rotary tuning knob, direct access buttons, and tone control. Full range 5 in. speaker, 1.5 in. tweeter and earphone jack. Beautifully crafted case with lighted display, illuminated presets. AC/DC, operates on 110VAC or (4) "D" batteries. Dim: 7.2" w x 5.1" h x 7.5" d; 4 lbs **\$99.99**

DT-200V Broadcast and TV Band Receiver - Fits in shirt pocket or clips to belt. Covers AM and FM broadcast, plus audio from TV channels 2-13. LCD display, Up/Down tuning; 19 memories, Automatic shut-off; Built-in speaker; Stereo earphones. Uses (2) AA batteries. Dim: 4.375" w x 2.625" w x .75" d; 5 oz. **\$69.99**

ANT-60 - Portable, wind-up, shortwave antenna for use with most shortwave radios. **\$13.99**



SUPERADIO III™

72887 High Performance, Long Range AM/FM Portable Radio - Tuned RF stages on both AM and FM; FM swivel whip antenna, AM ferrite rod antenna; Ceramic IF filter, plus 3 IF tuned circuits on FM; 4 IF tuned circuits on AM; Selectable normal or wide AM; Switchable AFC; Precision vernier tuning; 6.5 in. woofer, plus 2 in. tweeter; Separate bass and treble controls; Volume plus loudness circuitry to boost bass response at low volumes; Headphone jack; AM/FM external antenna terminals; Operates on AC power or six D-cell batteries; Fold down carry handle; Metal speaker grille. Dim: 12.75" w x 9" h x 3.25" d; 5 lbs **\$49.99**

**Shortwave Radio...
the perfect Holiday Gift!**



We accept I.M.P.A.C.® Government Credit Cards

SONY WORLD BAND RADIOS



ICF-SW07 Portable Shortwave – Coverage: FM (76-108 MHz), SW (1621 kHz to 29.999 MHz), MW (530-1620 kHz), LW (150-529 kHz). Synchronous AM detection, SSB single sideband/CW reception and FM stereo at earphones. One-push access to 8 major stations (BBC/VOA/DW, etc.). "MY" memory key allows presetting of up to 100 frequencies with station name. Four other tuning methods: Direct, Manual, Scan or from 3000 preset memories. Editable station labels; 24-city Name/Time display; Tone switch; Lock, 24 hour clock/timer; Sleep timer; Variable attenuator; external antenna jack; Backlit display. Includes: leather carrying case, active loop antenna, Sony Short Wave Guide, AC adapter and stereo earphones. Uses two "AA" batteries or 3 VDC from 120VAC adapter.

Dim: 5.3" w x 1.2" d x 3.6" d; 9.1 oz..... **\$399.99**



ICF-SW11 Compact Analog Portable Coverage: LW (141-290 kHz), MW (525-1620 kHz), FM (88-108 MHz) and nine Shortwave Bands: 4.75-5.06, 5.9-6.2, 7.1-7.35, 9.4-9.99, 11.6-12.1, 13.57-13.87, 15.1-15.8, 17.48-17.9 and 21.45 to 21.75 MHz. Easy analog tuning with LED tuning indicator; FM stereo available at headphone jack; 2-1/4 inch speaker; DC input jack; Flip stand; Wrist strap. Uses two "AA" batteries or 3 VDC.

Dim: 6.5" w x 3.75" h x 1.3" d; 12 oz..... **\$49.99**



ICF-SW12 Shortwave Analog Clock Radio – For the traveller; compact size and protective lid. Coverage: FM, AM and SW bands (1-9) 4.75-5.06, 5.9-6.2, 7.1-7.35, 9.4-9.99, 11.6-12.1, 13.57-13.87, 15.1-15.8, 17.48-17.9 and 21.45-21.75 MHz. LED Tuning Indicator for precise center-frequency indication and accurate tuning; Bandsweep; Sophisticated backlit LCD World Clock display; Built-in alarm with snooze function; Summer time adjustment; Built-in AM ferrite bar and telescopic FM/SW antenna; 1.8 inch speaker; Earphone jack; Shortwave Guide. Uses two "AA" batteries.

Dim: 4.3" w x 3.1" h x 1.2" d; 8.2 oz..... **\$89.99**



ICF-SW35 Digital Portable – PLL synthesized, dual conversion superheterodyne (except FM band). Coverage: LW (150-285 kHz), AM (530-1710 kHz), FM (76-108 MHz) and SW (2250 kHz to 26.1 MHz). FM stereo at headphone jack. Tuning via: UP/DOWN buttons, 50 memory presets or automatic memory scan. Memories are in 5 banks of 10 presets each, are non-volatile and retained when changing batteries. Dial illumination button; Sleep button; Lock switch; 9/10 kHz MW step switch; 2.125" speaker; RF attenuator; Tone switch; Stereo earphone jack; Flip-stand. Uses three "AA" batteries or 4.5 VDC. Includes: cloth carry case, wrist strap and Shortwave Guide.

Dim: 6.7" w x 4.5" h x 1.4" d; 16 oz..... **\$89.99**



ICF-SW40 Digital/Analog Portable – The accuracy of Digital readout with the intuitive operation of Analog and PLL synthesized. Coverage: LW, MW (AM), FM bands and SW from 3850 kHz to 26.1 MHz. Normal/Fine tuning (10 kHz/9 kHz) step for AM, 5 kHz step for shortwave and 0.1 MHz for FM. Fine mode tuning steps: 1 kHz (AM/SW) and 0.05 MHz (FM). Backlit LCD display; LED tune indicator; 20 station memory presets; Two position tone control; DX/Local switch; Built-in clock with sleep function and dual standby; Dial lock. Includes cloth case. Requires three "AA" cells or 4.5 VDC.

Dim: 6.75" w x 4.25" h x 1.6" d; 15 oz..... **\$119.99**



ICF-SW7600GR General Coverage Portable Dual conversion superheterodyne, microprocessor-controlled and PLL synthesized. Coverage: LW, MW & SW (150 kHz to 29.999 MHz) and FM (76-108 MHz). Tuning via: 10-key direct access keypad, manual tuning, automatic scan and scanning of 100 non-volatile memories. Smooth SSB/CW reception with fine tuning thumb-wheel and AM synchronous detection. FM stereo is provided to the headphone jack. Multi-function LCD digital readout; 1/5 kHz step tuning; 9/10 kHz MW step; Dial light and LED "tune" indicator; 24-hour digital quartz clock with dual time, sleep timer and standby functions; Record output jack; Tone switch; 3 in. speaker; Keypad lock; External antenna jack; Uses four "AA" cells or 6 VDC. Includes: wind-up antenna, wrist strap, carry case and SW Guide.

Dim: 7.6" w x 4.75" h x 1.3" d; 22 oz..... **\$159.99**


AN-LP1

Active Antenna – A flexible folding loop antenna that combines with a tunable active controller to enhance sensitivity for clearer reception of weak signals. Great for travel;

the loop is 19 in. diameter, and folds down to 7 in. to fit in the soft carrying case. A clip and suction cup at the end of the loop allows for convenient placement on windows, etc. Uses two "AA" batteries for about 40 hours of operation..... **\$89.99**

ANTENNA SUPERMARKET

SHORTWAVE ANTENNAS



EAVES TWIN The Eavesdropper Shortwave Broadcast Receiving Antenna – A 42 ft. long center-fed dipole with 8 automatic bandswitching trap circuits which electrically separate the antenna segments – just tune your receiver to the desired band. The Eavesdropper covers the 11, 13, 16, 19, 21, 25, 31, 41, 49, 60, 75 and 90 meter bands. Includes The Zap-Trapper® gas-tube lightning arrester for receiver protection and 50 ft. of 450-pound test support rope. Completely assembled, ready to use. Comes with 100 ft. of 72 ohm twin lead transmission line..... **\$89.99**

EAVES SO239 – Same as the Eavesdropper above, but with a weather-proofed SO-239 coaxial center connector. Coaxial cable is not included..... **\$89.99**

Low Cost Shortwave Fun!



8100W Regenerative Receiver – Listen to international shortwave broadcasts and hams on SSB/CW etc. Coverage: All or part of 75/80, 49, 40, 30, 31, 20, 19, 17, 16, 15, 13 meters in five bands. Using just a 10 ft. wire makes worldwide stations come in loud and clear. Vernier drive tuning; Bandswitch; Volume/RF gain controls; Aluminum cabinet. Uses 9-Volt battery. Requires earphones or plug-in speakers.

Dim: 7" w x 2.5" h x 6" d; 1 lb..... wired **\$89.99**



G-2000A Porsche Design Shortwave Radio
Designed for Grundig by F.A. Porsche. This radio has a titanium finish look with a genuine leather case that closes around the radio like a book and serves as a stand. Coverage: AM (530-1710 kHz), FM (87.5-108 MHz), SW (2.3-7.4 and 9.4-26.1 MHz). FM-stereo to the earphone jack. Tunes via up/down buttons, autosearch, direct keypad entry or 20 memory presets. Illuminated multifunction LCD display; 12/24 hour clock with alarm and sleep timer; Lock button; Stereo/Mono switch; Earphone output and 4.5 VDC input jacks. Includes real leather case, stereo earbuds and shortwave guide. Uses three "AA" batteries.
Dim: 5.5" x 3.5" h x 1.25" d; 11.5 oz. **\$79.99**




S-350DL Deluxe - A single conversion analog receiver with digital frequency display. Covers continuous SW from 2.9-27.4 MHz; all 13 SW bands: 11, 13, 16, 19, 22, 25, 31, 41, 49, 60, 75 and 90 meters. Great sounding 4 in. speaker. Wide/Narrow switch; Sleep timer; Telescopic SW/FM antenna and AM ferrite bar antenna; Inputs for FM and AM/SW wire antennas; Stereo line outputs and a stereo/mono switch; Stereo earphone jack for private listening; Carrying handle. Requires four D cells, includes an AC adapter.
Dim: 10.5" w x 6.5" h x 3.5" d, 3 lbs, 9 oz ... **\$149.99**



MINI-WORLD 100 Pocket Portable - Coverage: AM (530-1710kHz), FM stereo (at earphone jack) and six shortwave bands: 5.8-6.4, 6.9-7.5, 9.4-10, 11.65-12.15, 15-15.65 and 17.5-18.4 MHz. Analog tuning dial & LED tuning indicator. Includes a vinyl case, belt clip and stereo earbuds. Uses two "AA" batteries. Dim: 2.75" w x 4" h x 0.75" d; 6 oz. **\$29.99**

YACHT-BOY 550 High Performance Receiver
Coverage: AM (530-1710 kHz), FM (88-108 MHz) and SW (1.711-29.999 MHz). FM-stereo at earphone jack. Tuning via direct keypad entry, up-down buttons, scroll wheel, autosearch or 200 memory presets. Illuminated multi-function LCD; Digital clock with alarm and snooze; Signal strength and battery indicators; Telescopic and internal bar antennas and ext. antenna jack. Includes earbuds, stand, carrying case, three "AA" batteries and SW guide.
Dim: 4.5" w x 6.5" h x 1.5" d; 10 oz. **\$79.99**



E-10 Portable Digital Radio - Coverage: AM/FM Broadcast Bands and Shortwave (1711 kHz to 29.999 MHz). FM-stereo at earphone jack. Tuning via: manual tuning; direct keypad entry, scanning or direct frequency entry. Store up to 550 stations or use the ATS (Auto tuning system) for automatic memory storage of AM/FM stations. New "IF Set" feature shifts the radio's Intermediate frequency to minimize interference during shortwave reception. Built-in 24-hour digital clock with two turn-on timers and sleep function. Operation may be programmed to personal preferences and geographic location. Backlit LCD; AM 9/10 kHz and SW 1/5 kHz steps; Wide/narrow bandwidth; Fast/slow manual tuning; Stereo/Mono switch; Hi/low tone control; External antenna jack; Flip stand; Antenna Trimmer control optimizes antenna match. Uses four supplied rechargeable Ni-MH "AA" batteries which can be charged inside the radio. Includes, wrist strap, protective case, wind-up antenna, AC adapter and stereo ear buds. Dim: 7.5" w x 4.5" h x 1.25" d; 1.3 Lbs. **\$129.99**

E-100 Compact Portable Digital Radio
Coverage: AM (530 to 1710 kHz), FM (87 to 108 MHz) and Shortwave (1.7 to 30 MHz). FM-stereo at earphone jack. Tunes via keypad entry. Store up to 200 of your favorite stations. Operation may be programmed to personal preferences and geographic location. Built-in digital clock with two turn-on timers and sleep function. Stereo/Mono switch; Tuning bargraph; Backlit LCD; Earphone jack; 3.0 VDC input jack; Flip stand. Includes wrist strap, protective case, two "AA" batteries and stereo earbuds. Dim: 4.75" w x 3" h x 1.1" d. **\$99.99**




S-350 Field Radio - Coverage: AM and FM broadcast bands plus continuous shortwave from 2.3 - 27.4 MHz, covering all 13 international shortwave broadcast bands: 11, 13, 16, 19, 22, 25, 31, 41, 49, 60, 75, 90 and 120 meters. Features sensitive analog tuner with digital frequency readout and lowpass filter. Fine tuning & RF gain controls; Separate bass & treble controls; Digital clock with alarm and sleep timer; Built-in antenna; Earphone & external antenna jacks; Left/right line level outputs; Comfortable carry handle. Uses 4 D-cell batteries or included AC adapter. Dim: 10.5" w x 6.5" h x 3.5" d. **\$99.99**

FR-200 Emergency Radio - Operates from the built-in wind-up generator and rechargeable NiMH battery, external 4.5 VDC or three "AA" batteries. In the most desperate situation, 90 turns of the generator crank will give an hour of play. Coverage: AM (530-1710 kHz), FM (88-108 MHz) and Shortwave (3.2-7.6 and 9.2-22 MHz). Built-in emergency light; Splash-proof ABS cabinet for indoor or outdoor use; Canvas carry case with shoulder strap.
Dim: 6.75" w x 5.75" h x 2.125" d; 10 oz. **\$39.99**




FR-300 Emergency Radio - Receives AM (530-1710 kHz), FM (88-108 MHz), TV-VHF channels 2-13 audio and seven NOAA weather channels with WX alert. Operates from a wind-up generator which charges an internal NiMH battery pack. Two turns per second for 90 seconds will provide 40 to 60 minutes of operation. Also operates from external 4.5VDC or three AA cells (not supplied). It also has the capability of recharging certain cell phones. There is also a built-in LED light with emergency flash and emergency siren. Includes several common cellular power adapters and a black canvas carry case.
Dim: 6.25" w x 6.25" h x 2.5" d, 1.25 Lbs. **\$49.99**



*XM Radio service requires subscription, not included

AM/FM/SW and XM Satellite Radio
XM Satellite Radio offers over a hundred channels of music, news, talk, and sports programming

E-1 - The world's first radio with such wide frequency range. Coverage: 100 kHz-30 MHz LW, MW, SW & FM (88-108 MHz) plus **XM Satellite Radio***. Dual conversion superhet with digitally synthesized PLL tuner with synchronous detector. Modes: AM, FM, SSB/CW. Tunes via: variable rate tuning knob, direct keypad entry, up/down buttons or auto-tuning. 500 user programmable with alpha labeling plus 1200 user definable country, 1700 total; Memory Scan function; illuminated, 5.5 inch dot-matrix LCD; I.F. passband tuning; Dual programmable clock with WWV auto-setting; Dual event programmable On/Off timers; Calibrated LCD S-meter; Stereo at headphone jack. Uses four "D" batteries or included AC adapter.
Dim: 13.1" w x 7" h x 2.5" d; 4.2 lbs. **\$499.99**



FR-100 Plug-in Radio with Blackout Alert - Plug in to the wall for continuous charging. Illuminates automatically during an AC power failure. Rechargeable NiMH battery gives 12-16 hours of bright LED light, or 4-8 hours of radio use. Unplug it for light and AM/FM radio. **\$29.99**




2006 PASSPORT to World Band Radio

An important book for every world band shortwave listener. Contains everything you need to know about when and where to hear the world; hour by hour, country by country and frequency by frequency. Includes informative, hard hitting reviews on worldband radios including portables and tabletop models. Other reviews of many passive and active antennas, and expanded station address lists. 592 pages **185 2006 \$22.95**

RE-INVENTING™ RADIO

Through Innovation



+ XM Satellite Radio subscription and antenna sold separately.

E1 XM

AM/FM/Shortwave/XM
Satellite Ready Radio \$499.99*

XM Satellite radio brings premium music, news, and sports radio directly to you

- High-performance receiver for international and local radio listening
- User-defined station memory presets with customizable organization
- LCD screen displays frequency, battery life, signal strength and clock/alarm functions
- Direct frequency entry for all bands
- Shortwave range of 1711 – 29,999 KHz
- 1700 station presets with memory scan function

Dimensions: 13"W x 7-1/2"H x 2-1/2"D / Weight: 4 lb 3 oz. / Power Source: 4 "D" Batteries (not included); AC Adapter (included)




E100

AM/FM Shortwave radio \$99.99*

- Shortwave range of 1711 – 29,999 KHz
- 200 programmable memories
- Memory page customization
- Manual & auto scan
- Direct keypad frequency entry
- Clock with alarm, sleep timer & snooze functions

Dimensions: 5"W x 3"H x 1-1/4"D / Weight: 7 oz. / Power Source: 2 AA Batteries (not included) or AC Adapter (not included)



E10

AM/FM Shortwave radio \$129.99*

- Shortwave range of 1711 – 29,999 KHz
- 550 programmable memories
- Memory page customization
- Manual & auto scan
- Direct keypad frequency entry, ATS
- Internally recharges included Ni-MH batteries
- Clock with alarm, sleep timer & snooze functions

Dimensions: 7-1/2"W x 4-1/2"H x 1-1/2"D / Weight: 1 lb. 1oz. / Power Source: 4 AA Batteries (not included) or AC Adapter/Charger (included)



S350 DELUXE

AM/FM Shortwave radio \$149.99*

- Highly sensitive analog tuner with digital display
- Large, full range speaker with bass & treble control
- Clock, alarm, and sleep timer
- Built-in antennas and connections for external antennas
- Deluxe studio headphones for stereo sound (included)

Dimensions: 12-1/2"W x 7"H x 3-1/2"D / Weight: 3 lb. 4 oz. / Power Source: 4 D or AA Batteries (not included) or AC Adapter (included)



Comes with deluxe stereo headphones.

*Prices do not include Shipping/Handling and applicable taxes. To order, please call us toll free at 1-800-558-0411

etón®

RE-INVENTING RADIO

www.etoncorp.com



R-75 HF + 50 MHz All Mode Communication Receiver - Coverage: 0.03 to 60 MHz, USB, LSB, CW, RTTY, AM, S-AM & FM modes with 101 memory channels. Conventional tuning plus direct input via key pad. Alphanumeric readout with digital bar S-meter. Digital signal processing (DSP); High stability; Superior dynamic range; Two-level preamp; Noise blanker; Synchronous AM detection; Twin passband tuning; Front firing speaker; Record Output and Tape Recorder activation jack; Hi-Z and Lo-Z antenna inputs. Filter options; Operates from 13.8V DC or with supplied AC adapter. Dim 9.5" w x 3.75" h x 9" d; 6.6 lbs **\$599.99**

Last Chance to put a Shortwave Radio in your PC!




PCR-1000-02 BON PC Communications Receiver for Computer - Connects externally and turns your computer into a Triple Conversion Wideband Receiver.

Listen to your favorite stations, including AM/FM broadcast and TV audio in the background while running other applications. Three different interface screens (Communications, Component, or Receiver). Coverage: 0.5-1300 MHz (cellular blocked), SSB, CW, AM, FM & WFM modes. Unlimited memory channels grouped into banks of 50 channels each store stored on the computers HD or FD. The Direct Digital Synthesizer (DDS) provides 1 Hz tuning resolution, plus there's a wide variety of factory programmed and user programmable tuning steps. IF shift; Noise blanker; Voice scanning control (VSC); S-meter squelch; CTCSS decode; Six different scanning modes; RF attenuator; 9600 baud capability. Includes power supply, speaker, antenna and cable. Requires Microsoft® Windows® 3.1 to XP, 10 MB HD space, 16 MB RAM, Floppy drive, RS-232C serial interface, and VGA or SVGA display. Comes with **Bonito 4.2 Software Package** in addition to the Icom software. Dim: 5" w x 7.9" d x 1.2" h; 2 lbs

While they Last! - \$499.99

We have Gift Certificates for the Undecided!



AR-8200 Mark III-B

Compact Wideband Receiver

Coverage: 0.5-3000 MHz (cellular blocked) in FM-W, FM-N, Super Narrow FM, AM-W, AM-N, SSB & CW modes. 1000 Alphanumeric memories in 20 banks of 50 channels. Scans and searches at 37 steps per second. High stability TXCO; Dual VFOs and twin frequency readout; Alphanumeric display; Band scope with save trace facility; Bar signal meter; CTCSS decode; 20 second Record/Playback and voice invert-er; Noise limiter; Attenuator; Computer control and programming capability. Includes: four NiMH 1500 mAh "AA" rechargeable cells, AC charger, belt-clip, auto cigarette lighter power cord, removable medium wave (AM) antenna and telescopic whip. Radio may also be operated from ext. 12 VDC. Dim: 2.4" w x 5.7" h x 1.0" d; 0.75 lbs..... **\$569.99**

AR-3000AB High Performance Monitor

Coverage: 100 kHz - 2036 MHz (cellular blocked) in FM-N, FM-W, SSB, CW & AM modes. Tuning knob or keypad entry. 400 multi-function memories (four banks of 100 channels). Scans and searches at 50 steps per second. The tuning rate can be as fine as 50 Hz for SSB/CW. Signal strength indicator; Clock/sleep timer; Record jack; Attenuator; RS-232 port for computer programming and control. Powers from 13.8 VDC or with supplied 110 VAC wall adapter. Dim 5.4" w x 3.1" h x 7.9" d; 2.6 lbs..... **\$1099.99**



TDF-370 Multi-Media Terminal with DSP

- Listen to amazingly clear audio, transmit and receive PSK31 and RTTY, apply potent filtering and hear "weak ones" others may miss. Receive Digital modes without a PC! Uses powerful DSP noise reduction and filtering, including Fast Fourier Transform. Enhance audio reception of SSB and CW by monitor in "derived stereo". Decode and display PSK31 or RTTY, on the LCD Enhance transmitted audio with 8 channels of microphone equalization Auto-notch function; Digital voice recorder; Two selectable front panel inputs; Six outputs: phone, stereo headphones (included) internal or external speaker, microphone, PTT and COM. Uses 4 four "AA" NiCd or NiMH batteries or regulated external 9-15 VDC. Dim: 3.3" h x 4.3" w x 6.2" d; 12.3 oz..... **\$299.99**



AR8600 Mark II-B - Extremely versatile, use virtually anywhere. Coverage: 530 kHz to 3000 MHz (cellular blocked). All modes, including SSB and with programmable tuning steps in multiples of 50 Hz in any mode and TXCO stabilized, 1000 memories (20 banks); Programmable scan and search. Multi-section back-lit LCD; Numeric keypad, Navigation keys; Rotary tuning control and separate controls for volume and squelch; Versatile band scope with save trace facility; Alpha-numeric text comments; Write protect/keypad lock; AFC; Noise limiter; Attenuator; Flash-ROM memory; Slot card sockets; BNC socket for 10.7 MHz; RS232 port for computer control; 12 VDC. Includes: AC power supply, telescopic whip antenna, medium wave (AM) plug-in antenna and detailed manual. Dim: 5.9" w x 2.2" h x 6.9" d; 4.9 lbs..... **\$899.99**

SDU-5600

Spectrum Display Unit

Operates with the AR-3000AB, the AR-8600MKIIB and others with a 10.7 MHz I.F. Provides selection of center frequency, receive mode, etc. The high resolution, 5 in. color TFT display provides clear, crisp graphics. Built-in "water-fall" display function, FFT signal processing and analysis and DSP. Remote control via PC and more! Dim: 8.7" w x 4.7" h x 7.7" d; 5.1 lbs..... **\$1299.99**



YAESU

VR-5000



FRG-100B



FRG-100B High Performance Communications Receiver - Covers 50 kHz to 30 MHz, CW, SSB, AM (FM optional) modes; 50 tunable memory channels and two band edge; Multi-function scanning; Adjustable SSB carrier offset; Selectable AGC; Noise blanker; All mode squelch; 12/24 hour clocks with timers; CAT system for PC control; Bright backlit LCD display; 120/240 VAC or 12-14 VDC. Dim: 9.375" w x 3.5" h x 9.5" d; 6.6 lbs..... **\$599.99**

VR-5000 Multi-mode Scanning Receiver

Covers 100 kHz to 2.6 GHz (cellular blocked); 2000 memories (10 banks) with alphanumerics. Multiple scanning modes with automatic memory loading Direct keypad frequency entry; Dual receive; Bandscope; World clock with time zone map. Dim: 7.1" w x 2.75" h x 8.0" d; 4.2 lbs..... **\$599.99**

VR-120D Mini-

Receiver - Covers 100 kHz to 1300 MHz (cellular blocked), AM/FM wide and narrow modes. Includes AM/FM broadcast, HF SW, VHF/UHF TV, VHF AM aircraft, plus commercial and public safety. 640 memories; Scanning; 4-button operation; AC or DC power with optional adapter cable. Dim: 3.3" h x 2.3" w x 1" d; 6.9 oz..... **\$199.99**



VR-500 Mini-Receiver - Covers 100 kHz to 1300 MHz (cellular blocked), CW, SSB, AM/FM wide and narrow modes. Includes AM/FM broadcast, HF SW to 16 MHz, VHF and UHF TV bands, VHF AM aircraft band, plus commercial and public safety frequencies. Keypad entry; 1000 memory channels, 100 "skip" and 10 search memories; 100 dual watch memories; Priority. Uses 2 "AA" batteries. Dim: 2.2" w x 4.2" h x 1" d; 7 oz..... **\$299.99**



Cobra
CB Radios



Night View Day View

uniden
CB Radios



19DX IV Compact 40 channel Mobile CB Radio New compact design; Full function LCD display; Instant channel 9/19; RF gain/squelch control; Combination S/R/F meter; Channel Indicator; TX indicator; CB/PA switch; Mobile bracket. Dim: 4.5" w x 1.75" h x 7.25" d, weight: 2.1 lbs.... **\$49.99**

29NW AM Mobile CB Radio - Same look and basic features as the 29LTD but: No Delta tune; Includes **NightWatch™** fully illuminated display; Variable dimmer control; Tone control; Instant channel 9/19. Dim: 8.6" d x 6.3" w x 2.2" h; 4 lbs... **\$119.99**

29WXXNW ST AM Mobile CB Radio - Same look and basic features as the 29NW but: has **SoundTracker™** system; 7 NOAA weather channels with Weather Alert tone..... **\$129.99**

PC-68XL 40-Channel CB Radio - Front microphone jack; Backlit controls; S/R/F meter; Channel indicator; Dynamic squelch control; TX/RX indicator; Instant channel 9; RF and microphone gain; PA mode. Dim: 7.6" w x 8.9" d x 2.6" h; 3 lbs... **\$74.99**

PC-68LTW - Same basic features as the PC68XL but with NOAA weather and alert..... **\$49.99***



20XTR Xtreme Street Communicator 40 Channel CB Radio - Neon blue front panel illumination and antenna that illuminates on transmit. LED display; 4W (AM) output; CB/PA switch; Front dynamic microphone jack. Includes mag-mount antenna and mobile mounting hardware.

Dim: 6.25" w x 1.75" h x 6.5" d; 2 lbs **\$79.99**



25LTD AM Mobile CB Radio - 40 channels; 4W RF output; Adjustable Dynamike boost; Instant channel 9; RF gain control; Switchable noise blanker; CB/ANL/PA switch; RX/TX LED; Tactile controls. Dim: 8.6" d x 6.3" w x 2.2" h; 4 lbs **\$89.99**

29LTD AM Mobile CB Radio - Same look and basic features as the 25LTD but includes: Delta tune; Switchable ANL/Noise blanker; CB/PA switch; Antenna warning LED indicators; S/R/SWR meter. Dim: 8.6" d x 6.2" w x 2.2" h; 4 lbs..... **\$99.99**



148GTL 40 channel AM/SSB CB Radio - Full featured, four full Watts (AM) and 12W (SSB) RF power. Dual conversion AM receive; Adjustable Dynamike; Illuminated S/R/SWR meter; Switchable ANL/NB; PA capability; three-position tone switch; 2-color RX/TX indicator; Digital LED readout; PA. Dim: 2.3" h x 7.8" w x 9.2" d; 5 lbs..... **\$149.99**

HH-ROAD TRIP 40 Channel CB Handheld - Keep in vehicle for emergencies, inter-vehicle communications and to receive the latest weather information. **SoundTracker®** system cuts noise up to 90% and 4W of power gives up to 4 miles range. High/low power switch. Operates on 9 "AA" alkaline or NiCads or from vehicle battery with the included DC cord and plug. Includes magnet mount mobile antenna. Dim: 6.75" h x 2" w x 1.75" d..... **\$79.99**

75WXST Compact/Remote CB Radio - 40 CB channels and 10 Weather channels. A remote box installs out of sight and connects to the microphone with controls and full featured LCD display. Dual watch and full channel scan; Instant channel 9; Four memory channels; Key lock. Dim: 4.2" h x 2.7" h x 1.8" d; 1.85 lbs..... **\$99.99**



GP-K-1 - Ground plane kit for the Solarcon A-99 antenna. Adds 30% more power gain and produces a lower angle of radiation..... **\$59.99**

WILSON

W-1000 - 5 ft. base loaded mobile antenna. Available in three mount configurations. All come with 18 ft. cable and PL-259 connector.

ROOF - thru-hole mount..... **\$57.99**

TRUNK - mount..... **\$65.99**

MAGNET - mount..... **\$76.99**

LITTLE WIL - 38 in. base loaded magnet mount antenna..... **\$31.99**



We accept I.M.P.A.C.® Government Credit Cards



PC-78XL 40 Channel AM Mobile - PLL synthesized; Instant channel 9; Dynamic Squelch Control; Microphone and RF gain; Delta tune; Noise blanker; Automatic noise limiter; PA/CB switch; Dimmer control; TX/RX LEDs; Antenna warning LED Dim: 7.25" w x 8.625" d x 2.375" h; 4 lbs. 3 oz..... **\$64.99***

PC-78LTW - Same basic features as the PC78XL but with NOAA weather and alert..... **\$69.99***



PC-78 ELITE 40-Channel CB with Ergonomic Pistol Grip Microphone - Combines CB with 7 channel Weather Radio with alert. Enhanced night vision display; Instant Channel 9; S/R/SWR meter; RF and microphone gain; Delta tune. Switches for: S/R/CAL/SWR, CB/WX/PA, NB/ANL, dimmer and dynamic squelch control.

Dim: 7.6" w x 8.9" d x 2.6" h; 4 lbs. 3 oz..... **\$99.99***

PC-68 ELITE 40-Channel CB - Same looks and features as PC-78 Elite but no Delta tune and SWR. Dim: 6.2" w x 5.4" d x 2.1" h; 3 lbs. 11 oz..... **\$79.99***



PRO-510XL Compact 40 Channel AM Mobile Incorporates state-of-the-art microelectronics into a sophisticated Euro-styled 2-way CB unit. Front mounted microphone, ANL Switch, S/R/F LED meter. Dim: 4.5" w x 1.4" h x 7.5" d; 3 lbs.... **\$39.99**

PRO-520XL Compact 40 Channel AM Mobile Looks like 510XL. Instant channel 9 access; 4-segment S/R/F meter; TX LED; LED channel indicator; RF gain; PA switch; Automatic noise limiter.

Dim: 4.5" w x 6.8" d x 1.38" d; 1 lbs; 10 oz... **\$54.99**

PRO-538W 40 Channel AM Mobile - Includes 3 weather channels. RF gain control; PA/CB switch; Instant channel 19; TX/RX indicator; Front speaker. Dim: 6.8" h x 2" w x 8.3" d; 2.6 lbs..... **\$59.99**

* Price after rebate, rebates expire 12/31/05

RECOMMENDED CB ANTENNAS

COBRA

HGA-1000 - Base loaded magnet mount mobile antenna with coax and connector..... **\$19.99**

HUSTLER

HAT - A 55 in. top loaded whip with Mirror Mount bracket. Comes with 12 ft. cable with PL-259 connector. Chrome with a white coil. **\$27.99**

HQ-27M - A 55 in. top loaded whip with Trunk-Lip Mount. Comes with 15 ft. cable and PL-259 connector. Chrome with a white coil..... **\$36.99**

1C-100 - 44 in. base loaded magnet mount antenna (white)..... **\$19.99**

1C-11B - 42 in. base loaded trunk mount antenna (black)..... **\$13.99**

LARSEN

NMO-27C - Base loaded mobile, less mt **\$32.99**

NMO-TLP - Low-profile trunk mount for the NMO-27C. 17 ft. coax and PL-259..... **\$29.99**

NMO-MM - NMO-27C magnet mount. Comes with 12 ft. coax and PL-259 connector.. **\$32.99**

SOLARCON

A-99 - Base Antenna. Three-piece fiberglass design uses a 1/2-wave over a 1/4-wave section. Tunable, 3dB gain. Length: 17 ft. 8 in. 3 dB gain **\$79.99**



uniden bearcat HANDHELD SCANNERS

Stay on top of News as it happens! Tune in Police, Fire, Public Service, Ham Radio, Military, Weather and more! A selection of Handhelds, Base/Mobiles to fit your needs.

BC-60XLT-1 30 Channel Programmable Scanner - Coverage: 29.0-512 MHz, 10 bands (includes the most interesting "action" bands). Hear Police, Ambulance, Fire, Ham radio, Public Utilities, Weather, and more. Full-frequency LCD display; Manual channel access; Track tuning; Programmable chain search; Scan delay; Lockout; One-touch weather; Keypad lock; Low battery indicator. Uses four "AA" Alkaline or Rechargeable batteries, or included 110V AC adapter. Dim: 2.625" w x 6.75" h x 1.5" d; 10.5 oz. **C/O \$89.99**

BC-72XLT 100 Channel Pocket Scanner - Coverage: 25-54, 108-174 and 406-512 MHz; 100 channels/10 banks; Compact design (added flexibility and portability); Close Call™ RF capture technology (instantly tunes signals from nearby transmitters); 10 programmable search ranges (find unlisted frequencies in use in your area); Preprogrammed service searches (Public Safety, Railroad, Air, Marine, CB, GMRS/FRS, Weather, News Media, Ham Radio and Special frequencies); Priority scan. Uses two "AA" Alkaline or Rechargeable batteries, or included 110V AC adapter. Dim: 4.5" h x 2.75" w x 1.25" d; 5.8 oz. **\$99.99**

BC-92XLT 200 Channel Pocket Scanner with 800 MHz - Coverage: 25-54, 108-174, 406-512 and 806-956 MHz (excluding cellular). 200 Channels/10 Banks; 10 Programmable search ranges; 6 preprogrammed service searches; Close Call™ RF capture technology; Backlit display with Backlight-on-Squelch feature; Priority Scan (frequently scans channels designated as Priority channels); Scan delay; Uses two "AA" alkaline or rechargeables, or included 110V AC adapter. Dim: 2.75" w x 1.75" d x 1.75" d; 5.8 oz. **\$119.99**

SC-230 Racing Scanner with 1600 Channels and Race Track Operation - Coverage: 25-54, 108-174, 216-225, 400-512, 806-956 and 1240-1300 MHz (excluding cellular). 1600 channels, typical/2500 maximum; Race Track Ready (preprogrammed with major racing frequencies or program your own); Close Call™ RF Capture technology; 10 Programmable search ranges; 11 Preprogrammed service searches; Weather/S.A.M.E. WX alert; Alpha tagging (ID the driver talking); Quick-key system access (select the systems or race you want to hear by pressing the 0-9 keys); DCS/CTCSS rapid decode (instantly detects and displays the sub-audible tone); Search and store operation (automatically stores found frequencies); Backlit display with Backlight-on-Squelch feature; PC interface (allows programming and remote control of scanner features from a PC); On-air programming (to program multiple units just transmit the driver information using a PC and transceiver, and all scanners update at once); Priority scan; Attenuator; Scan delay; Uses two "AA" alkaline or rechargeables, or included AC adapter. Dim: 2.9" w x 4.6" h x 1.4" d; 7.8 oz. **\$199.99**

BC-246T 1600 Channel Scanner with TrunkTracker III - Coverage: 25-54, 108-174, 216-225, 400-512, 806-956 and 1240-1300 MHz (excluding cellular). 1600 channels, typical/2500 maximum; Dynamically Allocated Channel Memory (easier to program and use scanner without wasting channels); TrunkTracker III technology (keep up with the action on Motorola, EDACS and LTR systems); Close Call™ RF Capture technology; Alpha tagging; Weather/S.A.M.E. alert; 10 custom search ranges (find unlisted frequencies in your area); 10 preprogrammed service searches; Automatic repeater reverse (automatically tunes to repeater output frequency when a transmission on a common input frequency is found); DCS/CTCSS rapid decode; Pager skip (skips transmissions on common pager frequencies during Search and Close Call operation); Channel alert (alerts when specified channels are active); Backlit display with Backlight-on-Squelch feature; PC control capability (includes cable to transfer information into the scanner). Uses two "AA" alkaline or rechargeable batteries or included AC adapter. Dim: 2.72" w x 4.6" h x 1.26" d; 7.6 oz. **\$229.99**

BC-296D Digital Handheld Scanner - Coverage: 25-512 and 806-1300 MHz; 1000 channels, 10 banks, 10 priority channels; APCO 25 Digital Operation (including 9600 Baud C4FM & CQPSK); PC Control/Programming (Software Included); Preprogrammed Service Searches; TrunkTracker IV - EDACS®, Motorola®, LTR, APCO; CTCSS/DCS Decode; S.A.M.E. Weather Alert; Alpha Tagging (bank channel and search range); Backlit Keypad and LCD Display. Dim: 2.56" w x 6" h x 1.77" d; 12.5 oz. **C/O \$499.99**

Bearcat BASE SCANNERS

BC-244CLT 30 Channel Programmable Scanner - Coverage: 25-54, 137-174 and 406-512 MHz in 10 bands; Full frequency LCD Display; Manual channel access; One-touch weather scans all seven N.O.A.A. frequencies; LCD Clock/Alarm and Snooze; Priority channel; Channel lockout; Auto delay; Memory back-up. Dim: 8" w x 5.5" d x 3" h; 22 oz. **\$99.99**

BC-248CLT 50 Channel Programmable Scanner - Same features as BC-244CLT above, except: 50 channels, 10 bands and 5 banks; Built-in AM/FM radio with 20 Presets; Weather alert; Programmable delay; Automatic squelch; 5 priority channels. **\$109.99**

BC-278CLT 100 Channel Programmable Scanner - Same as BC-248CLT above, except: includes 800 MHz and Aircraft (excluding cellular); 100 channels, 5 banks; Programmable search; S.A.M.E. WX alert **\$139.99**



BC-244CLT
248CLT / 278CLT



BC-350C 800 MHz Base and Mobile Scanner
Coverage: 25-54, 108-174, 406-512 and 806-956 MHz (excluding cellular). 6 Preprogrammed service banks; 13 preset search bands; 100 user-programmable memories; 100 channels-per-second scan speed; Search lockouts; luminescent backlit LCD screen. Includes mounting bracket, AC adapter, DC power cable and auto power plug.
Dim: 5.2" w x 1.6" h x 6.5" d; 1.6 lbs. **\$99.99**



BCT-8 BearTracker® Warning System with 800 MHz TrunkTracker III - Coverage: 25-54, 108-174, 400-512 and 806-956 MHz (excluding cellular). 250 channels in 5 Banks, 5 priority channels; Trunking (Motorola® Analog, EDACS®/EDACS® SCAT, LTR®); Service Search/highway patrol frequencies preprogrammed by state; 100 channels per second scanning with search lockouts; Priority scan; BearTracker® Warning System alerts to highway patrol frequency activity within 3 miles; Backlit LCD; Dim: 7" w x 2.5" h x 6" d; 4.9 lbs. **\$179.99**



BC-796D APCO P-25 Digital Capable Scanner
Continuous coverage: 25-512 and 806-1300 MHz (less cellular). 1000 channels (10 banks, 10 priority); AM/FM/WFM modes; Full frequency display; Weather/S.A.M.E. alert; TrunkTracker III (EDACS®, Motorola®, LTR, APCO); CTCSS/DCS decode; Digital operation (including 9600b C4FM and CQPSK); CTCSS/DCS; Control channel only mode; 12 service searches; Alpha display; Alpha tagging; PC control/programming (CD ROM included); Cloning. Includes mounting bracket, AC adapter, DC Power Cable and auto power Plug.
Dim: 7" w x 2.4" h x 6.5" d; 3.2 lbs. **\$549.99**



BC-898T 500 Channel Base/Mobile Scanner with TrunkTracker III - Coverage: 25-54, 108-174, 216-512 and 806-956 MHz (excluding cellular); 10 banks/50 channels; AutoStore; TrunkTracking™ (Motorola, EDACS & LTR); 1000 talk group ID's (10 lists of 10 Banks); DCS/CTCSS rapid decode; Conventional and trunked search operations; Programmable search and delay; Weather channels with S.A.M.E. alert; Priority scan. Includes AC adapter, DC Power Cable with auto power plug.
Dim: 10.5" w x 7.3" d x 3.5" h; 3.8 lbs. **\$209.99**

ICOM SCANNERS

* Price after
ICOM Rebate
(USA Only)



R-3-26 Communications Receiver

Provides wideband capability from 0.5 to 2450 MHz (cellular blocked). Includes 450 alphanumeric memories. CTCSS. Features a 2 in. TFT color display (or switch to mono color for up to 27-hours of operation). Receive favorite TV shows, scan for wireless cameras like those in race cars. Use as a monitor with a wireless camera. Display to a large monitor or recording device with A/V output. Signal strength and band scope functions assist in finding action. PC programmable, Li-ion battery.

Dim: 2.4" w x 4.72" h x 1.28" d; 10.6 oz. **\$339.99***



R-5-06 Super Wideband Handheld Receiver

Covers 495 kHz to 1309.995 MHz (cell blocked), AM, FM, WFM modes. Preprogrammed TV and shortwave memories. Listen to AM/FM broadcast radio, police, fire, military, aircraft, amateur bands, and more. Weather alert. Crisp audio. Large, backlit LCD shows frequency, operating and battery status, signal strength and alphanumeric naming of 1250 memories (200 auto-write scan and 25 scan edge pairs). DMS; CTCSS/DTCS; Internal bar antenna; PC programmable; Cloning; Weather resistant; Rechargeable NiCad and DC-in jack. Dim: 2.25" w x 3.4" h x 1" d; 6 oz. **\$189.99***



R-10-05 General Coverage Pocket Scanning Receiver

Covers 500 kHz to 1300 MHz (cell blocked). AM, SSB, FM wide or FM narrow modes. Programmable tuning steps. On-screen spectrum display, 1000 non-volatile memory channels (18 banks of 50 channels). Scanning by bank, mode, or program. Alphanumeric characters can be entered to identify channels and banks. Noise blanker and auto noise limiter. Auto frequency control (AFC); Edge-lit display; 24-hour clock with timer; PC programming capability; Adjustable LCD contrast; Signal indicator; Power-saver; NiCads and wall charger (also will use alkaline or DC). Dim: 2.3" w x 5.1" h x 1.2" d; 10.9 oz. **Closeout \$299.99**

ICOM AIRCRAFT RADIO

A-23 Airband HT

Easy to operate featuring a large, clear LCD. Record and play back conversations with the built-in recorder. Large capacity rechargeable NiMH battery is standard. Convenient for carrying with supplied belt clip. Water resistant, JIS 4 grade, allows safe operation in rain. 5W (PEP), 1.5W (carrier) output; All 760 "COM" (108-136.975 MHz) and weather channels; VOR navigation (RX only); 200 alphanumeric memories; PC programmable.

Dim: 2.3" w x 4.23" h x 1.2" d; 12 oz. **\$329.99**



R-20-06 Wideband Handheld Receiver - Hear AM/FM radio and TV broadcasts, wireless communications for boaters, aviation, conventional public safety and many other commercial services. Covers 0.15 to 3304.99 MHz (cellular blocked). SSB/CW/AM/FM/WFM modes; Preset TV sound and shortwave frequencies; 1250 memories (1000 memory, 25 scan edge, 200 auto-write scan); Multiple scan functions (100 channels/second high speed scan capability and Voice Scan Control); Voice Squelch Control opens squelch only when a modulated signal is detected; Dual watch receive; Built-in IC audio recorder with recording time up to four hours; Auto squelch and squelch monitor function; CTCSS/DTCS/DTMF decode; RF gain control and Attenuator; Noise blanker and Automatic Noise Limiter; AF filter; Bandscope; Auto Frequency Control function; Offset monitor capability for semi-duplex channel monitoring; Backlit keypad and dot-matrix LCD with programmable channel names (up to 8 characters); Internal bar antenna for MF reception, BNC antenna connector; CL-V PC control capability; Li-ion battery pack (11 hours continuous receive). Dim: 2.28" w x 5.5" h x 1.22" d. **\$494.99***

Dim: 2.28" w x 5.5" h x 1.22" d. **\$494.99***

MARINE RADIOS

KENWOOD



TKM-707 SSB Marine Transceiver - A high performance unit designed to meet stringent marine operation demands. Utilizes heavy-duty, rust-proof, aluminum chassis and highest quality parts to maximize performance. 150W RF output; 2 to 23 MHz Marine operation with 500 kHz to 30 MHz receive; 198 memories; Multi-scanning; Emergency alarm **Special Order \$1249.99**

ICOM

IC-M1V Marine HT

All US, Canadian, international and weather channels with alert; Normal and priority scan; "Tag" scan system; 5W; Dual/tri-watch; PC programmable; Alpha-numerics; Water-proof; 1400 mAh Li-ion battery. Dim: 2.1" w x 5.5" h x 1.18" d; 9.9 oz. **\$199.99**

IC-M32 VHF Marine Handheld Transceiver All International, USA, Canadian and weather channels; Weather scan and alert; Instant channel 16; 5 Watts output; Convenient tag scanning; Dual and tri-watch; Backlit 9-button keypad; Easy-to-see backlit LCD; Battery life indicator and two-step power saver; Squelch and volume level indicator; Rugged and waterproof (equivalent to JIS Grade 7); Includes NiCad pack, desktop charger, AC adapter, antenna, belt clip and hand strap. Dim: 2.4" w x 5.3" h x 1.6" d; 12.7 oz. **\$149.99**



ICOM

MARINE RADIOS



IC-M302W02 VHF Marine Transceiver - All International, USA, Canadian and WX channels and alert; Instant channel 16; 25 or 1W output; Dual/tri-watch; GPS connection; Large backlit LCD shows channel numbers and names up to 10 characters; Built-in DSC capability (send a formatted distress message); High sound pressure speaker; External speaker connection; Rugged, waterproof (JIS Grade 7); Includes hand microphone, mounting bracket kit and DC power cable. Dim: 6" w x 2.6" h x 5.2" d; 1.8 lbs. **\$159.99**



IC-M402W02 Marine VHF Radio - All US, Canadian, international and 10 WX channels with alert; Normal/priority scan; Dual/tri-watch; 2-digit LCD with scrolling channels; 4-level backlighting; Key illumination; DSC capability; Built-in SC-101 selective calling; GPS repeater (with added GPS); "Tag" scan; 25W/1W; Waterproof. Dim: 6" w x 2.6" h x 5.5" d; 2 lbs. **\$199.99**



M-710 SSB Marine Transceiver - Rugged, 150W, 136 channels, 160 programmable memories. PC programmable; Large LCD with alpha-numeric readout. General version without 2182 kHz alarm, marine bands only **Special Order \$1399.99**



M-802 Marine SSB Transceiver w/DSP - Large backlit LCD with dot matrix characters. Built-in digital selective calling, one-touch e-mail and GPS input. RX: 0.5-29.99 MHz; TX: 6-2.99, 4-4.99, 6-6.99, 8-8.99, 12-13.99, 16-17.99, 18-19.99, 22-22.99, 25-27.5 MHz. Modes: J3E (SSB), J2B (AFSK), F1B (FSK), A1A (CW), M3E (AM, RX only). Channels: 1355; Power: 20/60/150W output. Dim: 9.2" w x 3.7" h x 9.1" d; 10.3 lbs. Controller Dim: 8.3" w x 4.4" h x 3.1" d; 1.2 lbs. Speaker Dim: 4.4" w x 4.4" h x 3.1" d; 0.8 lb. **Special Order \$1749.99**

uniden

MARINE RADIOS



ATLANTIS-250 Hand-held 2-Way VHF Marine – All US, international and Canadian marine channels. Durable, reliable for any marine activity. Waterproof (JIS4/CFR46 rating); 5/1W, switchable; Instant channel 16/9; Triple watch; All N.O.A.A. channels with Weather Alert; Backlit LCD and keypad; Memory channel scan; Flexible rubber antenna; NIMH and alkaline capability..... **\$99.99**

VOYAGER Ultra Compact

VHF Handheld Marine Radio All USA, Canadian and international channels; All N.O.A.A. channels with S.A.M.E. WX alert; Triple Watch Plus™; Channel 16/9; Memory scan; 1/5W transmit; Backlit keypad and LCD; Rubber grips and seal; Li-ion battery; AC/DC adapter and charging cradle; Flexible antenna; Meets JIS7 waterproof specifications. Dim: 3.8" h x 2.4" w x 1.3" d; 8.8 oz..... **\$159.99**



MHS-350 Handheld Marine 2-Way VHF Radio – All USA/international and Canadian marine channels All N.O.A.A. weather channels with weather alert; S.A.M.E. (during a NOAA weather or emergency alert, a code will alert you to severe conditions in your immediate area); 1/5W output; Triple Watch Plus™ (monitor channel 16/9, another user selectable channel, plus WX alert); Large backlit LCD; Rubber grips and seal. Meets JIS7 waterproof specifications..... **\$149.99**

MYSTIC VHF Marine Handheld with GPS/DSC – 5 Watts output; Integrated mapping WAAS GPS – send, receive and mark directly on a map accurate vessel or individual positions. Includes CD of all U.S. street data (up to 32MB can be loaded at any given time); Large VGA display for all charting, mapping and radio functions; Fully submersible construction; Supplied with Li-ion battery, AC/DC chargers and charging cradle. Dim: 6.9" h x 2.6" w x 1.4" d..... **\$339.99**



FRS/GMRS RADIOS

The perfect communications solution for Sportsman, Families, Clubs, Hobbies, Boating, Camping, Fishing, Hunting.

IC-4088A FRS RADIO (right) – 14 FRS channels, 38 group codes and enhanced conversation privacy with its built-in voice scrambler. Range is approximately 2 miles in open space. Approximately 28 hours of operation from (3) AA alkalines (not supplied). Dim: 2.4" w x 4.6" h x 1.6" d..... **\$89.99**

IC-F21GM GMRS Radio (left) – 15 channels, includes 7 shared FRS channels. More features, power (4W) and range – up to 5 miles depending on operating environment. All channels are pre-programmed allowing out-of-box operation, only a simple license required. Dim: 2.1" w x 5" h x 1.5" d, 10.6 oz..... **\$149.99**



SOLARA-DSC 25W VHF Marine Radio – Full-featured, now includes DSC. All USA/ international channels; Instant channel 16; 10 weather channels; Selectable 1/25W output; High visibility LED display; Front mounted speaker for improved sound quality; Transmit LED indicator; Weather resistant housing, microphone and connector..... **\$119.99**



OCEANUS-DSC Full Featured VHF Marine Radio – Ultra-compact, rugged construction saves space, allows for convenient mounting, and withstands the harshest conditions. All USA/international/Canadian marine channels, N.O.A.A. weather with scan and alert. Triple Watch Plus™ – monitor emergency channel 16 and 9, another user selectable channel plus weather alert; Quick Command™ one-touch channel 16/9 key on the durable, rubber grip microphone; Backlit keypad; Memory scan; 1 or 25W transmit; LCD and dimmer; External speaker jack; One switch PA operation..... **\$139.99**



POLARIS VHF Marine with Digital Selective Calling and Hailer – All USA, International and Canada channels; Instant channel 16/9; 1/25W transmit; Wireless mic capability – works with up to two wireless mic accessories; GPS input capable; Backlit LCD and keys (including microphone); S.A.M.E. weather alerts; Triple Watch Plus™; 2-way hailer; Memory and weather scan; Assign channel names; Group call feature; Calling radio position indications with external GPS; Waterproof to JIS4/CFR46 standards. Dim: 3.07" h x 7.24" w x 6.61" d; 2.65 lbs **Closeout \$139.99**



UM-525 25W Marine VHF Radio with Loud Hailer – All USA/International and Canadian marine channels. Programmable scan and Triple Watch Plus™ emergency channel monitoring and NOAA emergency/weather alert with S.A.M.E. Bright 3 in. (diagonal) backlit LCD display; Built-in 30W loud hailer with intercom, PA and all pre-programmed fog signals; GPS intuitive; Scrambler capable; Class-D DSC with DSC polling capabilities; Speaker microphone with one-touch channel 16/9 key and up/down channel select **\$199.99**



UM-625C 25W VHF Marine Radio with Loud Hailer – All USA/International and Canadian marine channels. Programmable scan and Triple Watch Plus™ emergency channel monitoring; and NOAA weather alert with S.A.M.E. Bright 2.2 in. (diagonal) daylight viewable Color TFT display that can be seen from any angle in sunlight. Rugged commercial construction with highest rated receiver performance (85dB intermod nominal); built-in 30W loud hailer with intercom, PA and all pre-programmed fog signals; GPS intuitive; Scrambler capable; Class-D DSC with all DSC polling capabilities; Speaker mic. with one-touch channel 16/9 key and up/down channel select..... **\$299.99**

YAESU AIRCRAFT RADIO

VXA-700 "Spirit" Aircraft Transceiver (4 transceivers in one!) – AM Airband, 2M Amateur, NAV-COM, VOR/CDI display (121.5 MHz emergency)

NOAA WX with alert; FM broadcast band receive (88-108 MHz); Submersible at 3 ft. for 30 minutes; Magnesium die-cast case (superior RF noise shielding plus ruggedness); High res., backlit, dot-matrix display; 190 alphanumeric memories;



Back-lit keypad; 5W output. Supplied with 1300 mAh Li-ion battery, 117V AC charger, headset adapter, antenna and belt clip..... **\$419.99**

GPS-12XL Personal Navigator – for Extreme Outdoor Enthusiasts – A 12 channel receiver with external antenna for fast, accurate position fixes in tough conditions like tree canopy and urban obstructions. Rugged, compact case ideal for boaters, hunters or hikers. 500 user waypoints with alphanumeric name and user comments. 20 reversible routes of up to 30 waypoints each. TracBack™ navigation turns a track log into a route back home. Nine waypoint alarms. Over 1000 track log points, position averaging, emergency erase, and cloning features. Up to 12 hours on 4 "AA's" **\$219.99**



GPS-60 Personal Navigator – A 12 channel GPS receiver with WAAS. Backwoods, boundary waters, blue highways, wherever your spirit of adventure calls, the GPS-60 is your trusted guide to the great outdoors. It's rugged, waterproof, and as precise as WAAS can make it. Accepts downloaded points of interest from MapSource® CD-ROM. Separate USB and serial port interfaces. 1MB internal memory for optional MapSource® Points of Interest data; 10,000 points track log to retrace your path; TracBack™ to a selected point function; Built-in celestial tables for best times to fish and hunt; Stores 500 waypoints and 50 routes; Audible beeper alarm with configurable tones; Up to 28 hours on 2 AA alkaline batteries. Dim: 2.4" w x 7.1" h x 1.3" d **\$179.99**



GPS-MAP60 Map Navigator – 12 channel GPS receiver with WAAS. Basemap with automatic turn-by-turn routing capability shows cities, interstates, major roads and more. Accepts up to 24MB of download data from optional MapSource® CD for greater map display detail. Includes MapSource® Trip and Waypoint manager for transferring waypoint, route and track data between your GPS and PC. 10,000 point tracklog to retrace your path; TracBack™ to selected point function; Built-in celestial tables for best times to fish and hunt; Stores 500 waypoints and 50 routes; Audible beeper alarm; Up to 28 hours on 2 AA alkaline batteries; Up to 24 MB of data; Separate USB and serial port interfaces. Dim: 2.4" w x 7.1" h x 1.3" d **\$299.99**



GPS-72 – A low-cost solution for land and marine navigation, providing precise positioning using WAAS data. Built-in quad helix antenna; High-contrast, gray-scale display with "large number" option; Backlit display & keypad; Permanent data storage; Water resistant; 500 name and graphic waypoints, 50 reversible routes; Latitude/Longitude, UTM, Loran TDs, Maidenhead, MGRS and user grid formats; Arrival, off-course, clock and proximity alarms; 1 MB memory for MapSource data; Trip computer with odometer, stopped time, moving and overall average, total time, maximum speed **\$149.99**




GPS-V DELUXE – North American turn-by-turn navigation with auto-routing. Display prompts and audible alerts for turns, course deviation, and distance. Built-in, routable basemap provides detail for U.S. interstates, exits, highways, rivers and lakes, plus popular metro streets. MapSource MetroGuide provide residential detail. Look up services, points of interest. View address, phone and map location. 500 user waypoints; 20 reversible routes; Trip computer with odometer, stopped time, moving/overall average or total time, max. speed; Auto track log, 10 saved; Permanent data storage; 25 hours from 4 AA batteries; Includes mount, cigarette lighter adapter, PC cable and City Select software. Dim: 2.32" h x 5.0" d x 1.62" w; 9 oz **\$299.99**

ST PILOT 2610 Street Pilot 2610 GPS Unit Choose a destination using StreetPilot's touch screen or remote control unit and the route will be automatically calculated with turn-by-turn directions and voice prompts. Built-in basemaps containing state and country boundaries, lakes, rivers, streams, airports, cities, towns, coastlines, state and interstate highways, local thoroughfares and secondary roads within metro areas, federal interstate highway exit service information; Accepts downloadable map detail from Garmin PC-based MapSource City Navigator CD-ROM (included), which provides street-level detail, addresses, listings of nearest restaurants, hotels, ATMs and more; Alphanumeric remote control; Bright, automotive-grade 8-bit, 256-color LCD with automatic dimming backlight and 305 x 160 pixel. Dim: 3.3" w x 1.7" h (touch screen); 5.6" w x 3.2" h x 2.0" d **\$699.99**



RINO-120 GPS-Enabled Hand-held for FRS & GMRS – Two-way communications up to 2 miles using FRS or 5 miles, using GMRS; Power: 0.5/1W (FRS/GMRS); 14 channels, 38 squelch codes; VOX; Voice scrambler; Vibration mode for "silent" calls; 12-channel, GPS receiver provides position accuracy of less than 10 ft.; Peer-to-Peer positioning to transmit GPS location, showing distance and bearing; Navigation features: extensive waypoint storage, TracBack, multiple position formats and built-in trip computer; Basemap of the Americas (major cities, highways, thoroughfares, rivers, lakes, coastlines, borders, and railways); 8MB memory for downloadable cartography from MapSource CD-ROMs; Uses 3 AA's **\$249.99**



IQue-M5 Pocket PC integrated with GPS – Loaded with Microsoft Pocket Outlook®, Word®, Excel® and Internet Explorer applications. Conduct business or personal travel from point to point without stopping for directions. Don't be late! Calendar and contact information is seamlessly integrated with GPS navigation functions and it can remind you of appointments, show the location on the map, and route you there with detailed, turn-by-turn direction and voice prompts. Integrated speaker; Microphone; 3.5mm stereo headphone jack; 1250mAh lithium polymer rechargeable battery; 240 x 240 pixel TFT color display **\$699.99**



eTrex (left) – 12-parallel-channel GPS receiver and internal patch antenna packaged in a waterproof case. Side operating buttons for larger display area. Simple menus and logical operations make position marking easy. Compass or map navigation; Zoom keys; 500 user waypoints with name and graphic; 1 route with 50 waypoints; Resettable trip computer; Auto track log, 10 saved tracks to retrace a path; Up to 22 hours use with 2 AA alkalines. Dim: 4.4" h x 2" w x 1.2" d; 5.3 oz. **\$99.99**

eTrex Summit™ Hiking Companion (right) Similar to the eTrex but includes a barometric altimeter and electronic compass **\$179.99**



GEKO-101 – Perfect for navigational novices. Features such as one-touch waypoint marking make it a snap to use. Easily maneuver from one waypoint to the next using its 250-waypoint storage capacity with symbols, and trace along a route with PanTrack™. Five buttons for one-hand use; High-contrast display – 64 x 100 pixels with LED backlighting; 12-hour battery life on 2 AA's; Automatic 3,000 trackpoint storage with PanTrack™ and TracBack™; 30 min. water submersion at one meter. Dim: 1.9" w x 3.9" h x .96" d; 3.1 oz **\$99.99**

GEKO-201 – Allows more waypoint and route storage, as well as available PC and external power connectivity. It also offers built-in WAAS capability. Has a user-configurable trip computer and 10,000 trackpoints, as well as PanTrack™ and TracBack®. 10 feet accuracy or less with WAAS; Five buttons for one-hand use; 64 x 100 pixel, high contrast display; 12-hour battery life on 2 AA's; 500/20 x 125 waypoint/route storage; Automatic 10 track storage; 30 min. submersion at one meter; Includes four interactive, outdoor games! Dim: 3.9" h x 1.9" w x .96" d; 3.1 oz **\$139.99**



GPS-18 Package – Turn a laptop into a street navigator using a GPS 12-parallel-channel, WAAS-enabled sensor bundled with nRoute™ and City Select® North America with detailed maps of the U.S. and select cities in Canada. Includes highways, interstates, businesses, residential roads, turn restrictions, speed categories and other navigation features; plus 5 million+ points of interest (restaurants, lodging, attractions, emergency, post offices). Automatically guides with turn-by-turn directions and voice prompt. Available in either serial or USB connection and is designed to plug into most laptop PCs.

GPS-18PC DLX – Serial connection sensor, 12V cigarette adapter, magnetic base, windshield mount and software. 2.4" dial. x 0.75" h; 6.5 oz. **\$129.99**

GPS-18USB DLX – USB connection sensor, magnetic base, windshield mount and software. Uses PC's power. 2.4" dial. x 0.75" h; 3.5 oz **\$129.99**



IQUE-3600 PDA with Integrated GPS (right) – The power of Palm OS integrated Que 5, Garmin GPS and mapping software. Look up appointments or contacts and get routing to their location with voice-guidance! ARM processor enhances battery life, screen re-draw, graphics, and audio; SD expansion slot for storage; Flip-up, integrated GPS patch antenna; MP-3 player; Memo playback; Voice recorder; Rechargeable internal battery; 32MB memory; Soft cover, metal stylus; Choice of Americas or Atlantic MapSource™; Large, high res, color display. Dim: 2.8" w x 5" h x 0.8" d... **\$499.99**

cfQue™ 1620 CompactFlash® GPS Module (left) Features new Que technology for high-performance GPS location, mapping, and street-level navigation to PDAs using PocketPC platform. Location awareness, address look-up, electronic mapping, auto route, and off-route recalculation; Basemap with highways, major streets, rivers, lakes, coastal waters; 64MB; Voice guidance (on capable units); Flip-up, adjustable antenna; Type I or II CompactFlash slot installation; PDA mount; MapSource City Select®. Dim: 1.7" w x 2.0" h x 0.5" d; 1.5 oz... **\$249.99**

FOREUNN 201

GPS/Personal Training Device – For athletes, runners/recreational walkers. Easy-to-read display, adjustable wristband and integrated GPS sensor. Calculate speed, distance & pace. Virtual Partner™ allows input of time, distance and pace goals; then shows you're progress. With GPS navigation capabilities, mark specific locations, look up and navigate to these points, retrace or reverse normal route. Provided downloadable performance-tracking software to analyze activity over time. Transfer data to a PC, for plotting and analyzing regimen. Includes wristband, A/C charger with PC interface, manual and quick start guide. Dim: 3.3" w x 1.7" h x 0.6" d; 2.75 oz **\$149.99**

FORETEX™ 101

Personal GPS Navigator Ruggedized for adventure, this wrist-top device is perfect for kayaking, canoeing, sailing, hiking, and for those who want a lightweight, waterproof, affordable GPS. Hands-free navigation data and 6 dedicated buttons, making it easy to operate. Provides the most essential data, enhanced accuracy, extensive waypoint storage, reversible routes and track info, and TracBack technology (retrace an exact path). Also offers PC compatibility for waypoint, route and track management. Includes wristband, strap ext., owners manual/quick start guide. Uses 2 AAAs, 15 hours of operation. Dim: 3.3" w x 1.7" h x 0.6" d; 2.6 oz... **\$129.99**



The Meridian™ – Rugged GPS handheld receivers, designed with serious navigators in mind.

MERIDIAN™ GOLD

(left) – Expanded memory capacity for downloading maps with optional SD cards in 8, 16, 32 and 64MB; Large backlit display for easy map viewing; Rugged rubber armoring and high impact plastic for use in the harshest environments; Supports several languages including: English, French, German, Swedish, Finnish, Spanish, Italian, Portuguese, and Dutch. Save Track-to-Route; Built-in help; North-Finder with sun/ moon positions; Sunrise/set calculator; Database of U.S. cities, interstate/state highways, major waterways and airports; Store 20 routes, 500 waypoints and 2,000 trackpoints; Address Search (requires any MapSend software)..... **CLOSEOUT \$189.99**

MERIDIAN™ PLAT (right) Meridian™ Platinum Same as the Meridian Gold and adds electronic compass & barometer that tracks barometric pressure like a weather station **CLOSEOUT \$259.99**

MERIDIAN COL Meridian Color Top of the Meridian line of superior, rugged GPS receivers. Shows location on the industry's first full-color screen in a handheld GPS. Comes preprogrammed with extensive 16MB map, including highways, major roads, parks, navais, waterways, airports and more. Vivid color, 120 x 160 pixel display; Superior tracking even in dense foliage and urban environments; Rugged with high-impact housing of wrap-around rubber, it floats! Expandable via Digital memory cards; Up to 13 hours of continuous battery operation; Use optional MapSend® CDs to map out trips; Includes 2 AA batteries, PC cable, lanyard. Dim: 6.5" h x 2.9" w x 1.2" d; 8.5 oz..... **CLOSEOUT \$299.99**



MIDLAND NT-1 NAUTICO™1 VHF Marine Handheld

Features:

- 88 Channels: USA, Canada and International
- 10 NOAA Weather Channels
- 5W power, up to 14 mile range
- 3 call tones
- Emergency channel 16 button
- Auto-Squelch
- Scan, monitor, dual watch
- Call Alert
- Keypad lock
- LCD Display
- Battery level indicator
- Includes watertight bag
- Powered by 4 AA batteries
- 4.8" h x 2.3" w x 1.5" d; 4 oz.

AVP-5 Accessory kit – Includes Microphone headset, Rechargeable NiMH battery, AC and DC adapters, mount and holder..... **\$29.99**



All SporTraks feature 12-parallel-channel, WAAS receiver; Satellite tracking with advanced Quad-filar Helix antenna; 2.3" x 1.4" display; Backlit screen and keypad; 500 waypoints; 20 routes; 2000 track points; 76 datums; Indefinite data back-up, stored in non-volatile flash memory; Multi-language; Impact resistant, waterproof case.

SPORTRAK™ – Sporty, GPS system with worldwide database of major cities. Worldwide city points-of-interest. 9 screens: Status, Position, Nav 1, Compass, Nav 2, Plot, Road, Speed/Time; Alarms for proximity, arrival, anchor, cross track, error and Satellite status. Northfinder sun/moon positions; Sunrise/set, best fish/game calculators; 14 hours on 2 AA's. Dim: 5.6" h x 2.2" w x 1.3" d; 6.1 oz..... **C/O \$129.99**



SPORTRAK MAP™ – Sporty, pocket-size, GPS system that includes mapping; 2MB database with interstate/state highways, parks, waterways, airports and cities; 4MB memory for downloads; 7 user-configurable screens: Map, Compass, Large Data, Position, Road, Speed, Trip Compass; Full 3D topo support; Alarms for proximity, arrival, anchor, XTE and GPS; Save-track-to-route; Satellite status display; Built-in help; Northfinder sun/moon positions; Sunrise/set, best fish/game calculators; Horizontal profile and address search; PC cable; 2 AA batteries for up to 14 hours operation. Dim: 5.6" h x 2.2" w x 1.3" d; 6.1 oz..... **C/O \$159.99**



SPORTRAK PRO™ – Pocket-sized GPS with 32MB memory; 9MB database (interstate/state highways, major roads, parks, waterways, airports, cities, and marine navigation aids); 23MB memory for downloads; Full 3D topo support; 7 user-configurable screens: Map, Compass, Large Data, Position, Road, Speedometer and Trip Compass; Alarms for proximity, arrival, and anchor; Save-track-to-route; Satellite status display; Built-in help; Northfinder with sun/moon positions; Sunrise/set, best fish/game calculators; Horizontal profile and address search; PC cable; 2 AA batteries for up to 14 hours. Dim: 5.6" h x 2.2" w x 1.3" d; 6.1 oz..... **CLOSEOUT \$219.99**



Did you know?...

The Global Positioning System (GPS) was designed and built by the Department of Defense as a satellite-based navigation system for the military. In the 1980's the technology was made available to the public as a free service. GPS is based on a network of 24 satellites that remains in permanent orbit about 12,000 miles altitude, each travelling about 7,000 mph. Small rockets on each solar-powered satellite keep them in their proper orbital path. Satellite transmitter power is only about 50 watts. Each satellite weighs about a ton and lasts about 10 years. Replacements are launched regularly. GPS can be accessed anywhere in the world at any time.

WIDE BAND RECEIVER

DJ-X7T "Credit card"

Size Receiver - Catch the action on fire, public safety, traffic and many other frequencies, or just enjoy your favorite music and news on radio or TV stations with a receiver that fits in your shirt-pocket! Receives 100 kHz to 1.3 GHz (cell blocked); Triple conversion AM/NFM, double conversion WFM; 1000 memories; Five operating modes: Preset, programmed, memory, VFO and scan; Lithium-ion battery pack allows operation for almost a full day without recharging; 39-tone Tone squelch; Attenuator (approx 20db); Auto-Power-Off; Battery-save; Priority receive; Monitor/Mute; Memory-save; Cable-clone; Key-lock; Pager function alerts you with a beep and an icon when a signal is received; Illuminated LCD; Key-touch beep on/off switch.

Dim: 3.7" h x 2.2" w x 0.57" d; 3.62 oz. **\$169.99**

Available Accessories

EBP58N Lithium-ion battery, EDH32 Cigarette lighter cable, EME18 Earphone, EME25 Curl cord earphone, ERW4 PC cable, ESC38 Soft case

SUPER AUDIO IN A SMALL SIZE!



SINGLE BAND HANDHELDS

DJ-196T 2 Meter HT - 5W output; 135-174 MHz receive; 40 multi-function memory channels; MAR/CAP capability; Alpha-numeric display; CTCSS tone encode/decode & DCS; S-meter; Auto dialer; Cable cloning; Computer programming capability; Theft alarm; Experimental insect repeller; Back lit keypad. Dim: 4.9" h x 2.2" w x 1.6" d; 13.2 oz **\$119.99**

DJ-296T 222 HT - Same as DJ-196T except has a range of 222-225 MHz. **\$179.99**

DJ-496T 440 HT - Same as DJ-196T (above) except has a range of 430-450 MHz. **\$149.99**

Available Accessories

EBC6 Mobile HT bracket, EBP48N 9.6V 700mA 5W NiCad battery, EBP50N 9.6V 700mA SW NiMH battery, EBP51N 9.6V 1500mA SW NiMH battery, EBP56N 7.4V 1000mAh lithium battery, EDC111 Charger for EBP56N, EDC16B Cigarette lighter cable and filter, EDC36 Angle plug power cable with filter, EDC37 13.8V power cable, EDC43 Cigarette lighter cable, EDC88 Rapid charger, EDC93 Wall charger with power supply, EDC97 NiMH quick charger, EDH30 Dry cell battery case, EME12 Headset/earphone/microphone with VOX, EME13 Headset/earbud/microphone with VOX, EME15 Earphone/microphone with VOX, EME20 Tie-pin mic/earphone, EME6 Earphone, EMS47 Speaker microphone with volume control, ERW4 PC cable, ESC36 Soft case for EBP48N



DJ-S40T Pocket-sized UHF HT - Covers 420 to 450 MHz, with receiving capabilities beyond the range. 500mW power output; can be increased to 1W by using optional NiMH or external DC supply. 100 memories; Call channel and several scan modes; Newly designed case that conceals the speaker but provides loud, clear audio; 38 CTCSS in/decode settings (decode standard); 4 tone bursts, making it usable for repeaters in many parts of the world; Large, easy-to-read, illuminated display;

repelling feature"; Theft alarm function; Cloning capability; Use with crossband transceivers (base or mobile dualband) as a "remote mic" **\$89.99**

Available Accessories

EBC6 Mobile HT bracket, EBP52N 3.6V 500mAh NiMH battery, EBP53N 6V 500mAh NiMH battery, EBP54N 3.6V 1500mAh NiMH battery, EDC105 Drop-in NiMH charger without power supply, EDC37 13.8V power cable, EDC43 Cigarette lighter cable, EDC93 Wall power supply for EDC105, EDH31 Dry cell battery case, EME12 Headset/earphone/microphone with VOX, EME13 Headset/earbud/microphone with VOX, EME15 Earphone/microphone with VOX, EME20 Tie-pin mic/earphone, EME6 Earphone, EMS47 Speaker microphone with volume control, EMS8Z Remote speaker mic, ESC37 Soft case



We accept I.M.P.A.C.® Government Credit Cards

Exacting Standards

DJ-X7T Wide Range Pocket Size Communications Receiver

100KHz to 1.3GHz* Triple conversion AM/NFM; double conversion WFM, plus FM, SW, and TV

Super small "credit card" size (as thin as 14.5 mm, as light as 103g) delivers AMAZING audio quality! Easy to read illuminated LCD, 1,000 memory channels, five operating modes, three different antenna modes, easy to program with free downloadable software (optional cable required), cable-clone, and a long-lasting Lithium ion battery!

Standard adapter charges the Li-Ion battery AND operates with AC power, even at the same time, so you can listen while charging.

Deliver Extraordinary Results

DM-330MVT Communications Grade Switching Power Supply

Alinco's Experts have reinvented the power supply!

Extremely quiet with a patented noise shift circuit, but we'll be surprised if you ever need to use it. It's small, lightweight and powerful! 30A continuous, 32A peak output, but weighs less than 5 lbs. Variable output from 5 ~ 15 VDC, memory output setting, lighted V/A meter, front panel cigar (10A) and quick-connect (5A) terminals, rear panel high-current connections. Ripple less than 15 mV p-p. **Extra versatile, use for travel, station or test bench.**



EDX-2 Automatic Wire Antenna Tuner

Extreme users want to get on the air fast!

Ground it, connect a wire and plug it into your rig. Tunes random length wires from 9 ~ 80 feet. Covers 160 ~ 10 meters. (minimum 40 feet of wire needed for use on 160m) Compatible with DX-70 and DX-77 transceivers. Made for indoor/outdoor mounting, use at home, mobile or in the field. Outputs directly to a wire or whip antenna only (no coax output).



DJ-X2000T Multimode Wide Range "Intelligent" Receiver

Monitoring Excitement is found in the "Intelligent Receiver" from 100 KHz ~ 2150 MHz* with 2000 memories, alphanumeric labeling, receives AM, WFM, NFM, LSB, USB, CW and FM stereo. ** On-line "help" feature, 20 scan programs, computer programmable (download free software from Alinco website), Channel Scope™ display, Transweeper™, RF frequency counter, digital sound recorder, CTCSS decode, 2 level attenuator, field strength meter, **instant "flash tune" and many Extras!**



DJ-X3TD Multimode Wide Range Communications Receiver

Exceptional and unique! Small but powerful. Receives 100 KHz ~ 1.3 GHz*, AM, NFM, WFM. 700 memory channels, dry cell battery pack, four scan modes, stereo FM reception. ** **Download free control software from www.alinco.com**

WWW.ALINCO.com

Distributed in North America by Ham Distribution, Inc., 15 South Trade Center Pkwy, #B5, Conroe, Texas, 77385. Phone: 936-271-3366. Fax: 936-271-3398.

*Cellular blocked in USA. Unlocked versions available to qualified users, documentation required. **Optional stereo headphones required. Specifications subject to change without notice or obligation.

Engineered to Perform Built for Quality

Discover Why Thousands Know Alinco Value Costs Less

DJ-C7T 2m+440 "Pocket" HT

Meet the "new generation" mini-HT! Internal speaker with great audio, 200 memories, VFO, Memory & Scan modes, CTCSS encode+decode, AM airband RX, wideband FM broadcast, 300mw output, SMA antenna port, Lithium ion battery, cloning feature, split function and more! **Extremely versatile dual-band HT.**



DR-635T 2M/440MHz Mobile/Base Transceiver

Full Duplex operation! Cross-band repeat, remote mountable control head, newly designed RF circuitry for increased resistance to interference, plus automatic temperature protection circuit. Alphanumeric changeable color display, 200 memories, H/M/L output, ignition key on/off, theft alarm, extended receive, backlit DTMF mic and more! Optional TNC or digital voice module and remote mount kit available.



DJ-196T (2m), DJ-296T (222 MHz), DJ-496T (440 MHz) HT

Backlit keys, alpha display, autodial, 40 memories, CTCSS and DCS encode+decode, 13.8 VDC input, and more! High-power battery is standard. **Extra handy!**



DJ-S40TD 440 MHz HT

Pocket HT features 500 mw output on AA cells, up to 1 watt using an optional NiMH battery, 100 memories, CTCSS encode+decode, SMA antenna, great audio, theft alarm and more! **Extremely small but packs a punch.**



DJ-V5TH, 2m/440 HT*

Great 2m/440 TX & RX, extended RX range from 76 ~ 999 MHz, wide band FM, alpha display, 200 memories, CTCSS & DCS encode+decode, 5 watts output, compact size, 4 scan modes, split-band ops, auto-dialer, 13.8 VDC direct input. **Excellent performer!**



DR-135T/TP MKII (2m), DR-435T MKII (440 MHz), DR-235T (222 MHz) Mobile/Base

DR-135 includes AM Airband RX. All models have 100 memories, ignition key on/off, theft alarm, large 7 character alpha display, optional internal TNC can be used for packet or APRS™, 9600 packet mode, front data/GPS input, rear DSUB9 connector, H/M/L power out, autodialer, CTCSS and DCS encode+decode, backlit mic, **Extra rugged!** Accepts optional digital voice communications board.




DJ-596T MKII 2m+440 HT

100 memories, alpha channel labels, NiMH battery, CTCSS and DCS encode+decode, WFM+NFM, theft alarm, 6 ~ 16 VDC input, illuminated keys and display, autodialer, full coverage of both bands, Expanded receive; optional digital voice communications board and more! **Extend your abilities!**



DR-620T 2m+440 Mobile/Base

Exceptional features! Removable head, speaker faces up or down, changeable color alpha display, 200 memories, H/M/L output, V/U, V/V, U/U, WFM and AM Air Extended RX, TCXO, theft alarm, **options include TNC or digital voice module, remote mount kit.**



DR-MO6TH 6m/20 watts FM Mobile/Base

"Magic band" Excitement with local and DX FM contacts, simplex or through repeaters. **Includes CTCSS encode and 100 memories.**



DX-70TH (100w) HF+6m Mobile/Base/Portable

160~6m Amateur band TX in all modes, Extra coverage RX from 150 KHz~30 MHz and 50~54 MHz. Removable face, 100 memories, 2 VFOs, speech compressor, SSB, CW and AM narrow filters, fullbreak-in, multi-function control and MUCH more! **Optional accessories include EDX-2 wire antenna tuner & DM-330MVT power supply.**



DX-77T HF Base/Portable

Excellence at a great price! 160 ~ 10 meter Amateur band TX all modes; 500 KHz ~ 30 MHz general coverage RX. Clean, clear audio, low noise floor from DDS, 100 memories, easy to operate. **Speech compressor, CTCSS encode for 10m FM operation, CW filter.**



www.ALINCO.com

Distributed in North America by Ham Distribution, Inc., 15 South Trade Center Pkwy, #B5, Conroe, Texas, 77385. Phone: 936-271-3366. Fax: 936-271-3398.

Products intended for properly licensed operators. Permits required for MARS use. CAP use subject to equipment approval. Specifications subject to change without notice or obligation.

Performance specifications only apply to amateur bands. *Cellular blocked in USA. Unlocked versions available to qualified users, documentation required.

NOTICE: Effective 5/1/2004, ALL warranty claims and requests for repair/technical assistance for Alinco products should be sent to Ham Distribution, Inc. regardless of contact information found on the warranty certificate packed with the product.

SINGLE BAND HT

DJ-S11T Sub-Miniature VHF HT - TX/RX: 144-148 MHz; 340 mW output; 20 multi-function memories plus 1 call; Encoder installed (50 tones); Illuminated display; Uses 3 "AA" or NiCad batteries; Pivoting antenna. Dim: 4" h x 2" w x 1" d; 6.5 oz **\$79.99**

Available Accessories

EB6 Mobile HT bracket, EDC78 Wall charger (not alkaline), EDH18 12V/5.5V DC cigarette lighter plug, EME12 Headset/earphone/microphone with VOX, EME13 Headset/earbud/microphone with VOX, EME15 Ear-phone/microphone with VOX, EME20 Tie-pin microphone/earphone, EME6 Earphone, EMS47 Speaker microphone with volume control, ESC27 Soft case

DJ-596T MK II 2M/440 MHz

Dual Band HT - The first Amateur HT to support optional Digital Voice communications. 5W output on both bands with standard NiMH battery; Wide or narrow FM; Digital voice optional; Extended receive capabilities; CTCSS and DCS encode and decode; Three scan modes; Work and save in memory any number of "odd split" transmit and receive offsets; Illuminated keys and display; Large display shows alphanumeric designations for each of the 100 memories; Theft alarm and experimental "mosquito repelling sound"; 9 autodial memories; ± 2.5 ppm crystal; External terminal control can output 5 VDC @ 5mA from mic jack, can be used by experimenters to control external devices; Operates on 6-16VDC, battery charges while on external source. Dim: 4.9" h x 2.2" w x 1.6" d; 13.2 oz **\$209.99**

Available Accessories

EB6 Mobile HT bracket, EBP48N 9.6V 700mAh 5W NiCad battery, EBP50N 9.6V 700mAh 5W NiMH battery, EBP51N 9.6V 1500mAh 5W NiMH battery, EBP56N 7.4V 1000mAh lithium battery, EDC111 Charger for EBP56N, EDC16B Cigarette lighter cable and filter, EDC36 Angle plug power cable with filter, EDC37 13.8V power cable, EDC43 Cigarette lighter cable, EDC88 Rapid charger, EDC93 Wall charger with power supply, EDC97 NiMH quick charger, EDH30 Dry cell battery case, EJ47U Digital board, EME12 Headset/earphone/mic with VOX, EME13 Headset/earbud/microphone with VOX, EME15 Earphone/microphone with VOX, EME20 Tie-pin mic/earphone, EME6 Earphone, EMS47 Speaker mic with volume control, ERW4 PC cable, ESC36 Soft case for EBP48N, SW596 Windows programming software

DUAL BAND HTS

DJ-V5TH VHF/UHF Dual Band FM HT - Full 2 meter and UHF Amateur band coverage. Standard high-power 700 mW NiCad battery pack - up to 5W output; 3 output settings; Expandable receive range 76-999 MHz (cellular blocked), includes wide FM capability; Split-band operation capability; Eight different tuning steps; Alpha-numeric display - up to 6 characters; 200 memory channels plus two call channels; CTCSS encode and decode; DTMF squelch; 4 different European tone bursts; 4 scan modes and 5 programmable scan banks; MARS and CAP capability; Auto-dial memories; Auto high temperature protection feature; SMA connector; Wire cloning capable; Accepts up to 13.8V DC input. Dim: 4.5" h x 2.25" w x 1.75" d; 13 oz **\$209.99**

Available Accessories

EBP46N 9.6V 600mAh 5W NiCad battery, EDC16B Cigarette lighter cable with filter, EDC36 Angle plug power cable with filter, EDC37 13.8V power cable, EDC43 Cigarette lighter cable, EDC91 Quick charger, EDH29 Dry cell battery case, EME12 Headset/earphone/microphone with VOX, EME13 Headset/ear bud/microphone with VOX, EME15 Earphone/microphone with VOX, EME20 Tie-pin mic/earphone, EME6 Earphone, EMS47 Speaker mic with volume control, EME82 Remote speaker mic, ESC35 Soft case for EBP46N/46N

DJ-C7T Credit Card Size

VHF/UHF Dual Band Micro Handheld - Covers 2M and 70cm FM amateur bands and receives wide-band broadcast FM, AM aviation band and VHF/UHF utilities up to 512 MHz. TX/RX: 144-147.995, 430-449.995 MHz. RX: FM broadcast (87.5-107.995 MHz), AM aircraft (108-173.995) and 380-511.995 MHz. AM/FM/WFM modes. Power: 300mW with supplied 3.7V Lithium-ion battery or 500mW with external 6V power source. 200 memory channels (5 pairs of program scan band; Priority watch; 3 types of scan including CTCSS tone search; Split-operation; CTCSS encode and decode; TSQ and 4 European burst tones standard; Programmable shift width and direction; Internal speaker, SMA antenna port; Mic/earphone/DC jacks; Cable cloning; Battery saver; Auto Power off. Dim: 2.3" w x 3.8" h x 0.57" d; 3.6 oz **\$169.99**

Available Accessories

EDP58N Lithium-ion battery, EDH32 Cigarette lighter cable, ED57 Microphone adapter, EME18 Earphone, EME24 Earphone/microphone, EME25 Curl cord earphone, EMS60 Speaker/microphone, ERW4 PC cable, ESC38 Soft case

ICOM® SINGLE BAND HTS

IC-T2H SPORT 2M Handheld 6W @ 9.6 VDC; 136-174 MHz RX; 43 memories; CTCSS encode & decode standard, with pocket beep & tone scan; 8 programmable keys; 5 DTMF memories, with 32-digit codes & redial; 10 weather channels; Direct keypad frequency entry; Backlit LCD; Auto repeater and "intuitive" help functions; 2-step power save; Monitor and lock functions; Die-cast aluminum chassis and polycarbonate casing; MIL SPEC C/DE rating; Includes battery holder. Dim: 2.3" w x 5.5" h x 1.3" d; 14.8 oz **\$99.99**

Note: with the IC-T2H SPORT and a PC you can download up to 40, stored, pre-programmed frequencies, such as in a repeater directory, from your PC directly into the SPORT. PC-to-SPORT and SPORT-to-SPORT cloning requires optional software and cables.

Available Accessories

AD81 Adapter for BC11911, BC110A Wall charger, BC119N01 Desk charger, BC122A AC adapter for BC133, BC133 Drop-in trickle charger, BP194 "AA" alkaline battery case, BP195 9.6V 700mAh battery, BP196 9.6V 1050mAh battery, CP12L Right angle cigarette cable with filter, CP17L Right angle cigarette cable for charger, CST2 DOS programming software, CSWH4 Windows software with cable, HM128 Earphone + mic, HM131 Speaker/mic/earphone jack/clip, HM46 Slim-line speaker mic, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS51 Headset/VOX, HS94 Earpiece headset/use with VS1L, LCF35WIVEL Leather case with swivel, LC145 Carrying case, MB68 Extra standard belt clip, MB74N Spring loaded belt clip, MB87 Swivel belt clip, NCP1 nylon chest pack, OPC254L Right angle mini DC cable, OPC474 Radio-to-radio clone cable, OPC478 PC RS232C cable, SP13 Earphone, VS1 VOX-PTT unit for HS94

*Price after
ICOM Rebate
(USA Only)

IC-V82 2M High Power Digital Capable Handheld - 7W output @ 7.2V DC; 6.0 - 10.3V DC input; 136-174 MHz RX; Optional UT-118 unit provides D-STAR format digital voice and slow data comm. (20-character short data message, digital code squelch, EMR comm., digital pocket beep, Stand-by beep); Built in CTCSS/DTCS; Auto low power/power saver (30mA drain); 200 memories (10 memory banks); VHF/UHF air band receive; Auto repeater function; Backlit display; PC cloning capability; NOAA weather channel RX (IC-V82 USA ver. only); 16 DTMF dial memory. Die cast aluminum frame and heat sink; 7.2V battery included. Dim: 2.1" w x 5.5" h x 1.4" d; 13.8 oz **\$159.99***

IC-U82 - Same as IC-V82, but TX: 420-450 MHz, RX: 400-479 MHz; 5W **\$159.99***

Available Accessories


BC144N Rapid desk charger, BP208N Battery case, BP209N 7.2V 1100mAh 5.5W battery, BP210N 7.2V 1650mAh 5.5W battery, BP211N 7.4V 1800mAh lithium battery, BP222N 7.2V 600mAh 5.5W battery, CSV82 cloning software, HM128L Rectangle plug earphone + mic, HM158L Rectangle speaker/mic/ear-jack/clip, HM75A Remote control mic, HS85 Headset w/VOX, HS94 Earhook headset w/bottom mic, MB103 Spring belt clip, MB86 Swivel belt clip, OPC474 Cloning cable, OPC478 PC RS232C cable, OPC478U PC USB cable, SP13 earphone, UT108 DTMF decoder unit, UT118 Digital unit (digital voice and data capability at 4.8kbps - voice and data), VS1L PTT/VOX unit

ORDER ON-LINE!

Secure™

www.aesham.com

USE YOUR CREDIT CARD



We accept I.M.P.A.C.® Government Credit Cards



IC-7800

The Ultimate HF

200 Watt Output, Full Duty Cycle | Four 32 Bit IF-DSPs + 24 Bit AD/DA Converters | 2 Independent Receivers | +40 dBm 3rd Order Intercept Point | Selectable, "Build Your Own" IF Filter Shapes



IC-756PROIII

Heard it. Worked it. Logged it.

100 Watt Output, Full Duty Cycle | 32 Bit IF-DSP + 24 Bit AD/DA Converter | +30 dBm 3rd Order Intercept Point | Low-distortion BPF Switching | Selectable, "Build Your Own" IF Filter Shapes



IC-746PRO

HF Hot Rod

100 Watt Output, Full Duty Cycle | 32 Bit IF-DSP + 24 Bit AD/DA Converter | All Mode, including RTTY | Enhanced Receiver Performance | Selectable, "Build Your Own" IF Filter Shapes



IC-718

The "Get into HF" Rig

100 Watt Output, Full Duty Cycle | One-touch Band Switching | RF Gain Control | Built-in CW Keyer | Built-in VOX | DSP Included



IC-910H

Satellite Rig

100 Watt VHF/75 Watt UHF Variable Output | AM, FM, SSB, CW, & Satellite | Work Two Bands at Once | Main & Sub Band Functions for IF Shift, Sweep, NB, & RF Attenuator



IC-7000*

New HF to 70CM Multibander

100 Watt HF+6M, 50 Watt 2M, 35 Watt 70CM | DSP² - Dual DSP Processors | Digital IF Filters | Twin Pass Band Tuning | Multiple AGC Loops | MNF² - Dual Manual Notch Filters



IC-706MKIIG

Proven Multiband Performance

100 Watt HF** + 6M, 50 Watt 2M, 20 Watt 70CM | All Mode, Full Duty Cycle | 99 Alphanumeric Memories | CTCSS Encode/Decode with Tone Scan | Built-in DSP

For the love of Shack, Car, or Field...



IC-2200H DIGITAL

Digital or Analog 2M Mobile

65W Output | 207 Alphanumeric Memories | Optional Digital Voice & Data | Optional Calsign Squelch | CTCSS & DTCS Encode/Decode w/Tone Scan | Weather Alert



ID-800 DIGITAL

2M/70CM Digital Mobile

55 Watt VHF/50 Watt UHF Output | Wide RX: 118-173, 230-549, 810-999 MHz (Cellular Blocked) | Analog/Digital Voice & Data | Calsign Squelch | CTCSS & DTCS Encode/Decode w/Tone Scan



ID-1 DIGITAL

Advanced 1.2 GHz Digital Mobile

10 Watt Output | High Speed Digital Data, Digital Voice, Analog Voice (FM) | Wireless Internet/Network Access Capable | PC Control via USB port | Digital Calsign & Digital Code Squelch

*The IC-7000 has been approved by the FCC. It may not be sold or leased, or offered for sale or lease, until approval by the FCC has been obtained.

**Except 60M Band ©2005 Icom America Inc. The Icom logo is a registered trademark of Icom Inc. All other trademarks remain the property of their respective owners. All specifications are subject to change without notice or obligation. 7804

IC-703 PLUS

QRP + Performance HF/6M

5 Watt @ 9.6 V DC or 10 Watt @ 13.8 V DC | Power Steps 10/5/1/0.1 Watts | 105 Memory Channels | Internal Antenna Tuner | Built-in DSP & Memory Keyer



IC-V8000

Commercial Grade 2M Mobile

75 Watt Output | Icom's DMS Scanning | CTCSS Encode/Decode with Tone Scan | Weather Channel Scan with Alert | 200 Alphanumeric Memory Channels



ham radio.

...Icom has you covered!

IC-208H

Compact 2m/70CM Mobile

55 Watt VHF/50 Watt UHF | Wide RX: 118-173, 230-549, 810-999 MHz (Cellular Blocked) | Wide/Narrow Band Switchable | 512 Alphanumeric Memory Channels | Selectable Display Color



IC-2720H

Advanced 2M/70CM Mobile

50 Watt VHF/35 Watt UHF | Wide RX: 118-595, 810-999 MHz (Cellular Blocked) | 212 Memory Channels | VV/UU/VU Operation | Selectable Display Color

Compact 6M/2M/70CM IC-T90A

5 Watt Output | Wide Band RX .495 - 999.99MHz (Cellular blocked) | 500 Alphanumeric Memories | 1300 mAh Li-Ion Battery | CTCSS & DTCSS Encode/Decode w/Tone Scan



DIGITAL



Analog/Digital 2M IC-V82

7 Watt Output | 100 Alphanumeric Memories | CTCSS & DTCSS Encode/Decode with Tone Scan | Optional Digital Voice & Data | Optional Call Sign Squelch | Also Available in a Sport Version

DIGITAL



Analog/Digital 70CM IC-U82

5 Watt Output | 100 Alphanumeric Memories | CTCSS & DTCSS Encode/Decode with Tone Scan | Optional Digital Voice & Data | Optional Call Sign Squelch | Also Available in a Sport Version



Easy to use 2M/70CM IC-T7H

5 - 6 Watts Depending on Battery Pack | RX: 118-174, 400-470MHz | 70 Alphanumeric Memory Channels | CTCSS Encode/Decode with Tone Scan | Mil Spec (Military Rugged)



Commercial Grade 2M IC-V8

5.5 Watt Output | CTCSS & DTCSS Encode/Decode w/Tone Scan | 107 Alphanumeric Memories | Fast Scanning - 40 Channels/Second | Desktop Trickle Charger



Economical 2M IC-T2H SPORT

6 Watt Output | CTCSS Encode/Decode w/Tone Scan | 40 Memory Channels | Alkaline Power | Auto Repeater Function | Mil Spec (Military Rugged)



True Dual Band 2M/70CM IC-W32A

5 Watt Output | Simultaneous Receive | 200 Alphanumeric Memory Channels | Independent Band Controls | DTMF Auto Dialer w/Memory | Auto Repeater Function | Mil Spec (Military Rugged)

Visit your favorite AES location today!

AMATEUR

AVIONIC

LAND MOBILE

MARINE

RECEIVERS

WWW.ICOMAMERICA.COM

ICOM®

GO DIGI

DIGITAL



Thinking about getting into Digital? Icom leads the industry in bringing Digital technology to amateur radio. Single-sideband, repeaters, packet radio, and microprocessor technology all took radio to new levels. Now D-STAR's protocols are opening up new possibilities for casual users, system builders, group leaders, and good, old ham radio experimentation. Just as high-speed digital networks led to brand-new ways to communicate, D-STAR brings digital systems to the amateur bands to create entirely new radio systems and services.



1.2 GHz

ID-1

Advanced 1.2GHz Mobile
10W Output Power
Wireless Internet/Network Access Capable
High Speed Digital Data, Digitally Modulated Voice,
& Analog Voice (FM) Communication

2M/70CM



ID-800

2M/70CM Low Speed Digital Dual Mode Mobile
55W VHF/50W UHF Output Power
Callsign Squelch
Digital Data, Digitally Modulated Voice,
& Analog Voice (FM) Communication



D-STAR

2M





IC-V82

2M Analog/Low Speed Digital Handheld
7W Output Power
Optional D-STAR Format Digital Operation
& NMEA Compatible GPS Interface
CTCSS & DTCSS Encode/Decode with Tone Scan
Also Available in a "Sport" Version



The D-STAR system supports two types of digital data streams. The Digital Voice (DV) stream used on 2M and 70CM contains both digitized voice (3600 bps including error correction) and digital data (1200 bps). Using a DV radio is like having both a packet link and FM voice operating simultaneously. The Digital Data (DD) stream, used only on 1.2 GHz, is entirely data with a bit rate of 128k bps.



2M

IC-2200H

2M Analog/Low Speed Digital Mobile
65W Output Power
Optional D-STAR Format Digital Operation
& NMEA Compatible GPS Interface
Weather Alert

D-STAR

70CM



IC-U82

70CM Analog/Low Speed Digital Handheld
5W Output Power
Optional D-STAR Format Digital Operation
& NMEA Compatible GPS Interface
CTCSS & DTCSS Encode/Decode with Tone Scan
Also Available in a "Sport" Version



NOW AVAILABLE AT YOUR FAVORITE AES LOCATION!



ICOM SINGLE BAND HT

IC-V8 2M FM HT - None easier to use! Covers 144-148 MHz; 5.5W output; 100 easy to recall alphanumeric memories; Scans 40 channels per second; Personalized scanning ranges; Up/Down and Rotary controls; CTCSS/DTCS encode/decode; Tone scan; PC programmable to set-up parameters; Acoustical design for best audio; Full-sized input keypad; Durable polycarbonate front panel and aluminum die-cast chassis built to MIL specs. Includes a drop-in trickle charger.

Dim: 2.13" w x 5.2" h x 1.4" d; 12.3 oz **\$119.99***

Available Accessories

AD101 Battery adapter for BP211 and BC119N01, AD9411 Adapter cup for BC119N01, BC119N01 Desk charger, BC144N Rapid Desk Charger, BP208N Battery case, BP209N 7.2V 1100mAh 5.5W battery, BP210N 7.2V 1650mAh 5.5W battery, BP211N 7.4V 1800mAh Li-Ion battery, BP222N 7.2V 600mAh 5.5W battery, CP12L Right angle cigarette cable for charger, CSV8 Cloning software, HM128L Earphone + mic, HM158L Rectangle speaker/mic/earphone jack/clip, HM46L Slim-line speaker mic with right angle plug, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS51 Headset/VOX, HS94 Earpiece headset, LCF3GSWIVEL Leather case with swivel, MB103 Spring loaded belt clip for N-Series battery, MB68 Extra standard belt clip, MB74N Spring loaded belt clip, MB86 Swivel belt clip, OPC474 Radio-to-radio clone cable, OPC478 PC RS232C cable, OPC478U PC USB cable, OPC515L Right angle DC cable for charger, SP13 Earphone, UT108 DTMF decode unit, VS1L Right angle VOX-PTT unit for HS94



IC-W32A 2M/440 MHz Dual Band HT - TX: 144-148 & 440-450 MHz; RX: 118-174 & 400-470 MHz; 5W output @ 13.5V DC; 200 memories; 8-character alphanumeric memory identification; Keypad entry; Backlit display and keypad; HT-to-HT cloning capability or PC programming (optional accessories required); Independent tuning and volume and band controls; VHF/UHF exchange function allows assignment of VHF/UHF band controls to either knob; Meets MIL SPEC C/D/E for shock and vibration. Dim: 2.25" w x 5.5" h x 1.4" d; 16 oz **\$279.99***

Available Accessories

AD51 Battery pack adapter/rapid charger, BC110A wall charger, BC119N11 NiCad/NiMH desk charger, BP170 Battery case, BP172 4.8V 950mAh battery, BP173 9.6V 600mAh battery, BP180 7.2V 600mAh battery, CP12 Cigarette cable with filter, CP12L Right angle cigarette cable with filter, CSWHH4 Windows software with cable, CSW32 DOS programming software, FA1443B 2M/440 duck, HM128 Earphone + mic, HM131 Speaker/mic/earphone jack/clip, HM46 Slim-line speaker mic, HM54 Heavy-duty speaker mic, HM75A Remote control mic, HS85 Headset with VOX, HS94 Earpiece headset, LC128 Carrying case, NCPI Nylon chest pack, OPC254L Right angle mini DC power cable, OPC474 Radio-to-radio clone cable, OPC478 PC RS232C cable, SP13 Earphone, VS1 VOX-PTT unit for HS94

* Price after
ICOM Rebate
(USA Only)



IC-T90A 6M/2M/70cm FM Handheld - Palm-sized, simple to operate. Designed with a die-cast aluminum chassis. MOSFET technology, along with a 7.4V Lithium-ion battery, produces a full 5W output. Wideband RX 495 kHz to 999.990 MHz (cell blocked), in AM, FM or WFM modes. Pre-programmed with TV frequencies. Unique WX Alert feature constantly checks local active weather station for alert tone. If alert occurs, the HT automatically switches to the WX channel and beeps. Scanning management with 555 alphanumeric memories (500 regular, 50 scan edges, and 5 call channels), Dynamic Memory Scan (choose any of 500 memories to scan), and with soft partitioning, setting up a maximum of 18 banks. Over-sized buttons for easy operation. Optional PC software for memory, alphanumeric, scan list and parameter customizing.

Dim: 2.28" w x 3.44" h x 1.16" d; 8.47 oz **\$249.99***

Available Accessories

AD925MA SMA - BNC adapter, BC139 Desk rapid charger, BP216 Battery case, BP217 7.4V 1300mAh lithium-ion, CP19R Cigarette cable with filter, CST90A Windows cloning software, HM128 Earphone + mic, HM131 Speaker/mic/earphone jack/clip, HM46 Slim-line speaker mic, HM75A Remote control mic, HS85 Headset with VOX, HS94 Earpiece headset, LC152A Carry case, MB83 Swivel belt clip, OPC474 Radio-to-radio clone cable, OPC478 PC RS232C cable, OPC478U PC USB cable, SP13 Earphone, VS1 VOX-PTT unit for HS94

KENWOOD

SINGLE BAND HANDHELD



TH-K2AT 2M FM HT - 5W RF output; 100 memories with 6-character names; Large LCD panel and backlit keys; Internal VOX; Weather alert and receive (US only); Automatic simplex checker; Auto repeater offset; Multiple scanning functions; Priority scan; Built-in 42-tone CTCSS and 104-code DCS; DTMF encode; Memory channel transfer; Time-out timer; Auto power off; Meets MIL-STD-810 standards for resistance to rain, vibration, shock and humidity; PC programming; 4 in. high-gain antenna; Charges 3x faster than previous models with its high-capacity NiMH battery. **\$149.99**

Available Accessories

BT14 Six "AA" battery holder, EMC3 Lapel clip mic/earphone PC, HMC3 VOX/boom mic headset, KHS21 Boom mic headset, KSC24 Rapid charger, PB43N 7.2V 1100mAh NiMH battery, PG2W DC cable, PG3J Cigarette cord with filter, PG4Y 9 pin programming cable, SC54 Soft case, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys, WR2 Water resistant bag

DUAL BAND HANDHELDS

TH-D7A(G) 2M/440 MHz

Dual Band Data Communicator - Equipped with a built-in TNC for simple packet operation or with a GPS as a APRS station that reports position, speed and heading as well as calculation of distance to destination. Use for APRS messaging to send up to 45 characters without a PC Power: 5.5W output @ 13.6V DC; Coverage: (2M) TX: 144-148 MHz, RX: 118-174 MHz, (440 MHz) TX: 430-450 MHz, RX: 400-480 MHz. 200 memories; Station list stores data in up to 40 memory channels; 1200 & 9600 baud TNC; Grid square locator display; Dual receive on same band for voice and data (VHF only); PC programmable for frequency



and name (PG-4W required); 16 backlit keys; CTCSS encode/decode; MIL-SPEC 810C/D/E water resistant; 10 channel DTMF phone and auto patch memories; TM-V7A and TM-742D DTMF remote; Altitude; Time; 3-position memory; Audible emergency signal; Auto message response; Data band settings; Dim: 4.7" h x 2.3" w x 1.5" d; 12 oz. **\$329.99**

Available Accessories

BC19 Rapid charger, BT11 Four "AA" battery holder, EMC3 Lapel clip mic/earphone PC, HMC3 VOX/boom mic headset, J29063113 Belt clip, PB39 9.6V 600mAh 5W battery, PG2W DC cable, PG3J Cigarette cord with filter, PG4W PC software and cable, SC47B Black soft case, SC47OR Orange soft case, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys, WR2 Water resistant bag



MULTI BAND HTS

IC-T7H 2M/440 MHz Dual Band HT - 5W with standard 9.6V/650mAh battery or up to 6W @ 13.5VDC (optional DC power cable required); TX: 144-148 MHz & 440-450 MHz; RX: 118-174 MHz & 400-470 MHz; One-touch band switching; Priority watch; 70 memories with 9 DTMF for auto dialing; CTCSS tone encode & decode; 50 independently programmable tone frequencies; Auto power save; Auto repeater function; Auto Off; Thumb-touch lock; Internal guide; Backlit LCD; Wall charger; PC Programmable.

Dim: 2.3" w x 4.8" h x 1.1" d; 14.3 oz. **\$189.99***

Available Accessories

AD56 Battery pack adapter/rapid charger, BC110A wall charger, BC119N11 NiCad/NiMH desk charger, BP170 Battery case, BP172 4.8V 950mAh battery, BP173 9.6V 600mAh battery, BP180 7.2V 600mAh battery, CP12 Cigarette cable with filter, CP12L Right angle cigarette cable with filter, CSWHH4 Windows software with cable, HM128 Earphone + mic, HM131 Speaker/mic/earphone jack/clip, HM46 Slim-line speaker mic, HM54 Heavy-duty spkr mic, HM75A Remote control mic, HS85 Headset with VOX, HS94 Earpiece headset, LC137 Case for T7H with BP173/180, NCPI Nylon chest pack, OPC254 Mini DC power cable, OPC254L Right angle mini DC power cable, OPC474 radio clone cable, OPC478 PC RS232C cable, SP13 Earphone, VS1 VOX-PTT unit for HS94

**SAME DAY SHIPPING
ON MOST ITEMS!**

TH-G71A Dual Band FM HT

Its ergonomic design, illuminated and back lit display all combine to make operation a breeze. The easy to use menu system gives full control over all operating settings. Output: 5W (VHF), 5W (UHF) @ 13.8V DC. Coverage: (2M) 144-148 MHz TX/RX, 118-174 MHz extended RX including the AM Aircraft band, (440 MHz) 430-450 MHz TX and 400-470 MHz RX. 200 multi-function memory channels; Memory name function; Multiple scanning modes; CTCSS tone scan; 10 channel DTMF memory; DTMF remote control; Function key lock; Auto battery saver circuit; Time-out timer; Auto power-off; PC ready; High performance antenna; MIL-STD 810E rating. Dim: 2.3" w x 4.4" h x 1.3" d; 11.6 oz. **\$209.99**

Available Accessories

BC19 Rapid charger, BT11 Four "AA" battery holder, EMC3 Lapel clip mic/earphone PC, HMC3 VOX/boom mic headset, J29063113 Belt clip, PB39 9.6V 600mAh 5W battery, PG2W DC cable, PG3J Cigarette cord with filter, PG4Y 9 pin programming cable, SC45 Soft case for G71A with PB38/39, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys, WR2 Water resistant bag



SINGLE BAND HT

VX-150 2M Ultra-Rugged FM HT - Packed with leading edge features. Designed to perform under the most difficult conditions. Coverage: 144-148 MHz TX, 140-174 MHz RX. 209 memories; 5W output with standard battery; Three power output levels; Wide/Narrow deviation selection; Keypad input with 16 multi-function keys and two user-definable function keys; Priority monitoring; Dual watch; Smart-Search™ automatic memory loading; Alpha-numeric recall; Memory bank and preferential memory scanning; VFO search; Illuminated keypad &

OmniGlow™ display; Auto repeater shift; ARTS™ function; 1750 Hz tone calling; Programmable menu; Die-cast aluminum case; High output speaker; Battery saver; Auto power off; MIL-STD 810D/E. Dim: 4.2" h x 2.3" w x 1.1" d; 11.5 oz. **\$129.99**

Available Accessories

ADMS1F Programming software, CN3 BNC-SMA adapter, CT27 Cloning cable, CT44 2-pin speaker mic adapter, CT53 Packet cable, EDC5B DC adapter/filter, EDC6 DC adapter; plug/wire only, FBA25 6 "AA" cell battery case, FNBV57 7.2V 1100mAh battery, FNB64 7.2V 700mAh battery, LCC150/TT Leather case, LCC150S/TT Leather case/swivel, MH34B4B Speaker mic, MH37A4B Earpiece and mic, NC72B Extra wall charger, VAC400B One-hour rapid charger, VC25 VOX headset



VX-170 2 meter FM handheld - A rugged, compact, high-performance FM HT delivering up to 5 watts of RF power. Similar to the VX-150, but has a larger display, double the battery capacity and significantly higher audio output. Receive coverage is from 136 to 174 MHz and over 1000 memory channels. A 16 key backlit keypad for direct frequency entry and 4 column DTMF Paging. CTCSS and DCS encode/decode and a Code Squelch (EPCS) that allows paging a particular station and only receive calls from that station if desired. Security passwording feature

protects against unauthorized use. One-touch access to the Yaesu WIRES-II™ VOIP Internet Linking System. Extensive menu system allows tailoring the radio to your personal preferences. Dim: 2.4" w x 4.7" h x 1.3" d; 13.8 oz. **\$149.99**

Available Accessories

CD26 Charger cradle, CMP460A Waterproof speaker/mic, CN3 BNC-SMA adapter, CT91 Microphone adapter, EDC5B DC adapter/filter, EDC6 DC adapter; plug/wire only, FBA25 6 "AA" cell battery case, FNB83 7.2V 1400mAh MIMH battery, MH57A4B Speaker mic, VAC370 Rapid charger, VC24 VOX headset, VC27 Earpiece/mic

DUAL BAND HANDHELDS

FT-60R 144/440 MHz FM Dualband HT - Wide RX coverage. Augmenting the transceiver on 144/430 MHz, there is RX coverage of VHF/ UHF TV, VHF AM aircraft, and more: 108-137, 137-520 and 700-999 MHz (cell blkd). Auto ID (EAI) feature, for search-and-rescue operations. Emergency NOAA weather access and alert with alert scan. Power: 5/2/0.5W; 1000+ memories; CTCSS/DCS encode/decode, with split tone and DCS; 9 DTMF auto-dialer memories; Two front panel programmable keys; WIRES™ access key; Programmable level RF squelch; Mono-band and memory-only modes; TX time-out timer and auto power-off; Auto repeater shift; Auto-Range Transponder System (ARTS™); NiMH long-life battery and charger. Rugged die-cast case, water-resistant. Dim: 2.3" w x 4.3" h x 1.2" d; 13 oz. .. **\$199.99**



Available Accessories

ADMS1J Windows software, CN3 BNC-SMA adapter, CT27 Cloning cable/CT27A, CT44 2-pin speaker/mic adapter, EDC5B DC adapter/filter, EDC6 DC adapter; plug/wire only, FBA25 6 AA cell battery case, FNB83 7.2V 1400mAh NiMH battery, MH34B4B Speaker mic, MH37A4B Earpiece and mic, VAC370 Rapid charger, VC25 VOX headset



VX-2R Ultra-compact 144/440 MHz FM HT - Powered by a slim-line 1 amp-hour Li-Ion battery pack, yielding 1.5W output on 2M, 1W on 70cm. With external DC power applied (optional), power increases to 3/2W (2M/70cm). The 2R includes wide RX coverage from 500 kHz to 999 MHz (cell blkd) in AM and FM modes. Over 1300 memories; CTCSS/DCS with "split tone" capability; WIRES™ internet

key; DTMF auto-dialer. Dual-channel; Priority operation; RF squelch; Channel counter searches for frequency of strong nearby station; Automatic Repeater Shift; ARTS™; Busy channel lock-out; DC voltmeter; Wide/Narrow deviation.

Dim: 1.89" w x 3.19" h x 0.91" d; 4.7 oz. **Call/Web**

Available Accessories

ADMS1H Programming software, CN3 BNC-SMA adapter, CSC90 Soft case, CT27 Cloning cable, CT44 2-pin speaker mic adapter, EDC21 DC adapter, FNB82LI 3.7V 1000mAh lithium-ion battery, MH34B4B Speaker mic, MH37A4B Earpiece and microphone, VC25 VOX headset



VX-6R 144/440 MHz Dualband Submersible HT - 5W power on 144/400 MHz and 1.5W on 220 Mhz EAI for rescue operations; Wide frequency coverage: 504 kHz - 998.9 MHz (cell blkd); 900 memory channels; High-capacity Li-Ion battery pack; One-touch Direct Memory Recall (DMR) access to most important memory channels; Internal temp. sensor. Dim: 2.3" w x 3.5" h x 1.1" d; 9.5 oz. **\$255.99**

Available Accessories

CD15A Charger stand for NC72B, CMP460A Waterproof speaker/mic, CN3 BNC-SMA adapter, CSC91 Soft case, CT91 Mic adapter, EDC5B DC adapter/filter, EDC6 DC adapter; plug/wire only, FBA23 2 AA cell battery case, FNB80LI 7.4V 1300mAh lithium-ion, MH57A4B Speaker/mic, NC72B Extra wall charger, SU1 Altitude/barometric pressure sensor, VC24 VOX headset, VC27 Earpiece/mic

TRIBAND HANDHELD

TH-F6A FM Triband HT Covers 144, 220 and 440 MHz plus wideband receive 0.1-1300 MHz (cellular blocked), includes AM Aircraft receive and weather. Dual channel receive capability; FM/FM-W/FM-N/AM plus SSB/CW modes; Ferrite bar antenna for receiving AM broadcast; 435 memories (8 groups of 50 channels); 3 call channels plus 20 for programmable scan; Multiple scanning functions; 5W output with 7.4V 1550 mAh lithium-ion battery; Extended operation; 16-key backlit pad plus multi-scroll key; Built-in charging circuitry, battery recharges while unit operates from a DC supply; CTCSS encode/decode/DCS; Large 8-character alphanumeric display; Wireless remote control; Battery indicator; Internal VOX; MCP programming software via web (using PG-4Y cable); Meets MIL-STD 810 C/D/E for resistance to vibration, shock and light rain. Dim: 3.438" h x 2.3" w x 1.2" d; 8.8 oz (with battery) **\$329.99**



Available Accessories

BA13 AA battery case, EMC3 Lapel clip mic/earphone PC, HMC3 VOX/boom mic headset, KHS21 Boom mic headset, PB42L 7.4V 1550mAh lith-ion battery, PG2W DC cable, PG3J Cigarette cord with filter, PG4Y 9 pin programming cable, SC51 Softcase with swivel belt clip, SMC32 Mini right angle speaker mic, SMC33 Speaker mic with remote control, SMC34 Speaker mic with volume function keys, WR2 Water resistant bag

Tougher than Tough!



YAESU's rugged new VX-120/170 Series of 2-meter Hand-holds aren't just built tough. They're submersible, have a huge, easy-to-read LCD, and they provide big, bold audio (almost 3/4 of a Watt) from the huge internal speaker!



The VX-120/VX-170 are compact, high-performance FM hand-holds providing up to five Watts of RF power, along with big audio output (700 mW) and unmatched protection against the elements! Protected against water ingress to IPX7 specifications (submersion for up to 30 minutes at a depth of 3 feet), the VX-120/170 feature long operating times, thanks to the supplied 1400 mAh NiMH Battery Pack. The 8-key VX-120 provides the utmost in operation simplicity, while the 16-key VX-170 includes direct keyboard frequency entry and direct DTMF input. And both models provide quick, one-touch access to YAESU's exciting and fun WIRES-II™ VoIP Internet Linking system!

5 W Submersible Full Featured 2 m Hand-Holds

VX-120/VX-170

(8 key Version / 16 key Version)

- Ultra-rugged 5 W 2 m Hand-holds
- Expanded RX Coverage: 137-174 MHz
- Long-life 1400 mAh NiMH Battery Pack supplied
- Enhanced Paging and Code Squelch
- User Password protects against unauthorized use
- Dedicated Weather Band Channels with Severe Weather Alert Scan
- 200 Memories with Labeling and 10 Memory Groups
- Smart Search™ Automatic Memory Loading



HANDHELD TRANSCEIVERS

5 W Ultra-Rugged,
Submersible 6 m/2 m/70 cm
Tri-Band FM Handhelds

VX-7R/VX-7RB



5 W Heavy Duty
Submersible 2 m/70 cm
Dual Band FM Handheld

VX-6R



5 W Heavy Duty
2 m/70 cm
Dual Band FM Handheld

FT-60R



1.5/1 W Ultra Compact
2 m/70 cm
Dual Band FM Handheld

VX-2R



Ultra-Rugged
5 W Full Featured
2 m FM Handhelds

VX-150/VX-110




For the latest Yaesu news, visit us on the Internet:
<http://www.vxstdusa.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

YAESU
Choice of the World's top DXers™
Vertex Standard
US Headquarters
10900 Walker Street
Cypress, CA 90630 (714)827-7600

Conquer the Elements!

Ideal for the most demanding field use, the exciting new YAESU VX-6R features wide receiver frequency coverage, JIS7 submersibility weatherproofing, the Emergency Automatic Identification (EAI) system for rescue operations, and ultra-simple keypad access to the features you need now!



Actual Size

- Compact size, utilizing a rugged case with weatherproofing O-rings, rated to JIS7 submersion specifications (immersion to 3 feet for up to 30 minutes).
- High-capacity (1400 mAh) FNB-80LI Lithium-Ion Battery Pack provides a typical 5-Watt operating time of 7 hours.*
- * (144 MHz, duty cycle of 6 minutes TX, 6 minutes RX, 48 minutes standby)
- One-touch Direct Memory Recall (DMR) access to most important memory channels (similar to channel access on a car stereo).
- Large concentric control knobs for easy adjustments while wearing gloves.
- Wide frequency coverage: 504 kHz – 998.99 MHz (cellular blocked and non-restorable).
- 900 Memory Channels with alpha-numeric labels, assignable into 24 Memory Banks.
- Internal temperature sensor built in, with barometric pressure display via optional SU-1 module.
- External DC operation capability while charging battery pack.

* Transmission not possible when just using charger connections.

144/430 MHz* Dual-Band
Submersible FM Transceiver

VX-6R

*222 MHz band @ 1.5 W included

Submersible and Rugged

Magnesium rugged, feature packed top of the line



VX-7R/Rb

5 W

Field-ready, compact, and easy to use



VX-6R

EAI
5 W

Ultra-Rugged

Rugged Dual-Band HT with EAI



FT-60R

EAI
5 W

Ultra Compact

Tiny yet tough, and feature-packed



VX-2R

1.5 W

EAI Emergency Automatic ID

For the latest Yaesu news, visit us on the Internet:
<http://www.vxdusa.com>


Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

YAESU
Choice of the World's top DX'ers™

Vertex Standard
US Headquarters
10900 Walker Street
Cypress, CA 90630 (714)827-7600

YAESU

TRI-BAND HANDHELDS



VX-5RS Tri-Band HT – The miniature FM transceiver with extensive frequency coverage of 2M, 6M, 440 MHz, plus AM/FM broadcast, HF short-wave up to 16 MHz and the VHF AM aircraft band. Super-thin profile and durable lightweight design. Coverage: 50–54, 144–148 and 430–450 MHz TX/RX, 0.5–15.995, 48–728.990 and 800–998.990 MHz wideband RX (cell blocked). Power: 5W (4.5W

440 MHz) with standard lithium-ion battery. 220 memories plus home channels; 10 auto-scan weather channels; CTCSS encode/decode/DCS; Back-light keypad; ARTS™; 8-character, alphanumeric; Time-out timer; Dual watch; Dot matrix LCD; Smart search spectrum analyzer; Temperature display; Barometric pressure sensor option; Automatic power-off; PC programmable; 16-digit, 9-memory DTMF autodialer; Busy channel lock out; Aluminum die-cast case; MIL-STD 810. Dim: 3.4" h x 2.3" w x 1.1" d; 8.9 oz (Silver Case)... **C/O \$199.99**

Available Accessories

ADMS1E Windows software, CD15A Charger stand for NC72B, CN3 BNC-SMA adapter, CSC73 Soft case, CT27 Cloning cable, CT44 2-pin speaker mic adapter, CT53 Packet cable, EDC5B DC adapter/filter, EDC6 DC adapter/plug/wire only, FBA23 2 AA cell battery case, FNB80L1 7.4V 1300mAh lithium-ion, MH34B4B Speaker mic, MH37A4B Earpiece and mic, NC72B Extra wall charger, Q3000166 Replacement Duck, SU1 Altitude/barometric pressure sensor, VC25 VOX headset



VX-7R Ultra-Rugged, Submersible Magnesium FM

Tri-band HT with a full 5W output on 50, 144 and 440 MHz FM, the 7R also offers bonus coverage on 222 MHz FM band at 300mW. The rugged design allows the unit to be submersible at 3 ft. for 1/2 hour, and it sports rubber bumpers, all for JIS-7 specification protection. 500 kHz to 999 MHz continuous receive (cellular blocked); Four simultaneous dual receive modes; Over 900 memories including 40 memory scan band limit, 10 home channels and 10 weather; Built-in CTCSS/DCS enc/dec; "Split Tone" capability; Auto-Range Transponding System; Easy-to-read display with graphical and pictorial tools – user-changeable icons and fonts; Full-color strobe LED; Spectrum scope display; 24-hour clock; On/Off timers; Internet key for instant access to WIRES™ internet-linking; "Quick-Draw" swivel-mount belt clip; 7.4V 130mAh lithium-ion battery; Black or silver.

Dim: 2.4" w x 3.5" h x 1.1" d; 9.2 oz.

VX-7RB Same as VX-7R but with a black case

Call/Web

Available Accessories

ADMS1G Programming software, CD15A Rapid charger for NC72B, CMP460A Waterproof speaker/mic, CN3 BNC-SMA adapter, CSC88 Soft case, CT91 Microphone adapter, EDC5B DC adapter/filter, EDC6 DC adapter/plug/wire only, FBA23 2 AA cell battery case, FNB80L1 7.4V 1300mAh lithium-ion, MH57A4B Speaker/mic, NC72B Wall charger, Q3000185 Replacement duck, SU1 Altitude/barometric pressure sensor, VC27 Earpiece/mic

ALINCO

AMATEUR RADIO'S VALUE LEADER™

HF RADIO



HF-77T HF Transceiver – Covers 160–10M with 500 kHz–30 MHz receive in SSB/CW/AM/FM modes. 100W (AM 40W); High/low power settings; 100 multi-function memories; Two VFOs; Direct digital synthesis; Easy split operation mode; Multi-function control; CW narrow filters; Noise blanker; 6–50 WPM electric keyer; Full, semi or auto break-in CW; All mode squelch; Quick offset; Two scan modes; RTT; Selectable AGC; RF gain control (RX); Dial lock; Auto antenna tuner interface; MARS/CAP capability. Dim: 3.6" h x 9.5" w x 9" d; 8.3 lbs..... **\$699.99**

Available Accessories

DM330MVT 30 amp switching power supply with meter, ED55 5' mic extension cable, EDX2 160–10M auto wire tuner, EM514 Desk top microphone, PC25 DC cable

ICOM

DUAL BAND BASE STATION




IC-910H VHF/UHF All-Mode – With the optional 1200 MHz module installed, it becomes an SSB/CW/FM tri-band. Covers 144–148, 430–450 and 1240–1300 MHz (with option). Output: 5–100W (2M), 5–75W (440 MHz); Memories: 99 regular, 1 Call, 6 Scan edges (per band) and 10 Satellite; Large 3.5 in. multi-function LCD display, 10-key direct frequency entry keypad; Satellite mode support; Simultaneously works 2 bands in receive and full duplex; CW full support; Versatile scanning functions; Memory pad; 50 tone CTCSS encode; Speech compressor; One-touch and Auto repeater offset; IF shift; VOX; 13.8V DC @ 23A.

Dim: 9.5" w x 3.6" h x 9.4" d; 10 lbs..... **\$1299.99**

Available Accessories

AG2400 2.4 GHz mast mount down conv., AG25 2M mast mount preamp, AG35 430 mast mount preamp, CR293 High stability crystal unit, CT17 Level converter, FL132 500 Hz main receiver CW filter, FL133 500 Hz sub-band receiver CW filter, MB23 Carrying handle, MB5 Mobile mount, PS125 25A switching power supply, SM20 Stand mic for base stations, SP10 Slim-line external speaker, SP7 Small external speaker, UT102 Voice synth., UT106 DSP unit, UX910 10W 1.2 GHz module

USE YOUR CREDIT CARD



We accept I.M.P.A.C.® Government Credit Cards

ORDER ON-LINE!



IC-706 MK II-G Compact HF/VHF/UHF All Mode – Base station performance in a mobile sized radio. Covers 160–10M + 6M, 2M and 70cm; with broadband 0.03–200 MHz receive including AM/FM broadcast bands. 107 alphanumeric memories; Power: 100W (40W AM) on 160–6M, 50W (40W AM) on 2M, 20W (8W AM) on 70cm. RTTY; PSK31; Speech compressor; Detachable control panel; 2 filter slots; AF-DSP; Tone encode, tone scan and tone squelch; Cross band split; Noise blanker; IF shift; Preamp/attenuator; CW keyer and pitch control with reverse; Break-in; VOX; Bandscope; SWR graphic sweep; One-button duplex and automatic repeater offset; Requires 13.8V DC @ 20A. Dim: 6.6" w x 2.3" h x 7.9" d; 5.5 lbs..... **\$899.99***

Available Accessories

BET 706TUNECNT Better RF IC706 tune control, AH2B Whip with mount, AH2BWHIPONLY Extra whip only for AH2B, AH4 80–6M 120W auto wire antenna tuner, AT180 HF+6M auto coax antenna tuner, CR282 Stability crystal, CT17 Level converter, FL100 500 Hz 9 MHz IF CW filter, FL101 250 Hz 9 MHz IF CW filter, FL103 2.8 kHz 9 MHz IF SSB filter, FL223 1.9 kHz 9 MHz IF SSB filter, FL232 350 Hz 9 MHz IF CW/RTTY filter, HM118T1 TTP microphone, HM154T TTP microphone, LC156 Back pack carrying case, MB62 Mounting bracket for main unit, MB63 Mounting bracket for control panel, MB65 Mounting base platform, MB72 Carrying handle, OPC025D DC cord, OPC581 11.5' separation cable, OPC587 16' separation cable, OPC589 8-pin mic jack adapter cable, OPC598 23' extension cable for AT180, OPC599 7.8-pin-13-pin adapter, OPC742 13-pin cable, PS125 25A switching power supply, RMK706 Remote mounting kit, SM20 Stand mic for base station, SM6 Electret desk mic, SP10 Slim-line external speaker, SP7 Small external speaker, UT102 Voice synthesizer, W4R ANT-BOSSII W4RT Interface, W4R OBPUNIV Speech compressor

* Price after ICOM Rebate (USA Only)



IC-718 HF All Band Transceiver – Advanced features with simplified operation, perfect for beginners or backup rig. Covers 160–10M with the 0.03–30 MHz receive in SSB, CW, RTTY and AM modes. 100W (40W AM); 101 memories; Multiple scan functions; Front mounted speaker; IF shift; Mic compressor; RF gain control; Noise blanker; RF attenuator and preamp; Auto notch; Electronic keyer; VOX; Digital S/R/F meter; High frequency stability; Flexible filter selection; Hand microphone included; 13.8VDC @ 20A.


Dim: 9.4" w x 3.75" h x 9.4" d; 8.5 lb..... **\$549.99***

Available Accessories

BET 706TUNECNT Better RF tune control IC706/78, AH2B Whip with mount, AH2BWHIPONLY Extra whip only for AH2B, AH4 80–6M 120W auto wire antenna tuner, AT180 HF+6M auto coax antenna tuner, CR338 High stability crystal, CT17 Level converter, FL222 1.9 kHz 455 kHz IF SSB filter, FL257 3.3 kHz 455 kHz IF SSB filter, FL52A 500 Hz 455 kHz IF CW filter, FL53A 250 Hz 455 kHz IF CW filter, MB23 Carrying handle, MB5 Mobile mount, OPC025D DC cable, OPC598 23' extension cable (AT180), OPC599 7.8-pin-13-pin adapter, PS125 25A switching supply, SM20 Stand mic for base station, SM6 Electret desk mic, SP20 Speaker with audio filter, SP23 Speaker with audio filter, SP7 Small ext. spkr., UT102 Voice synthesizer, UT106 DSP unit

* Price after ICOM Rebate (USA Only)

ICOM



IC-756PRO III HF/50 MHz All Mode Transceiver – Retains many of the popular PROII features, including: 32 bit floating DSP with 24-bit AD/DA converter; 51 types of settable pass bandwidths; Soft and sharp filter shapes to suit operation or band condition; RTTY demodulator/decoder; AGC loop management; Real time spectrum scope, and 5 in. color TFT display. New features and performance improvements include: Improved 3rd order intercept point of +30dBm; 5 MHz band standard (USA version); Same "Mini-scope" function adopted from the IC-7800; SSB transmit bandwidth which can be adjusted for both high and low band; Improved BPF and 1st filter reduces distortion; Pre-amp changed to a noiseless feedback type to reduce 2nd order distortion; Saturation characteristics of mixer and surrounding circuits improved; Clock function displaying local time, UTC time, etc.; Screensaver function for long LCD life and reduced "burn in". Dim: 13.3" w x 4.3" h x 11.2" d; 21 lbs.... **\$2999.99**

Available Accessories

BETIMATE Better RF accessory, AH2B Whip with mount, AH2BWHIPONLY Extra whip only for AH2B, AH4 80-6M 120W auto wire antenna tuner, CT17 Level converter, HM36 Scanning hand mic, OPC025D DC cable, PS125 25A switching power supply, SM20 Stand mic for base station, SM6 Electret desk mic, SP20 Speaker with audio filter, SP23 Speaker with audio filter, UT-102 Voice Synthesizer



IC-703 PLUS HF QRP Transceiver – For home, shack, mobile DX'ing and in the field. Covers 160-10M + 6M in SSB/CW/RTTY/AM/FM modes. Power: 10W @ 13.8VDC and 5W @ 9.6VDC. Similar to the IC-706 series, but without VHF/UHF. Built-in, relay-type automatic antenna tuner; 105 memories; Memory keyer; Large capacity external battery pack and antenna options.

Dim: 6.5" w x 2.2" h x 7.875" d; 4.4 lbs.... **\$699.99**

Available Accessories

AH2B Whip with mount, AH2BWHIPONLY Extra whip only for AH2B, AH4 80-6M 120W auto wire antenna tuner, AH703 40/20/15/10/6 20W 4.6' antenna, BC155A Battery charger/BP228, BP228 9.6V 2800mAh external NiCad, CT17 Level converter, FL222 1.9kHz 455kHz IF SSB filter, FL257 3.3kHz 455kHz IF SSB filter, FL52A 500Hz 455kHz IF CW filter, FL53A 250Hz 455kHz IF CW filter, HM118TN TTP mic, HM154T TTP mic, LC156 Back pack carrying case, MB62 Mounting bracket for main unit, MB63 Mounting bracket for control panel, MB65 Mtg base platform, MB73 Carrying handle, OPC1229 Extra DC cord, OPC1248 IC703 to PS125 cable, OPC581 11.5' separation cable, OPC587 16' separation cable, OPC589 8-pin mic jack adapter cable, OPC599 7+8-pin-13-pin adapter, OPC742 13-pin cable, RMK706 Remote mtg kit, SM20 Stand mic for base station, SM6 Electret desk mic, SP10 Slim-line ext. spkr, SP7 Small external spkr, UT102 Voice synthesizer



IC-746PRO HF/VHF All Mode Transceiver Covers 160-10M + 6M + 2M with 0.03-60 MHz, and 108-174 MHz RX. 100W output all bands; 32-bit floating DSP and 24-bit AD/DA converter; AGC loop management; IF filter width and shape variable; All mode signal modulation/demodulation; RTTY demodulator and decoder; Digital twin PBT capability; 100 memories (10 "memo pad"); PSK-31; Built-in HF-6M automatic antenna tuner; Two antenna connectors for HF/6M; IF-DSP noise reduction, auto notch and selectable audio peak filters; Noise blanker; Spectrum scope; Twin passband tuning; Triple band stacking register; Two-step preamp; RF speech compressor; Tone squelch/scan; VOX; SmartTune™ variable speed tuning; Auto repeater offset; CW pitch control; QSO serial number generator; Transmit audio monitor; Up/down frequency mic; Requires 13.8V DC @ 20A. Dim: 11.3" w x 4.7" h x 12.5" d; 19.6 lbs..... **\$1499.99***

Available Accessories


BETIMATE Better RF accessory, AH2B Whip with mount, AH2BWHIPONLY Extra whip only for AH2B, AH4 80-6M 120W auto wire antenna tuner, CR338 High stability crystal unit, CT17 Level converter, HM36 Scanning hand mic, OPC025D DC cable, PS125 25A switching power supply, SM20 Stand mic for base station, SM6 Electret desk mic, SP20 Speaker with audio filter, SP23 Speaker with audio filter, UT102 Voice synthesizer

* Price after ICOM Rebate (USA Only)



Add some POWER!

PW-1 HF/6 Meter 1KW Linear Amplifier – A table-top-sized unit featuring a detachable control head which allows placing the PW-1 almost anywhere in the shack. All solid-state, no tune-up design provides a stable, clean and low distortion 1000W output from 1.8-50 MHz at 100% duty cycle (including RTTY or SSTV). Dual CPUs handle system operation, monitoring and control with memories for fast band change and antenna selection. Auto band changing; Adjustable ALC range; Full break-in operation; Four antenna connectors; Built-in automatic antenna tuner. Dim: 13.8" w x 10.6" h x 15" d; 55 lbs **\$4699.99**



SP-23 Speaker w/Audio Filters – Matches Icom receivers and transceivers. Dual switchable radio input jacks and four separate audio filters: HPF 1 (500 Hz), HPF 2 (250 Hz), LPF 1 (3000 Hz), LPF 2 (1000 Hz). Speaker on-off switch; 1/4 in. headphone jack; Metal construction; Tilt-stand.

Dim: 5.75" w x 4.25" h x 11.2" d; 3.6 lbs..... **\$189.99**

PS-125 Base Station Power Supply – Provides full 25 Amps of power for Icom radios.

Dim: 4.4" w x 3.7" h x 11.3" d; 6.6 lbs. **\$299.99**



IC-7800 HF/50 MHz Transceiver – The Icom flagship radio that is a fusion of 40 years of analog RF circuit development expertise, with cutting-edge digital technology. The result, astonishing 110dB dynamic range, +40dB 3rd order intercept point in HF, and other features like a double conversion superheterodyne system, mechanical relay BPF switching and two roofing filters. The ultimate in performance, function, and quality without compromise. 1.8 to 29.7 MHz amateur transmit, 0.03 to 60 MHz general receive; USB, LSB, CW, RTTY, PSK-31, AM, FM, SSB DATA modes; SSB/CW synchronous tuning; 101 memories (99 regular, 2 scan edges), 10-character comment; Ultra high stability oven control crystal oscillator; Main and SUB receiver, external speaker connectors for each; Dual watch; RIT and ATX; Separate 50MHz preamp and mixer; 5-200W (5-50W AM) output; Built-in supply (85-265VAC) and high-speed HF/50 MHz automatic antenna tuner; Voice synthesizer (frequency, mode and signal strength); Four 32-bit, floating point, DSP units and 24-bit AD/DA converters; Digital RF speech compressor; Microphone equalizer (adjustable TX bandwidth); Triple band stacking register; Multiple scan functions; Digital twin passband tuning; 16-step variable DSP noise reduction; Variable noise blanker; 7" color TFT LCD (spectrum scope S-meter, and RTTY/PSK-31 decode messages); RTTY/PSK-31 without PC connection; Digital voice recorder (200 second RX memory, 99 second TX); CF memory card for setting storage; Multi-function, fully adjustable, electronic memory keyer (DSP waveform shaping); Double key jack system; Full break-in; 50 CTCSS tone encode/decode; UTC/local clock and timer function; Optical digital in/output; CI-V interface capability; BNC-type transverter connector; External CRT display connector; Four antenna connectors; Includes 64MB CF memory card, spare fuses, key and pin plugs, rack mount handles, AC cable, speaker plugs, ACC plugs, power plug. Dim: 16.6" w x 5.9" h x 17.1" d; 55 lbs.. **\$10599.99**

Available Accessories

CT17 Level converter, HM36 Scanning hand mic, SM20 Stand mic for base station, SP20 Speaker with audio filter, SP23 Speaker with audio filter

SM-20 Electret Microphone

For Base Station operation, powered from the ICOM transceivers. Up-Down tuning; PTT switch with lock feature; Gain adjustment; Low Cut switch; ICOM 8-pin microphone plug. Compatible with the IC-746, 746Pro, 756, 756Pro, 756Pro II & III, 775, 781, 820, 821, 910H and 920. Use with the IC-706 series with the addition of the optional OPC-589 adapter cable **\$199.99**



**TRADE UP TO ICOM
CALL NOW FOR A QUOTE!**

KENWOOD

HF RADIOS



TS-480HX HF/6M All-Mode Transceiver – Covers amateur bands 1.8 to 50 MHz, including 60M with continuous receive from 500 kHz to 60 MHz. Power: Up to 200W output on HF (requires two PS-53s or equivalent), 100W on 6M. AF DSP provides Digital noise limiter; Beat cancel; Noise Reduction; TX/RX EQ; AF filters; Transmit passband filter, Speech processor. Separate LCD control panel with speaker positions up to 13 ft. from main unit; Twin cooling fans; Full range of CW features; Auto tune; Memory name function; Multiple scan functions; Keypad frequency entry; CTCSS; Wide/narrow deviation; 1750 Hz tone; Noise blanker; Crossband repeater (with TM-D700A); Auto power off and time-out timer; Back lit keys; Optional IF filters available; PSK31 compatible; Packet cluster tone (with TM-D700A); PC-based control. Dim: 7.06" w x 2.38" h x 10.19" d (main unit), 7.06" w x 2.94" h x 1.44" d (panel); 7.05 lbs. (main); 1.1 lbs. (panel) **\$1049.99**

TS-480SAT – 100W version of the HX. Includes built-in automatic antenna tuner. **\$949.99**

Available Accessories

E30348905 6' DC cable, H56 Lightweight headphones, MB480 Carry bracket with handle, MC43S 8-pin hand mic, MC47 Multi function 8-pin hand mic, MC60A 8-pin amp desk mic, MJ88 Modular/8-pin adapter, PG20 22' DC cable, PG42 13' panel extension kit, PS53 Heavy-duty power supply, SO3 TCXO unit, SP23 Speaker, SP50B External mobile speaker, VGS1 Voice guide/storage unit, YF107C 500 Hz CW filter, YF107CN 270 Hz CW filter, YF107SN 1.8kHz SSB filter



TS-50S HF Transceiver – Covers 160–10M with 500 kHz to 30 MHz receive. 100W output SSB/CW and FM (AM 25W); 100 memory channels; Multiple scan functions; Powerful menu system; Dual VFOs; Comprehensive interference reduction; Full & semi break-in; CW reverse mode; All-mode squelch; Switchable AGC; IF shift; 20 dB attenuator; Noise blanker; Multi-function hand mic.

Dim: 7" w x 2.3" h x 9.1" d; 6.4 lbs **\$669.99**

Available Accessories

AT50 HF external auto tuner, H55 deluxe headphones, H56 lightweight headphones, KPS15 23A switching power supply w/tan, MC47 multifunction 8-pin hand mic, MC60A 8-pin amp desk mic, PG2Y 13' DC cable, PG2Z Heavy-duty 6.5' DC cable, PG4M 18' extension cable for the AT50, PS53 Heavy-duty power supply, SO2 TCXO unit, SP23 External speaker, SP50B External mobile speaker, TC50 Travel case, YK107C 500 Hz CW filter



TS-570D(G) HF Transceiver – Covers 160–10M with 500 kHz to 30 MHz receive. Variable output: 5–100W SSB/CW/FM and FSK (AM 25W); 100 memories with multiple functions; Large amber-colored backlit LCD display; 10-key direct entry; 46 easy to use menu functions; Multiple scanning functions; 16-bit AF-stage DSP VOX; XIT/RIT; IF shift; Noise blanker; All mode squelch; TX audio shaping; Built-in electronic keyer; Full and semi break-in CW; CW message memory; CW auto tune; 38 tone CTCSS encoder and 1750 Hz tone; TX audio shaping; Packet and FSK; PC control option; Two antenna connectors; Packet port; Built-in automatic antenna tuner; Requires 13.8V DC @ 20.5A.

Dim: 10.6" w x 3.7" h x 10.6" d; 15 lbs **\$919.99**

TS-570S(G) HF+6M Transceiver – Same as the TS-570D(G), but covers 160–10M plus 6M. 50–54 MHz general coverage receiver **\$1079.99**

Available Accessories

DRU3A Digital recording unit, H55 Deluxe headphones, H56 Lightweight headphones, KPS15 23A switching power supply, MB430 Mobile mounting bracket, MC43S 8-pin hand mic, MC60A 8-pin amp desk mic, MC90 2-head DSP desk mic, PG2Y 13' DC cable, PG2Z 6.5' heavy-duty DC cable, PS53 Heavy-duty power supply, SO2 TCXO unit, SP23 Speaker, SP50B External mobile speaker, V53 Voice synthesizer, YK88CN1 270 Hz CW filter, YK88C1 500 Hz CW filter, YK88SN1 1.8 kHz SSB filter



TS-2000 HF/VHF/UHF All Mode Transceiver Offers 3 platforms: (1) A traditional transceiver with full function front panel, (2) the high-tech looking "silver box" version (TS-B2000), or (3) computer controlled with software. 100W output (HF/6M/2M), 50W (70cm), 10W (optional 1.2 GHz. Dual receive; High performance true IF/stage DSP on main band, AF stage DSP on sub-band; Digital filtering; Satellite ready, with transverter frequency display; Cross band repeat; Built-in auto tune HF/6M; Built-in TNC and RS-232 for computer control; Built-in TCXO (.5PPM); CTCSS/DCS encode/decode; Electronic memory keyer; Backlit front key panel; 5+1 antenna ports – 2 for HF and 6M, 1 each for 2M, 70cm, 1.2 GHz and HF receive **\$1599.99**

TS-B2000 HF/VHF/UHF All Mode Transceiver Same as the TS-2000 with high-tech "silver box" look. Includes PC control software **\$1449.99**

TS-2000X HF/VHF/UHF All Mode PC Controlled Transceiver – TS-2000 w/1.2 GHz .. **\$2099.99**

Available Accessories

ARCP2000 PC/radio control software (included with B2000 model), DRU3A Digital recording unit, H55 Deluxe headphones, H56 Lightweight headphones, KPS15 23A switching power supply, MB430 Mobile mounting bracket, MC43S 8-pin hand mic, MC57DM Lit TTP mic, MC60A 8-pin amp desk mic, MC90 2-head DSP desk mic, PG2Y 13' DC cable, PG2Z DC cable, PS53 Heavy-duty supply, RC2000 Remote face plate mobile kit, SP23 Speaker, V53 Voice synthesizer


KENWOOD

POPULAR ACCESSORIES

MC-60A

Desktop Microphone

Excellent performance when used with any KENWOOD transceiver. The zinc die-cast base offers great stability and is complete with a feather-touch PTT switch, an impedance selector switch, built-in preamplifier and 6 ft. coiled cord with 8-pin plug. Requires two "AA" batteries **\$149.99**



HS-5 Deluxe Headphones


Specifically designed for communications. Natural sound and low pressure permits long hours of fatigue free listening. Replace the sponge-type earpads with soft vinyl leather pads to increase sound by about 10dB while sealing out noise. Includes both types of earpads and 6 ft. coiled cord with 1/4 in. phone plug. Response: 150–4000Hz, 8Ω. Weight: 13 oz **\$79.99**



HS-6

Lightweight Headphones

Response: 100–10,000 Hz Impedance: 12.5 ohms; 6 ft. straight cord with 1/4 in. phone plug. Weighs just 4 oz **\$59.99**



SP-50B Communications Speaker – Compact, for mobile operation. High quality 2.5 in. speaker; handles 2.5W. Response: 300–4000 Hz. Includes a mounting bracket. Dim: 4.8" w x 3.2" h x 1.4" d; 10 oz **\$55.99**

KES-5 Mobile speaker

Heavy duty, rugged. Meets Military Standards 810C, D, E, F for low pressure, high temperature, low temperature, temperature shock, solar radiation, humidity, salt fog, dust, vibration and shock! 4Ω impedance speaker has a maximum input power of 40W making great for emergency and other vehicles requiring loud and clear audio. Includes a metal bracket to support the speaker from below or above, and attached cable. Install a connector of your choice. Dim: 5.1" w x 5.1" h x 3" d; Wt: 1.8 lbs **\$59.99**



LF-30A Low-Pass Filter – Use with 160–10M transceivers to suppress TVI causing harmonics. Provides a 30 MHz cutoff and >90dB attenuation from 90–300 MHz. Power rating: 1000W SSB. Insertion loss: <0.5dB @ 30 MHz. Dim: 9.6" w x 2" h x 1.5" d; 1.2 lbs **\$64.99**

ORP SINGLE BAND CW TRANSCEIVERS



Easy operation, sets up in seconds! Power: 5W CW; Great sensitivity - hot superhet receiver with super-quiet FET post amp stage in the IF filter; Excellent selectivity - tight CW bandwidth crystal ladder filter fights unwanted QRM and noise; Smooth and stable VFO (wide-spaced reduction drive VFO capacitor); True RIT; Recovery AGC; Built-in 3 in. speaker; Low power drain: 50mA on receive and 1.2A peak on transmit; Semi-QSK operation, just set the adjustable hold T/R switching to suit your normal sending speed or set for full QSK during contests, etc. Dim: 2.5" h x 6.5" w x 6" d; 2 lbs.

Four different models:

9015 - 5W, 15M (21.000-21.200 MHz). **\$169.99**

9020 - 5W, 20M (14.000-14.075 MHz). **\$169.99**

9030 - 5W, 30M (10.100-10.150 MHz). **\$169.99**

9040 - 5W, 40M (7.000-7.150 MHz) **\$169.99**

Available Accessories:

1772 Portable 20M dipole, 1774 Portable 40M dipole, 27 Handle for CW station, 4110 portable AC power supply, 4114 Rechargeable power pack, 412 Plug-in Curtis key, 726 Plug-in audio filter, 971 200W portable antenna tuner/meter

LOW POWER, SINGLE BAND SSB TRANSCEIVERS



Easy operation, just turn on and tune in. Power: 20W PEP (Less on VHF models); Constant Current™ syllabic speech processing for an added 4-6dB advantage to cut through noise, fading, and QRM; Handheld dynamic microphone that complements speech processing; Low current drain, only 3 amps from 12V supply or battery; Low noise preamp and active double balanced mixer front end; Sharp 2.3 kHz SSB crystal ladder filter reduces passband noise, fights QRM, and improves intelligibility; TVI protection with a built-in lowpass filter; Real S-meter; Reduction drive analog VFO allows scanning the band for signals quickly, then zeroing in smoothly; Amplifier key jack. Dim: 2.5" h x 6.5" w x 6" d; 2 lbs.

Four different models:

9410X - 10M SSB (28.3-28.6 MHz) **\$239.99**

9420X - 20M SSB (14.150-14.35 MHz). **\$229.99**

9440X - 40M SSB (7.150-7.3 MHz) **\$229.99**


9475X - 75M SSB (3.75-4.00 MHz) **\$229.99**

Available Accessories:

1770A 10M dipole for 9410X, 1772 Portable 20M dipole, 1774 Portable 40M dipole, 4110 Portable AC power supply, 4114 Rechargeable power pack, 415B CW adapter (9420X & 9440X only), 416 CW adapter for 9410X, 971 200W HF tuner

WE HAVE OUR OWN SERVICE DEPARTMENT

HF PORTABLE SSB TRANSCEIVER



05-04 SG-2020 ADSP[®] Transceiver - For base, backpack or business trips - the ultimate portable transceiver. Operate SSB or CW from wherever you are. The SG-2020 draws only 400mA receive and less than 3 Amps transmit at 20 Watts. Output power adjustable from 0-20W PEP. VOGAD base-band RF speech processing and RF clipping provide plenty of talk-power. No confusing menus and two-step operation: select your frequency and transmit. Fully integrated ADSP[®] for superior sound clarity, the SG-2020 is pure, simple HF at its best. Covers 1.8-29.7 MHz; Power: 0-20W PEP drawing <0.8mA receive and <3A transmitting current; Built-in iambic-B keyer 5-50 WPM; ADSP2 provides 13dB and 26dB noise reduction.

Dim: 7.3" d x 6.2" w x 2.8" h; 4.4 lbs. **\$595.99**

Available Accessories:

See SGC in the Price Guide



FT-817ND HF/VHF/UHF Backpack Transceiver Self-contained and low power for portability. Covers 160-10M, 60M, 50 MHz, 144 MHz, 430-450 MHz, plus Alaska emergency channel (5167.5 kHz) Receive: 100 kHz - 56 MHz, 76-154 MHz, 420-470 MHz, plus AM aircraft band. Power: 5W SSB/CW/FM (13.8V external DC), 1.5W AM, 2.5W SSB/CW/FM (9.6V NiCad pack or 8 AA's (includes internal alkaline case), 0.7W AM, up to 5W SSB/CW/FM. Power programmable via menu. Dual VFOs; 200 alphanumeric memories (home channels and band-limit); SmartSearch™ memory loading. Modes: USB, LSB, CW, AM, FM, W-FM, AFSK, packet; RTTY, PSK31-U, PSK31-L, user-defined USB/LSB. Two-color, multi-function LCD meters ALC, power output, SWR, modulation. RF gain/squelch control; Noise blanker; Attenuator; Split capability, IF shift, and RIT; Electronic keyer; VOX; Auto repeater shift; CTCSS/DCS; Front/rear antenna jacks; PC control capability; 1400mAh NiMH battery and charger. Dim: 5.3" w x 1.5" h x 6.5" d; 2.6 lbs. **Call/Web**

Available Accessories:

W4R OBPTD W4RT Speech compressor, W4R OPFCW W4RT 500 Hz Collins, W4R OPFSB W4RT 2.3 KHz Collins, W4R OTT897 W4RT one-touch tune, ADMS4A Programming software, ATAS25 40/20/15/10/6/2/430 MHz antenna, CSC83 Soft case, CT39 Packet cable, CT62 Cat interface cable, EDC6 DC cord, FNB72 9.6V 1000mAh NiCad, FNB85 9.6V 1400mAh NiMH, MH36E8J TTP mic, MLS100 Mobile speaker, NC72B Wall charger, TCX09 TCXO unit, YA007FG FG whip with mount, YF122C 500 Hz Collins CW filter, YF122CN 300 Hz Collins CW filter, YF122S 2.3 kHz Collins SSB filter



FT-840 Compact High Performance HF Transceiver - Blending high performance digital synthesis techniques, convenience and affordability from previously successful radios, the FT-840 adds a choice of two optional remote automatic antenna tuners and a wealth of convenient functions. Covers 160-10M with 50 kHz - 30 MHz general coverage receive, 100W output (25W AM); 100 memory channels; Direct Digital Synthesis; Low noise FET front end; Two direct digital synthesizers (DDSS) and magnetic rotary encoder for smooth tuning; Twin band-stacking VFOs; IF shift; Reverse CW; FM repeater with automatic 10 meter FM repeater offset; Selectable CTCSS; Requires 13.8V DC @ 20A. Dim: 9.2" w x 3.6" h x 9.5" d; 9.9 lbs. **Call/Web**

Available Accessories:

EDC20 DC cord, FC10 External coax fed auto tuner, FC800 Extra long wire auto tuner, HF232C RS-232 interface, FM747 FM unit, FP1023 23A switching power supply with fan, FP1030A 25A power supply with meters, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk mic, MLS100 Mobile speaker, MMB20 Mobile mount, SP6 External speaker, TCX04 TCXO unit, T9018320 DC cord, YA007FG FG whip with mount, YF112A 6 kHz AM filter, YF112C 500 Hz CW filter, YH775TA Stereo headphone

TRADE UP TO YAESU CALL NOW FOR A QUOTE!



HF RADIO



DX-70TH Compact HF Transceiver - Covers 160 to 6 meters with 150 kHz to 30 and 50 to 54 MHz receive in SSB, CW, AM, FM modes. 100W (AM 40W); Detachable face; 100 multi-function memories; Two VFOs; Easy split operation; Quick offset; Multi-function control; Narrow filter; Noise blanker; Speech processor; CTCSS for 10M & 6M repeaters; Full, semi or auto break-in CW; All mode squelch; Two scan modes; Separate HF and 6M antenna connections; RIT; TXIT; Selectable AGC; Dial lock; Automatic antenna tuner interface; MARS/CAP cap. Dim: 2.3" h x 7" w x 9" d; 8.3 lbs. **\$749.99**

Available Accessories

DM300MVT 30 amp switching power supply with meter, EBC8 Front control head bracket, EBC9 Extra mobile bracket, ED55 5' mic extension cable, ED56 15' remote cable, EDX2 160-10M auto wire tuner, EMS14 Desk mic, PC25 DC cable



FT-857D Ultra-compact, HF/VHF/UHF 100W All-Mode Mobile – Blends leading-edge technologies of the FT-897 and MARK-V into the smallest full-power HF multi-mode. Now includes 60M! Unique ergonomics deliver unmatched ease of use with an ultra-compact design featuring a large, main tuning dial. Covers HF, 50, 144 and 430 MHz, with 0.1–56, 76–108, 118–164 and 430–470 MHz receive. Power: 100W HF/6M, 50W 2M, 20W 70cm. 200 memories (10 groups); Enhanced performance with installed DSP board; Large, multi-color dot matrix display; IF shift; Noise blanker; IPO; AGC; CTCSS/DCS; Auto repeater shift; SmartSearch™; Spectrum scope; ARTS™; Optional remote-head operation and remote control microphone. Dim: 6.1" w x 2.0" h x 9.2" d; 4.6 lbs. **Call/Web**

Available Accessories:

BET YAEUTUNECONT Better RF, W4R ANTENNABOSS W4RT interface, W4R OBPSTD W4RT Speech compressor, W4R OPCW W4RT 500 Hz Collins, W4R OPSSB W4RT 2.3 KHz Collins, W4R OTTS97 W4RT one-touch tune, ADM54B Programming Software, ATAS120 HF/6/2/430 antenna, ATAS25 40/20/15/10/6/2/430 antenna, ATBK100 ATAS100 base kit, CT39 Packet cable, CT58 Band data cable, CT62 Cat interface cable, EDC20 DC cord, FC30 External antenna tuner, FC40 Auto tuner, FP1023 23A switching power supply, FP1030A 25A power supply with meters, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk microphone, MH36E8J TTP microphone, MHS9A8J Remote control TTP microphone, MSL100 Mobile speaker, SP6 External speaker, TCX09 TCXO unit (0.5ppm), TP9023225 Extra DC cord, YA007FG FG whip w/mount, YF122C 500 Hz Collins CW filter, YF122CN 300 Hz Collins CW filter, YF122S 2.3 KHz Collins SSB filter, YH77STA Stereo headphones, YSK857 Separation kit



FT-897D HF/VHF/UHF Multi-Mode Portable/Base – Self-contained, can operate without an external power supply. Using the optional 13.2V @ 4500mAh NiMH internal battery pack, it operates at 20W on all bands except 430 MHz. Two batteries may be installed simultaneously giving up to 8 hours of use. Power with external 13.8V DC is 100W (HF/50 MHz), 50W (144 MHz) and 20W (430 MHz), all adjustable down to 5 Watts; Includes 60 meters; SSB/CW/AM/FM and digital modes; Large-diameter main tuning dial; Built-in keyer, DSP and TCXO; Selectable tuning steps (2 kHz / 4 kHz); Easy receiver offset tuning; Scrolling front panel; Multi-function keys with instant "hot key"; RS-232 port; Aluminum, die-cast chassis.

Dim: 7.9" w x 3.14" h x 10.3" d; 8.6 lbs. **Call/Web**

Available Accessories:

Uses the same accessories as the FT-857D above, but excluding: CT58, FP1023, FP1030A, TCX09 & YSK857. Additional accessories for FT-897D: CD24 4-hr charge adapter; FNB78, FNB78 4.5AH NiMH battery, FP30 Internal PS, MMB80 Mobile bracket, PA26B 110VAC charger; CD-24

YAESU HF RADIOS



FT-1000MP MK V 200W HF All Mode Transceiver – A blend of analog and digital technology, based on the concept of rigorous filtering in all stages of the receiver and transceiver. Interlocked Digital Band-width Tracking, matching the receiver passbands of the 8.2 MHz IF, 455 kHz IF and DSP systems; Variable RF Front-end Filter, providing a high-Q "Preselector" system; A 200W MOSFET final amplifier, conservatively rated with revolutionary heat sink design; 75W optional Class-A PA operation, providing SSB signal purity; Integrated ShuttleJog™ control, combines IBDT and VRF access buttons with the Shuttle-Jog™ frequency control; High-speed automatic antenna tuner; Separate switching power supply, provides 30V for MOSFET PA transistors, and 13.8V for other circuitry. Dim: 16.4" w x 5.4" h x 13.9" d; 31 lbs. (xcvr), 4.2" w x 5.4" h x 13.6" d; 13 lbs. (power supply) **Call/Web**

Available Accessories:

DV52 Voice recording module, FH1 Remote control keypad, FTV1000 200W 6M transverter, LL7 Phone patch unit for SP8, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk mic, MH31B8 Extra hand mic, SP8 External speaker with filters, TCX06 Deluxe TCXO unit, YA007FG FG whip with mount, YF110CN 250Hz CW filter/XFD, YF110SN 2kHz SSB filter/XFD, YF114CN 250Hz CW second IF main receive, YF114SN 2kHz SSB second IF main receive, YF115CN 500 Hz CW/Collins Mechanical filter, YH77STA Stereo headphone



MK V FIELD Leading-Edge Technology, 100W Self-Contained Design – Covers 160–10M with 100 kHz to 30 MHz receive and all modes. Power adjustable up to 100W (25W AM) and selectable clean Class-A 25W SSB output. Self-contained 117/200VAC power supply, 13.8VDC optional; Built-in TCXO; Dual receive with independent AGC systems; Integrated digital bandwidth tracking; Enhanced DSP; Digital SSB mic equalizer and RF speech processor; Selectable digital modulation and demodulation; Digital auto-notch filter; Variable RF front-end filter; Selectable SSB pattern-contour filters; Three RF preamp modes +IPO (Direct Mixer Feed); IF filter chain includes 10-pole Collins mechanical filter; Built-in antenna tuner; Electronic memory keyer; Outstanding CW features; Ergonomic, multi-function shuttle jog dial. Dim: 16" w x 5.3" h x 13.7" d; 33 lbs. **Call/Web**

Available Accessories:

DV52 Voice recording module, FH1 Remote control keypad, FP29 Power supply for FTV1000, FTV1000 200W 6M transverter, LL7 Phone patch unit for SP8, MD100A8X Desk mic with tone control, MD200A8X Deluxe high fidelity desk mic, MH31B8 Extra hand mic, SP8 External speaker with filters, TCX06 Deluxe TCXO unit, YA007FG FG whip with mount, YF110CN 250 Hz CW filter/XFD, YF110SN 2 kHz SSB filter/XFD, YF114CN 250 Hz CW second IF main receive, YF114SN 2 kHz SSB second IF main receive, YF115CN 500 Hz CW/Collins Mechanical filter, YH77STA Stereo headphone



FT DX9000 Contest



FT DX9000D

FTDX-9000 Series – Covers HF and 6 meters; available in three configurations including 200 and 400W versions. Class-A operation at 100W (400W version or 75W with the 200W version). The 200W versions feature a built-in power supply. There is an included external power supply for the 400W version. Large, precision analog meters and a 6.5 in. TFT display (FTDX-9000D) gives unprecedented information and access to dozens of features and settings. An ultra-quiet 400 MHz high resolution direct digital synthesizer combines with the state-of-the-art receiver design to yield a typical two-tone dynamic range of >110 dB along with a 3rd-order intercept point in excess of +40 dBm. The fully-loaded FTDX-9000D includes three permeability-tuned, motor-driven "u" RF Tuning modules with Q>300, for ultra-sharp RF selectivity. IF DSP speech processing and microphone equalization and monitor for voice data and CW modes. There is also a low level transverter output port. A flash memory port and keyboard connector ensure that your station will evolve as the FTDX-9000 does.

FTDX-9000D 200W, TFT display **\$11499.99**

FTDX-9000MP 400W, no TFT **\$12049.99**


FTDX-9000 Contest 200W, no TFT **\$5699.99**



QUADRA SYSTEM HF/50 MHz Solid-State Amplifier (VL-1000/VP-1000) – Covers 160–15M + 6M, producing 1000W (6M, 500W) output with 100W of drive power. A twin MOSFET final PA modules; Two RF input and four RF output connectors; Built-in high-speed automatic antenna tuner; Dot matrix multi-function LCD; Panoramic SWR monitor shows before and after tuning SWR data; High SWR protection; Fully automatic band switching, no tune-up with the FT-1000, FT-1000MP, FT-1000MP MK V, MK V FIELD, and FT-920. Operation on 117VAC provides 500W output, 220V gives 1000W output. Matching 48 Volt/48Amp switching power supply included. Dim: (RF unit) 16.25" w x 5.9" h x 17.7" d; 43.6 lbs Dim: (Power supply) 16.25" w x 5.9" h x 14.9" d; 32.2 lbs. **\$3999.99**





MD-200A8X High Fidelity Desktop Microphone – Employs a studio-quality, 30–17,000 Hz dynamic element for high fidelity SSB. The exclusive Variable Side Pressure Control allows adjustment of overall frequency response for a natural, high-fidelity sound for everyday rag chewing, or to high-articulation with a moderate peak above 1500 Hz for DX or contesting. **\$399.99**




Three μ -Tune Modules Installed in FT DX 9000 Mainframe

New Mu (μ) Narrow-bandwidth High-Q RF Filters Using Large-Diameter (1.1") Coils: Helping Weak Signals Rise Out of the Interference and Noise!



Long-life Synchronizing Drive Belt




10 dB/Div · 2 MHz/Div

Operation on the low bands, especially 1.8 MHz, frequently involves very strong signals from close-by broadcast stations, with signal voltages much greater than on the high bands due to NVIS propagation and large antenna size. Heretofore no RF filtering system in an Amateur Transceiver was fully equipped to cope with this challenge, but Yaesu's new " μ -Tuning" filter breaks new ground, providing ultra-high-Q RF preselection selectivity on the 14 MHz and lower Amateur bands. A total of three μ -Tuning filter modules are required for this band coverage (1.8 MHz, 3.5/7 MHz, and 10/14 MHz), and all three modules are installed on the FT DX 9000D version; on the other versions, they are available options.

When the front panel's " μ -T" switch is turned on, the VRF circuit is switched out of the receiver input line, and is replaced by the μ -Tune circuit, which provides much tighter RF selectivity thanks to the high Q (300 or more) afforded by the large 1.1" diameter Ni-Zn ferrite magnet toroidal coil stack used in filter construction. As the toroid stack is passed through the coil structure, the center frequency is adjusted, and the resulting 3 dB bandwidth is approximately ± 12 kHz on 1.8 MHz (~ 30 dB bandwidth ± 450 kHz). Insertion of the μ -Tuning filter alone typically increases the IP3 by 4 dB.

The core stack is driven by a high-resolution hybrid stepping motor (4-phase, unipolar motor with 2-phase magnetization and 1.8° step resolution) which is connected to a long-life synchronized belt drive with an operational lifetime of over 10,000 hours. In order to cover the 1.8 MHz bands, the moving core stack is a whopping 2.2" long, and the resonance is controlled automatically by the microprocessor as you tune around the band. Manual override (± 5 kHz during auto mode, or full manual tuning) is provided, allowing you to make very fine peaking adjustments in the peaking and/or interference suppression of the μ -Tune filter.

If you have turned the μ -Tune filter off, just switching it back on will automatically cause it to re-center itself on your operating frequency. On those bands on which you have μ -Tune filter modules installed, we recommend you always use this filter for its superior RF selectivity characteristics. If you have a special application involving wide TX/RX splits or want to adjust the μ -Tune filter yourself, the Menu system allows you to disable the μ -Tune filter, or engage fully manual control.



Large-Area (1.1") Coil (Actual Size)



FT DX 9000MP 400 W Special Order Version
Two Pairs of Meters, plus LCD Window; Data Management Unit and Flash Memory Slot Built In.
Main/Sub Receiver VRF, plus Full Dual Receive Capability.
External 50 V/2A Switching Regulator Power Supply and Speaker with Audio Filters.
Display color (Umber or Light Blue) may be selected at the time of purchase. Modification from 400 to 200 W not possible.



FT DX 9000D 200 W Version
Large TFT, Data Management Unit and Flash Memory Slot Built In.
Main/Sub Receiver VRF, plus Full Dual Receive Capability.
Three μ -Tuning Modules for 160 · 20 M.
50 V/12 A Internal Switching Regulator Power Supply.
Display color (Umber or Light Blue) may be selected at the time of purchase. Modification from 200- to 400-Watt version not available.



FT DX 9000 Contest Custom-Configurable Version
Two Pairs of Meters, plus LCD Window, VRF Input Preselector Filter, Three Key Jacks, and Dual Headphone Jacks.
50 V/12 A Internal Switching Regulator Power Supply.

To request the FT DX 9000 Catalogue, please call (714) 827-7600, Ext. 2272.

For the latest Yaesu news, visit us on the Internet:
<http://www.vertexstandard.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

Vertex Standard, US Headquarters,
10900 Walker Street, Cypress, CA 90630

SINGLE BAND MOBILES



DR-135TMKII 2M Mobile Transceiver - Covers 144-148 MHz transmit with 118-135.995 MHz (AM aircraft) & 136-173.995 MHz receive. Power levels: 50/10/5W; Wide/Narrow FM; 100 alphanumeric memories; Large alphanumeric LCD display; Dimmer; TXCO with ± 2.5 ppm stability; CTCSS encode/decode/DCS, Four European tone bursts; Backlit DTMF microphone; Ten autodial memories; Multiple scanning modes; Front panel GPS input for APRS; Rear PC connection; Ignition key On/Off feature; Theft deterrent system alarm; Timeout timer; Mobile bracket with hardware, DC cord, alarm cable; Optional TNC; 13.8V DC @ 11A. Dim: 5.58" w x 1.57" h x 6.83" d; 2.3 lbs.... **\$169.99**

DR-135TPMKII - Same as 135TMKII with addition of the TNC for 1200/9600bps packet and APRS operation **\$269.99**

DR-235T - Covers 222-224.995 MHz TX and 216-279.995 MHz RX; 25W/10/5W out.... **\$249.99**

DR-435TMKII - Covers 430-450 MHz TX and 430-440 MHz RX; 35W/10/5W output.... **\$269.99**

Available Accessories:

EDC37 DC cable, EDC43 Cigarette lighter cable, EJ41U 1200/9600 TNC (T and MKII's only), EJ47U Digital board (MKII's only), ERW4 PC cable, HK130 Hardware kit, MB130 Mounting bracket, PC15B DC cable, SW620 Windows programming software



DR-M06TH 6M FM Transceiver - Covers 50-54 MHz FM. Selectable 20/1W output; 100 memories + CALL channel; 50 tone CTCSS encoder; Programable repeater offset for each memory channel; Time-out timer; DTMF hand microphone; 13.8VDC @ 3A. Dim: 5.5" w x 1.5" h x 4.5" d; 1.6 lbs **\$259.99**

Available Accessories:

HK130 Hardware kit, MB130 Mnt. bracket, PC15B DC cable

DUAL BAND MOBILES




DR-605TQ 2M/70cm Dualbander - Covers 144-147.995 and 430-449.995 MHz transmit with 136-173.995 MHz and 420-470 MHz receive; Power: 50/10/5W (VHF), 35/10/5W (UHF); 50 memories, one CALL per band; Cross band repeat, Full duplex; Dual VHF/UHF only displays; Multi-scan functions; CTCSS encode; 3 European tone bursts; Twin volume controls; Packet compatible; Cable cloning; Internal duplex; 13.8VDC @ 11.5A. Dim: 5.58" w x 1.57" h x 6.8" d; 2.4lbs..... **\$339.99**

Available Accessories:

EDS8 EMS14-DR605 adapter, EMS14 Desktop mic, HK130 Hardware kit, MB130 Mounting bracket, PC15B DC cable

TWIN BAND MOBILES




DR-635T Twin band Mobile Transceiver - Transmit coverage: 144-147.995 and 430-449.995 MHz; Receive coverage: 108-173.995 and 335-480 MHz (includes VHF AM air band and FM broadcast (87.5-108 MHz). 200 alphanumeric memories. Power output: (VHF) 50/20/5W and (UHF) 35/20/5W. Dual band receive capability (V/V, U/U, V/U and U/V) with cross-band repeat. Large, easy-to-read three color LCD shows status icons and alphanumeric tags. CTCSS & DCS encode/decode plus 4 different tone bursts. Includes: auto power off, time out timer, tone burst, scan, channel lock-out, dimmer, VFO auto program, theft alarm function, narrow FM, power supply voltage display and remotable head. Rear mounted fan for cool operation during transmit. The front panel is remotable via the optional EDS-9 separation kit. Advanced Digital Mode (10F3) with speech compression is provided via the optional EJ-47U board. The supplied Electret Condenser DTMF Hand Microphone allows parameter setting and direct frequency entry. Includes DC cable, mobile mounting bracket with hardware, anti-theft (ACC on/off)/function cable and anti-theft sticker..... **\$369.99**

DR-620T Twin band Mobile Transceiver - Looks the same, and has the same coverage and features of the newer DR-635T above. Does not have cross band repeat, three color display and power levels are 50/10/5W (VHF) and 35/10/5W (UHF) ... **\$339.99**

Available Accessories for DR635T & DR-635T:

EDS9 Separation kit, EJ47U Digital board, EJ50U TNC unit, ERW4 PC cable, HK130 Hardware kit, MB130 Mounting bracket, PC15B DC cable, SW620 Windows programming software

USE YOUR CREDIT CARD



We accept I.M.P.A.C.® Government Credit Cards

ICOM® SINGLE/DUAL BAND MOBILES



IC-V8000 2M FM Transceiver - Big 75W power output. Covers 144-148 transmit with 136-174 MHz receive. 207 alphanumeric memory channels including one call and six scan edge channels; Each memory channel stores a six character name, tone frequency, skip info, and more; Weather alert and weather channel scan; DMS scan system; Priority watch; CTCSS/DTCS; Dynamic Memory Scan (customize/manage memory banks); DTMF Encode and pager function capability; 10 DTMF memory channels stores DTMF codes with up to 24 digits; Versatile cloning from transceiver to transceiver or PC to transceiver; Front mounted speaker; One-piece, die-cast, rugged, aluminum chassis; Large cooling fan on the back and large cooling fins; Selectable Green or Amber display; Includes HM-133V remote control microphone. Dim: 5.9" w x 2" h x 5.9" d; 2.22 lbs **\$179.99***

Available Accessories:

CSV8000 Windows software, OPC1132 9.8" DC cable, OPC347 23" DC cable, OPC440 16.4" mic extension cable, OPC441 Speaker extension cable, OPC474 Radio-to-radio cloning cable, OPC478 PC RS232C cable, OPC478U PC USB cable, OPC589 8-pin mic jack adapter cable, OPC647 8.2" mic extension cable, SP10 Slim-line external speaker, UT108 DTMF decoder unit, V8000MMB Mobile bracket

* Price after ICOM Rebate (USA Only)

ICOM® D-Star Digital Voice & Data



ID-800 2M/440 Dual Bander - Features D-STAR Digital Voice Capability and supports 20 character short text messaging with an on screen display. Detachable control head; wide-band receive; Three power settings: 55/15/5W (2 meters), 50/15/5W (440 MHz); Built-in CTCSS decode/encode with tone scan; PC compatible, 9600 BPS packet ready; 500 alphanumeric memories (6 characters), 16 DTMF memories

Includes: Built-in duplex; Separation cable; Remote hand microphone; Mobile mounting bracket, power cord and spare fuses.... **\$609.99***

Available Accessories: CSD800 Cloning Software, MB17A Quick Release Bracket, OPC1132 9.8" DC Cable, OPC347 23" DC Cable, OPC440 16.4" Microphone Extension Cable, OPC441 16.4" Speaker Extension Cable, OPC478 PC RS232C Cable, OPC478U PC USB Cable, OPC601R 23" Separation Cable, OPC647 8.2" Microphone Extension Cable, SP10 Slim-Line External Speaker

* Price after ICOM Rebate (USA Only)

LARGE STOCKS • We are in a position to take care of your needs out of our Regular Inventory.

SINGLE BAND MOBILE



* Price after
ICOM Rebate
(USA Only)

IC-2200H 2M FM Transceiver - A rugged design with a large Amber or Green LCD display with four levels of brightness, backlit keys and large oversized tuning dial. Covers: 144-148 MHz transmit with 118-174 MHz receive (includes AM aircraft band and Weather channel with Alert). Improved receive IMD helps provide protection from excessively strong signals such as pagers. Power levels: 65, 25, 10 or 5W; Choice of FM/Narrow mode; 207 alphanumeric memories (six scan edges, one CALL channel); Dynamic Memory Scan; 50 CTCSS and 104 x 2 DTCSS encode/decode plus tone scan functions and "pocket beep"; Three-way Priority watch; 24 DTMF autodial memories; Squelch delay; GPS, NMEA compatible (GPS not supplied). Includes remote control microphone, DC power cable, mobile mounting bracket and microphone hanger. Dim: 5.5" w x 1.56" h x 5.25" d; 2.75 lbs. **\$209.99***

Available Accessories:

CS2200H Windows™ software, MB17A Quick release bracket, OPC1132 9.8' DC cable, OPC347 23' DC power cable, OPC440 16.4' mic extension cable, OPC441 16.4' speaker extension cable, OPC474 Radio-to-radio cloning cable, OPC478 PC RS232C cable, OPC478U PC USB cable, OPC589 8-pin mic jack adapter cable, OPC647 8.2' microphone extension cable, SP10 Slim-line external speaker, UT108 DTMF decoder unit, UT118 Digital board

DUAL BAND MOBILES



IC-2720H 2M/70cm FM Transceiver - Provides VHF/VHF, UHF/UHF simultaneous receive along with VHF/UHF full duplex. Covers 144-148 & 430-450 MHz transmit with 118-550 MHz, 118-174, 375-550 & 810-999 MHz receive (cellular blocked), includes AM Aircraft band and Weather channel with Alert. Power: 50/35W (2M/70cm); 212 memories (10 banks), 2 call, 10 scan edges; Auto repeater offset; Backlit remote control microphone; Independent controls for each band; 12 DTMF memories; Selectable Amber/Green display; CTCSS/DTCS encode/decode, tone scan and pocket beep; Dynamic memory scan; 1200/9600 bps 6-pin terminal connector; PC programmable with optional software and cable. Dimensions: 5.5" w x 2" h x 1.1" d; 5.29 oz. (head unit), 5.5" w x 1.6" h x 7.4" d; 3.08 lbs. (main unit) **\$369.99***

Available Accessories:

CS2720 Windows/DOS cloning software, MB17A Quick release bracket, MB65 Mounting base platform, MB84 Remote controller bracket, OPC1132 9.8' DC cable, OPC1156 11.5' separation cable, OPC347 23' DC power cable, OPC440 16.4' mic extension cable, OPC441 16.4' speaker extension cable, OPC474 Radio-to-radio cloning software, OPC478 PC RS232C cable, OPC478U PC USB cable, OPC589 8-pin mic jack adapter cable, OPC647 8.2' mic extension cable, SP10 Slim-line external speaker



IC-208H 2M/440 Dualband Mobile - More power, wider receive, and lots of memory. Covers 144-148 and 430-450 transmit with 118-173, 230-549, 810-999 MHz (cell blocked) wide band receive. Power: 55/50W (2M/440); Weather channel and alert; 500 6-character alphanumeric memory channels; Improved Dynamic Memory Scan (10 banks), 2-100 channels per bank; New bank listing allows selection of banks you want to scan; Built-in CTCSS/DTCS tone squelch; Operate with control head attached or remote mounted with included 11.5 ft. separation cable; Pocket beep and tone scan; 16 DTMF memories; 9600bps data connector; Auto repeater function; Multicolor display lighting and backlit buttons; Remote control mic. included. Dim: 5.56" w x 1.56" h x 7.31" d; 2.65 lbs **\$309.99***

Available Accessories:

CS208 Windows cloning software, MB17A Quick release bracket, MB88 Remote controller bracket, MB65 Mounting base platform, OPC1132 9.8' DC cable, OPC347 23' DC power cable, OPC440 16.4' mic extension cable, OPC441 16.4' speaker extension cable, OPC474 Radio-to-radio cloning cable, OPC478 PC RS232C cable, OPC478U PC USB cable, OPC589 8-pin mic jack adapter cable, OPC601R 23' separation kit, OPC647 8.2' mic extension cable, SP10 Slim-line external speaker

KENWOOD SINGLE BAND FM MOBILE



TM-271A 2M FM Transceiver - Delivers powerful mobile performance with 60W output and other great features such as multiple scan functions and memory names. Covers 144-148 MHz transmit with 136-174 MHz receive. N.O.A.A. Weather band reception with alert tone; FM Wide/Narrow; 200 memories; MIL-STD compliant; High quality audio; Illuminated keys and a large LCD with adjustable Green backlighting; CTCSS, DCS and 1750 Hz tone burst; Auto repeater offset; FREE memory control software available @ kenwood.net..... **\$179.99**

Available Accessories:

MJ88 Modular/8-pin adapter, PG2N DC cable, PG5D PC interface cable, SP50B External mobile speaker

KENWOOD DUAL BAND VHF/UHF MOBILES



TM-V708A 144/440 MHz Dual Band Transceiver Kenwood's new advanced Dual-Bander provides World-Class communications. It's similar to the popular TM-D700A except that it does not have APRS firmware, TNC or computer hookups. 144-148/430-450 MHz - Dual Display; Power: (VHF) 50W & (UHF) 35W; RX: 136-175, 300-524 & 800-1300 MHz (cell blocked); 200 Alpha Memories; Auto repeater offset; Automatic Simplex Checker; Visual Band Scope; DTSS Selective Call, PL Decode/Encode; Remote Head; DTMF Backlit Hand Microphone; Dim: 5.51" w x 1.58" h x 7.68" d; Body: 2.6 lbs. Panel: 0.4 lbs **\$399.99**

Available Accessories:

MB201 Mobile bracket, MJ88 Modular/8-pin adapter, PG2N DC cable, PG4X 13' extension cable kit, PG5A Packet data cable, SP50B Ext. mobile speaker, VS3 Voice synthesizer



TM-G707A 144/440 MHz FM Dual Band - Extra-ordinarily user-friendly with extra-large detachable control panel. 144-148, 430-450 MHz transmit; 118-174, 410-524 MHz receive; 50/10/SW (VHF); 35/10/SW (UHF); Detachable control panel with high-visibility amber LCD display; 180 multi-function alphanumeric memories; Multi-scan functions; Priority scan function; Built-in CTCSS encoder and decoder; 1200/9600bps packet ready; Cross band repeater access; Selectable frequency step; S-meter squelch; Time-out timer; Dimmer control; Auto power-off; Multi-function backlit microphone with DTMF. Dim: 5.5" w x 1.5" h x 7.4" d; 2.7 lbs **\$269.99**

Available Accessories:

DFK3C 9' cable kit, DFK4C 13' cable kit, DFK7C Deluxe 23' remote kit, MB201 Mobile bracket, MJ88 Modular/8-pin adapter, PG2N DC cable, PG45 PC interface cable, PG5A Packet data cable, SP50B External mobile speaker, VS3 Voice synthesizer

WE WANT TRADE-IN RADIOS!
Tell us what you have to trade...
1-800-558-0411 Sorry, no Handhelds

KENWOOD

DUAL BAND VHF/UHF MOBILE



TM-D700A 144/440 MHz Dual Band Data Communicator – Fully equipped to complement SSTV, GPS and APRS® operations. Covers: 144-148, 430-450 MHz transmit with 118-148, 136-175, 300-524 & 800-1300 MHz (cellular blocked) wide band receive. Power: 50/10/5W (VHF); 35/10/5W (UHF); Detachable control panel with large backlit LCD and multi-function key display; Backlit microphone with alphanumeric input; Easy-to-use menu system; Advanced APRS-99 features; Built-in 1200/9600bps TNC (AX.25); DX cluster monitoring; Dual receive on same band for voice and data; 200 alphanumeric memories; 2 call channels; 10 programmable memory scan banks; Built-in CTCSS and 1750 tone burst; Digital Code Squelch (DCS); DTMF memory; Cross band and fixed band repeater operation; DCS code scan, tone, CTCSS scan; 10-channel program scan; Visual band scope; 13.8VDC @ 11.5A. Dim: 5.5" w x 2.4" h x 1.2" d; 0.4 lbs. (control); 5.5" w x 1.2" h x 7" d; 2.6 lbs. (main) **\$499.99**

Available Accessories:

MB201 Mobile bracket, MJ88 Modular/8-pin adapter, PG2N DC cable, PG4X 13' extension cable kit, PG5A Packet data cable, SP50B External mobile speaker, VS3 Voice synthesizer

KURANISHI

BR-210 Standing Wave

Analyzer – Measures antenna SWR, impedance and resonant frequency. Built-in frequency counter for direct frequency readout. Works without an external RF source; take it right to the antenna and check system performance by yourself, and using the intuitive displays, make antenna adjustments quickly and accurately. Covers: 1.8-170 MHz. Operates about 14 hours using six "AA" batteries. Small and easy to handle.

Dim: 3.25" w x 6.75" h x 2.5" d; 1.8 lbs **\$429.99**



YAESU

SINGLE BAND MOBILE



FT-2800M 2M FM Transceiver – Cool, quiet, and ruggedly-built. Utilizes a Ultra-high Dissipation heat sink design, eliminating the need for a cooling fan. Covers 144-148 MHz transmit with 137-174 MHz receive. Includes Weather with Alert and 221 memories. Power: 65/25/10/5W; Direct keypad frequency entry with a backlit microphone that includes a 9-memory, 16-digit, DTMF autodialer and 4 user-programmable "soft" keys; Advanced track tuning RF input filtering; Alphanumeric display; Ergonomic, impact-resistant, MIL-spec design; CTCSS encode/decode and SmartSearch™ auto memory loading; Versatile scanning features a choice of scanning-resume option along with a "preferential" list; WIRES™ ready.

Dim: 6.3" w x 2.0" h x 7.3" d; 4 lbs **Call/Web**

Available Accessories:

ADMS2J Programming software, MLS100 Mobile speaker, S8002051 Mobile bracket, S8101436 DC cable

DUAL BAND MOBILES



FT-7800R 2M/440 MHz FM Mobile – Designed for simplicity of operation along with a high performance receiver section. Ideal for simplex, repeater, or satellite operation on both bands, without the need for cross-band repeat capability. Covers 144-148 & 430-450 MHz transmit with 108-520 & 700-999 MHz (cell/ blocked) receive. Power: 50W (2M), 40W (430 MHz); N.O.A.A. weather alert; 1000+ memory channels; One-touch operation via five "hyper memory" buttons; Illuminated keypad and microphone keys; WIRES™ capability.

Dim: 5.5" w x 1.6" h x 6.6" d; 2.2 lbs **Call/Web**

Available Accessories:

ADMS2K Programming software, CT39 Packet cable, MLS100 Mobile speaker, MMB60 Quick release mobile mount, T9021715 DC cable, YSK7800 Remote separation kit



FT-8800R Dualband FM Mobile – Easy operation, outstanding receiver performance, and crossband repeat capability, the 8800R is the new standard of comparison. Covers 144-148 & 430-450 MHz transmit with 108-520 & 700-999 MHz (cell blocked) wide coverage receive (keep informed in the Public safety, Commercial, Aircraft, and Government ranges); Power: 50W on 144 MHz, 35W on 430 MHz; Over 1000 memory channels, 512 "regular" on each band, five "Home," ten sets of band-edge memories on each band, and six "Hyper Memories" (complete sets of transceiver configurations); Independent 2-channel operation – dual RX with one band as the main TX/RX band; Separate volume and squelch controls for each band; Ability to configure 8800R for VHF-VHF or UHF-UHF operation; Large, easy-to-read OmniGlow™ LCD with 4 illumination levels; Cross-band repeat capability; One-touch band pattern; CTCSS/DCS (50/104 tone); User-program mic keys; Convenient remote-head mounting capability (optional kit required). Dim: 5.5" w x 1.6" h x 6.6" d; 2.2 lbs. **\$389.99**



FT-8800R Quad Band FM Mobile – National or World-wide FM communications from a vehicle. Covers 28-29.7, 50-54, 144-146, 430-440 MHz transmit with 28-29.7, 50-54, 108-180, 320-480 and 700-985 MHz (cell blocked) receive. Power: 50W (10/6/2M), 35W (430 MHz); FM satellite operation; Over 800 memories; DTMF auto-dial memory; One-touch band-pattern "Hyper-Memory," allows set up and storage of complete transceiver configuration settings. Saves button pushing! CTCSS and DCS encode/decode; Smart-Search™ auto memory loading; Cross band repeat; Independent, 2-channel, dual receive and full duplex (separate volume and squelch controls, as well as S-meters); Built-in duplexer; WIRES™ compatible; RF squelch; Auto repeater shift; ARTS™ capable; User-programmable microphone keys; Easy set up for FM satellite operation; Battery voltage meter; Time-out timer; Automatic power off; Large, easy-to-read LCD display; 1200/9600 bps packet; Thermal-sensored cooling fan; Remote head mounting capability.

Dim: 5.5" w x 1.6" h x 6.6" d; 2.2 lbs. **\$439.99**

Available Accessories for FT-8800R & FT-8900R:

ADMS2H Programming software (8800R), ADMS2I Programming software (8800R); CT39 Packet cable, MLS100 Mobile speaker, MMB60 Quick release mobile mount, MMB62 Remote control panel bracket, T9021810 DC cable, YSK8900 Remote separation kit

ORDER ON-LINE! USE YOUR CREDIT CARD



We accept I.M.P.A.C.® Government Credit Cards

Secure
www.aesham.com

Get "Back to Basics" with YAESU's New FM Dual Band Mobile One-Touch Operation / Wide Receiver Coverage Included

High Power Output
(50 W VHF/40 W UHF)

Wide Receiver Coverage
Including AM Aircraft Reception,
NOAA Weather Alert Broadcasting* *USA Version

Five One-Touch "Hyper Memory"
Transceiver Configuration Keys

Over 1000 Memory Channels
with Alpha-Numeric Labels,
Twenty Memory Groups

WiRES™ Internet Linking
Compatibility

144/430^{MHz}
DUAL BAND



ACTUAL SIZE
*Simulated LCD display

YAESU FM Mobile Series

QUAD BAND
DUAL RECEIVE

FT-8900R **QUAD BAND**
29/50/144/430 MHz FM QUAD BAND TRANSCEIVER

DUAL BAND
DUAL RECEIVE

FT-8800R **DUAL BAND**
144/430 MHz FM DUAL BAND TRANSCEIVER

DUAL BAND

FT-7800R
144/430 MHz DUAL BAND
FM TRANSCEIVER

YAESU
Choice of the World's top DX'ers

Vertex Standard
US Headquarters
10900 Walker Street
Cypress, CA 90630 (714)827-7600

For the latest Yaesu news, visit us on the Internet:
<http://www.vxstdusa.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

In the field, or on the way there, Choose the YAESU "HF Mobility" Series!



FT-897D

HF/50/144/430 MHz
100 W All Mode Transceiver
(144 MHz 50 W/430 MHz 20 W)

TCXO DSP 60 m Band

- High Stability TCXO Built In (0.5 ppm @ 77° F/25° C) for rock-solid PSK31, SSTV, or other data modes.
- Improved 1st IF Roofing Filter for enhanced operation in crowded bands.
- Compatibility with optional MH-59AsJ Remote Control Microphone.
- Built-in DSP (Digital Bandpass Filter, Digital Noise Reduction, Digital Notch Filter).
- 32-Color Liquid Crystal Display.
- Optional ATAS-120 Auto-Tune and ATAS-25 Manual-Tune Antennas.
- Optional YF-122CN 300 Hz Collins® Mechanical CW Filter.



FT-857D

HF/50/144/430 MHz
100 W All Mode Transceiver
(144 MHz 50 W/430 MHz 20 W)

DSP 60 m Band

- Built-in DSP (Digital Bandpass Filter, Digital Noise Reduction, Digital Notch Filter).
- Improved 1st IF Roofing Filter for enhanced operation in crowded bands.
- Optional MH-59AsJ Remote Control Microphone.
- 32-Color Liquid Crystal Display.
- Optional ATAS-120 Auto-Tune and ATAS-25 Manual-Tune Antennas.
- Optional YF-122CN 300 Hz Collins® Mechanical CW Filter.



Mobile Auto-Resonating
7 - 430 MHz
ATAS-120
Active Tuning Antenna
System (no separate
tuner required).

ATAS-120
VHF/UHF Base Radial
Kit ATBK-100.




FT-817ND


HF/50/144/430 MHz
5 W All Mode Transceiver
(AM 1.5 W)

60 m Band

- High-capacity 9.6V 1400 mAh Ni-MH Battery Pack (FNB-85) and NC-72B Battery Charger Included!
- Optional YF-122CN 300 Hz Collins® Mechanical CW Filter.
- Optional ATAS-25 Compact Manual-Tune Antenna.



FNB-85



NC-72A



FNB-85

• 3-Color (Amber/Blue/Violet) Liquid Crystal Display

VFOa USB
50.110.00
A/B A=B SPL

Violet


VFOa USB
50.110.00
A/B A=B SPL

Amber

VFOa USB
50.110.00
A/B A=B SPL

Blue

ATAS MICRO Manually-Tuned High-Performance Portable Antenna ATAS-25



Automatic Matching for FT-897/857 Series Transceivers




NEW

FC-40

Automatic-Matching
200-Memory
Antenna Tuner

WATER PROOF



For the latest Yaesu news, visit us on the Internet:
<http://www.vxstdusa.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

YAESU
Choice of the World's Top DXers™
Vertex Standard
US Headquarters
10900 Walker Street
Cypress, CA 90630 (714)827-7600

Manufacturer Model	ALINCO* DX-70TH	ALINCO* DX-77T	ICOM* IC-703PLUS	ICOM* IC-706MKIIG	ICOM* IC-718	ICOM* IC-746PRO	ICOM* IC-756PROIII	ICOM IC-7800	KENWOOD TS-2000, TS-B2000 TS-7000X	KENWOOD TS-480HX	KENWOOD* TS-480SAT	KENWOOD TS-505	KENWOOD TS-5700(G)	KENWOOD TS-570S(G)
Bands	HF 6M	HF	HF 6M, 2M, 70CM	HF 6M, 2M, 70CM	HF	HF 6M, 2M	HF 6M	HF 6M	HF 6M, 2M, 70CM, 1.2GHz	HF 6M 60M	HF 6M 60M	HF	HF	HF 6M
Rx Range (MHz)	15-30, 50-54	5-30	03-30, 03-200, 400-470	03-30, 03-200, 400-470	03-30	03-200	03-60	03-60	03-60, 142-152, 420-450, 1240-1300*	5-60	5-60	5-30	5-30	5-60
Power (SSB/CW/FM)	100W	10-100W	5-100 HF/6M, 5-30 2M, 2-20W 70CM	5-100 HF/6M, 5-30 2M, 2-20W 70CM	5-100 ⁽¹⁾	5-100	5-100W	5-200W	100W HF/6M, 30W 70CM, 10W 1.2GHz*	200W HF, 200W 6M	100W HF, 100W 6M	5-40W	5-100W	5-100W
Power (AM)	40W	4-40W	2-40W HF/6M, 2-20W 2M, 2-8W 70CM	2-40W HF/6M, 2-20W 2M, 2-8W 70CM	2-40W	5-40W	5-40W	5-50W	25W HF/6M, 12.5W 70CM, 2.5W 1.2GHz*	5-50W	5-25W	5-40W	5-25W	5-25W
DSP	No	No	Yes	Yes	Optional	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
Tuner	No	No	Optional	Optional	Optional	Internal	Internal	Internal	Yes	No	Yes	No	Yes	Yes
Keyer	No	Yes	Yes	Yes	Optional	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes
Speech Readout	No	No	Optional	Optional	Optional	Optional	Optional	Yes	Optional	Optional	Optional	No	Optional	Optional
VOX	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
Power Requirements	12VDC 20A	12VDC 20A	9-15VDC 2.3A	12VDC 20A	12VDC 20A	12VDC 20A	12VDC 23A	85-265VAC	12VDC 20.5A	12VDC 41A	12VDC 20.5A	12VDC 20.5A	12VDC 20.5A	12VDC 20.5A
Antenna Port	2 ⁽¹⁾	1	1	2 ⁽²⁾	1	3 ⁽⁴⁾	2	4	5	2	2	1	2	2
Computer Port	No	No	Optional	Optional	Optional	Optional	Optional	Yes	Yes	Yes	Yes	Optional	RS-232	RS-232
Height (in.)	23	37	23	23	37.5	4.7	4.3	5.9	3.75	2.4	2.4	2.4	3.8	3.8
Width (in.)	7	9.8	6.56	6.6	9.44	11.3	18.3	16.6	10.625	7	7	7.1	10.6	10.6
Depth (in.)	9	9	7.87	7.9	9.40	12.5	11.2	17.1	12.5	10.2	10.2	9.2	10.7	10.7
Weight (lbs.)	6	8.4	4.4	5.5	8.4	19.5	21	55	17.19	7	7	6.4	15	15

Manufacturer Model	MFJ 9015	MFJ 9020	MFJ 9030	MFJ 9040	MFJ 910X	MFJ 9420X	MFJ 9440X	MFJ 9475X	SGC 05-04 SG-2020	YAESU FT-817ND	YAESU FT-840	YAESU FT-857D	YAESU FT-1000MP MKV	YAESU MK V FIELD	YAESU FTDX-3000D Series
Bands	15M	20M	30M	40M	10M, 2M, 70CM	20M, 6M ⁽³⁾	40M, 6M ⁽³⁾	75M	HF	HF 6M, 2M, 70CM	HF	HF 6M, 2M, 70CM	HF	HF	
Rx Range (MHz)	21-21.2	14-14.075	10.1-10.15	7-7.15	28.3-28.6	14.15-14.35	7.15-7.3	3.75-4	1.8-29.7	1-56, 76-108	1-56, 76-108	1-30, 118-164, 420-470	1-30, 50-54 ⁽³⁾	50-54 ⁽³⁾	
Power (SSB/CW/FM)	5W CW	5W CW	5W CW	5W CW	20W SSB	12W SSB	12W SSB	12W SSB	0-20W SSB/CW	100W HF, 50W 2M/70CM	100W HF, 50W 2M/70CM	100W HF, 50W 2M/70CM	200W	100W	
Power (AM)	No	No	No	No	No	No	No	No	No	25W HF, 12.5W 2M, 5W 70CM	25W HF, 12.5W 2M, 5W 70CM	25W HF, 12.5W 2M, 5W 70CM	50W	25W	
DSP	No	No	No	No	No	No	No	No	No	No	No	Optional	Yes	Yes	
Tuner	No	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes	
Keyer	No	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes	
Speech Readout	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
VOX	No	No	No	No	No	No	No	No	No	No	No	No	Yes	Yes	
Power Requirements	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	12VDC 1.2A	13.8VDC 22A	13.8VDC 22A	13.8VDC 22A	13.8VDC 22A	(supplied)	13.8VDC	
Antenna ports	1	1	1	1	1	1	1	1	1	Optional	Optional	Optional	2 ⁽³⁾	2	
Computer Port	No	No	No	No	No	No	No	No	Optional	Optional	Optional	Optional	Yes	Yes	
Height (in.)	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	3.7	3.7	3.7	3.14	5.4	5.3	
Width (in.)	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6	6	6	7.9	16.4	16	
Depth (in.)	6	6	6	6	6	6	6	6	9.6	9.6	9.6	10.3	13.9	13.7	
Weight (lbs.)	2	2	2	2	2	2	2	2	12	4.6	4.6	8.6	31	33	

See pages 56 & 57 or go to Yaesu's Web Site:
<http://www.vertextstandard.com>

Removable control head

* Optional module required for TS-2000 and B versions

(1) One port for HF, one port for 6M

(2) Optional board required for FM

(3) HF/6M one port, 2M/40MHz second port

(4) Two ports for HF, one dedicated for 2M

(5) Port per band, HF/6M can be combined

(6) 6M operation requires optional FTV1000

(8) On internal batteries: 20W (10W on 70cm)

(9) On internal batteries: 5W (2.5W on 70cm)

(10) 6M operation requires optional FTV1000

Links to Manufacturer's
Websites at aesham.com

Manufacturer	ADI	ALINCO	ALINCO	ALINCO	ALINCO	ALINCO	ALINCO	ALINCO	ALINCO	ICOM	ICOM	ICOM	KENWOOD	YAESU
Model	AT-201HP	DJ-196T	DJ-296T	DJ-496T	DJ-S11T	DJ-S40T	IC-T2H SPORT	IC-U82	IC-U82	IC-U82	IC-V8	TH-K2AT	VX-170	
Band	2 meters	2 meters	220MHz	440MHz	2 meters	440MHz	2 meters	440MHz	440MHz	440MHz	2 meters	2 meters	VX-170	
RX Range (MHz)	130-179	130-174	222-225	430-450	144-148	425-450	136-174	400-479	136-174	136-174	136-174	136-174	137-174	
Aircraft RX	No	No	No	No	No	No	No	No	No	No	No	No	No	
Power Output	5W	5W	5W	5W	340mW	500mW	6W	7W	7W	5W	5.5W	5W	5W	
Touch-Tone Pad	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Tone Encode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Tone Decode	Yes	Yes ⁽¹⁾	Yes ⁽¹⁾	Yes ⁽¹⁾	No	Yes	Yes	Yes	Yes	Yes	Yes ⁽¹⁾	Yes ⁽¹⁾	Yes	
Memories	40	40	40	40	21	100	40	200	200	200	100	100	Yes/DOS	
Alphanumeric	No	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
Battery Type	Ni-Cad	Ni-Cad	Ni-Cad	Ni-Cad	AA	AA	AA	Ni-Cad	Ni-Cad	Ni-Cad	Ni-Cad	Ni-MH	Ni-MH	
PC Programmable	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
Antenna Conn.	BNC	BNC	BNC	BNC	Fixed ⁽²⁾	SMA	BNC	BNC	BNC	BNC	SMA	SMA	SMA	
Height (in.)	3.3	4.9	4.9	4.9	3.9	4.0	4.5	5.5	5.5	5.2	4.4	4.4	4.3	
Width (in.)	2.2	2.2	2.2	2.2	1.1	1.2	2.3	2.1	2.1	2.1	2.3	2.3	2.3	
Depth (in.)	1.2	1.6	1.6	1.6	1.1	1.2	1.3	1.4	1.4	1.4	1.4	1.4	1.4	
Weight (oz.)	6.6	13.2	13.2	13.2	2.72	3.5	14.8	13.8	13.8	12.3	12.5	11.5	13.8	

* Only alkaline case included

I) Standard CTCSS plus DCS

2) Folding ant. attached

3) Dual operation between Voice & Data

All radios are cell blocked

.....

Links to Manufacturer's

Websites at aesham.com

MULTI BAND HANDHELDS												
Manufacturer	ALINCO	ALINCO	ALINCO	ALINCO	ICOM	ICOM	ICOM	KENWOOD	KENWOOD	KENWOOD	YAESU	YAESU
Model	DI-5957MKII	DI-C7T	DI-V5TH	DI-V5TH	IC-17H	IC-790A	IC-W32A	TH-D7A(G)	TH-F6A	TH-G71A	FT-50R	VX-2R
TX Range (MHz)	144-148	144-148	144-148	144-148	144-148	50-54	144-148	144-148	144-148	144-148	144-148	144-148
	420-450	420-450	438-450	440-450	440-450	440-450	440-450	430-450	222-225	430-450	430-450	222-225
						430-450		430-450				430-450
RX Range (MHz)	136-174	88.1-174	76-999	118-174	118-174	495-999.99	118-174	118-174	118-174	118-174	108-520	5-1000
	400-512	380-512		400-470	400-470		400-470	0.1-1300	400-470	700-999		5-16
Single/Multi RX	Single	Single	Single	Single	Single	Single	Dual	Single ^{1b}	Dual	Single	Single	Dual
	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Aircraft RX							5W	5W	5W	5W	1.5W (1W/70cm)	5W
Power Output												
Memories	5W	300mW	5W	6W	5W	5W	200	200	435	200	1000+	1300+
CTCSS	100	200	200	200	70	555	Enc/Dec	Enc/Dec	Enc/Dec/DCS	Enc/Dec	Enc/Dec/DCS	Enc/Dec/DCS
	Enc/Dec/DCS	Enc/Dec	Enc/Dec	Enc/Dec	Enc/Dec	Enc/Dec/DCS	Enc/Dec	Enc/Dec	Enc/Dec/DCS	Enc/Dec	Enc/Dec/DCS	Enc/Dec/DCS
TTP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes
Alphanumeric	Yes	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
PC Programmable	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Battery Type	Ni-Cad	Li-ion	Ni-Cad	Ni-Cad	Ni-Cad	Li-ion	Ni-Cad	Ni-Cad	Li-ion	Ni-Cad	Ni-MH	Li-ion
Ant. Connector	BNC	SMA	SMA	SMA	BNC	BNC	BNC	SMA	SMA	SMA	SMA	SMA
Height (in.)	4.9	3.8	3.8	4.8	3.4	5.5	4.7	5.4	3.4	4.4	4.3	3.2
Width (in.)	2.2	2.3	2.3	2.3	2.3	2.3	2.1	2.3	2.1	2.3	1.9	3.5
Depth (in.)	1.6	0.6	1.3	1.1	1.1	1.2	1.4	1.7	1.2	1.3	0.9	1.1
Weight (oz.)	13.2	3.6	12	14.3	8.5	16	13.4	8.8	11.6	13	4.7	9

Manufacturer	ALINCO	ALINCO	ALINCO	ALINCO	ALINCO	ICOM	ICOM	ICOM	KENWOOD	MFJ	MFJ	MFJ	YAESU
Model	DR-M06TH	DR-135THK1L	TPMK1L	DR-235T	DR-435THK1L	IC-220DH	IC-V6000	ID-1	TM-271A	8621Y2	9402X	9406X	FT-280DM
TX Range (MHz)	50-54	114-174	114-174	222-224.995	430-449.995	144-148	144-148	1240-1300	144-148	145.01	144-144.3	50-50.3	50-50.3
RX Range (MHz)	40-60 ¹	114-174	216-279.995	216-279.995	350-511.995	118-174	136-174	1240-1300	136-174	145.01	144-144.3	50-50.3	137-174
Aircraft RX	N/A	Yes	Yes	Yes	No	Yes	No	No	No	No	No	No	No
Power Output	50/10/5W	50/10/5W	35/10/5W	25/10/5W	35/10/5W	65/25/10/5W	75/25/10/5W	10/1W	60/25W	5W	7W	10W	SSB
TP Microphone	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes
Tone Encode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes
Tone Decode	El-200	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes
Memories	100	100	100	100	100	207	207	100	200	0	0	0	221
Alphanumeric	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes
PC Programmable	N/A	No	Yes	No	Yes	Yes	Yes	Yes	Yes	No	No	No	No
13.8V DC@	5A	11A	10A	8A	10A	15A	7A	13A	>1A	>1A	2A	3A	10A
Antenna Conn	SO-239	SO-239	SO-239	SO-239	SO-239	SO-239	N	N	SO-239	SO-239	SO-239	SO-239	SO-239
Size (h/w/d, in.)	1.65/34/5	1.65/34/5	1.65/34/5	1.65/34/5	1.65/34/5	1.65/37/1	2.05/35/9.9	6/22	1.7/6.3/5.4	1.5/5/5	2.6/5.6/5	2.5/6.5/6	2.6/37/3
Weight (lbs.)	1.5	2.3	2.3	2.3	2.3	2.6	2.22	2.6	2.6	0.8	2	2	2

* Removable control head

- (1) Requires keyboard modification
- (2) There are gaps in non-voice or data portions in certain bands
- (3) 2 Piece configuration only
- (4) Control head separate from body
- (5) All models are Cellular Blocked

(6) AM aircraft receive mode

- (9) FT-8900R includes 10M/6M as well

All radios are cellular blocked

Links to Manufacturer's Websites at aesham.com

MULTI-BAND MOBILE TRANSCEIVERS

Manufacturer	ALINCO	ALINCO	ALINCO	ICOM	ICOM	ICOM*	KENWOOD ⁽⁴⁾	KENWOOD*	KENWOOD ⁽⁴⁾	YAESU	FT-8800R	YAESU	YAESU
Model	DR-605TQ	DR-620T	DR-635T	ID-800	IC-208H	IC-2720H	TM-7700A	TM-6707A	TM-V708A	FT-7800R	FT-8800R	FT-9000R	
TX Range ⁽⁵⁾⁽⁶⁾	144-148 430-450	144-148 430-450	144-148 430-450	144-148 420-450	144-148 440-450	144-148 430-450	144-148 438-450	144-148 438-450	144-148 438-450	144-148 430-450	144-148 430-450	28-29.7 50-54 144-148 430-450	
RX Range (MHz) ⁽⁵⁾⁽⁸⁾	136-174 420-470	87.5-108 (WFM) 108-174	108-174 ⁽⁶⁾ 335-480	118-173 230-549 810-999	118-174 ⁽⁶⁾ 230-550 810-999	118-550 (left) 118-174, 375-550 810-999 (right)	118-470 (A band) ⁽³⁾ 136-175, 300-524 800-1300 (B band) ⁽³⁾	118-174 410-524 ⁽⁶⁾	118-470 (A band) ⁽³⁾ 136-175, 300-524 800-1300 (B band) ⁽³⁾	108-520 700-999	108-520 700-999	28-29.7 50-54 108-180 320-480, 700-985	
Single or Dual RX	Dual	Dual	Dual	Single	Single	Dual	Dual	Single	Dual	Single	Dual	Dual	
Power (2M) ⁽⁹⁾	50/5W	50/35/10/5W	50/25/5	55/15/5	55/15/5W	50/20/5W	50/10/5W	50/10/5W	50/10/5W	50W	50/20/10/5W	50W ⁽⁶⁾	
Power (440MHz)	35/5W	35/10/5W	35/20/5	50/15/5	35/20/5W	35/20/5W	35/10/5W	35/10/5W	35/10/5W	40W	35/20/10/5W	35W	
Memories	100	200	200	500	500	212	200	180	200	1000+	1000+	800	
Tone Encode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Tone Decode	Yes	Yes	Yes	Yes/DTC	Yes	DCS	Yes	Yes	Yes	DCS	DCS	DCS	
Duplexer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Cross-Band Rpt.	Yes	No	Yes	No	No	Yes	Yes	No	Yes	No	Yes	Yes	
Alphanumeric	No	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	
PC Programmable	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	
9600b Compatible	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	
Separateable	No	Yes	Yes	Yes	Yes	Yes ⁽³⁾	Yes	Yes ⁽³⁾	Yes ⁽³⁾	Yes	Yes	Yes	
Height (in.) (Head)	1.6	5.51	5.5	1.6	1.6	1.6(2)	1.6(2,4)	1.6	1.6(2,4)	1.6	1.6	1.6	
Width (in.)	5.5	1.57	1.6	9.5	5.6	5.5(6,5)	5.5(6,5)	5.5	5.5(6,5)	5.5	5.5	5.5	
Depth (in.) ⁽⁷⁾	6.9	7.28	7.3	1.5	7.3	7.4(1.1)	7.4(1.3)	7.4	7.4(1.3)	6.6	6.6	6.6	
Weight (lbs)	2.4	2.2	2.2	7.3 ⁽¹⁾	2.7	3 (5.3)	2.6(4)	2.7	2.6 (0.4)	2.2	2.2	2.2	



**RF Directional
Wattmeters**

81000-A RF Directional Wattmeter - Gives accurate RF Power measurement in 50Ω coaxial systems. Uses an internal line section and "Quick Match" plug in elements in the range of 0.1-10,000 watts full scale, and from 0.45 to 2300 MHz.

Simply plug in the appropriate measuring element and select forward or reflected direction. Measured average RF power is indicated directly on the large 4.5" "taut-band" meter with three scale display. The meter is also mirrored and shock mounted to provide the most reliable and accurate readings.

Strong shock-proof housing. With SO-239 connectors (Type-N female Special Order) **\$275.99**

83000-A RF Peak Reading Wattmeter - Similar in appearance and operation to the standard Model 81000-A wattmeter. Contains an amplifier which allows measuring of both Average and Peak Envelope Power (PEP) with the flip of a switch. Internal 9V battery is required and supplied for peak reading mode **\$393.99**

See Price Guide for list of Plug-in Elements



CN-801HV

CN-101/103M

Cross Needle SWR/Power Meters

CN-101 - Covers 1.8-150 MHz, rated at 1500W from 1.8-60 MHz and up to 1000W at 144 MHz. Shows Forward/Reverse power and VSWR simultaneously. Three power ranges: 15/150/1500W (RMS or PEP); ±10% of full scale accuracy. SWR detection sensitivity: 4W min. 50Ω impedance, SO-239 connectors. Dim: 6" w x 3" h x 3.875" d; 1.5 lbs **\$99.99**

CN-103M - Same as CN-101, but covers 140-525 MHz and rated at 200W. Two power ranges: 20/200W (RMS or PEP) **\$99.99**

Professional Series

The CN-801 series of cross needle meters features the most accurate meter and largest meter face in the Daiwa line. The large, easy-to-read meter has .5W increments and is lighted. This is truly a professional quality meter. SW SWR detection sensitivity (min.); 50Ω impedance. Dim: 6" l x 4" h x 4.5" w; 2.2lbs

CN-801H - 1.8-200 MHz, 20/200/2kW. **\$149.99**

CN-801V - 140-525 MHz, 20/200W **\$154.99**



SWR/Power Meters

(left) Five models measure power and SWR with 5-10% of F.S. accuracy. Illuminated meter, sensor switch, LED indicator. Power ratings for intermittent operation. For continuous, ratings vary with frequency. SO-239 connectors on all except SX-1000 (type-N). Dim: 6" w x 2.5" h x 4" d; 2 lbs.

SX-100 - 1.6-60 MHz, 30/300/3kW PEP **\$134.99**

SX-200 - 1.8-200 MHz, 5/20/200W PEP **\$94.99**

SX-400 - 140-525 MHz, 5/20/200W PEP **\$114.99**

SX-600 - Dual band, 1.8-160 MHz and 140-525 MHz, 5/20/200W PEP ranges **\$169.99**

SX-1000 - Dual band, 1.8-160 MHz and 430-1300 MHz, 5/20/200W PEP ranges **\$214.99**

Cross-Needle SWR/Power Meters

(right) Indicate forward/reflected power and SWR simultaneously. 50Ω impedance, SO-239 connectors, 10% F.S. accuracy. 3.3" w x 3.4" h x 3.7" d; 9 oz.

SX-20C - 3.5-30/50-54 and 130-150 MHz ranges; 30/300W. Needs SW minimum for VSWR. **\$89.99**

SX-40C - 144-470 MHz (220 MHz with correction factor); 15/150W (3W minimum power) ... **\$79.99**



**ELECTRONIC
LAB KITS**

Educational • The fun way to learn about electronics and the wonders of science • Safe and Solderless using spring clip connections and powered by AA batteries • Illustrated Step by step manuals for easy project construction • No experience required!

30 IN 1 VEL EL301

ELECTRONIC LAB KIT

Everything you need to build a radio, a burglar alarm, a water detector, a Morse code practice circuit, simple computer circuits and much more.



\$39.99

130 IN 1 VEL EL1301

ELECTRONIC LAB KIT

Built a radio, an AM broadcasting station, an electronic organ, a kitchen timer, logic circuits and much more. Comes with built-in speaker, 7-segment LED display, two integrated circuits and rotary controls.



\$89.99



\$129.99

300 IN 1 VEL EL3001

ELECTRONIC LAB KIT

Everything you need to build 300 exciting electronic projects. A transistor radio, an IC organ, a burglar alarm, a battery checker, a delayed timer, an electronic game, a voltage controlled amplifier, multiplier, a multiple counter, a digital light dimmer, a tone burst generator, an audio signal tracer, on electronic candle, a voice level meter, a metal detector, a rain detector, a voltage drop alarm, a logic checker, a function generator and much more.



**Low Cost
Meters**

SWR-1 Field Strength or SWR Meter - Range: 3.5-150 MHz; Impedance: 52Ω; SWR: 1:1-3:1; Accuracy: 5%; Meter sensitivity: 300uA; 5" RF pick-up antenna. Dim: 6" h x 2" w x 2.9" d; 14 oz **\$24.99**

SWR-3 SWR Meter - Range: 1.7-30 MHz; Imp: 52Ω; SWR: 1:1-3:1; Accuracy: 5%; Sensitivity: 300uA. Dim: 2.5" h x 3.5" w x 3" d; 6 oz **\$14.99**

370052 Digital Multi-Meter - 3.5 digit LCD, 0.5" h with polarity indicator; Measures DC volts in 5 ranges: 200mV-600V; AC volts: 200V and 600V; DC current in 5 ranges: 200uA-10A; Resistance in 5 ranges: 200Ω-20kΩ. Diode test: forward voltage drop; Transistor test: shows hFE value; Comes with 100-hour, 9V battery and plug-in test leads.

Dim: 2.76" w x 4.96" h x 0.94" d; 6 oz **\$19.99**

**VECTRONICS
SWR/Power
Meters**



PM-30HF - Range: 1.8 to 60 MHz. Displays

peak and average forward and reflected power, and SWR simultaneously on a dual movement back-lit cross-needle meter. Power Ranges: 300 and 3000W. SO-239 connectors.

Dim: 5.3" w x 3.5" h x 5.75" d; 1.2 lbs **\$79.99**

PM-30UV - Same features as the PM-30HF, but covers 144/220/440 MHz bands. 30/300W ranges. SO-239 connectors **\$89.99**



**ALAN BROADBAND
ZAP-CHECKER**

Broadband Field Strength Bug Detector - A wideband 10 MHz to 4.5 GHz receiver that provides visual indications of the presence of RF energy. Sensitive, detects 2.4 GHz bugs at 40 feet. Analog meter and LED display, for viewing at a distance and at night. Silent vibrator mode for in-pocket detection and hands-free operation. Use for bug detection, wireless, aircraft maintenance, health/environmental and ham radio. Detects and measures, cell phone radiation, microwave ovens, computer wireless devices, microwave

data transmissions, covert surveillance cameras and bugs, radiating PCs and electronic games, and background radiation levels. Dim: 2.1" w x 1.25" l x 5" h; 5 oz **ZAPCHECKER \$89.99**

185 - Same as the ZAPCHECKER but is more sensitive than the original and covers approximately 3 MHz to 5.8 GHz. Also features an analog/digital switch **\$159.99**

SWR Analyzers

... for Serious Antenna Performance!

You've spent a lot of time and money on your antenna system, so why not make sure it's giving you top performance? An MFJ SWR Analyzer will do that – plus, it will make you very popular because all of your Ham buddies are going to want to borrow it!

The MFJ 259B and 269 are complete Ham radio test stations, including – Frequency Counter, RF signal generator, SWR Analyzer, RF Resistance and Reactance Analyzer, Coax Analyzer, Capacitance and Inductance Meter & more!



Overall, here's what you can do...

- Read antenna SWR & Complex Impedance from 1.8-170 MHz with the 259B and additionally 415-470 MHz with the 269. Complex Impedance can also be read as series resistance and reactance ($R+jX$) or as magnitude (Z) and phase (degrees).
- Find true resonant frequency of antenna.
- Trim dipoles and verticals to resonance.
- Adjust your Yagi, quad, loop and others. Change antenna spacing and height – watch SWR, resistance and reactance change instantly.
- Perfectly tune critical HF mobile antennas in seconds for top performance – without subjecting your transceiver to high SWR.
- Measure your antenna's 2:1 SWR bandwidth on one band, or analyze multiband performance over the entire spectrum.
- Check SWR outside the ham bands without violating FCC rules.
- Adjust your antenna tuner for a perfect match without creating QRM.
- Take the guesswork out of building and adjusting phasing lines, matching networks and baluns.
- Accurately measure distance to a short or open in a failed coaxial transmission line. Measure the length of a roll of coax and also determine loss, velocity factor and impedance.
- Measure frequency with built-in counter.
- Frequency counter function.
- Troubleshoot and measure resonant frequency and approximate Q of traps, stubs, transmission lines, RF chokes, tuned circuits and baluns.

259B SWR Analyzer – \$239.99 1.8-170 MHz

269 SWR Analyzer – \$319.99 1.8-170 + 415-470 MHz E-X-P-A-N-D-E-D Frequency Coverage & Added Features

Looks nearly identical to, and has all the features of the 259B PLUS...

- Covers 1.8 to 170 MHz plus 415 to 470 MHz
- Built-in CoaxCalculator™ – calculates coax length in feet given coax length in electrical degrees and vice versa, and any velocity factor (great for building matching sections and phasing lines for multiple antennas).
- New 12-bit A/D converter gives much better accuracy and resolution than common 8-bit A/D converters.

New 1.8 to 170 MHz Range features:

- Read Complex Impedance as series equivalent resistance and reactance ($R+jX$ s) or as magnitude (Z) and phase (degrees). Also reads parallel equivalent resistance and reactance ($Rp+jXp$).
- Measure SWR and loss of coax with any characteristic impedance from 10 to over 600Ω, including 50, 51, 52, 53, 73, 75, 93, 95, 300, 450Ω.

415 to 470 MHz Range features:

- Read SWR, return loss, reflection coefficient simultaneously, and cable loss in dB and match efficiency.
- Has LCD logarithmic SWR bargraph and SWR meter for quick tuning.

www.mfjenterprises.com

The 259B and 269 can take the frustration out of tuning your antennas for maximum performance. Gone are the days of using a conventional, sometimes questionable, SWR meter. You will no longer have to drag your rig (RF source) out into the yard. No more running in and out of the house or up and down the tower to make those seemingly endless readings and adjustments.

The 259B and 269 are self-contained and fully portable units, with built-in battery power and RF source so you can take it right to the antenna. Take one reading to get a complete picture of your antenna, and make tuning adjustments on the spot.

Operation is simple, just connect the feed line, set the bandswitch and tune the dial – just like a transceiver. All information is clearly displayed instantly on the large, easy-to-read, two-line LCD screen and side-by-side meters.

When tuning transmission lines or making up phasing harnesses for stacking antennas, you can quickly determine exact 1/4 or 1/2 wavelengths. You can also determine the velocity factor, coax cable loss, length of coax and distance to a short or open in coaxial cable.


Read SWR, return loss and reflection coefficient at any frequency, simultaneously, or inductance and capacitance at RF frequencies at a glance.

The 259B and 269 operate on 110V with the 1312D adapter (\$14.99) or on 10 "AA" internal batteries, not included. For rechargables, there is a built-in charger, MFJ's 1312D required.

All metal cabinet, 6-3/4" h x 4" w x 2" d.

SWR Analyzer Accessories

- 29C Carrying Case** – Tote your 259B anywhere with this custom carrying case. Wear it around your waist, over your shoulder, or clip it onto the tower while you work. Has back pocket for carrying dip coils and coax adapters. Special foam filled fabric cushions blows and protects unit from wear and tear **\$24.99**
- 39C Carrying Case** – Fits the 269..... **\$24.99**
- 66 Dip Meter Adapter** – For grid dip operation. Set of two plug-in coils covers 1.8-170 MHz range .. **\$19.99**
- 98 Accessory Pack** – Includes 39C case, 66 dip adapter and 1312D AC adapter..... **\$54.99**
- 99 Accessory Pack** – Includes 29C case, 66 dip coils and 1312D AC adapter..... **\$54.99**
- 99B Accessory Pack** – Includes 10 "AA" NiMH batteries, 29C case, 66 dip coils and 1312D AC adapter. **\$77.99**
- 99C Accessory Pack** – Includes 10 "AA" NiMH batteries and 1312D AC adapter **\$34.99**
- 731 Tunable Measurement Filter** – Use with 259B or 269 for accurate measurements in the 1.8-30 MHz range while in the presence of strong RF fields from nearby broadcast stations or other RF emitters. **\$89.99**






864 – Covers 1.8–60 MHz, 144 MHz and 440 MHz bands. Dual sensors allow connection to an HF and VHF/UHF rig at the same time. Monitor SWR and power simultaneously of either on the lighted Cross-Needle meter. Ranges: 30/300W forward and 6/60W reflected. Uses 12V DC for meter light. Dim: 7.25" w x 2.5" h x 2.25" d..... **\$84.99**

862 – Similar to the 864, but for 144, 220 & 440 MHz. Ranges: 30/300W forward and 6/60W reflected. Dim: 5.75" w x 2.5" h x 2.25" d..... **\$54.99**

860 – Similar to the 864, but covers 1.8 to 60 MHz. Ranges: 30/300W forward and 6/60W reflected. Dim: 4.5" w x 2.25" h x 3" d..... **\$44.99**



815B – Features large 3 in. Cross-Needle meter for accurate SWR and peak or average power readings from 1.8–60 MHz. Ranges: 200/2000W forward and 50/500W reflected. Push button selection. 12V DC meter light. Dim: 7.25" w x 2.5" h x 2.25" d..... **\$79.99**

817 – Similar to 815B but for 144/440 MHz bands. Ranges: 200/200W forward and 50/50W reflected. Dim: 7.25" w x 2.5" h x 2.25" d..... **\$89.99**



812B – Indicates forward and reflected power on 2M/220 MHz and SWR from 144–220 MHz, plus field-strength from 1–220 MHz. Power ranges: 30/300W. Dim: 4.5" w x 2.25" h x 3" d..... **\$34.99**

816 Toroidal Meter – Indicates forward and reflected power from 1.8–30 MHz. Power ranges: 30/300W. Dim: 4.5" w x 2.25" h x 3" d..... **\$34.99**



844 VHF/UHF SWR/Power Meter Covers 144 and 440 MHz, rated up to 200W. Easy to read multi-colored meter shows SWR/POWER in three ranges: 15, 60, and 200W. Insertion loss is 0.3 dB or less. Great to take along for portable, HT or mobile rigs. Dim: 3.75" w x 3" h x 1.25" d..... **\$69.99**



We accept I.M.P.A.C.® Government Credit Cards



GrandMaster™ – Four models with different frequency and power ranges. Easy-to-read 3.25" w x 1.25" h meter shows Forward and Reflected power in three ranges. Dim: 7.5" w x 3.125" h x 4.25" d.

870 (HF range) – 1.6 to 60 MHz.

Power ranges: 30/300/3000W..... **\$124.99**

872 (HF/VHF range) – 1.8 to 200 MHz.

Power ranges: 5/20/200W..... **\$94.99**

873 (VHF/UHF range) – 125 to 525 MHz.


Power ranges: 5/20/200W..... **\$104.99**

874 (HF/VHF/UHF range) – 1.8 to 525 MHz.

Power ranges: 5/20/200W..... **\$159.99**

267 Precision SWR/Wattmeter with Dry Dummy Load

Usable 1.8 to 60 MHz. Large 3 in. Cross-Needle meter shows peak and average forward and reflected power and SWR. Power: 300/3000W forward, 60/600W reflected; SWR 1:1 to 8:1; Built-in 100W 50 ohm dummy load; Load to antenna switch; Uses 12VDC for the meter lamp or 120VAC with 1312D, or 9V battery. Dim: 4" w x 3.125" h x 10" d..... **\$139.99**



FIELD STRENGTH METERS

801 Super Compact Field Strength Meter – You can read relative field strength from your antenna, measure antenna performance and discover how strong your antenna field is. Its compact size fits in the palm of your hand, only 2.375" w x 3.625" h x 1" d. Telescopic whip included..... **\$19.99**

802 Bipolar Field Strength Meter – Dual whips are included. Dim: 2.4" w x 4" h x 1.5" d..... **\$39.99**




MISCELLANEOUS

850 Line Voltage Monitor

Plug into any 110V AC outlet and monitor the line voltage on an expanded/colored 95 to 135V AC scale. Dim: 2.25" w x 2.25" h x 1.5" d..... **\$19.99**

204B Antenna Bridge – Quickly optimize 1.8–30 MHz antennas for peak performance. Determine if an antenna is too long or short, measure resonant frequency and resistance to 500Ω. Built-in resistance bridge, null meter and RF source. Uses 9V battery. Dim: 4" h x 2" w x 2" d..... **\$79.99**



224 2M FM Signal Analyzer™ Covers 143.5–148.5 MHz. Measures signal strength (60dB range), antenna gain, beamwidth, front-to-back ratio, sidelobes, feedline loss. Check and set FM deviation. Plot field strength patterns, position antenna, measure preamp gain, tune transmitters and filters, analyze modulation wave forms, measure audio distortion, noise and peak deviation. Headphone jack. Dim: 4" w x 2.5" d x 6.75" h..... **\$149.95**



852 Power Line Noise Meter

A sensitive AM receiver finely tuned in the 135 MHz range coupled with a telescopic, direction-finding dipole antenna locates line noise fast. Antenna is balun isolated to give a clearly defined

null for pin-pointing noise sources. Wide range level meter. Plug in headphones to hear the noise or plug in a tape recorder for later playback. Uses 9V battery. Dim: 2.8" w x 4" h x 1.5" d..... **\$99.99**

805 Pocket-Sized RFI Detector

Track and eliminate RFI caused by radiating cables and wires. Simply clamp the top mounted current transformer over suspected cable or wire (up to 1/4 inch diameter) to detect RFI causing common-mode currents. Useable from VLF to VHF. Uses 9V battery. Dim: 2.25" w x 4.75" h x 1" d..... **\$79.99**



888 Deluxe Frequency Counter

Covers 10 Hz - 3 GHz with a 10-digit LCD and an ultra-sensitive synchronous detector with 16-segment bargraph showing RF signal strength. Hi-Z low range; Auto-hold, Measures frequency, and period; LED backlight; Beeper; Hold switch locks display; Low battery indicator. A high-speed 300 MHz direct counter with 0.1 Hz resolution has four selectable gate speeds. Built-in 6-hour Ni-Cd battery. Complete with battery pack, charger, and telescopic whip. Dim: 2.75" w x 4.25" h x 1.25" d; 9 oz..... **\$174.99**



886 Pocket Frequency Counter

Covers 1 MHz - 3 GHz. Direct 300 MHz count with 0.1 Hz resolution. 10-digit high-contrast LCD display with 3/4 in. high digits; Ultra sensitive synchronous detector; RF Signal Strength LCD bargraph; Four selectable gate times gives 0.1–10 Hz resolution (300 MHz range) and 10–1000 Hz resolution (3 GHz range). Rechargeable Ni-Cd 6-hour battery pack. Dim: 2.75" w x 3.25" d x 1.25" d..... **\$109.99**



854 RF Current Meter – A top-mounted sense coil snaps over wires, cables, etc. up to 1/2" dia. Measures actual RF currents in antenna elements, ground wires, radials and outside of coax feedlines; Six ranges, 30mA to 3A; Accurate from 1–30 MHz; Range with variable sensitivity control; Auto-off, press-to-test power circuit; All aluminum case and G-10 PC board. Dim: 2.5" w x 5.5" h x 1.5" d; 11 oz..... **\$99.99**



DUMMY LOADS

Simulates an accurate 50 ohm antenna and allows testing or tuning a transmitter without radiating a signal on the air.

A must for every hamshack!



250 Versaload - A 50 ohm Oil-filled Dummy Load providing low VSWR up to 400 MHz. Rated at 1000W CW or 2000W PEP for 10 minutes. Good for 20 minutes at 50% power rating and continuous operation at 200W CW or 400W PEP. SO-239 connector. Dim: 7.3" h x 6.6" diameter. Supplied with high-quality oil **\$59.99**

250X - Same as above, but requires oil **\$39.99**

Dry Loads - A non-inductive 50 ohm resistor mounted in a metal housing, air cooled. Full rated load for 30 sec., derating curve to 5 min.


260C HF/VHF Range - Rated at 300W at 1:1 VSWR up to 30 MHz, 1.5:1 to 650 MHz. SO-239 connector. Dim: 2.5" w x 2.5" h x 7" d **\$34.99**

260CN - Has type "N" connector **\$39.99**

264 UHF, Wide Range - Good from 1.3 to 650 MHz and usable up to 750 MHz. Rated at 1500W for 10-seconds, 100W for 10-minutes. SO-239 connector. Dim: 3" w x 3" h x 9" d **\$69.99**

264N - Has type "N" connector **\$79.99**

VECTRONICS



DL-300M Dry Dummy Load - Power handling curve rated at 300W for 15 seconds, to 100W for 40 seconds. VSWR <1.3:1 at 150 MHz. Dim: 5" h x 2" d x 2.9" h; 8 oz **\$44.99**

DL-650M Dry Dummy Load - Good all the way up to 650 MHz. Power handling curve is rated at 1500W for 10-seconds, down to 100W for 10 min. VSWR <1.3:1 at 500 MHz .. **\$74.99**

DL-2500 High-Power Dry Load - A fan cooled heavy-duty load for up to 150 MHz. Power handling curve rated at 2500W for 1 minute, down to 500W for 10 minutes **\$179.99**

AMERITRON

ADL-1500 Oil Cooled Dummy Load - Similar to MFJ-250, 1500W up to 30MHz..... **\$69.99**

ADL-2500 Dry Dummy Load - Similar to VECTRONICS DL-2500 above, 2500W up to 30MHz, fan cooled..... **\$189.99**




DVM-810 Digital Multimeter

Compact design makes this meter a perfect fit for any toolbox or even shirt pocket! It features multiple functions and an easy-to-read LCD display. Measures voltage, current, resistance, transistor and diode, 3.5 digits, 19 ranges. Battery included **\$9.99**



DVM-850BL Digital Multimeter

Auto polarity function manual ranging mode, data-hold function and 10 Amp overload protection. Measures DC current up to 10A, AC/DC voltage up to 600V, resistance up to 2MΩ. Diode, transistor and continuity test with buzzer. Backlit 3.5-digit LCD. Uses 9V battery (included). Protection holster and test leads. Dim: 2.6" w x 5.4" h x 1.18" d **\$19.99**



Palstar, Inc Antenna Analyzer

ZM-30 - An automated micro-controlled SWR antenna analyzer with an 8-bit controller and precision low power DDS signal generator. It also includes a self-calibrating reflectometer and displays SWR at selectable frequencies from 1 to 30 MHz. It measures: SWR, impedance; Reactance; Inductors and Capacitors; Transmission lines; Stubs; Q, and Resonant frequency. There is a serial port for field upgradable software. Battery operation allows you to take it to the antenna. Durable, powder coated front panel. Dim: 3" w x 4" h x 2" d **\$349.99**



SSB ADVENTURE RADIOS

A basic single-band radio providing 7-10W PEP (20W on 10M model) along with speech processing for an added 4-6dB advantage. Agile tuning reduction drive analog VFO tunes band quickly and zeros in smoothly. Low noise preamp and active double balanced mixer front end; Sharp 2.3 kHz SSB crystal ladder filter; Built-in Low Pass Filter; Analog S-meter; Amplifier control jack; Built-in Speaker; Handheld dynamic microphone. Uses only 3 Amps from 12V supply or battery. Dim: 2.5" h x 6.5" w x 6" d; 2 lbs.

9402X - 2M SSB Adventure Radio, 7W.. **\$269.99**

9406X - 6M SSB Adventure Radio, 10W **\$249.99**

9410X - 10M SSB Adventure Radio, 20W **\$239.99**

Available Accessories:

1770A 10M dipole (9410X only), 4110 Portable AC power supply, 4114 Rechargeable power pack, 416 CW adapter, 971 200W HF tuner (9410X only)

ATV TRANSMITTER

8708 Micro ATV Transmitter - Transmits a high quality amateur television audio and video signal on 433.97 MHz (cable channel 58, 59 or 60). Plug in an antenna and a video source (video camera, camcorder, or VCR). With a TV set, or down converter, tuned to the appropriate channel, you'll have a complete low power ATV video station. Puts out 50 to 100mW signal, capable of transmitting up to 1.8 miles with a 3-element beam. By using a suitable UHF amplifier, enjoy ATV communications over an extended range with other ATV ham operators. Requires 9V battery **\$149.99**



VHF DATA RADIOS

Don't tie up your expensive rig on a single packet channel, check out these low-cost MFJ Data Radios.

8621 PacketOnly™ 2M Transceiver - Compatible with all TNCs with hardware DCDs and most TNCs with software DCDs. Features: 1200/9600 baud; 5W output; Low current drain only 15mA on receive and less than 1 amp on transmit. Dim: 5" w x 5" d x 1.5" h; Crystals installed for 145.01 MHz. **\$139.99**

8621X2 PacketOnly™ 2M Transceiver - Ready for APRS use. Crystalled and aligned for 144.390 MHz; 5W output **\$149.99**

Available Accessories:

4110 Portable AC power supply, 5100 Data radio cable (MFJ/TAPR), 5100YH Data radio cable (KPC9612), 5100YV Data radio cable (KAM/KPC3), 5106 Open end (6-pin mini) (Kenwood/Yaesu)




Your Inquiries are INVITED!



Night Owl Optics®
NIGHT VISION

See in Complete Darkness!

- Wildlife Observation
- Home Security
- Boating
- Camping



NightWave 2.4 Night Vision Optics

Compact, easy, light, ergonomic design. Features a 2.4x image magnification that gives you a closer look at distance objects in dark environments. Perfect for short range night time viewing. A built-in infrared illuminator aids viewing in dark rooms. Soft touch, on/off and I/R buttons. Operates with two AAA batteries.

Dim: 5.5"l x 1.9"w x 3"h; 9.2 oz..... **\$159.99**



NONW24-BPHT

Night Owl Discovery Pro™

Full-size night vision monocular with highest-grade 48mm camera quality objective lens providing unsurpassed resolution. It features an integrated infrared illuminator encased in an ergonomic body. Equipped with soft-touch controls, and power and IR indicators. 650 ft. range of view; 5X magnification; 80mm focal length; 524 ft. Field-Of-View @ 1000 yards; 10 ft. to infinity focus range; 2 AAs.

Dim: 7.6"l x 3.4"w x 2.9"h; 1.5 lbs..... **\$249.99**



NODS-5

Explorer G2™

Cutting edge, with a technologically advanced night vision intensifier tube. Gives superior brightness and performance in low light conditions, and up to 2,300 ft. long range of view. Compact, 100% waterproof – floats! Equipped standard with a powerful integrated infrared illuminator. 3.0X magnification; 612 ft. FOV @ 1000 yards; 8" to infinity focusing range; 3V lithium battery. Dim: 6.8" x 2.3" x 3.3"; 1.3 lbs..... **\$999.99**

Available Accessory for NODS-5 and NOXG-2

NOCA-42 Camera Adapter™ – Allows photography with 35mm SLR cameras. Replaces rear ocular lens. Requires optional T-mount adapter... **\$39.99**



NOXG-2



TELESCOPES

0705-04-01 ETX-70AT 70mm Achromatic Refractor (right) – Portable for bird-watchers or naturalists. Observe major planets easily. 2 eyepieces (MA 9mm/39x, MA 25mm/14x); Multi-layer coated, tube assembly (D=70mm, F=350mm f/5); Internal flip-mirror for either straight or 90° observing. Fork mount – electric slow motion controls, setting circles and axis locks; Electronic control panel; 9-speed, dual-axis motor drive with Autostar™ control; Side-real-time tracking; Requires 6 AA batteries; includes tripod; 7 lbs..... **\$319.99**

3514-03-20 ETX-90AT 90mm Maksutov-Cassegrain (left) – Ultra-portable; 8x25mm right-angle viewfinder; Series 4000 Super Plössl 26mm eyepiece (1.25"); Super multi-coated optical tube assembly (D=90mm, F=1250mm f/13.8); Internal flip-mirror for straight or 90° observing; Fork mount with electric slow-motion controls, setting circles and locks on both axes; Electronic control panel; 4-speed, dual-axis motor drive with Autostar control; 8 AAs needed; Tripod; 19 lbs..... **\$599.99**

0515-03-20 ETX-125AT 138mm Maksutov-Cassegrain – Same as above with D=127, F=1900mm f/15 optical and 8x25mm right angle viewer. Includes AutoStar controller and tripod ... **\$999.99**



20211 NGC-70SP 2.75" f/11.7 Refractor – Upgraded to 70mm aperture, includes manual Autostar-based GO TO operation and two upgraded Super Plössl eyepieces. Built-in, self-guided computer control with 1400-object database; Altazimuth mount with slow-motion control in altitude and azimuth; Oversize bearings on both axes for stability and precision; Includes series 4000DS SP26mm and SP9.7mm 1.25 in. eyepieces, 5 x 24mm viewfinder, hybrid diagonal, sliding aluminum tripod, accessory shelf and StarNavigator software..... **\$219.99**



and battery compartment. 114mm (4.5") diameter; f/8.8 ratio; 1000mm focal length; 2" focuser; Stream-lined, single-time fork altazimuth mount for smoother motions; MA25mm and MA9mm 1.25 in. eyepieces; 1.25 in. and 2 in. holders; 6 x 30mm view finder, rubber eyecup; StarNavigator software; Quick release, adjustable tripod..... **\$399.99**

20117 DS-2114-ATS Reflector – AutoStar control has the lead in automated scope technology. Includes 9-speed controller and GO TO capability to 1400+ objects. With internalized motors, cords, gears



CELESTRON®

The Dobsonian reflector telescope is a relatively recent design that places all the performance of the Newtonian reflector design on a simple altazimuth mount. Celestron's Dobsonian design, the Star Hopper®, is great for beginners because it's very easy to use and quite economical, yet has advanced features even an experienced observer will appreciate. BK-7 optical quality glass; Variable tension clutch system for proper balance and smooth azimuth control; 9x50 Finder scope and quick release bracket; 2 in. focuser with 1.25 in. adapter; Variable tension altitude clutch with handle; Azimuth roller track bearing.

10800 StarHopper® 8 – 8-inch (200mm) diameter Dobsonian; 1200mm focal length (f/6); 25mm Plössl eyepiece, 1-1/4 in. (48x)..... **\$399.99**

10110 StarHopper® 10 – 10-inch (250mm) diameter Dobsonian; 1250mm focal length (f/5); 32mm E-Lux eyepiece, 2 in. (39x); Cooling fan . **\$549.99**

10112 StarHopper® 12 – 12-inch (300mm) diameter Dobsonian; 1500mm focal length; 32mm E-Lux eyepiece, 2 in. (47x); Cooling fan..... **\$999.99**


22082 Nex-Star 80GT – With an 80mm aperture and 3.25" field of view, the 80GT is capable of capturing the largest deep sky objects. 80% brighter views than 60mm.

This short-tube, 400mm focal length, refractor telescope has 16x (25mm) and 40x (10mm) magnification, 1.25" SMA eyepieces; f/5 ratio; "GO-TO" computer hand control; StarPointer™ finderscope; 1.25" star diagonal; The Sky Level 1 CD; Adjustable aluminum tripod, tray; 11 lbs..... **Closeout \$299.99**

21016

Advanced C4-R


Designed for the more advanced astronomer, it features exquisite optics on a heavy-duty equatorial mount. Offers a 63% increase in image brightness over 80mm models, with the larger aperture delivering incredible images of the moon, Saturn and its ring structure, Jupiter and its belts, and hundreds of deep-sky objects; including galaxies, nebulae and star clusters; 102mm refractor; 1000mm focal length (f/10); 6x30 finderscope; 20mm (50x) 1.25 in. Plössl eyepiece..... **\$399.99**



CEL 93722

Celestron Sky Map

Big, durable, 11.25" x 13.75" size, spiralbound, book. Contains basic star map and glow-in-the-dark star finder, seasonal star charts, constellations and characteristics of stars..... **\$19.99**



21052 FirstScope 60AZ (top) – All glass components, coated optics and smooth functioning mounts, with the added benefit of slow motion controls on the mount for easy adjustments. 60mm (2.4") refractor; 700mm focal length, f/12; 1.25" 20mm (35x), 10mm (70x) eyepieces; 1.5x erect image eyepiece; 90° star diagonal (1.25"); StarPointer™ finderscope; Altazimuth mount; The Sky Level I CD; 7 lbs **\$99.99**

21086 FirstScope 80EQ (bottom) – A good choice for the more serious beginning astronomer. The setting circles and slow motion controls allow for greater control in both locating and tracking objects. 80mm (3.1") refractor; 900mm focal length, f/11; 1.25" 20mm (45x), 10mm (90 x) eyepieces; 90° star diagonal (1.25"); StarPointer™ finderscope; The Sky I CD; 18 lbs..... **CLOSEOUT \$249.99**

22062 NexStar 60GT – Views of the lunar landscape, phases of Venus, Mars resolved as a disc, Jupiter and its moons, Saturn with its rings plainly visible, some deep sky objects, plus terrestrial views. Comes with a fully-computerized hand control with database of over 4,000 objects. Includes three 1.25" eyepieces (35x, 70x and 175x). With the pre-assembled, adjustable tripod, the 60GT can be up and ready for viewing in a matter of minutes. A StarPointer finderscope with bright red LED makes centering objects easy. 60mm (2.4") dia. refractor; 700 mm focal length; f/12 ratio; 1.25" star diagonal. Includes The Sky Level I CD-ROM; 9.5 lbs..... **CLOSEOUT \$249.99**

21019 C6-R Achromatic Refractor – An excellent choice for the serious astronomer, the C6-R is the largest telescope in its class with over 6 times the light gathering ability of a 60mm. It features premium accessories such as a heavy duty CG-5 German equatorial mount, 9x50 finderscope with bi-directional alignment screws and a spring loaded pivot support, 20mm (60x) Plössl 1.25" eyepiece, 2" focuser and 2x Barlow with photo adapter. The new German Equatorial mount has precision worm gears on both axes for extremely smooth stability. It also has a convenient latitude scale for easier alignment and an optional polar finder scope for precision alignments. 150mm (6.0") refractor; 1200mm f/8 focal length; Right ascension and declination setting circles; Slow motion control knobs on both axes; 1.25" star diagonal; The Sky Level I CD-ROM; Accessory Tray; 57 lbs..... **\$849.99**

31044

Firstscope 114


High quality, telescope featuring an optical system for bright, detailed views. The highly stable equatorial mount (CG-3) has setting circles and slow motion controls on both axes. Built to provide years of performance, it comes with adjustable, aluminum tripod and accessory tray. 114mm (4.5") diameter aperture; 900mm focal length; f/8 ratio; StarPointer™ finderscope; 20mm (45x) and 10mm (90x) Kellner eyepieces; 1.25" focuser; 35" optical tube; Enhanced aluminum optical coatings; 1.5" rack and pinion focusing; 45 lbs **\$249.99**



31056 C6N – Mounted on a rigid CG-4 equatorial mount. Counterweight, latitude scale, setting circles and slow motion controls on axes are standard. 150 mm (6.0") aperture; 1000 mm focal length; f/7 focal ratio; 1.25" accessories include: 20mm Plössl eyepiece (50x) and focuser; 6x30 finderscope; CG-4 EQ mount; Adjustable metal tripod, accessory tray; 41 lbs..... **\$399.99**

31142 NexStar

114GT – Computer compatible Newtonian reflector with a compact design and exceptional light-gathering ability. 114 mm (4.5") diameter; 1000mm focal length (f/9); StarPointer™ finderscope; 25mm (40X) and 10mm (100X) SMA eyepieces; Motorized mount; Computerized hand controller with "GO-TO" database. Includes Guide-Star™ software to use with your PC; battery pack and The Sky Level I CD-ROM **CLOSEOUT \$369.99**



LAB GRADE MICROSCOPES




4020 Dissecting

Microscope – This model provides an introduction to a fascinating world of microscopy. It incorporates a 45° inclined, 360° rotatable monocular head which can move up and down on the metal pillar for small or large item viewing. The eyepiece is a 10x-18mm with a 4x-58mm objective, giving 40x power. The all-metal unit comes with a 60mm black-and-white viewing plate and smooth rack and pinion focuser **\$79.99**



4030 Educational Micro-

scope – Feature-packed and a great educational tool. It has a fully coated optical system, with H10x and H12.5x eyepieces and 35mm 4x, 10x, 40x objectives giving powers of (40x, 100x, 400x) 10x and (50x, 125x and 500x) 12.5x. This unit uses positive click stops on the turret, a five aperture diaphragm, a plano-concave 50mm mirror, and a smooth rack and pinion focuser with a safety rack stop **\$119.99**



4050 Biological

Microscope – Using fully coated optics, with a mechanical tube length of 160mm, its achromatic objective promises great observing sessions. The unit has a monocular 45° inclined, 360° rotatable head, positive click stop nosepiece with three objectives, 4x, 10x, 40x, a metal 110mm x 120mm stage and a five aperture diaphragm. It uses coarse and fine focus with electrical illumination with a tungsten 20w bulb and .65 single lens condenser. Powers are 40x, 100x and 400x using the 10x eyepiece..... **\$199.99**

BUSHNELL®

Bushnell makes it easy to accurately measure speed with the Velocity™ speed gun. Very easy to use with its point-and-shoot operation. The Velocity™ speed gun boasts ±1.0mph accuracy. The Velocity™ can track the speed of a ball from 100 feet. It's the ideal tool for tracking everything from race cars to pitching speeds. Velocity™ gun has a 6–110mph range for baseball, softball and tennis. It also has a 6–200mph range for auto racing.

10-1911 Velocity™ Speed Gun – Easy-to-use, point and shoot pistol grip; Large, clear LCD display; Displays fastest speed once trigger is released; ±1 mph accuracy; Operates on two "C" batteries. Dim: 4.3" x 8.4" x 6"; 13 oz **\$99.99**



BUSHNELL




BINOCULARS

Powerview® Truly the "best of both worlds." Contemporary styling and design combined with legendary Bushnell quality and durability. The easy-to-hold and easy-to-use aspect of these binoculars also converge to make Bushnell Powerview binoculars an excellent value for the general and outdoor user. Powerview comes with soft rubber covering and the patented "Insta-Focus™" system. Each binocular comes with a neck strap and carrying case.

13-1226 (left) - Compact binocular with folding roof prism. Designed in camo. Features include: 12x25 magnification; 240 ft. field of view at 1000 yds.; 2.1mm exit pupil; 9.7oz..... **\$29.99**

13-0430 (right) LiteVision™ - 4x30 magnification; 650 ft. field of view at 1000 yds.; 7.5mm exit pupil; Weight: 7.5oz **\$13.99**



13-1250 (right) InstaFocus® - 12x50 magnification; Porro prism; 265 ft. field of view at 1000 yds.; 4.2 mm exit pupil; Adapts to tripod; 27oz **\$59.99**

13-2514 (left) - Compact, folding binocular; 8x21 magnification; Roof prism; 375 ft. field of view at 1000 yds.; 2.6mm exit pupil; 7oz..... **\$17.99**



Falcon is feature packed and value priced. Perfect for sporting events, sightseeing, nature study, back-packing, concerts and theater. The line includes the Bushnell patented InstaFocus® focusing system, coated optics, carrying case and strap.

13-0721 (right) - Compact binocular featuring 7x21 magnification; Porro prism; 340 ft. field of view; 3mm exit pupil; 4.7oz ... **CLOSEOUT \$14.99**

13-3410 (left) InstaFocus® - 7x35 magnification; Porro prism; 420 ft. field of view at 1000 yds.; 5mm exit pupil; Adapts to tripod; 21oz..... **\$29.99**




We accept I.M.P.A.C.® Government Credit Cards

TELESCOPES

Voyager® Series

Engineered to exacting standards with exclusive features: the first astronomical zoom telescope; Penta mirror technology that yields right to left correct views of the night sky; High quality metal easy-track and metal equatorial mounts; Innovative adjustable aluminum tripods; Exclusive rotary power turret eyepieces.



78-2010 - Penta mirror technology that yields right to left correct views; High quality metal easy-track and metal equatorial mounts; Exclusive rotary turret eyepieces; 100 x 4.5" reflector; Focal length: 500mm; 5 and 27mm Plössl eyepieces; Magnification: 18 and 100; 1.25" format eyepieces; Precision rack and pinion focuser; Convenient shoulder strap; Pre-assembled cradle mount; Camera and tripod adaptability..... **\$199.99**



NIGHT VISION

26-3150 NightVision Binocular (Generation 1) Great for wild-life observation, maritime navigation, security or camping. Built-in infrared illuminator for enhanced images in very low light. Powered by a single CR123A battery. Magnification x objective lens: 3.1 x 50mm; Range: 1.5 to 400 ft.; 79 ft. field of view at 100 yds; Includes tripod mount. Dim: 7.9" x 6.45" x 2.7"; 40 oz.... **\$499.99**

SPOTTING SCOPE



78-2061 Spotting Scope - Extra power and performance for extended range viewing; Variable zoom eyepiece for great range; Fully coated optics reduce glare and enhance picture clarity. Rugged construction; Compact tripod; Hand carrying case; 20-60x magnification; 60 objective; 70/23 ft. field of view at 1000 yards (20x), 24/8 ft. (60x); 3mm (20x) and 1mm (60x) exit pupil; 40 ft. close focus. Dim: 20.4"; 25 oz..... **\$79.99**

Your inquiries are invited!
Give us a call today and talk with our experienced staff.



Microphones

See the Price Guide under Heil for Prices, other Models and Accessories



Handi-Mics

The old Hand Microphone sound is GONE! - no more hollow sound due to clamshell designs. In place are five new clean and clear sounding **Handi-Mics**, each for different applications, mating to different rigs and inputs. A comfortable tactile PTT switch is incorporated on four of the models. Only 4 in. tall, and the required Heil CH-1 series shielded cables are 4 ft. long (2 ft. coiled, 2 ft. straight). Includes a unique dash mount holder, boom clip and a windscreens.

HM-10's

Whether DX or Rag Chews, these are the great sounding Heil microphones you have been hearing on the Ham bands for years. The HM-10 is available with your choice of an HC-4 "DX Dream Machine" or HC-5 "Full Range Articulation" element.

The HM-10 Dual has both the HC-5 and HC-4 elements (switch selectable), a choice for varying conditions. Both require a CC-1 cord.



GM Series

Provides Full-range, Smooth and Articulate audio for AM, FM and "HI-FI" SSB modes. A 60Hz-16 kHz frequency response, with a +4 dB midrange peak @ 2kHz, produces brilliant articulation for clear, understandable SSB audio, and adds a well-balanced robust low end. Dual element - the GM comes with your choice of a second element (HC-4 or HC-5). A "wide-narrow" switch selects the second element. Die-cast body, high lustre black lacquer and topped with a crushproof golden grill, and a "soft touch" PTT button. Requires a CC-1 cord.



PR-20 Professional Dynamic Cardoid Microphone - For commercial broadcast and live sound reinforcement applications which require a smooth flat 40 Hz-18 kHz response.

PR-40 Large Diameter Studio Microphone New element technology with a response from 28 Hz-18 kHz with a mid-range rise for gorgeous vocal articulation. Stand not included.

For more information on Heil products go to:
www.heilsound.com



SECURITY ITEM

PE-319 Pedometer with Personal Security Stay at ease while exercising away at home. This pedometer features a 120dB panic alarm for personal security and emergency. Displays elapsed workout time, distance walked and a 12/24 hour clock on its backlit 2-line LCD display ... **C/O \$19.99**

ALL HAZARDS WEATHER RADIOS

WR-102 Portable S.A.M.E. Weather Radio A handheld all-hazards weather radio that receives and displays alerts, watches and warnings that apply only to a local area using S.A.M.E. technology; Monitors 24-hour weather forecasts and alerts; Scans all NOAA channels; Monitors U.S. emergency alert system with auto activation; Dual LED power/alert indicator; Digital clock and alarm with snooze ... **Closeout \$24.99**

agency alert system with auto activation; Dual LED power/alert indicator; Digital clock and alarm with snooze ... **Closeout \$24.99**



WR-196T Desktop S.A.M.E. Weather Radio AM/FM radio with ten memory presets; Digital tuning, including seven NOAA weather channels; Dual LCD display for clock and dot-matrix text message; Automatic audible and visual alert activation plus blinking LED warning; Standby mode to mute speaker; Digital clock, calendar, alarm, and 5-120 min. sleep timer; Operates from 3 AA's or AC adapter. Dim: 6.75" h x 5.25" w x 0.875" d; 0.75 lb ... **Closeout \$39.99**



WEATHER STATIONS


RGR-122 Long Range Rain Gauge Self-emptying and provides cumulative and daily precipitation totals for

up to nine days. Its wireless, long range capability allows the collector to be placed up to 300 ft. from the main unit. The collection data is broadcast at 433 MHz to the indoor base unit and displayed on an attractive easy-view 3.5" h x 1.5" d x 2.5" w LCD console. Includes indoor temp. gauge. Requires 2 "AA" batteries in both collector and main units ... **Closeout \$44.99**




WMM-968 Cable Free™ Weather Station Innovative wireless outdoor sensors with 300 ft. range operates on solar power for simple installation and sophisticated ease. Track and record over 20 separate weather conditions by a press of the touch-sensitive jumbo LCD display screen..... **C/O \$259.99**

WMM-112A CableFree™ Weather Station Uses innovative, wireless, outdoor sensors for simple installation. Operates on 433 MHz at a 300' range from remote sensors. Measures outdoor temperature (-4°F to 140°F) and relative humidity (25%-95%); Measures indoor temperature (0°F to 122°F), relative humidity (25%-95%) and barometric pressure (17.27 to 31.02 in. Hg); Indoor touch-screen console, wall mount or desktop; AC adapter; Requires 12 "AAA" and 6 "AA" batteries (not included). Dim: 7.75" h x 3.5" w x 1.4" d ... **Closeout \$149.99**



THERMOMETER

EMR-812A Cable Free™ Thermometer The latest in radio frequency technology! This Cable Free™ thermometer with jumbo display shows you the indoor temperature and the temperature from up to three remote locations. Includes one easy-to-install remote temperature sensor that can be placed up to 90 feet from the main unit - with no wires to install anywhere! 433 MHz operation; High/low memory and temperature alarms; Choose and change between Celsius and Fahrenheit; Includes one wireless sensor ... **Closeout \$19.99**



**We have
Gift
Certificates
for the
Undecided**

DATE _____, 20____

THIS CERTIFICATE ENTITLES _____

TO MERCHANDISE VALUED AT _____ DOLLARS \$ _____

PRESENTED BY _____ AUTHORIZED BY _____

Certificate expires one year from date of purchase (subject to applicable state laws). Certificate will not be replaced if lost or stolen.

5710 W. Good Hope Rd.
Milwaukee, WI 53223
414-354-0533
1-800-558-0411

28942 Inland Ave.
Cleveland, OH 44092
440-565-7388
1-800-371-3394


651 Commonwealth Ave.
Orlando, FL 32803
407-894-3238
1-800-377-1917

6640 South Polaris Ave.
Las Vegas, NV 89103
702-647-3114
1-800-624-6237


GIFT CERTIFICATE
AES
AMATEUR ELECTRONIC SUPPLY

Weather Forecasting Quick Reference Card

Discusses the use of wind direction, barometric pressure and cloud type in predicting the weather. Includes full list of radio weather stations for official broadcasts, plus key information on storm warnings, hurricane avoidance, navigating in fog and other hazardous conditions, and more. Weatherproof, strong plastic, full color. Punched for binder or bulkhead mounting. Dim: 8.5 x 11 in ... **DAV 0131 \$9.99**



Side One



Side Two

ICOM FRS/GMRS Radios



IC-F21FM

IC-4088A
FRS RADIO
14 channels, 38 group codes and enhanced privacy.
\$89.99

IC-F21-GM
FRS/GMRS
All FRS channels, 15 higher power GMRS channels, 7 shared with FRS.
\$149.99



IC-4088A



WEATHER STATIONS

WS-2010 Professional Wireless Weather Station Indoor temperature (32°F to 158°F), humidity, and barometric pressure (from remote); Outdoor temperature and humidity (wireless, solar powered); Min/maximum data for all readings with time and date recorded; Air pressure with 24-hour bar chart history; Forecast icon and pressure trend indicator; Wireless rain gauge (solar powered) tracks rainfall amount for last hour, last 24 hours, total; Wireless wind-gauge (solar powered) tracks speed and direction - up to 330° range; Includes wind-gauge, rainfall sensor, indoor temperature/humidity sensor, and outdoor temperature/humidity sensor; Receiver and sensors require alkaline batteries (not included); Free standing or wall mount.

Dim: 8.5" w x 1.25" d x 6.5" h (receiver) ... **\$389.99**



WS-2010-13 PC Interface for WS-2010 Wireless Weather Station - Connects to serial port; Receives and stores all data; Included software calls in data and removes from interface, storing in a data file; Without computer connected, can act as a data logger, storing several days collected data; Selected data can be exported as an ASCII file for use in other WIN 95/98 programs (Excel, etc.); Generate graphs, charts, and data lists; Operates on 2 AA batteries (not included) ... **\$129.99**

WS-2310

Wireless/Wired Weather Center

Direct cable, or up to 80 ft. away, wireless; WWVB-controlled clock shows day, date, minute, second, alarm, and time zone; Weather forecast with animation; Indoor/ outdoor temperature and humidity, wind chill, dew point, rainfall (24 hrs, 1 hr, and total); Wind speed (m/s, knots, bft, km/h, and mph) and direction with trend; Barometric pressure; Alarms: time, storm warning, weather (air pressure, temperature, humidity, rainfall, wind speed, and wind direction); Stores up to 175 sets of weather data in memory for weather analysis and graphical display on PC (software CD-ROM and cables included); Uses three AA batteries (not included) or included AC wall adapter ... **\$249.99**

See the Product Locator for other Weather Instruments & Weather Radios



We accept I.M.P.A.C.® Government Credit Cards


WS-8025AL Sun/Moon Wireless Weather Station Indoor temperature (°F or °C) and humidity (RH%); Remote temperature (°F or °C) and humidity (RH%); Can receive as many as three remotes (one TX4U included); Calculates sun/moon rise/set based on entered city (choose from 250 North American cities); Barometric air pressure with 30-hour history chart; Forecast icon, based on changing air pressure; Forecast is about 75% accurate for 12-20 hours; Current moon phase; Wall-mount or fold-out stand; Radio-controlled time and date; Temperature alarm for remote temperatures; Storm warning indicator; 12 or 24-hour time modes.

Dim: 7.5" w x 0.8" d x 10" h **\$159.99**



WS-9016U

Wireless Weather Station WWVB-controlled time with manual settings; Calendar display, date, time zone; Alarm function with adjustable snooze; Sun and moon data for 45 U.S. locations; Weather tendency and air pressure trend; Indoor temperature and humidity display; Minimum and maximum outdoor temperature record with time; Receiver and remote require alkaline batteries (not included). Dim: 4" w x 1.4" d x 6.75" h **\$79.99**



WS-7038UF

Wireless Rain Gauge

Receives rain data from included, remote, self-emptying, rainfall gauge located up to 80 ft. away; Shows rainfall for past hour, 24 hours or last rain period until manually reset; Rainfall history: view last 7 days, weeks, or months and scroll period by period on graph; Rain-alarm function; Wall mount or free-standing with removable stand; 12/24-hour time mode, manual time set; Receiver & remote use 2 AA alkaline each (not included). Dim: 3.5" w x .75" d x 4.2" h (receiver) **\$59.99**



WS-7075UF

Wireless Forecast Station Indoor/remote temperature, indoor humidity; Forecast icon, based on changing air pressure, about 75% accurate for 12 to 20 hours; WWVB controlled 12/24-hour time, dual time alarms with snooze; Receiver and remote require alkaline batteries (not included); Wall mount or free-standing with removable stand; 80 ft. remote sensor range Dim: 4.5" w x 1.0" d x 7.0" h **\$59.99**



WS-7013U

Wireless Temperature Station In-door/remote temperature with minimum and maximum memory (time recording for remote temperature); 12 or 24 hour mode, manual set time; Wall mount or free-standing (removable); Receiver and remote use 2 AA alkaline each (not included); Up to 80 foot remote sensor range. Dim: 2.75" w x 4.25" h x 1.0" d (receiver) C/O **\$24.99**



OTHER WEATHER PRODUCTS

WT-5431

Projection Alarm with Remote Temperature

Shows 12 or 24-hour time, dual alarm with snooze, WWVB controlled; Month, day, date; Time zones, GMT to 12 hours; Indoor and remote temperature; Projects from 3 to 10 feet onto wall or ceiling with adjustable rotation, intensity; auto focus; Backlit display when a button is pressed; Wall transformer (included) or 3 AA alkaline; remote requires two AAA's (not included). Dim: 5.25" w x 3.5" h x 1.25" d **\$49.99**



IR-101

Infra-Scan Infrared Thermometer

- Measure temperature in a fraction of a second without touching the object being measured. Useful for contact-free measurement of stationary and moving objects, finding cold spots in a home, checking food stuffs, heating and air conditioning, hot components (machinery, engines, etc.); Single key operation; Back-lit LCD; Temperature range: -4°F to +572°F; Uses 4 LR-44 button cells (included). Dim: 2.2" w x 0.9" d x 4" h **\$49.99**



WS-8117U-OAK

Atomic Clock, Wireless Indoor/ Outdoor Thermometer (oak finish). Extra-large digital displays for readability. Extend the


foldout stand for use on table or shelf. Fold in for wall mounting (wireless remote sensor wall mount only). Displayed data in initial mode includes time (hour/minutes), month, date, weekday, in/outdoor temperature. Three other modes display seconds digitally in place of weekday, in or outdoor temperature. Sets automatically to WWVB radio signal (manual also possible) and synchronizes to U.S. atomic clock nightly; 12/24-hour time; Alarm setting, snooze; Calendar with weekday abbreviations (english, french, or spanish); 13 time zones; Daylight saving time option; 32° to 122°F (0° to 50°C) indoor temp.; -21.8° to 140°F (-29.9° to +59.9°C) outdoor temp.; 10-second indoor (5-minute outdoor) checking interval; 82 ft. maximum transmit range; Requires 4 AAs (not included), lasting about 1 year. Dim: 11.4" w x 7.5" h x 0.98" d (clock), 1.57" w x 5.04" h x 0.9" d (sensor) **\$39.99**

DAVIS

WEATHER STATIONS

Professional quality for home, business, or scientific use. Add WeatherLink for detailed, long-term analysis using a PC. Standard weather stations assemble quickly with plug-in cable connections. Cables are connected to the console through a junction box with 8 ft. cable. Console includes AC adapter with battery backup (not included).

All stations include, time in 12/24-hour format, date, U.S. and metric measure, highs and lows, calibration of some functions for increased accuracy under difficult conditions, sequential scan and display of readings, alarms for selected functions, console with LCD and reversible base (desk, shelf, or wall), and anemometer with 40 ft. cable.



6150 Wireless Vantage Pro - Offers forecasting, on-screen graphing, and more. Monitors barometric pressure, temperature, humidity, rainfall, wind speed and direction. Quick view icons show the forecast at a glance - sunny, partly sunny, cloudy, rain or snow, while a moving ticker-tape display gives more details. An innovative integrated and solar powered sensor suite combines rain collector, temperature, humidity sensors, and anemometer into one package - making setup easier than ever and improving performance and reliability. Typical wireless range is up to 150-200ft. For improved accuracy, the temperature and humidity sensors are housed inside a shield which protects solar radiation and other sources of radiated and reflected heat. **Closeout \$449.99**

6152 Wireless Vantage Pro2 - Looks the same as the original Vantage Pro above. But it's the first weather station in its price range to use frequency hopping Spread Spectrum radio to transmit and receive data up to 1000 ft. line of sight. It still offers the same great features of Vantage Pro such as forecasting, on-screen graphing, and much more. Quick view icons show the forecast at a glance-sunny, partly sunny, cloudy, rain or snow-while a moving ticker-tape display gives more details. The integrated sensor suite combines a rain collector, temperature and humidity sensors, and anemometer into one package-making setup easier than ever and improving performance and reliability. For improved accuracy, temperature and humidity sensors are housed inside a radiation shield which protects against solar radiation and other sources of radiated and reflected heat. **.... \$539.99**



We accept I.M.P.A.C.® Government Credit Cards



7440 Weather Monitor II®
Shows all weather monitoring functions and clock on an back lit, 1.875" x 4.375" LCD display. Temperature readings of -50 to 140°F (outside), 32° to 140°F

(inside); Wind calculations, including direction in 1° or 10° increments, wind speed up to 175mph, and high wind speed and wind chill to -134°F; Barometer measuring barometric pressure with memory recall and trend arrow; Indoor high and low humidity from 10%-90% (outside optional); Alarms for temperature, wind speed, wind chill, humidity, time and barometric trends. Dim: 5.25" x 5.875" x 3"..... **\$269.99**

7859 External Temperature/Humidity Sensor
For 7440. Measure outside humidity, dew point and temperature. Includes 40 ft. cable... **\$119.99**

7425 Weather Wizard III®
Offers most monitoring features of the Davis Weather Monitor II, except barometric pressure and inside humidity. Measure daily and accumulated rainfall with optional rain collector. Optional Weather-Link software will process and store data through an IBM®-compatible or Mac®, Metric or U.S. Dim: 5.25" x 5.875" x 3"..... **\$179.99**


7852 Rain Collector II - For 7440, 7425 & 7415. Read both daily and accumulated rainfall in 0.01" increments. Comes with 40 ft. cable..... **\$69.99**

7400 Perception II® - Ideal for keeping track of climate conditions inside the home. No installation required. Looks similar to 7425; Indoor temperature -32°F to 140°F; Barometric pressure with memory recall; Humidity; Alarms for temperature, humidity, time, and barometric change. **\$129.99**



0276 Windscribe Ultrasonic Wind Meter - Reads current wind speed, headwind, tailwind, 5-second and running average. Select from mph, km/h, fpm, m/s, f/s or knots, plus temperature and wind chill in tenths of °F or °C. Sensitive to breezes as low as 0.4mph, and as high as 150mph. Three configurations include handheld, use with adjustable lanyard, tripod mount and mounting bracket with Velcro® strap. Includes 3V lithium battery. Dim: 5" x 3" x 0.75"; 3.5 oz..... **\$99.99**

0281 Wind Wizard™ Wind Speed Indicator
Accurately measures speed from 0-60 mph in miles/hour, meters/sec., and Beaufort. Readout supported by sapphire jewel bearings and steadied by rare-earth, magnetic, damping system. Latching folding handle. No batteries needed. Dim: 3.625" x 2.875" x 1" folded; 2.5 oz.. **\$49.99**



MIDLAND WEATHER RADIOS



WR-300 Specific Area Message Encoding Weather Radio - 20 programmable counties; AM/FM and 7-channel weather radio; Time and alarm clock with full date display; 10 memory channels; Ability to add up to 8 alerts (i.e. AMBER); Ability to remove alerts (i.e. flood - if you live on a hill); Choose between single, multiple, or all-county codes; Uses analog and digital signaling..... **\$59.99**

74-250C All-hazard Alert Handheld Radio - Receives all seven NOAA weather channels and has SAME (Specific Area Message Encoding) technology. Digital panel displays up to 56 messages. Includes a 12/24 hour dual alarm clock with snooze and nine memory settings. Built-in fahrenheit/celsius thermometer and freeze warning alert.

Water resistant. Requires two "AA" cells (not supplied) and supports in-unit battery charging of two NiCd or NiMH "AA" cells (not supplied). Battery low indicator. Pocket-sized, only 1" x 4" h x 2.75" w x 1" d..... **\$49.99**



74-200 Digital Weather/Hazard Alert Monitor
Provides 24-hour National Weather Service information from seven NOAA channels for maximum capability up to 50 miles. Eight-character LCD displays up to 56 types of S.A.M.E. watches or warnings and monitors status of user selectable warning system. Weather Command button switches from alert mode to full monitoring. Clock displays time and date and has alarm functions. Telescoping antenna, external antenna input and alert device output jacks. Requires 9-14VDC or 117VAC using supplied adapter. Accepts 9V battery for backup during outages. Dim: 7.75" w x 2" h x 5" d; 18 oz. **C/O \$49.99**


DAVIS SOFTWARE

7862 WEATHERLINK® - Links a PC and PerceptionII, Weather WizardIII, or Weather Monitor II. Create graphs, calculate average conditions, generate summaries, analyze trends, etc **\$149.99**

7866 - Same as above, for Mac **Closeout \$49.99**

ASTRON POWER SUPPLIES

The Low Cost Alternative...



105-125V AC input, 13.8V DC output; Internally adjustable from 11-15V; Electronic regulation with fold-back current limiting and crowbar overvoltage protection; Heavy-duty heat sink; Three-wire cord; One-year warranty; Made in U.S.A.

Separate Volt and Amp meters on RS-20M, 35M, 50M and 70M. Separate Volt and Amp meters, plus Voltage Adjustment (2-15V DC) on VS-20ML, VS-35M and VS-50M. The RM-35M, RM-50M and RM-60M are Rack Mount models, plus Separate Meters.

Model	Cont. Amps	ICS Amps	Size (in.) H W D	Shipping weight	Price
RS-7A	5	7	3.75 x 6.5 x 9	9	\$59.99
RS-10A	7.5	10	4 x 7.5 x 10.75	11	69.99
RS-12A	9	12	4.5 x 8 x 10.75	13	79.99
RS-20A	16	20	5 x 9 x 10.5	18	99.99
RS-35A	25	35	5 x 11 x 11	27	149.99
RS-35A/220V	Same as RS-35A but 220V input	37	5 x 13.75 x 12	46	169.99
RS-50A					219.99
RS-70A	57	70	6 x 13.75 x 12	48	259.99
With separate Volt & Amp meters					
RS-20M	16	20	5 x 9 x 10.5	18	119.99
RS-35M	25	35	5 x 11 x 11	27	169.99
RS-50M	37	50	6 x 13.75 x 11	46	239.99
RS-70M	57	70	6 x 13.75 x 12	48	289.99
Adjustable output; separate Volt & Amp meters					
VS-20ML	16	20	5 x 9 x 10.5	20	139.99
VS-35M	25	35	5 x 11 x 11	29	189.99
VS-50M	37	50	6 x 13.75 x 11	46	259.99
Rack mount; separate Volt & Amp meters					
RM-35M	25	35	5.25 x 19 x 12	38	249.99
RM-50M	37	50	5.25 x 19 x 12	50	279.99
RM-60M	50	55	7 x 19 x 12	60	359.99

POWER SUPPLIES WITH ADDED FEATURES

RS-4L - Has a built-in cigarette lighter receptacle in the front panel. 13VDC @ 4A peak, 3 Amps continuous. Dim: 3.5"h x 6.5"w x 4.25"d; 6 lbs.... **\$49.99**

RS-12S - Has a built-in front mounted speaker. Rated 13VDC @ 12A peak, 9 Amps continuous. Dim: 4.5"h x 8"w x 9"d; 13 lbs..... **\$89.99**

SWITCHING POWER SUPPLIES

Small & Lightweight!

SS-25 - 12V DC, rated 20A continuous, 25A ICS. Dim: 3"h x 7"w x 9.5"d; 4.2 lbs.... **\$109.99**

SS-25M - Same as above but with Volt and Amp meters..... **\$129.99**



SS-30 - 12V DC, rated 25 Amps cont, 30 Amps ICS. Dim: 3.75"h x 7"w x 9.5"d; 4.5 lbs.... **\$119.99**

SS-30M Same with Volt/Amp meters.... **\$139.99**

POWER INVERTERS

N2412-12 28V Aircraft - Converts 22-32V DC input to 13.8V DC output @ 10 amps. Eliminates tapping into a 28V battery for 12V..... **\$49.99**

N2412-24 - Same as above, rated at 20A **\$79.99**

DIAMOND ANTENNA



GZV-4000 Switching Mode DC Power Supply with Built-in Speaker - 120V AC input; Variable output 5-15V DC with convenient center detent at 13.5V DC; 40 Amps continuous rating @ 100% duty cycle; Over temperature, overload, short-circuit protection with current foldback at approximately 42 Amps; Overload indicator; Selectable monitoring of voltage and current; DC terminals on rear, cigarette lighter jack on front; Filtered AC line.

Dim: 8.25"d x 13"w x 4.5"h; 8 lbs..... **\$179.99**

DAIWA Industry Co. Ltd.



SS-505 50 Amp Power Supply

Recommended for those higher powered rigs like the 200W Kenwood TS-480HX that requires two 20-amp supplies or one bigger one weighing nearly 50 lbs. This is a switching-type with a low-noise design that puts any noise pulses away from ham bands making it one of the quietest available. There are high current, heavy duty binding posts on back panel and a lesser rated cigarette lighter plug socket, and spring-loaded connectors on front. Light weight and conveniently portable with carrying handle and protective cushions. Voltage is front panel adjustable 5-15VDC; Rated 50 Amps continuous with cut-off protection at 56 Amps; Dual purpose Amp/Voltage meter; Automatic cooling fan. Dim: 9"w x 5"h x 12.5"d; 8.25 lbs..... **\$399.99**



SMALL POWER SUPPLIES

38-384 Light-duty DC Supply - Input: 115 V AC; Output: 13.8V DC regulated @ 4 Amps; Front panel binding posts; LED indicator, fused protection. Dim: 7.75"d x 4.75"w x 3"h; 5.5 lbs..... **\$44.99**


38-305 AC Adapter - Provides multiple low-voltage DC to operate various battery powered equipment requiring 3, 4.5, 6, 7.5, 9 or 12V DC with a max. current rating of 500mA. Multiple application plugs and 9V snaps fit most devices..... **\$10.99**

SAMLEX AMERICA




SWITCHING POWER SUPPLIES

SEC-1223 Low Cost, Base Station Power Supply for HF, UHF & VHF Transceivers - Switching mode design; 23 Amp rating; Current limiting; Short circuit protection; Overvoltage protection; Anodized black chassis and powder coat wrinkle black steel cover; Includes fan; Input: 110-120VAC, 200-240VAC; 4.9A input current; 13.8VDC output voltage; 23A output (24 Amps maximum); 3-year warranty. Dim: 7.2"w x 8.7"d x 2.2"h; 3.3 lbs.... **\$99.99**



SPS-1204UL Switching Supply - Small and lightweight, provides highly regulated DC power. Cigar lighter output socket on front panel and wire terminals on rear. Over-voltage protection; Current limiting, Illuminated On/Off switch. UL and cUL approved; 110-125 VAC input; 13.2 VDC output @ 3.5 Amps. Dim: 2"h x 4"w x 6.3"d; 2 lbs.... **\$29.99**



DC to AC INVERTERS

SI-175HP 175 Watt 12VDC-110VAC Inverter Useful anywhere when 110VAC isn't available - boats, RVs, emergency, etc. Uses high efficiency switching mode design with modified sine wave output voltage and low idle power draw (<0.05A). Overload protection, low battery alarm and shut down. Cigar lighter; 10-15VDC input; 115 Volts RMS output; 175W (continuous), 350W (surge); Dim: 1.6"h x 4.7"w x 5.4"d; 1.8 lbs..... **\$29.99**

SI-400HP 400W

12VDC to 115 VAC Inverter - Similar to the SI-175HP, but higher (400W) rating. Cigar lighter plug input connector and battery clamp included; Input Voltage: 10-15 VDC input; 115 Volts RMS output; 400W (continuous), 800W (surge). Dim: 2.4"h x 6.3"w x 6.3"d; 2.9 lbs..... **\$49.99**


FCP-1000 12V-1000mA Adapter/Charger For operating or charging cell phones. Wall mount with cigar lighter receptacle; 110-120VAC input; 12VDC output; 1000mA, 19W output current. Dim: 2.25"h x 2.75"w x 4.25"d; 1 lb..... **\$9.99**



For more Power Supplies please check pages 41 & 78



SURGE SUPPRESSORS




SUPER-7 – For spike suppression and noise filtering. Provides 18,000 amp surge suppression, and RFI/EMI filtering. Seven outlets, 7-foot cord, three diagnostic LED indicators **\$19.99**


SUPER-7+TEL – Same as above with 6 outlets and fax/modem protection for modular jacks... **\$29.99**

ISOBAR-8 ULTRA Premium Surge Protector

– Rugged all metal housing won't break or burn. Isolated filter banks eliminate interference between connected equipment. Massive 1,200 joule, 96,000 amp spike suppression; Diagnostic alarm system indicates wiring faults, protection circuitry and power line status; 8 outlets, extra long 12 ft. cord **\$79.99**



PolyPhaser[®] CORPORATION



Power Line Extension Protector – In-line, multi-stage protectors provide multi-strike line protection, filtering and proper grounding for a 120V AC line. Two grounded outlets, power switch, and circuit breaker. Heavy duty, all aluminum grounded enclosure; 4.75" wide.

PLDO-120US15A – 15' cord; 120V/15A **\$159.99**

PLDO-120US20A – 6' cord; 120V/20A. **\$199.99**



RS-204U Remote Control Outlet System

Now control multiple outlets by Remote Control. Units plug into existing outlet to turn On/Off lamps, tools, appliances, etc. – up to 20A. Operates up to 80 ft. even through walls! Includes remote and two outlets. Uses 2 AAA batteries (not included) **\$29.99**

3362U Power Cost Controller – Monitor power consumption.

Approximately 3W to 1800W range, ideal for use with a large variety of 120VAC 60 Hz (15A) appliances. Cost monitoring and forecasting; Instantaneous power consumption (Watts); Maximum load power (max. Watts); Total kWh consumption. Includes LR-44 button cell battery **\$29.99**

POWER PLUGS/ADAPTERS



VANCO.



P-212 2-Outlet Cigarette Plug Adapter – Allows use of two 12V accessories from 1 outlet **\$4.99**

P-212B Dual Cigarette Socket – Enables two 12 volt accessories to be used from one outlet, comes with replaceable 15 amp fuse **\$8.99**

P-12R 2-Contact Cigarette Plug – Solder type with strain relief and grip end **\$1.99**

P-12V Cigarette Plug – Cigarette lighter plug with connecting leads **\$1.99**

P-12X Cigarette Lighter Plug – Easy to use solderless plug. Wires crimp to terminals **\$1.69**



Power Pocket

Portable Power for emergencies, hamfests, hiking, etc. The 12V @ 2 Amp/hour sealed lead-acid rechargeable battery provides up to 6x longer talk time than standard packs. Recharges completely in 6-8 hours, with supplied charger. Partial discharges can be recharged to 100% without memory effect. Radio conveniently plugs into included female adapter socket. Includes a compact carrying case with belt loop and shoulder strap.

Dim: 3.5" w x 1" d x 6.5" h; weight 30 oz. **\$66.99**

RECHARGEABLE BATTERIES



Maximum life • Memory-free operation
Rechargeable hundreds of times
Excellent for high current applications

MAHA RECHARGEABLES

4-AA-250BH – 4 pack of 1.2V 2500mAh rechargeable AA NiMH batteries in plastic case **\$14.99**

AAAT – 1.2V 650mAh rechargeable AAA NiMH batteries each **\$2.99**

9V – 8.4V, 170mAh (9V sized) each **\$8.99**

MFJ RECHARGEABLES


92AA01 – 1300mAh NiMH AA's each **\$2.99**

92AA10 – Same as above (10-pack) **\$24.99**

REPLACEMENT HT BATTERY PACKS

MAHA's replacement battery packs can increase your handhelds performance up to two times. Check out the Price Guide under MAHA for a list of battery packs for Yaesu, Icom, Kenwood, and Standard radios.

CHARGERS



MH-C888 Universal Drop-In Rapid Charger and Conditioner – Incorporates special FLEX negative pulse feature to prevent crystallization when charging 4.8 to 12V NiMH/NiCad battery packs. Deep-conditioning feature does three consecutive charge and discharges before final charge. Built-in switching AC power supply, for home, office and 12V portable use **\$59.99**

MH-C777 PLUS II Smart Universal Charger and Analyzer/Conditioner – Charges most NiMH, NiCad, Li-ion and Li-polymer battery packs. Built-in circuitry with LCD status automatically senses battery voltage. Includes external 110V switching power supply and 12V cord with cigarette lighter; Discharge-only feature retains discharged battery capacity on screen; Enhanced Li-ion algorithm reduces charging time **\$89.99**



MH-K5000 One Hour Worldwide Travel Conditioning Charger

Globally certified and compliant with an integrated 100 to 240V 50/60 Hz switching adapter. Revives and conditions poorly performing batteries. Four unique charging phases: Startup charge; Rapid charge; Top-off charge and Maintenance charge. Batteries may be left in for extended periods without overcharging. Recharge (2) AA/AAA batteries in around one hour. Recharge (4) AA/AAA batteries in about two hours. Compact, lightweight (4 oz.) Includes (4) AA 2500 mAh NiMH batteries **\$39.99**

MFJ Intelligent Charger

633 – Charges 2 or 4 NiCad and NiMH AAA, AA, C, D (charging 2 at a time) and 1 or 2 9V cells. Ultra-fast, safe constant pulse current charging; IC detects both +DV and -DV, and monitors the voltage level during charging. Discharge Mode deep conditions to correct memory, and can rescue weak or dead batteries. Ends with final trickle charge. 120 VAC or 12 VDC **\$24.99**



Alligator Clip Test Lead Set

CL-3 – Extra heavy duty 10-piece alligator test lead set. Five different colored pairs, 22 in. long .. **\$6.99**



MFJ Switching Power Supplies

Power your HF transceiver, 6 meter/2 meter/440 MHz Mobile/Base and accessories with these
25 or 45 Amp MFJ MightyLite™ Switching Power Supplies!

No RF hash • Super lightweight • Super small • Volt/Amp Meters



4125

Small & Lightweight – *MightyLites™* are so light and small you can carry them in the palm of your hand! Take them with you anywhere – no more hauling around heavy, bulky supplies.

Lightweight – The 25A *MightyLite™* only weighs 3.7 pounds – 5 times lighter than an equivalent conventional power supply. And, the 45A model weighs just 5.5 pounds!

No RF hash – Some switching power supplies generate objectionable RF hash in your transmitted and received signal. But, these babies are clean!

Low Ripple and Highly Regulated – Less than 35 mV peak-to-peak ripple and better than 1.5% regulation under full load.


Fully Protected – You won't burn up these power supplies! They are fully protected with overvoltage and overcurrent protection circuits.



4225MV

Worldwide Versatility – Switchable AC input voltage for 85-135 or 170-260VAC.

Mighty Features – Model 4225MV and 4245MV feature a front-panel voltage control which varies output voltage from 9 to 15VDC. Front-panel mounted 5-way Heavy Duty binding posts and cigarette lighter socket for mobile accessories. The 4245MV has two sets of quick-connects on the rear for accessories. Dual three inch illuminated meters monitor load voltage and current. Internal fan.




4245MV

4125 (left) – Basic, no metering, 25A maximum or 22A continuous. Dim: 5.5" d x 2.5" w x 2.5" h; 3.5 pounds **\$99.99**

4225MV (center) – 25A max. or 22A continuous. Dim: 5.75" w x 4.5" h x 6" d; 3.7 lbs **\$139.99**

4245MV (right) – 45A max. or 40A continuous. Dim: 7.5" x 4.75" x 9"; 5.5 lbs **\$189.99**

4103 Miniature Switching Power Supply – Delivers 13.8 VDC @ 2.89 Amps. Ideal for the FT-817 and other QRP rigs. Input: 100-240 VAC. Over voltage, over current, and over temperature protected. Includes a DC output cable with a 2.1mm plug that fits most MFJ, other ham accessories and QRP. Adapter cable for the Yaesu FT-817 included. Dim: 4-1/8 x 2-5/8 x 1-3/8 in; 10 oz **\$39.99**



MFJ 35/30 Amp Adjustable Regulated DC Power Supply

Massive 19.2 pound transformer • No RF hash • Adjustable 1 to 14 VDC

Super Heavy Duty – This conventional power supply is excellent for powering all types of amateur transceivers and accessories. A massive 19.2 pound transformer allows this power supply to easily deliver 35A maximum and 30A continuous. It's highly regulated with load regulation better than 1% and ripple voltage less than 30 mV.

Fully protected – Over voltage, fold back and short circuit protection. A whisper quiet fan keeps components cool by increasing speed as load increases.

Adjustable Voltage – Front panel control allows adjustment from 1 to 14 VDC with a convenient detent set at 13.8V. Dual front-panel meters monitor voltage and current.

Versatile – There are three sets of output terminals including a pair of Heavy Duty, 5-way binding posts for transceivers, two pairs of quick-connects for accessories and a cigarette lighter socket for those mobile accessories.

Dim: 9-1/2 x 6 x 9-3/4 in.; 20.6 lbs. **\$139.99**



MFJ High Current Multiple DC Power Outlets

Distribute power to transceivers and 6 or more accessories from your 12 VDC power supply



1118 Deluxe Multiple DC Power Outlet – The most versatile and highest current rating. Connect to a 12VDC source and distribute power to 2 transceivers and 6 or more accessories. Features 2 pairs of Super Heavy Duty 30A, 5-way binding posts, fused RF bypassed and rated 35A total draw. 6 pairs of 5-way binding posts for accessories rated for 15A total draw. Master fuse, On-Off switch with power LED. Built-in 0-25 VDC voltmeter, 6 ft. of 8-gauge, color-coded cable with ring tongue terminals. Binding posts are spaced for standard dual banana plugs. Dim: 12.5" x 2.75" x 2.5" **\$74.99**



1117 – Similar to the 1118 but no meter, power LED or On-Off switch. Powers up to 4 radios at the same time. Two 35A single posts and one 35A dual post. Dim: 8" x 2" x 3" – mounts almost anywhere! **\$54.99**



1116 – Similar to the 1118 but does not have 30 Amp posts. Has "Power On" LED and 0-25 VDC voltmeter. Rated at 15A total draw **\$49.99**



1112 – Similar to the 1116 but no On-Off switch, power LED, voltmeter or fuse. **\$34.99**

www.mfjenterprises.com

More Power Supplies on
pages 41 & 76



We accept I.M.P.A.C.® Government Credit Cards

MIRAGE Power Amplifiers

Boost Mobile, Base or Handheld Power!
All Modes: FM, SSB, CW ... Superb GaAs FET preamplifier in G Models
Overdrive, high SWR, Over-temperature protection ... Remote controllable

**2 Meters
All Mode**



B-5018G - 160W output with 50W input. Requires 17 - 24 amps @ 13.8VDC. Low Noise GaAsFET Preamplifier. Dim: 5.5" w x 3" h x 12" d **\$299.99**

Power Curve - typical for the B-5018-G												
IN	0.5	5	8	10	15	20	25	35	50			
OUT	---	52	99	119	125	130	135	145	160			

B-2518G - 160W output with 25W input. Low noise GaAsFET preamplifier. Requires 17-24 Amps @ 13.8VDC. Dim: 5.5" w x 3" h x 12" d **\$299.99**

Power Curve - typical for the B-2518-G												
IN	0.5	5	8	10	15	20	25	---	---			
OUT	5	56	91	111	135	153	160	---	---			

B-1018G - 160W output with 10W input. Low noise GaAsFET preamplifier. Requires 17-24 Amps @ 13.8VDC. Dim: 5.5" w x 3" h x 12" d **\$369.99**

Power Curve - typical for the B-1018G												
IN	0.5	5	8	10	---	---	---	---	---			
OUT	30	150	155	160	---	---	---	---	---			

B-2530G - 300W output with 25W input. Low noise GaAsFET preamplifier. Requires 48 amps @ 13.8VDC. Dim: 12" w x 5" h x 12" d **\$689.99**

Power Curve - typical for the B-2530G												
IN	1	3	5	10	25	---	---	---	---			
OUT	30	95	140	250	300	---	---	---	---			

B-5030G - 300W output with 50W input. Low noise GaAsFET preamplifier. Requires 48 amps @ 13.8VDC. Dim: 12" w x 5" h x 12" d **\$669.99**

Power Curve - typical for the B-5030G												
IN	1	3	5	10	25	50	---	---	---			
OUT	---	---	55	150	220	300	---	---	---			

B-320G - Up to 200W output. Low power input for Handheld Radios 250mW to 10W. High power input for mobile radios, 10W to 50W. Low noise GaAsFET preamplifier. **\$429.99**




B-34G (left/bottom) - Boosts 2M HTs with up to 8W output to 35W+ output. SSB/FM. GaAsFET preamp and mobile bracket. 13.8 VDC @ 4A. **\$99.99**

B-34 (left/top) - Like B-34G but FM only, no preamp/mobile bracket. Dim: 3.125" x 1.75" x 4.5" .. **\$79.99**

B-310G (right) - Boosts 0.25 to 8W 2M Handhelds to 25-100W+ output. Includes preamp, mobile mounting bracket & BNC to amp patch cable. 13.8 VDC @15A. Dim: 4.75" w x 1.75" h x 7.5" d **\$179.99**

Power Curve - typical for the B-310G												
IN	.25	0.5	1	2	4	6	7	8	---			
OUT	25	50	75	95	100	100	100+	100+	---			

**6 Meters
All Mode**



A-1015G - Covers 50 to 52 MHz and provides 150W output with 10W input; FM/SSB/CW. Built-in Low Noise GaAsFET receive preamplifier, internal T/R switching and remote keying. 13.8 VDC @ 18-23 Amps. Dim: 5.5" w x 3" h x 12" d; 5 lbs. **\$349.99**

**2M/440
Dual Band**



BD-35 - For DUAL-BAND HTs with up to 7W output. Produces up to 45W output on 2M and 35W on 440 MHz. Automatic band selection, full duplex operation. Single connector for dual band radios and antennas. 12-15 VDC @ 7A. Dim: 5" w x 1.75" h x 5" d. Mobile bracket included..... **\$149.99**

Power Curves - typical BD-35 output power									
Watts Out (2M)	30	40	45	45+	45+	45+	45+	45+	45+
Watts Out (440 MHz)	16	26	32	35+	35+	35+	35+	35+	35+
Watts In	1	2	3	4	5	6	7	8	

Remote Control Heads

RC-1 - Allows remote control of Mirage amplifier functions: Power and preamp On-Off, FM/SSB mode select. Only 1.75" x 3.75" x 2.5". Comes with 18 ft. head to amplifier control cable..... **\$45.99**



RC-2 - for B-XX18G series amplifiers..... **\$45.99**

More MIRAGE amps...

Including models for 220 MHz, 430-440 MHz. Also, continuous duty Repeater Amplifiers for 6, 2, 1-1/4 meters, 70 cm, 450 MHz & ATV.
 See the Price Guide under MIRAGE

Low Noise GaAsFET Receive Preamps



Improves weak signal reception; <0.8dB noise figure; 15-22dB gain with selectable level prevents receiver overload and intermodulation; Automatic TR switching up to 100W thru put; Rugged die-cast enclosures; In-Shack or Mast-Mount models.

In-Shack Models - \$129.99 each
KP-1/6M - 50-54 MHz **KP-1/2M** - 144-148 MHz
KP-1/440 - 430-450 MHz
Mast Mount Models - \$179.99 each
KP-2/6M - 50-54 MHz **KP-2/2M** - 144-148 MHz
KP-2/440 - 430-450 MHz


All MFJ products come with MFJ's **No Matter What™** one year limited warranty.
 Not including kits, books or software.

DUPLEXERS

Type	S0239 PL259/PL259	S0239 PL259/Nfemale	S0239 S0239/S0239	S0239 PL259/PL259	S0239 PL259/Nfemale	Nfemale PL259/Nfemale	PL259 S0239/S0239
Leads	No	No	No	Yes	Yes	No	Yes
2m/440	Comet CF4160K Diamond MX72D	Comet CF4160I	Comet CF4160J MFJ 916B	Comet CF416A Comet CF530 Diamond MX72H	Comet CF416B Diamond MX72N Yaesu AD3	Comet CF416C Comet CF416W	
2m/220	Diamond MX214D			Comet CF142			
HF/6 to 440				Comet CF360A			
HF to 6/2m				Comet CF706A Diamond MX62M			Comet CF360B

TRIPLEXERS

Type	Leads	HF/6/2/440/1200	HF/6/2/440	2/220/440
Nfemale PL259/PL259/Nfemale	No	Comet CFX4310C		
S0239 PL259/PL259/PL259	Yes	Diamond MX2000	Comet CFX514	Comet CFX324A Diamond MX324
S0239 PL259/PL259/PL259	No		Comet CFX5140	Comet CFX324B Diamond MX324D
Nfemale PL259/PL259/Nfemale	Yes	Diamond MX3000		
S0239 PL259/Nfemale	Yes		Comet CFX514N	
S0239 S0239/S0239/S0239	No		Comet CFX514J	




For Duplexer/Triplexer prices, see the Price Guide under each respective manufacturer.

811A HF Amplifiers

- Covers 160-15M, including WARC/MARS band
- HD silicon steel core Plate Transformer (17 lbs.)
- Tuned Input; ALC Control; Quiet Air Cooling
- Dual Meters (Plate Voltage, Grid and Plate Current); Vernier Reduction tuning
- Dim: 15.5" d x 13.75" w x 8.25" h; Weight: 52 lbs.

NOTE:
10/12 meter
Modification Kits for
Ameritron Amps are
available to licensed
Hams direct from
Ameritron




AL-811 - Uses (3) 811A transmitting tubes. Delivers 600W PEP output SSB/500W CW **\$599.99**

AL-811H - Uses (4) 811A transmitting tubes. Delivers 800W PEP SSB/600W CW **\$749.99**

3-500Z HF Amplifier

- Covers 160-15M, including WARC bands.
- A Full KW PEP! (70% efficiency)
- HD silicone steel core Plate Transformer (26 lbs) and Computer Grade capacitors
- Tuned Input; Adjustable ALC; Air Cooled
- Dual Cross-needle meters (SWR, PEP power, Plate voltage, Grid and Plate current)
- Operates from 90-140VAC or 205-250VAC
- Dim: 15.5" d x 14.5" w x 18.5" h; Weight: 48 lbs.



AL-80B - Uses a single 3-500Z transmitting tube. Delivers 1000W PEP output SSB/850W CW. The high-voltage secondary can be wired to reduce plate voltage for efficient operation below 400W for use outside the USA **\$1299.99**

Solid State HF Mobile Amplifier



ALS-500M - Increase your HF mobile power up to 500W PEP/400W CW. Continuous coverage 1.5-22 MHz. Uses (4) 25C2879 RF power transistors. Instant bandswitching, no tuning, no warm-up and SWR protected. Runs nicely from 13.8 VDC mobile electrical system drawing 80 Amps peak current. Dim: 3.5" h x 9" w x 15" d; 7 lbs. **\$739.99**

ALS-500RC Remote Head - Mount ALS-500M amplifier anywhere with; Band select, On/Off and DC Current Meter. TX/overload LEDs **\$49.99**

Solid State Base Amplifier



ALS-600 - No Warm Up, No Tune Up - Just turn on and operate. Uses (4) 25C2879 RF power transistors with 600W PEP/400W CW output and continuous coverage 1.5-22 MHz. SWR and power protected. Includes AC power supply. Dim: amp and supply both 6" h x 9.5" w x 12" d. Wt: 30 lbs. **\$1129.99**

ALS-600S - Similar but with ALS-600SPS switching power supply; Weight: 22.5 lbs. **\$1249.99**

AMERITRON

3CX-800A7 HF Amplifiers

- Cover 160-15M, including WARC bands.
- HD silicon steel core Plate Transformer (32 lb.)
- Tuned Input; ALC Control; Air Cooled
- Dual illuminated Cross-Needle meters show SWR, Plate voltage, Grid and Plate current
- Operates on 90-140 VAC, 200-250 VAC
- Dim: 8.5" h x 16.5" w x 13.75" d; Weight: 52 lbs.



AL-800 - Uses as a single Eimac® 3CX800A7 tube. Delivers 1250W PEP SSB output **\$1699.99**

AL-800H - Uses (2) Eimac® 3CX800A7 tubes. Delivers 1500W PEP SSB output **\$2499.99**

572B HF Amplifier


- Covers 160-15M, including WARC bands
- Heavy Duty silicone steel core Plate Transformer
- Instant 3 second warm up
- Tuned Input; ALC Control; Air Cooled
- Dual illuminated Cross-needle meters show SWR, Plate voltage, Grid and Plate current
- Multi-voltage Operation
- Size: 8.5" h x 15.5" w x 14.5" d; Weight: 40 lbs



AL-572 - This Near Legal Limit™ amplifier uses (4) rugged 572B tubes. Delivers 1300W PEP SSB and 1000W CW continuous output for about 65% of the price a full legal limit amplifier **\$1349.99**

Super Legal Limit Amplifiers

- Cover 160-15M, including WARC bands.
- Strong Stainless Steel Chassis
- Highly efficient PeterDahl tape wound Hypersil® Plate Transformer, up to 2500W
- Grid and Plate meters show drive, ALC, Power output and PEP Watts
- Dim: 18" h x 17" w x 10" d; Weight: 77 lbs.



AL-1500 - Uses a single Eimac® 8877 Ceramic tube. Only 65W of drive power delivers full legal 1500W CW output. Time-delayed start protects the tube and over-current shut-off removes the drive if amplifier is mistuned **\$2649.99**



AL-1200 - Uses Ham radio's toughest tube, the Eimac® 3CX1200A7. It has a 50W control grid dissipation and can deliver more than 2500W two-tone output for 1/2 hour **\$2299.99**



AL-82 - Uses a (2) 3-500Z tubes. Delivers 1500W output which is more than other 3-500Z linear models because their lighter weight power supplies can't use these tubes to their full potential **\$2299.99**

AMERITRON ACCESSORIES



ATP-100/102

QSK-5

ARB-704

ICP-120/240

ADL-2500

ADL-1500

AWM-30

ATP-100

Tuning Pulser - /Safely tune up RF power amplifiers. Prevents overheating, tube damage, power supply stress and component failure **\$49.99**

ATP-102

Deluxe Tuning Pulser - Similar but with variable pulser and delay **\$59.99**

QSK-5

Pin diode T/R Switch - Faster than a vacuum relay. Connects externally to HF RF power amplifiers. Handles 2.5 KW PEP/2 KW CW **\$329.99**

QSK-5PC

PC board version **\$229.99**

CF-5

Cooling Fan - for QSK-5 **\$39.99**

ARB-704

Interface Buffer - Prevents damage to radio's internal relay contacts resulting from keying amplifiers with too much control voltage, excessive current or voltage spikes on the relay control line. Compatible with transceivers that provide a ground on transmit. Use ARB-70412 for IC-706 only each **\$49.99**

ICP-120/240

In-rush Current Protector - Stops power-on in-rush current surge and absorbs momentary voltage spikes. Use ICP-120 for 110-120V; ICP-240 for 220-240V each **\$79.99**

ADL-2500

Dry Dummy load - Rated 2500W average power for 1 minute on, 10 minutes off, 300W continuous. Air cooled, low VSWR up to 60 MHz **\$189.99**

ADL-1500

Oil Filled Dummy Load - Handles 1500W for 5 minutes. Usable with low VSWR up to 400 MHz. Includes oil and container as pictured **\$69.99**

AWM-30

SWR/Wattmeter - Perfect for making linear amplifier power measurements. A lighted Cross-needle meter to show true Peak or Average on 300W and 3000W ranges up to 30MHz. Remote sensor. Uses 9V battery or 12VDC **\$139.99**

RCS-4

Remote Coax Switch - Selects one of four outputs by supplying control voltages thru the coaxial cable Rated 1500W from 1.8 to 30 MHz. **\$129.99**

RCS-8V

Remote Coax Switch - Selects one of five outputs using one feedline and 6-wire control cable. Rated 1KW @ 150 MHz, usable to 250 MHz **\$139.99**

RCS-8VN

Same as RCS-8V but N-type connectors instead of SO-239 **\$149.99**

RCS-10

Remote Coax Switch - Selects one of four outputs by supplying control voltages thru the coaxial cable Rated 1500W from 1.8 to 30 MHz. **\$149.99**

Various "Plug & Play" Interface Cables for Ameritron Amps - See Price Guide

ICOM



PW-1 HF + 50 MHz Solid State Linear Amplifier
Frequency range: 160-15m, 6m; Power output with 220V input: 1000 PEP SSB, 1000W CW/RTTY (100% duty cycle, QSK); 100W drive; Built-in all band automatic antenna tuner; Automatic AC voltage selector and band change; Current, voltage, temperature, SWR, output power protectors; Wide range adjustable ALC allows use with almost any rig; Control head may be detached from main unit (as shown); Built-in 110/220VAC supply.
Dim: 14" w x 10.5" h x 14.5" d; 56 lbs **\$4699.99**

YAESU



QUADRA SYSTEM HF/50 MHz Solid-State Amp - Frequency range: 160-15m, 6m; 1000W (6m: 500W); 100W drive; 4 twin MOSFET PA modules; Dot matrix multi-function LCD; 2 input and 4 output jacks for easy connection to station antenna; Built-in high-speed auto antenna tuner; Panoramic SWR display shows "before" and "after tuning" SWR data; SWR protection; Auto band switching with FT-1000, FT-1000MP, FT-1000MP MK V, MK V FIELD, and FT-920; 117VAC for 500W; 220V AC for 1000W.
Dim: 6.25" l x 16.25" w x 3.575" h; 59 lbs. **\$3999.99**

SGC

52-96 SG-500

Power Amplifier

For 500 Watt operation in your base station or mobile, the SG-500 SmartPowerCube™ provides maximum reliability and unattended operation. The SG-500 is microprocessor controlled. It automatically monitors your power needs and selects the correct broadband filter. It also has the most advanced self-protection on the market. For maximum power, under the most demanding conditions, the SmartPowerCube is the professional's choice; 1.8-24MHz; 500W PEP SSB, 500W CW with optional fan; Auto band switching.
Dim: 13.2" l x 10.8" w x 6.1" h; 21 lbs **\$1249.99**



MIRAGE



VHF/UHF AMPLIFIERS

15 to 300 watts of brute power! Models for 6M-70 cm, base, mobile, repeater or ATV operation; 12V DC; FM (SSB/CW on some models); 20dB gain GaAsFET preamplifier; Overdrive and high temperature protection; Remote control capability.

Model	MHz	Max Input	Max Output	Amps	Pre-amp	Price
A-1015G	50-52	1-15W	150W	23	yes	\$349.99
B-34	144-148	8W	35W	4	no	79.99
B-34G	144-148	8W	35W	4	yes	99.99
B-1018G	144-148	0.2-15W	160W	25	yes	369.99
B-2518G	144-148	20-35W	160W	25	yes	299.99
B-2530G	144-148	10-35W	300W	48	yes	689.99
B-5018G	144-148	20-60W	160W	22	yes	299.99
B-5030G	144-148	0.5-50W	300W	48	yes	669.99
B-310G	144-148	0.25-8W	100W	15	yes	179.99
B-320G	144-148	2.5-50W	200W	25	yes	429.99
BD-35	144/440	1-7W	45/35W	7	no	149.99
C-22G	222-225	2W	20W	5	yes	154.99
C-211G	222-225	2W	110W	20	yes	329.99
C-1012G	222-225	10W	120W	25	yes	329.99
C-1022G	222-225	10W	220W	20	yes	689.99
C-2512G	222-225	30W	120W	25	yes	309.99
D-15N	425-450	2W	15W	3	no	169.99
D-26N	430-450	2W	60W	12	no	259.99
D-1010N	430-450	10W	100W	15	no	379.99
D-3010N	430-450	30W	100W	20	no	349.99
D-1010ATV	430ATV	10W	100W	20	no	399.99


RC-1 Remote Control Head - For most Mirage amps. Power/preamp On/Off, SSB/FM mode switch. 18" cable. 1.25" x 3.75" x 2.25" **\$45.99**

RC-2 Remote Control Head - Same as the RC-1 but works only with the Mirage B1018G, B2518G and B5018G amplifiers..... **\$45.99**

DOCKING BOOSTER


Slide an HT in and it instantly becomes a mobile or base! Selectable voltages allow use of most HTs. Place on dashboard or desk, or use mounting bracket for security and convenience with tilt. Boost mobile or base station levels, up to 50W. Replace HT battery; Requires 13.8 VDC.

B-24G For 2m FM Handhelds - Up to 50W output with 0.5-8W input; 18dB GaAsFET preamp with on/off switch; LEDs show preamp on, on air, and transmit. Dim: 4.25" h x 3.35" w x 3.25" d; HT adapters available, see Price Guide **\$109.99**



LOGIKEY

IDIO Press




Full featured version of the famous Super CMOS III keyer design!

K-3 - Non-volatile memory; 6 editable messages, 1,530 characters; Messages can include programmed functions like automatic contest numbers and speed changes; Message can allow paddle inserted text & loop for continuous replay; Linear speed control (5-60 WPM); Adjustable weighting and monitor tone; Tune function; Auto character spacing if desired; Can emulate others, including Curtis "A" timing; Ultra Speed mode for messages up to 99 WPM; Contest serial numbers 001-9999, with push button decrement; Beacon capability; Full compensation for QSK rig timing; Keys solid-state or grid-blocked tube rigs; 12V DC, < 0.1 amp. Dim: 4.25" w x 2.25" h x 4.75" d **\$129.99**

HK-3 Hook-up kit for the K-3 - Includes Paddle-to-Keyer cordset; RCA-to-RCA keyer output cable and 2.5 mm DC power plug cordset for 12V **\$10.99**

BENCHER, INC.



IAMBI & SINGLE LEVEL PADDLES

Affordable standard for CW operators world-wide.

BY-1 - Black base **\$109.99**
BY-2 - Chrome **\$129.99**
BY-3 - Gold iambic **Closeout \$299.99**
BY-4 - Black and gold **\$169.99**

Turn dreams of constructing your first amp or next brick into reality!

ARRL's RF Amplifier Classics

Shorten your discovery work with ARRL's RF Amplifier Classics! Use this book to find classic tube and solid-state designs at power levels from 5W to 1.5kW. Included are two-dozen amplifier projects



and articles published in ARRL's popular journals between 1980 and 2003. There are high quality works from respected authors such as Gary Breed, K9AY; Jerry Pittenger, K8RA; Bill Sabin, W0IYH; Al Ward, WSLUA; Dave Meacham, W6EMD and others.


ARR 9310 \$19.95

VIBROPLEX®



The Original Bug from 1904, is still made using tools similar to those used by inventor Horace Martin. Designed for 20-50+ WPM.

- 110 Standard** - Painted base/chrome top **\$169.99**
- 105 Deluxe** - Polished chrome base and top parts with fine jewel movements..... **\$199.99**
- 100 Presentation** - Polished chrome base and 24K gold-plated base plate and chrome top parts, fine jewel movements..... **\$269.99**
- 090 Gold** - Plated base/chrome top... **\$309.99**




Vibrokeyers: Single lever paddle (left) initiates automatic dots and dashes of an electronic keyer. Iambic model (right) allows automatic dot/dash insertion.

Vibrokeyer


- 120 Standard** - Blk base, chrome parts **\$149.99**
- 115 Deluxe** - Chrome base and top parts with jeweled movements..... **\$184.99**
- 113 Gold** - 24K gold-plated base and chrome top parts with jeweled movements.... **\$279.99**

Iambic

- 135 Standard**..... **\$149.99**
- 130 Deluxe**..... **\$189.99**
- 125 Presentation** - 24K gold-plated top plate, chrome base with jeweled movements **\$249.99**
- 123 Gold**..... **\$279.99**



- 145 Triangle Brass Racer Iambic** - Solid brass paddle & polished hardwood base..... **\$129.99**
- 150 Square Brass Racer** - Solid lacquered brass Iambic paddle mounted on a polished hardwood base. Magnetic action, no springs..... **\$139.99**



Straight Keys (left) Unique mechanical action, unlike any straight key ever manufactured.

- 155 Standard**..... **\$149.99**
- 160 Deluxe**..... **\$189.99**
- 153 Gold**..... **\$279.99**

Deluxe Double Keys (right) Choice of Iambic and straight or vibrokeyer and straight key. Double keys allow you to instantly switch from using an electronic keyer to the personal touch of a straight key.


- 165 Straight key/Iambic**..... **\$329.99**
- 170 Straight key/Vibrokeyer**..... **\$329.99**



COMMUNICATIONS SPECIALISTS, INC.

TS-64 TONE ENCODERS & DECODERS


SS-64 Programmable CTCSS Encoder - Super small for easy install in most HTs. Standard with 64 EIA tones between 33 and 254.1 Hz. Individual tones dip-switch selectable. Dim: 0.66" x 1.08" x 0.21"; requires 6-28 VDC **\$28.99**



TS-64DS Field programmable CTCSS En/Decoder - DIP switches for 64 EIA tones 33-254.1 Hz. 1.25" x 2" x 0.3"; 6-28 VDC .. **\$57.99**




TE-32 Multi-tone Encoder - Provides 32 tones direct access from the dial rotary switch to all EIA CTCSS tones from 67-203.5 Hz, allowing access to various repeaters. Great for mobile or test bench. Dim: 5.25" x 3.3" x 1.7"; 6-30 VDC **\$49.99**



ID-8 Multi-Featured Automatic Morse ID'er Programmable via 12-button pad; Eight changeable messages; 200 characters total; CW speed: 1-99 WPM; ID interval timing: 1-99 min.; ID hold-off timing: 0-99 seconds; CW tone: 100-3000 Hz; 6-20VDC. Dim: 1.85" x 1.12" x 0.35" **\$69.99**

Wiring diagrams and lists of Fax-on Demand documents can be obtained from www.com-spec.com.



Code Practice Oscillator/CW Monitor Volume control, 3in. speaker, and headphone terminals. Requires code key and 9V battery
OCM-2K Kit \$19.99 OCM-2W Wired \$29.99




Code Keys

- K-1** - Low-cost general purpose key w/phenolic base, adjustable tension, contact spacing **\$10.95**
- K-4** - Deluxe high quality key. Polished brass base, shorting bar **\$16.95**



NORCOMM™
TONE SIGNALLING PRODUCTS

TONE SIGNALLING



NC-101 Encoder - Micro-mini. CTCSS encoder, field tunable to any of the CTCSS tone frequencies between 67 Hz and 254 Hz. 5 to 15VDC. Dim: 0.60" w x 0.80" l x 0.15" h **NorFax™ #5040 \$21.99**

NC-104 Programmable Encoder - Sub-miniature field programmable CTCSS encoder unit for limited space. Provides standard 37 EIA CTCSS tones + 69.37, 97.4 and 205.5 Hz. 7 to 24VDC. Dim: 0.625" w x 0.80" l x 0.170" d **NorFax™ #5150. \$26.99**

NC-106 Programmable CTCSS Encoder/Decoder A sub-miniature crystal-controlled digital unit. Field programmable with dip switches providing any one of the standard 37 CTCSS tones + 97.4 Hz. 6-24VDC. Dim: 0.85" w x 1.35" l x 0.28" h **NorFax™ #5230 \$62.99**

NC-401 Touch-Tone® Decoder - Unique micro-mini unit combining 2 distinct multi-addressable decoders for control of remote or local applications. Decodes all 16 DTMF characters with an address length of 1-14 characters and features EPROM memory for storage of both primary and secondary codes, input/output functions, deadbeat disable and user outputs, plus default reset. Programming easily performed by means of a conventional DTMF encoder. 6-24VDC. Dim: 0.80" w x 1.37" l x 0.23" h. **NorFax™ #5545..... \$62.99**

NorFax™ auto fax retrieval system - 530-477-8403



UM Unified Microsystems

XT-4 CW Memory Keyer Designed for QRP, Field Day, mobile or any portable operation. Also goes well in the shack with

smaller rigs. Speed range 8-45 WPM; (4) 100 character memories; positive keying output; 3.5mm input jack, RCA phono jack output; Paddle reverse for left or right-hand operation; Auto power save mode with flashing LED indicator engages after 30 minutes of inactivity. Uses 9V alkaline battery..... **\$69.99**

KC-4 - Cable set for XT-4 **\$9.99**

VK-64

Combination CW and Voice Keyer

Store and play back CQs, contest info, etc. in both CW and Voice. The Voice has four memories (up to 15 seconds each).

The CW keyer does 10-45 WPM with 4 programmable memories of 300 characters each. Configure for: Iambic A/B keying; Weight; Side tone; Paddle reverse. Tune function; Auto repeat and 1/2 to 12-second delay. Run stand alone or control with PC/laptop through a 25-pin printer port. Works with major contest logging programs. Uses 12V wall power supply **\$229.99**


VKC-8 Cable - Shielded audio cable semi-kit wired and tested except for microphone and transmitter connectors (8-pin) **\$24.99**






FOR LEARNING/PRACTICING CODE

414 Professional Classroom Tutor - Features include LCD readout, printer port and audio tape recording output. Build and save 3 custom sets for extra practice. Or combine these to obtain 48 characters for using the KOCH method. Customize random words for practice. Use with 144/440 MHz FM HT or HF transceiver for on-air code practice. VECs can give up to 16 exams. Full-featured memory keyer (1000 character memory, semi/auto modes, iambic A/B, reverse paddle, change speed and tone on-the-fly). Practice sending into the 414 with iambic paddle or straight key. Use built-in or external speaker or headphones. Includes serial port cable and open-end patch cable. 12 VDC or 110 VAC. Dim: 8.5" w x 2.25" h x 6" d **\$189.99**



554 Code Practice Oscillator - Designed for classroom use with great sound that enhances learning of Morse code. Plenty of volume from a built-in 1W amp and 3" speaker. Volume control and adjustable tone control (400-1000 Hz). On/off switch, power ON LED, 1/4" key jack, 3.5mm external speaker jack and DC input jack. Requires 12V DC. All-metal enclosure. Dim: 4.25" x 1.5" h x 5" d **\$79.99**

550 Telegraph Key **\$9.99**



AIDED CW SENDING/RECEIVING

452 Super CW Keyboard (left) - A stand alone CW keyboard that includes an RFI suppressed keyboard, a two line 16-character non-volatile LCD display. Send effortless CW by just typing the characters as you see what you are sending on the display. No computer to boot up, no program to load. Speed: 5-100WPM; Weight: 5-95%; Sidetone: 300-3000 Hz sidetone; Serial Numbers (0-9999); Has buffer and memory full audible indicators. Keys solid-state and tube-type rigs. Requires 12VDC..... **\$129.99**

462B MultiReader (right) - Supply this unit with audio from a receiver or transceiver; tune in CW, RTTY, ASCII or AMTOR (FEC) signals; and read the auto decoded text directly from the 2-line, LCD display. Copy most standard shifts and speeds in all modes; AutoTrak™ feature helps track and decode high speed CW; 8K mem. stores several pages; PLL modem technology digs out weak signals; Precision tuning indicator; Printer port; Requires 12VDC. Dim: 6.25" w x 2.5" h x 6.25" d **\$169.99**

461 Pocket-Size Morse Code Reader™
No cables to hook-up and no other equipment needed. Simply hold the unit near your receiver and it instantly displays CW text in English! Automatic speed tracking and instant 140-character replay on a 32-character LCD. If desired, a serial port lets you display CW text on a monitor using a computer and terminal program. Connect directly to a receiver with optional cable when it's too noisy or CW is unwanted. Battery saver (uses 9V - not included). Dim: 2.25" h x 3.25" w x 1" d, 5.5 oz..... **\$79.99**



5162 Receiver Cable - Connects the 461 to a radio's external 3.5mm jack..... **\$5.99**



464 CW Reader With Built-In Keyer - This unit simply plugs into a transceiver's speaker/phone jack and key jack. Add a single or iambic paddle or computer keyboard and it's ready for easy, complete CW operation. Sends and reads CW at 5 to 99 WPM with automatic speed tracking; Easy menu operation; Large 2-line LCD shows "send and receive" text; Front panel speed and volume controls; 4 message memories; Type-ahead and read-again buffers; Adjustable weight and sidetone; Built-in speaker; RFI proof..... **\$169.99**

KEYERS



407D Deluxe Electronic Keyer - Features dot-dash mem., self completing dots and dashes; jam-proof spacing. RF proof, instant start. Single squeeze, or straight key. Front panel controls: speed, weight, tone & volume, ON/OFF, tune, auto or semi-automatic. Selectable A or B-type iambic keying. Built-in spkr., uses 9V batt. Dim: 7" w x 2" h x 6" d .. **\$69.99**



401D Econo Electronic Keyer II - Similar to 407D with external speed and volume controls, internal weight and tune controls. Uses 9V battery **\$49.99**




434 Contest Voice Keyer™ - Microprocessor-controlled, transformer-coupled - No RFI, hum or feedback. Automatically call CQ and send a call. Store frequently used phrases, like "CQ. Contest this is AA5MT," in your own voice. Record and play back five natural sounding messages totaling 75 seconds. Repeat messages continuously and vary the delay from 3-500 seconds. Receive and play back off-the-air signals. Easy to use - plug in an 8-pin microphone cable then plug the 434 shielded cable into the mic input. Controls tailor audio level to match your voice. Built-in speaker and audio amplifier. Uses 9V battery, 9-15VDC or AC with optional adapter. Dim: 6.5" w x 2.5" h x 6.5" d **\$169.99**

422D Keyer-Paddle Combo
Keyer unit installs on top of Bencher iambic paddle. Uses Curtis™ chip. 9 to 50 wpm. Adjustable weight and tone, dot-dash memory and sidetone. Semi-automatic and tune or auto modes. Keys grid block, cathode or solid state. Uses 9V battery or AC adapter. Dim: 4.125" w x 2.625" h x 5.5" d **\$159.99**

422DX Keyer only **\$79.99**



490 Keyer/Bencher Paddle Combo - A feature-rich keyer in a compact configuration that fits right on its own Bencher iambic paddle. Provides memories, morse trainer, sidetone, automatic serial numbering and more. Uses 9-volt battery or 110 VAC with MFJ-1312D. Dim: 5" w x 3" h x 5.5" d. **\$189.99**



492 Menu Driven Memory Keyer - No complex sequences. Save messages, enter iambic, semi-auto, handkey, message queue, paddle modes. Select iambic A/B, Morse trainer, store starting serial numbers. Holds 192 characters in 4 memories (expand able to 8K+ characters in 8 memories. Front panel speed (5-100 WPM) and volume control for side-tone speaker. Direct and grid block keying. 9V batt. or 110V AC adapter. Dim: 6.5" x 2.5" x 6.25" **\$99.99**

451 Morse Keyboard - Stand-alone CW keyboard with 200 character type-ahead buffer, and two 100 character messages. 12VDC..... **\$99.99**

452 Morse Keyboard - With 16 character LCD display. Comes with keyboard..... **\$129.99**



495 Millennium CW Keyer - A powerful keyer combining the latest microprocessor technology with non-volatile memory. Easy-to-use menus and LCD display - send CW, load messages and set functions using a paddle, keyboard or serial port. Iambic mode works with direct or grid-block outputs. PTT output, built-in speaker, sidetone; iambic keyer with dot and dash memories; 32 message memories; Repeat message continuously; Insert timed pauses, auto-incrementing serial number, or embedded commands to change speed, weight, etc.; Message editing capability; Input queue to store multiple messages; Digital and analog linear speed control; Farnsworth method with speed from 10-99 WPM; Type-ahead keyboard buffer; Dual user/configuration mode **\$149.99**

KOSS



QZ/50 **QZ/5** Passive Noise Reduction - Isolates listener from noise sources like car and jet engines. Ideal for the race track and metal detection. Unique head-strap, velcro design allows for secure fit and immobilization. 60Ω impedance; 102dB SPL/1mW sensitivity; 40 to 20,000 Hz sensitivity; Volume control and Stereo/Mono switch; Single entry, 8 ft. coiled cord with 3.5mm plug; 15 oz **\$49.99**

QZ/50 Revolutionary Active Noise Reduction Reduces harmful and annoying low frequency sounds in noisy environments. Behind-the-head design provides comfort during extended wearing. Dynamic element, 30 to 20,000 Hz; 32Ω impedance; 98dB sensitivity; Single entry 8 ft. cord, with 3.5mm plug; Uses AAA batteries; 2.5 oz **\$49.99**

QZ/99 Passive Noise Reduction stereophone with Mono/Stereo Switch - Frequency response: 40 to 20,000 Hz; Coiled, single entry, 8 ft. cord with 3.5mm and 6.4 mm plugs; Sensitivity: 102dB SPL/1mW; Impedance: 60 Ω; 15 oz **\$59.99**



QZ/2000 Noise Reduction Stereophone - The revolutionary Active Noise Reduction system reduces harmful or annoying low frequencies >15dB SPL from 40-200 Hz, average 10dB SPL from 30 to 1000 Hz. Response: 15-20,000 Hz response with 101 dB SPL/1mW sensitivity; 5kΩ impedance; Straight, dual entry, 4 ft. cord; Control case and collapsible stereophone; Adjustable headband; Input jack for audio play-through and 2-prong adapter for in-flight use; Includes 2 AA's; 2.3 oz **\$149.99**

KTX/8 Portable Stereophone - Dynamic element for extended frequency response from 40 to 20,000 Hz; Foam ear cushions for open, hear-through sound; Volume control on the cord for easy level adjustment; Collapsible headband design for protective storage and maximum portability; Reliable "L" plug for improved durability and reliability; Straight, single entry 4 ft.cord.. **\$14.99**

Y-88 "Y" Cord - Delivers dual stereophone connection from a single sound source. Reliable "L" plug for improved reliability and durability **\$4.99**

KENWOOD



HS-5 **HS-6** **HS-5** Deluxe Headphones - Specifically designed for communications. Provides a natural sound and pads eliminate pressure permitting long hours of fatigue free listening. To increase the volume level when using in a noisy room or for privacy, you can replace the sponge-type earpads with soft vinyl leather pads to increase sound by about 10dB while sealing out noise. Includes both types of earpads and 6 ft. coiled cord with 1/4 in. phone plug.. Impedance: 8; Power: 200mW @ 1000Hz max. input; Response: 150-4000Hz; 13 oz **\$79.99**

HS-6 Lightweight Headphones - Response: 100 to 10,000 Hz; Impedance: 12.5; 6 ft. straight cord with 1/4 in. phone plug; weighs 4 oz. **\$59.99**



YH-77STA Stereo Headphones - Impedance: 35 ohms; 4 ft. straight cord with 3.5mm plug and 1/4 in. phone plug adapter; weighs 4.4 oz **\$59.99**

Headsets/Boom Microphones



For Neil prices check Price Guide



288 Deluxe Headset Microphone - Lightweight, comfortable for Yaesu, Icom, and Kenwood units. Superb transmit audio, and earphone tonal quality. Foam covered microphone element is attached to headset with a flexible rubber boom allowing proper positioning. PTT switch on the 6 ft. cord, hold or attach to clothing..... (specify radio) **\$24.99**

292Y Featherweight™ Earphone/Microphone Has an earbud earphone and a tiny thumb-sized microphone/PTT switch that's built right into the 4 ft. cord. For Icom Q7A, Yaesu FT-10R, FT-40R, FT-50R and VX series..... **\$17.99**

297 Desk Microphone A sensitive condenser mic element coupled with a low-noise amplifier. Speech tailored; select SSB Mode for smooth, articulate DX or Full-range Mode for clear FM or AM. Flexible microphone boom, momentary and locking PTT switch. On-the-air LED indicator, frequency up/down switch. Requires two AA batteries. Dim: 4"w x 1.25"h x 6"d base..... **\$69.99**

5397 8-Pin Adapters for 297 - Available for Yaesu, Icom and Kenwood units..... each **\$15.99**

295 Mini Speaker/Microphone - Plus into popular Yaesu, Icom and Kenwood HTs. A non-directional electret element provides great audio quality, LED shows transmit (specify radio) **\$15.99**

392B Headphones - Perfect for Amateur and Shortwave listening. Superbly padded headband and ear cushions and only 8 oz. for comfort. High-performance drivers with full 100 - 24,000 Hz response provide enhanced sound and speech fidelity. Earphones have individual volume and tone controls. Includes a 9 ft. cord with gold-plated plug and 1/4" adapter..... **\$19.99**

HF-24RS Scanner Headphones - Designed specifically for racing fans. Listen to driver to pit conversations with reduced noise. Snug fit, cushioned headband and comfort fit cushions allow hearing action over crowd and engine noise. Dual volume control to maximize hearing levels; Includes 3.5mm, plug with a 10 ft. coiled cord **\$19.99**



We accept I.M.P.A.C.® Government Credit Cards

LOW-PASS & HIGH-PASS FILTERS

For suppressing Television interference (TVI) from near by HF transmitters

Low-pass filters install in the transmission line between the transmitter and antenna or tuner. They are designed to allow signals below the cut-off frequency to pass through and attenuate signals above the cutoff frequency.

High-pass filters install at the TV set antenna terminals and allow signals above the cut-off frequency to pass through and attenuate signals below the cutoff frequency.



HP-300T 300 Ohm High-Pass Filter - Sharp frequency cutoff at 52 MHz with 70dB attenuation below 50 MHz. For use with TV twinlead. **\$14.99**

HP-75T 75 Ohm High-Pass Filter - For use with coaxial cable systems **\$14.99**



YA-1 52 Ohm Low-Pass Filter - Passband: 1.8-29.7 MHz; Max. Power: 1.5KW continuous (5KW Peak); Insertion Attenuation: 80dB @ 54 MHz; Loss: < 0.2dB. Dim: 9.2" w x 2.5" h x 2.5" d. **\$85.99**



704 52 Ohm Low-Pass Filter - Passband: 1.8-30 MHz; Insertion Loss: <0.5 dB; Max. Power: legal limit. Dim: 2.9" h x 2.9" w x 7.8" d. **\$49.99**

VECTRONICS®



LP-30 Low 52 Ohm Low-Pass Filter - Passband: 1.8-30 MHz; Up to -70dB harmonic attenuation; Max. Power: 1.5KW **\$69.99**

LP-2500 - Same, but 2.5KW rating **\$129.99**


HPF-1 300 Ohm High-Pass Filter - High harmonic attenuation but low loss in the 52-550 MHz TV passband. 75 ohm balun and F connector. **\$24.99**

KENWOOD



LF-30A 52 Ohm Low-Pass Filter - Pass band: 1.8-30 MHz; Attenuation: >90dB above 90 MHz. Insertion loss: <0.5dB @ 30 MHz; Impedance: Max. Power: 1 KW. Dim: 9.6" w x 2" h x 1.5" d. **\$64.99**

DCI DIGITAL COMMUNICATIONS



BANDPASS FILTERS

Install in transmission line between a 2 meter, 220 or 440 MHz rig and antenna to reduce strength of out-of-band interfering signals while allowing wanted signals to pass through at full strength. Eliminate squeals, squawks, beeps and strange voices from a UHF or VHF radio caused by intermodulation from strong, nearby pagers, police radio, etc. Effectively reduces spurious emissions on transmit. Hear desired signals even in crowded, urban centers. 2M/220 MHz uses four helical resonators, 440 MHz uses four 1/4-wave linear resonators, both with aperture coupling. VSWR 1.5:1; 200W power rating; Made of extruded aluminum, copper and brass. Dim: 12w"x 3" h x 5" d; 2 lb, 11oz.

146-4H - 144-148 MHz. Loss <1 dB; Selectivity: -57dB @ 136 MHz and -43dB @ 156 MHz. SO-239 silver-terfon connectors **\$119.99**

145-2H - Same, but 144-146 MHz **\$119.99**

146/444DB - 144-148 / 438-450 MHz. Selectivity: -50dB @ 136 MHz, -40dB @ 156 MHz, -30dB @ 425 MHz, -25dB @ 465 MHz. SO-239 silver-terfon connectors **\$189.99**

223.5-3H - 222-225 MHz. Loss 1 dB; Selectivity: -33dB @ 213 MHz and -28dB @ 233 MHz. SO-239 silver-terfon connectors **\$119.99**

445-10C - 440-450 MHz. Typical selectivity: -47dB @ 425 MHz, -50dB @ 456 MHz; Loss 1dB. Type-N silver-terfon-gold connectors **\$139.99**

435-10C - Same, but 430-440 MHz **\$139.99**

Upgrade to type-N connectors on 2m and 220 MHz models - add \$10 to price. Special Order

FERRITE KITS

MFJ



701 RFI Free Choke Kit - Eliminate RFI problems by winding offending cables around an RFI suppressing toroid. Effective from 0.5-200 MHz. Separates into halves for easy winding of all types of cable: computer ribbon; coax; power cord; telephone; audio-video. Halves mount in snap-together plastic frame. Multiples can be stacked for more effect. (Pack of 4) **\$14.99**


Palomar Engineers



RFI-4 RF Interference Kit - A selection of ferrite toroids and beads to eliminate RFI from 1-1000 MHz. Contains: 12 beads with 0.2" holes for small wires and cables, 4 toroid (donut shaped) cores with 1/2" holes, 4 with 3/4" holes and 4 split beads (toroids cut in half so you can put them over cables without disconnecting). Two fit over RG-58 (1/4" hole) and two fit over RG-8 (1/2" hole). Includes a RFI tip sheet explaining the use of ferrites and how to use them to keep RF out of computers, stereos, VCRs, alarm systems, and telephones **\$25.99**

K-COM

TELEPHONE RF INTERFERENCE FILTERS



Cure telephone RF interference in the most irritating cases even when dealing with transmitters with full legal power output. Use any number of filters with no adverse effect on telephone performance.

RF-1 - For single line equipment including wired or cordless phones, answering/fax machines, modems, etc. Uses standard modular connectors **\$16.99**

RF-1/2-LINE - For 2-line or multi-line, multi-station electronic key phone systems **\$22.99**

RF-1/COILED - For use when RFI enters thru coiled telephone cord between base and handset **\$22.99**

RF-2 - Hard-wired, provides a wide range of installations optional to add RFI rejection at a variety of physical/electrical locations in the system; inside jacks, behind wall mounts, etc **\$10.99**

MFJ

DSP POWER



784B Super DSP Filter - Installs between rig and station speaker. Eliminates heterodynes and reduces Noise and Interference on SSB/CW/AM and Digital modes. Great for VHF/UHF, EME and satellite work. Tunable FIR filters minimize ring, prevent data errors. Up to 60dB attenuation. Tunable Spotting Tone™ automatically tunes CW filter in narrowest bandwidth. Built-in 2W audio amplifier with AGC. Requires 12VDC. Dim: 2.5" h x 9" w x 6" d. **\$229.99**



70-14 ADSP2 Speaker - An affordable solution that will deliver top of the line noise reduction for ANY transceiver. The ADSP2 speaker has two convenient push button switches. One button toggles between 0, 13dB & 26dB of Noise Cancellation and the second selects 1 of 3 Bandpass Filters (100, 500 & 1500 Hz). It provides -45dB out of band reduction with one-click operation. There is a headphone jack for private listening. Uses 12VDC @ 110-500mA. Dim: 3" h x 5" w x 2.5" d; 11 oz **\$129.99**

We Make it Easy!



We accept I.M.P.A.C.® Government Credit Cards

AES

FILTERS/DSP



DSP-599ZX Noise Filter – Digital Signal Processing provides superior reduction of QRM and QRN. Examines and measures signal and noise correlation, dynamically filtering out undesired noise. Great for VHF/UHF weak signal and aurora work when it can provide a remarkable improvement in clarity to fluttery or distorted SSB signals. Incorporates the newest high speed CPU that gives unparalleled features and is field upgradable.


Exact filter settings are displayed on the LCD; Optical encoders for continuous tuning of filters; Data and bandpass filters with steep skirts and linear phase response for CW and RTTY; Bandwidth Range: 10 Hz to 600 Hz; Center frequencies 200-2150 Hz – wider filters allow easy tuning and listening to multiple CW signals simultaneously; Data filters: RTTY (two methods of use), AMTOR, PacTOR, G-TOR™, HF Packet, SSTV, WeFAX, SITOR and CLOVER; Test instrument mode provides audio sine wave generator, audio millivoltmeter and two-tone audio generator for maintenance and set-up of radio audio circuits..... **\$436.99**



ANC-4 Antenna Noise Canceller and Diversity Combiner – Works with any transceiver (250W or less) or receiver from 500 kHz to 80 MHz. Reduces or eliminates locally-generated Power line, Computer and TV noise. It works by cancelling noise before it affects the receiver AGC circuits. Connects between your antenna and receiver. A second antenna acts as a noise pickup. The front panel controls allow adjustment of signal phase and magnitude from the two antennas to effect noise cancellation. Frequently, reception of signals below the noise level is possible. The ANC-4 can also operate as an active antenna using a noise antenna and noise gain control to amplify antenna output. And, it can be used as a diversity combiner to pick up weak signals or null interfering signals. Requires 11-16V DC @ 300 ma. Dim: 1.7" h x 6" w x 4.3" d; 2 lbs.. **\$209.99**

ARRL HF Digital Handbook

Third edition, all the information you need to get on the air and enjoy the fascinating world of HF digital communications. All it takes is an HF SSB radio, your sound-card equipped computer and external multi-mode processor; Assemble your digital station; Operate PSK-31; Chase DX and contest contacts with RTTY; Connect to the internet; Explore other digital modes and more! 190 pages..... **ARR 9159 \$19.95**



MFJ MFJ ENTERPRISES, INC.



1273B Sound Card Interface – A basic plug-and-play interface for the digital modes. Has jacks for sound card, radio, speaker and RS-232 (no mic jack or switch). Includes RS-232, audio and mic cables and software. No external power needed. Use model **1273B** for 8-pin round microphone plug, or model **1273BM** for 8-pin modular (RJ-45) microphone plug..... each **\$59.99**



1278B Multi-mode Data Controller – 10 modes: PACTOR, 16-level FAX, color, SSTV, PACKET, AMTOR, RTTY, ASCII, CW Navtex & Memory keyer. Enhanced mailbox; 32K RAM; 16-gray level modem; 20 LED tune indicator; MARS mode; Internal modem header; 10 program message buffers; Dual ports; KISS; Host mode; Threshold control; RS-232/TTL ports; 12 VDC. Dim: 9.5" w x 9.5" d x 1.5" h... **Closeout \$249.99**



1272 TNC Switch – Push button selection for voice or digital. You specify the radio and TNC connection. Multiple models available... **\$39.99**



1275/1275M Sound Card Interface – Connect between a transceiver and computer and enjoy all Digital modes without additional equipment. Operate PSK-31, packet, APRS, AMTOR, RTTY, SSTV, CW, HSCW meteor scatter, contest voice keying, contest memory keyer, etc. Internal jumpers program mic wiring for any radio. Includes audio cables, power plug and a CD with a collection of the most popular amateur radio software to operate the digital modes. Requires 12VDC (110 VAC with optional adapter). Use model **1275** for 8-pin round mic plug or model **1275M** for 8-pin modular (RJ-45)... each **\$99.99**



1279 Super Sound Card Interface – This interface has all of the features of the MFJ-1275 above, plus: Auxiliary input jack, allows switching of a sound card from the 1279 to something else. No more plugging and unplugging! Direct CW/FSK keying jack, allows direct CW or FSK keying; Headphone jack, use stereo headphones, also turns off external speaker; Plug in a footswitch or other for PTT switch when not using VOX; Plug and Play; Includes software, RS-232 and audio cables, and AC power supply. Use model **1279** for 8-pin round mic plug or model **1279M** for 8-pin modular (RJ-45) mic plug..... each **\$129.99**

AOR



ARD-9800 Digital Voice and Image Interface Use conventional analog voice transceiver for digital voice communications, data and images while maintaining analog capabilities. No modifications, simply connect between mic and jack. Operates with transceiver in SSB mode. Automatic voice signal detector recognizes received signal as analog or digital, automatically switching to appropriate mode. Uses Open Digital Protocol, use is permitted on US amateur bands. Send and receive SSTV images in digital mode. Built-in video output connector allows external TV monitor viewing. Operate high speed data on HF band at 3600bps. Operates on 10-16VDC @ 200mA. Dim: 3.94" w x 1.26" h x 6.14" d **\$549.99**



TDF-370 Multi-Media Terminal with DSP

Listen to amazingly clear audio, transmit and receive PSK31 and RTTY, apply potent filtering and hear "weak ones" others may miss. Digital modes without a PC! Use powerful DSP noise reduction and filtering, including Fast Fourier Transform. Auto-notch function; Enhance audio reception of SSB and CW; Monitor SSB and CW in derived "stereo"; Decode and display PSK31 or RTTY on the LCD; Enhance transmitted audio with 8 channels of mic equalization; Digital voice recorder; 2 selectable front panel inputs; Six outputs: phone, stereo headphones (included) internal or external speaker, mic, PTT and COM; Requires 4 AAs, NiCads or NiMHs or regulated external 9-15 VDC. Dim: 3.3" h x 4.3" w x 6.2" d; 12.3 oz..... **\$299.99**

For more information contact:
info@aorusa.com




RIGblaster

The easiest way to connect a radio to a PC to operate old or new, analog and digital modes. Over 100 ham radio programs transmit and receive over 20 different modes. Your radio, a RIGblaster, PC, and appropriate software take the place of old expensive adapters, TNC's, digital voice keyers, microphone equalizers, rig control interfaces, DSP receive filters, internet linking interfaces, automatic beacon clocks and more. Use the processing power built in to your PC instead of a old fashioned outboard box that only does a few things. All RIGblasters are fully ground isolated, come with an up to date CD collection of ham radio operating software, all the cables and power supply you need to get on the air. Five models to choose from for your operating needs. Use with any modern computer and radio with a matching mic connector.

RB/PR/C RIGblaster Pro – The only complete computer interface! Allows you to use all sound card software, computer control a radio, equalize and record a microphone, operate keyboard FSK and CW and more. Built in rig control interface for most radios. Single serial port rig control and sound card operation. Separate CW and FSK keying outputs. Transmit audio muting. Two mic. switchover. For the ham that wishes to do everything that can be done with computer and a radio. 8-pin and RJ45 radios as supplied **\$249.99**

RB/PL/C RIGblaster PLUS – Run all sound card modes with fully automatic operation with your mic. No manual switching, no plugging or unplugging. Works with all transmit and receive sound card software. CW or FSK direct keying output. 8-pin and RJ45 radios as supplied **\$139.99**

RB/NO/CU RIGblaster Nomic 8-pin/RJ-45 Small and inexpensive. Perfect for portable or temporary setups. No power supply needed. Perfect for an Internet remote link. Unplug your mic. whenever you wish to use sound card software. 8-pin or RJ-45 radios as supplied **\$59.99**



We accept I.M.P.A.C.® Government Credit Cards



External DSP HF Radio Modem

Operates:

PACKTOR / RTTY / ASCII

AMTOR / CLOVER II

Terminal Software Included

\$395.99

More info on DXP-38 at: www.halcom.com

Kantronics



MULTI-MODE DATA CONTROLLERS

KPC-3 Plus/128 – 1200 bps; Packet, GPS/APRS, Host, KISS and WEFAX modes, use with EMWIN; Personal Mailbox (PBS) now supports multiple calls; Remote access, sensing and control with two A/D and two control lines; PBS 100k, expandable with optional 512k RAM **\$198.99**

9612 Plus/128 – 1200 port and second port of 4800-38,400 bps; Most modes/capabilities of the KPC-3 Plus and POCSAG (paging); Unique design allows the addition of another port, high or low speed; Remote access, sensing and control capability; Telemetry transmission capability **\$388.99**

KAM 98 – Single port multimode TNC for HF and VHF use; Packet, GPS/APRS, Host, KISS, WEFAX, CW, RTTY, AMTOR, PACTOR, G-TOR®, Free signal detection for HF email, A/D inputs/TTL outputs; HC11 for more processing power to accommodate future upgrades; Wider range of speeds; use 1200 bps packet on 10 meters **Closeout \$399.99**



KAM XL Multi-Mode DSP Controller – Kantronics third generation multimode TNC, a state-of-the-art design giving operations on HF, VHF, and UHF, while supporting DSP modems and popular new modes of operation; Packet 300/1200 bps; G-TOR; Pactor I; AMTOR ARQ (FEC, SELFEC, CCIR 476 and 625); PSK31; RTTY; NAVTEX/AMTEX; ASCII; WEFAX; CW; Dual-port mailbox; Remote SYSOP access; GPS NMEA-0183 compatible; Kantronics Host Mode; KISS **\$409.99**

Get the Right Answers... Call AES Today!

TIMEWAVE TECHNOLOGY INC.



PK-232/PSK Multimode Data Controller – The most popular data controller ever built, now with a sound card interface. Offering a new level of performance with accurate DSP filters for internal data modes and dual transformer isolation for sound card modes. 18 DSP filters, twin peak RTTY filters, 100 Hz CW filter and adaptive PacTOR filters. Weak signals pop through noise and interference bounces off the filters for cleaner copy than old analog filters. Supports new sound card modes in addition to existing PK-232 modes. Comes with a complete cable and connector set, in addition to Timewave's on-line and telephone support. Requires 11-16V DC @ 800 ma. Dim: 8.25" d x 2.5" h; 3 lbs. **\$531.99**



PK-96/100K 9600/1200 packet TNC – 9600 and 1200bps packet-ready; GPS firmware standard; Remotely program; GPS commands; Stand-alone tracking hardware HDLC for accuracy; True DCD hears weak signals; Gateway as a Node; Full MailDrop; AEA host mode; Advanced command set; Identify TCP/IP, TheNet and NetRom; Separate external TX for 9600/1200bps adjustments; External reset; PC PackRatt Lite™ terminal control and APRS™ software included; WIN and Mac programs available; Requires 12V DC; 1.25 lbs. 128K RAM. Dim: 6.25" w x 7.5" d x 1.375" h. **\$219.99**

AC-5 120V Power Supply – Provides 13.8VDC @ 1.7A for the DSP-599zx, PK-232/DSP, DSP-232, DSP-1232, DSP-232, PK-900, etc. **\$24.99**



PKTERM 3.0 and PACTERM 3.0 for Windows – The latest CSS 32-bit terminal software for Time-wave/AEA and Kantronics TNCs and computer soundcard interfaces. True multi-tasking in Windows using the standard Windows interface for ease of use. Operates the digital modes (PSK-3, MFSK, MT63, SSTV, CW, RTTY, Amtor, Pactor, VHF/HF Packet) and works with single or dual port TNCs or with computer's soundcard and interface. Requires Time-wave/AEA host mode or Kantronics TNC host mode for TNC interface. For soundcard-only mode use any of the popular soundcard interfaces like HamHub, RIGblaster or MFJ 1275/79. Easy logging with built-in logbook feature. CD ROM.


PACTERM FOR WI – Kantronics TNCs **\$99.99**

PKTERM FOR WIN – Timewave/AEA PK-12, 96 and 232 TNCs **\$99.99**

HAL COMMUNICATIONS CORP.


RTTY-1 Tuning Indicator

Easy to use, very accurate, works with any FSK radio modem. Crossed LED bars show correct tuning for FSK modes including Baudot Teletype (RTTY), ASCII Teletype, AMTOR, SITOR, P-Mode, HF Packet. Filters: 2125 Hz (Mark), 2295 Hz (Space); Requires +9V-18V DC @ 160 ma. Dim: 5.5" w x 3.75" h x 1.25" d; 0.5 lb. **\$99.99**



MFJ CLOCKS

105C 24 Hour Quartz Wall Clock - Black, 10 in. diameter face, sweep second hand. Uses one "AA" battery..... **\$19.99**



115 WORLD Map 24 hour Quartz Wall Clock Set it to GMT and you'll know what time it is in designated areas of the world any time of day. Major cities outline the trim of the 12 in. diameter. Uses one "AA" battery (not included).... **\$24.99**

125 DXer's Dream 24-hour Quartz Wall Clock 12 in. diameter face shows 24-hour format with smaller day, date and 12 hour indicators. All dials set independently as desired. Uses a single "AA" battery..... **\$29.99**




Small 24-Hour Clocks - A Dual Clock with separate UTC and local time display modules, and a Single Clock with 24-hour time only. Heavy brushed aluminum frame, 5/8" high LCD numerals, sloped face. Flashing seconds colon, battery included.

107B (left) Single - 2.25" w x 1" h x 2"d **\$9.99**

108B (right) Dual - 4.25" w x 1" h x 2"d **\$19.99**



112B DXer's World Map Clock - Shows time at any QTH throughout the world on an attractive backlit LCD world map. Also shows day, month, date and year. Select 12 or 24 hour time, daylight saving time. Dim: 4.25" w x 3.3" h x 2.25" d **\$24.99**



118 Jumbo LCD™ 24/12-hour Clock 1.25 in. high with high contrast LCD. Shows year, month, date and day in


four different languages. Includes 100 year calendar and flip stand. Uses one "AAA" battery. Dim: 5.75" h x 3.375" w x 0.5" d **\$24.99**

123 Eternity Atomic Clock™

Solar powered and automatic time set by radio signals received from WWVB. Large (6.75" w x 2" h) LCD display. Selectable 12/24 hour time format, digital calendar. Ordinary room light powers the solar cells and also replenishes a built-in rechargeable battery; also uses (2) "AAA" batteries (not included) for back-up power. Dim: 9" w x 3.5" h **\$79.99**



113 12/24 Hour Desk Clock - Switchable 12/24 hour display; 9-minute ID timer; Alarm function; 9V battery back-up for power failures; 110 VAC, 60Hz. Dim: 9" w x 4" h x 2.5" d **\$19.99**



973A - Battery operated 24-hour quartz controlled clock with sweep-second hand. The 12 in. dial allows excellent visibility. Black textured case and glass crystal. Operates on one "AA" battery Dim: 14" dia. x 1.75" d **\$49.99**

972AD - Same but 12/24 hour dial **\$27.99**

RCA CLOCK RADIO

RP-3710 Dual Wake Digital Tuning AM/ FM Clock Radio



LED display indicates two independent "wake time" readouts. Graduwake™ ramp-up alarm; Large, backlit LCD, brightness control; Snooze; 11 presets; Sleep to one station, wake to another; 9V back-up battery (not included) holds time and alarm settings in memory for 8 hours. Operates on 2 AA batteries, included. Dim: 5.25" w x 4" h x 3.75" d **\$24.99**



Z-11PRO Small, Portable Antenna Tuner LDC's original portable Z-11 was one of the most popular autotuners for the travelling ham. This new model has been redesigned for battery operation and full auto mode SSB tuning; just speak into the microphone and it tunes up. The switched L network covers 1.8-54 MHz and handles 0.1 to 125W (SSB/CW), 100W on 6M, ideal for QRP or standard transceivers. It will match dipoles, verticals, Vees or virtually any coax-fed antenna, and with an optional LDC balun it will also match ladder line fed or long wire antennas. Tuning time 0.1 to 6 seconds for full tune, 0.1 seconds memory tune from 8,000 memories that store previous settings. Optional interfaces for Icom, Alinco, Kenwood and Yaesu. Power requirement 7-16 volts DC at 300 mA max, 25 uA standby current. Operates on "AA" batteries. Dim: 5" w x 7.7" x 1.5" h, 1.5lbs **\$179.99**

CONNECT SYSTEMS INC.

INTERCONNECTS

Fully automatic interface between an FM base radio and phone line to initiate and receive phone calls on a mobile or HT. Each contains powerful, microprocessor-controlled features such as 90 memory speed dialer, redial, built-in programming keyboard and digital readout, remote base mode, regenerated tone or pulse dialout, CW ID and toll restrict.



CS-800 Full Duplex Interconnect - Operates full or semi-duplex and also has a built-in repeater controller. Simply connects to transceiver mic and speaker jacks. FCC and DOC approved. 12-15 VDC. Dim: 7.875" w x 7.5" d x 2" h; 2.5 lbs **\$369.99**



CS-900 Control Station Simplex Interconnect For use with any simplex transceiver. Also use thru remotely located repeaters (from base) for added range. Digital voice delay standard. Connects to mic and speaker jacks of simplex transceiver. FCC and DOC approved. (Transceiver switching speed does not affect performance) 12-15VDC. Dim: 7.9" w x 7.5" d x 2" h; 2.5 lbs **\$369.99**



D-Star System

D-Star is a 128K open protocol data system combining analog and digital into a seamless communications network at 1.2 and 10 GHz. For example, while in a vehicle, visually communicate what is happening simply by e-mailing a photo or live video. Icom is the first to introduce products for this innovative communication system. There are repeater and backbone components, and the ID-1 transceiver can be configured as a mobile or base station. Open protocol TCP/IP structure; Digital voice and data capability; Data 128K (130 kHz bandwidth); ATM multiplex (on the backbone); Multi-site capability with high speed microwave backbone 10Mbps; Internet interface capability; Repeaters handle both digital and analog voice

ID-1 10W 1.2 GHz FM Digital Transceiver with Control Head - Operates with current analog 1.2GHz repeaters, plus simplex digital operation with another ID-1. Its operating frequency range is 1240-1300 MHz with FM and GMSK (digital) modulation formats. Includes alphanumeric memories, CTCSS encode/decode and scanning, Full PC control via USB port and supports 10 BASE-T ethernet for 128K data operation..... **\$1279.99***

* Price after ICOM Rebate (USA Only)

STEREO ANTENNAS

TOWER AM-FM Tower Antenna – Built-in amplifier with gain control improves AM and FM reception. Works with tuners and receivers with 75Ω or 300Ω FM antenna inputs. The AM connection consists of a pair of wires with U-clips. Useful 30-40 miles from broadcast transmitter..... **\$24.99**



ADVANTAGE External AM Antenna – Passive, adjustable 530-1600 kHz AM antenna that improves reception over built-in loops. Used unattached, next to the radio. Position for best reception, then rotate tuning dial located at the center of the antenna to match the AM frequency tuned in on the radio. For best performance, connect directly to an external AM antenna input..... **\$49.99**



Impedance: (FM) 75/300Ω with supplied matching transformer), (AM) 300Ω. FM Gain control. Dim: 6" h x 6" w x 1.5" d. AC adapter included **\$49.99**



TV ANTENNAS


TV-42 Amplified Clip-On Antenna – Attaches quickly to any 18 in. satellite dish and adds reception of all local VHF/UHF channels (2- to 83) and FM broadcast. (88 to 108 MHz). Built-in internal 10dB gain amplifier minimizes signal loss, allowing distribution to multiple TV's. For Dual-LNB dishes, it has two built-in duplexers, providing more than one TV with DSS and VHF/UHF signals. Powered thru the cable by a DSS receiver. Durable, powder-coated element and weather-proof amplifier housing. Dim: 10.25" h x 21.25" w x 3.5" d..... **\$49.99**



TV-55 Amplified Out/Indoor TV Antenna – Uses a helical, coiled broadband single element engineered for clear, powerful reception of HDTV broadcasts. Receives both UHF and VHF frequencies from 54-806 MHz. Built-in ultra-low noise 10dB amplifier (switch in or out for best reception). Mounts in or outdoors. Includes a AC adapter and mounting hardware. Dim: 46" w x 3.5" h x 2.25" d..... **\$89.99**




HDTV-1 Indoor UHF/VHF/HDTV Antenna Utilizes long periodic-tuned elements and dipoles for receiving both UHF and VHF HDTV broadcasts. Tuned for optimum reception – high front-to-back ratio eliminates reflected signals and high gain picks up distant signals. Dim: 13.5" w x 9.1" h x 16.5" d; 42" high with dipoles extended.... **\$39.99**



MOD-41 RF Modulator – Connect up to four A/V sources to any TV with no available A/V input jacks. Similar to VS-MOD4 below, without S-Video jacks or IR remote. Dim: 6.5" w x 2" h x 4.25" d... **\$39.99**



VS4-MOD RF Modulator-Plus – Allows connections of multiple A/V components to a TV with no available A/V (RCA) input jacks. Provides inputs for up to four A/V sources (video games, DVDs, PVRs, VCRs, satellite receivers and camcorders). Converts A/V sources to VHF for viewing on channel 3 or 4 on any TV. Compatible with your IR remote control to remotely switch between A/V sources. Has "F-type" antenna/cable inputs and RCA/S-Video input/output jacks. Dim: 9.75" w x 2" h x 5" d. AC wall adapter included..... **Closeout \$49.99**



VR-1 TV Volume Regulator – Delivers a consistent audio level during commercial breaks, while channel surfing or changing between A/V sources. Advanced DSP automatically adjusts sound levels while noise reduction reduces any 'hiss' present in audio and articulates quiet scenes to a level that you can enjoy. Simply plug and play, one time installation. Dim: 3.18" w x 3.87" h x 1.43" d..... **\$49.99**

TA-25 Eagle Aspen™ Distribution Amplifier

Covers VHF/UHF TV and FM (54 to 890 MHz). Low noise, 25dB gain, 75Ω Switchable FM trap. Lightning protection. Dim: 6" w x 3" h x 1.75" d; 117VAC (4.5W)..... **\$19.99**

ANT-1020 VHF/UHF/FM Indoor Antenna

Clean, contemporary design with no-suff pad to protect cabinet tops. Retractable and adjustable 39-in. elements and UHF loop. Standard 75Ω hook-up cable with "F" connector installed..... **\$19.99**




RCA



LF-30S Leapfrog WaveMaster 30 Transmitter/Receiver System – An easy-to-use, cost effective alternative to purchasing multiple A/V components. Allows remote control use of A/V signals from one source, such as a TV with satellite or DVD player, to another within your home. Transmits a 2.4 GHz band and penetrates walls, doors, ceilings and floors. Built-in IR extender enables use of existing or universal remote to control the system. Built-in modulator ensures connection to old and new TV's. Dim: 1.5" h x 7" w x 4.8" d..... **\$99.99**

LF-IRX Leap Frog Remote Control Range Extender

Increases range capability of infrared remote controls. Provides the power to operate A/V components through walls and floors up to 100 ft. Operates on 418 MHz for wireless install. Simply plug base in near controllable unit, then plug the receiver in remote location. Cables and AC adapters included. Dim: 5" h x 2.5" w x 4" d..... **\$39.99**



AVW-089 3-Channel Audio/Video Switcher Accepts audio (left/right) and video input from 3 sources switchable to a single output..... **\$8.99**

WINEGARD® Clearly the World's Best®

TV ANTENNAS

PROSTAR® 1000 VHF/UHF/FM Antennas Features die-cut impedance correlator that allows close spacing of antenna elements. Manufactured from high tensile aluminum for a strong, compact antenna that will better withstand strong winds and ice loading. Protected with polymer finish.

PR-7010 Metropolitan – 22 active elements (9 VHF, 13 UHF); 66.5" boom..... **\$39.99**

PR-7032 Far Suburban – 33 active elements (13 VHF, 20 UHF); 103.25" boom..... **\$64.99**

PR-7042 Fringe (top) – 43 active elements (17 VHF, 26 UHF); 149.75" boom..... **\$99.99**





ELK ANTENNAS


Log Periodics – Super wideband performance yielding great gain, high front-to-back ratio and low SWR without tuning. Designed with the latest software!



2M/440-L5 2M/440 MHz Log Periodic – Dual band operation with NO duplexer required and only one feedline. Use it with an HT for satellite contacts. Changing polarity is easily, just twist the mounting assembly to change from vertical to horizontal. Quick and easy assembly and disassembly for portability; color coded elements screw onto studs on the color-coded boom. Corrosion resistant, aluminum alloy, boom; black anodized aluminum elements; stainless hardware; 5 elements; 6.8dbd (2M), 7dbd (440) gain; 144-148, 440-450 MHz 1:1 SWR; 20+dB front-to-back ratio; 200W (2M), 100W (440); 24" boom; 1.3 lb **\$74.99**



440-L8 440 MHz Log Periodic – The latest model with increased gain and wide bandwidth. It's really great for 2M fox hunting, allowing radiation of the 3rd harmonic for a harder to find signal. Color coded boom and elements for easy, portable assembly and disassembly. 6061-T6 aluminum alloy and stainless steel hardware provides strength and long life; 8 elements; 8dB gain; 440-450 MHz; 1:1 to 1.5:1 SWR; 200W; 24" boom; 12 oz **\$64.99**



220-L6 220 MHz Log periodic – All of the great Elk Antenna log-periodic features in a popular 220 MHz version. 6 elements; 7.3dB gain; 222-225 MHz 1:1 SWR; 150W; 28+ dB front-to-back ratio; 24" boom; 1.3 lbs **\$64.99**




The Antenna with outstanding Performance and Convenience

The OUTbacker system provides efficient, multiband performance in a rugged, lightweight, single whip design. Its sleek, low profile design allows use with standard 3/8-24 bases and trunk-lip mounts.

It features a fiberglass shaft, using a pre-tuned copper helical winding with clearly marked brass band taps at points along its length. A final coating of smooth epoxy resin and polyurethane, gives the OUTbacker a toughness and durability not found in other brands, while making a really good looking mobile installation.

To change bands, simply plug into the desired band tap and resume operating without changing whips, resonators, or retuning.

The Outpost Base Tripod Mount



A convenient way to use mobile antennas in Base or Portable applications with greatly improved efficiency from the 36 x 3 inch foldout ground feet that form a large capacitor with the earth. Makes an ideal condo, limited space antenna system that can provide incredible DX performance. Compact, fold-up design sets up quickly and collapses in seconds; no holes, no concrete required.

Pictured with an OUTbacker antenna installed, but not included.

See Price Guide for listing of all OUTbackers and Accessories

Find detailed information at:

www.outbackerantennas.com



We accept I.M.P.A.C.® Government Credit Cards



W4RT
Electronics



Antenna BOSS Motorized Antenna Controller for Yaesu, Radios – Makes essentially any motorized antenna "look like" an ATAS-100/120 to the FT-100/D, 847, 857 & 897 radios, allowing use of the radio's TUNE button for automatic tuning (6-40M). Works with 6-12 VDC motors drawing <750 mA running, no special sensors in antenna required & no programming or computer required. BOSS works to full legal limit as well as with antennas having a shunt coil. Radio powers both the antenna motor and the BOSS..... **\$149.99**

Antenna BOSS II Motorized Antenna Controller for ICOM, Yaesu, & Kenwood Radios – Allows essentially any 6-160M motorized antenna to interface with ICOM radios that work with the AH-4 tuner such as the IC-706, MKII, and MKIIG. Works with 12 VDC motors drawing <750 mA running, no special sensors in antenna required, & no programming or computer required. Works with radio's TUNE button. BOSS II measures frequency and SWR. Advanced algorithms provide excellent autotuning (tuning) and mitigate motor overshoot by using dynamic braking and reducing motor speed during final antenna adjustment. Includes cable to connect with IC-706 series radios..... **\$149.99**

To use the BOSS II with Kenwood radios such as the TS-50 and TS-480 requires a LDG K-OTT and the W4R KB2 cable. Tuning is activated by pressing the radio's TUNE button (tuning on 6M if radio is external-tuner capable on this band).

W4R K-OTT... \$59.99 / W4R KB-2... \$10.99

To use the BOSS II with Yaesu radios such as the FT-100/D, 857, and 897 requires the W4RT-modified W4R Y-OTT (YB-OTT) and the YB2 cable. Tuning is activated by pressing the supplied TUNE button.

W4R YB-OTT... \$59.99 / W4R YB-2... \$10.99



One-Plug Filters – Direct plug-in CW and SSB filters for Yaesu FT-817, 857 and 897 radios. The 500-Hz CW filter contains a 7-pole Collins Mechanical Filter essentially identical in performance to the Yaesu YF-122C. The 2.3-kHz SSB filter contains a 10-pole Collins Mechanical Filter essentially identical in performance to the Yaesu YF-122S. Proper filter termination is an integral part of the W4RT-filter assembly. Connectors like those on the YF-122 allow you to install and remove these filters just as you do with the Yaesu filter. Filter units contains the coding for the FT-857 or FT-897 to recognize it as a 500 Hz or 2.3 kHz filter.

OPF-CW ... \$114.99 / OPF-SSB ... \$129.99


OBP-STD Speech Compressor – One BIG Punch (OBP) is for the Yaesu MH-31 microphone used with Yaesu radios such as the FT-817, 847, 857 and 897. AF-based speech compressor specifically configured to provide a remarkable increase in talk power while maintaining good audio quality (articulation). It mounts inside the MH-31, requires no additional electrical power, and turns on or off by using the MH-31's TONE switch. Measurements using a stock FT-817 and a MH-31 containing the OBP showed that the average talk power increased by about 5 dB. Works with most microphones having 5 VDC available **\$49.99**

OBP-UNIV – For microphones having 7-12 VDC available, such as the Yaesu MH-36 used with the FT-100/D or the ICOM HM-103 with the IC-706. **\$49.99**

Effective Atmospheric Surge Voltage Protection!

Dangerous static charges measuring 1000s of volts can be developed from local thunderstorms, high wind driven snow or sand; so potent they can actually puncture the dielectric of coaxial cable. Solid-state transceivers and other equipment in your ham shack are very vulnerable to these high-voltage charges so you should take every precaution to protect your equipment and shack from possible serious damage... and ALPHA DELTA has the answer!

Special Arc-Plugs are used in ALPHA DELTA's Coax Switches, Surge Protectors and DELTA-C Center Insulator which "bleed off" slow rising static electricity charges from the feed line, routing them harmlessly to ground. This is far more effective than DC grounded baluns or chokes. But, even as effective as these devices are, you still need to do a good job of proper grounding as outlined in the ARRL Handbook, etc.



**Lightning
Surge/EMI
Protectors**

UL LISTED - Certified protection for your equipment from lightning and static charges much more effective than low-cost air-gap types.

The heart of this protector is an easily replaceable Arc-Plug™ - two electrodes hermetically sealed in a gas filled ceramic cylinder. Acting like a voltage dependent switch, the Arc-Plug™ can repeatedly carry large currents to ground for brief periods.

If you are running control voltages through the coax, the impedance compensated thru-line cavity design allows it to pass thru, instead of having to "wire around" as with some other DC-blocked designs.

Wide Frequency Range: DC thru 3 GHz, much wider than narrow band DC blocked or stub designs.


Low Insertion Loss: 0.1dB @ 1 GHz, 0.2dB @ 2 GHz, and only 0.5dB @ 3GHz, typical.

ATT-3G50* - has Type-N females connectors, rated up to 3.0 GHz and 200 Watts **\$59.99**

ATT-3G50U* - has UHF female connectors, rated up to 500 MHz and 200 Watts **\$49.99**

*2000 Watt version available at No Extra Cost - specify ATT-3G50HP or ATT-3G50UHP

KENT Keys by OutBacker



Produced by R.A. Kent Engineers for OutBacker Rugged, machined and polished solid brass components. Delicate, smooth feel and free movement with minimum friction and side play. Silver contacts with precise gap alignments are easily adjusted with knurled heads on fine pitched screws. Non-slip feet, and weighted for stability.

SK-1 - Straight Morse Key **\$129.99**

SP-1 - Single Paddle Morse Key **\$139.99**

TP-1 - Dual Paddle Iambic Key **\$149.99**

VK-1 The "Vail Lever Correspondent" Key A faithful reproduction, accurate to the type of hardware used during the mid-1800s, of the first full mechanism telegraph hand key made for Samuel F.B. Morse by Alfred Vail in 1844. Hand crafted and serialized - a collectable!... **\$179.99**

Lightning Surge Protected Coaxial Switches



- High Quality custom design featuring a rugged Cast Aluminum Housing.
- Constant impedance micro-strip cavities that provide very low-loss and high isolation through the UHF frequencies.
- Solid, positive switching
- Rated for Full Legal power.
- A solid positive detent roller bearing switch snaps positively into each position.
- An Alpha Delta Arc-Plug™ Cartridge provides continuous surge protection. If needed, it is easily replaced from the front without disassembly.
- Automatic grounding of the unused antennas to reduce antenna interaction, noise and the effects of static charges and lightning.

DELTA-2 - 2-position, with SO-239 connectors and rated for operation up to 500 MHz **\$49.99**

DELTA-2/N - 2-position, with N-type connectors, rated for operation up to 1.3 GHz **\$64.99**

DELTA-4 - 4-position, with SO-239 connectors, rated for operation up to 500 MHz **\$79.99**

DELTA-4/N - 4-position, with N-type connectors, rated for operation up to 1.3 GHz **\$89.99**

Antenna Insulator Kit with Surge Protection



DELTA-C - A center insulator and two end insulators. Use for dipoles and wire antenna using either coaxial cable or balanced feed line. Rugged - highest quality, made from an virtually unbreakable UV/RF resistant material. Rated to handle full legal power. Stainless steel hardware is used in the center insulator, and all connections are hard soldered. An easily replaceable built-in Arc-Plug® in the center insulator provides surge protection from lightning and static charges **\$29.99**

DELTA-CIN - End Insulator only each **\$1.99**

SEP - Replacement Arc-Plug® cartridge . **\$15.99**

Limited Space Slopers



- Proven 1/4-wave sloper DX Performance
- Alpha Delta "ISO-RES" inductors replace lossy traps and capacitors, handles Full Legal Power.
- Factory assembled using insulated #12 copper wire, stainless hardware and 50 ft. of nylon rope.
- Direct 50Ω coaxial feed, no tuner required. Go to www.alphadeltacom.com for sloper installation.

DX-A - A top performing 1/4-wave Twin Sloper 160, 80 and 40 meter DX antenna. Combines the DX firepower of the 1/4-wave sloper with the wide bandwidth of a 1/2-wave dipole. Installs like an Inverted-V. Legs are 67 ft. and 55 ft. long **\$70.99**

DX-B - A single wire high performance 1/4-wave DX Sloper with for 160, 80, 40 and 30 meters. Installs like 1/2 of an Inverted V. Convenient limited space installation requires only 60 ft. of space for amazing DX performance with the feed-end at 35 ft. and the low end only 8 ft. above ground ... **\$80.99**

Shortened Multibanders



- Alpha Delta "ISO-RES" inductors replace lossy traps and capacitors, rated Full Power.
- Direct 50Ω coaxial feed, no tuner required except for extended frequency coverage.
- Factory assembled with insulated #12 copper wire, stainless hardware and 50 ft. of nylon rope.
- Uses a DELTA-C Static Protected center insulator and DELTA-CIN end insulators.
- Install Horizontally as an Inverted-V.

DX-CC - 80-40-20-15-10M, 82 ft. long. **\$130.99**

DX-DD - 80-40M, 82 ft. long **\$100.99**

DX-EE - 40-20-15-10M plus 30-17-12M using a wide range antenna tuner, 40 ft. long **\$110.99**

DX-LB - 160-80-40M, 100 ft. long. Typical bandwidth for 2:1 VSWR: 160M (20 kHz), 80M (40 kHz), 40M (300 kHz). Full band coverage using a wide range antenna tuner **\$130.99**

DX-LB PLUS - Same as DX-LB above, but adds 20-10M with parallel wires **\$160.99**

Full-Size Monoband Dipoles



- 50Ω coax feed, no traps, handles Full Power
- Install Horizontally or as an Inverted V
- Rugged, full-size performance
- Factory assembled with #12 insulated copper wire, DELTA-C static protected center insulator, DELTA-CIN end insulators and includes 50 ft of nylon support rope.

DX-80 - 75/80 meters, 134 ft. long **\$58.99**

DX-40 - 40 meters, 67 ft. long **\$48.99**


DX-20 - 20 meters, 34 ft. long **\$48.99**

ALPHA DELTA COMMUNICATIONS, INC.



www.alphadeltacom.com

THE SMILEY ANTENNA CO.



HAND TUNED ANTENNAS FOR HANDHELD RADIOS

Each Smiley antenna is individually tuned to resonance at band center under normal operating conditions (no ground plane, no radials). They're manufactured from the finest heat-treated copper plated spring steel coils. Cold rubber compound is used for coil insulation with a neoprene heat-shrink coating applied for strength and endurance. All have BNC connectors.

TS Thin Stick – 1/4-wave telescoping dual band antenna for 144 and 220 MHz bands..... **\$16.99**

SS-II Super Stick II (A) – 2M, 5/8-wave, flexible base loaded telescoping antenna. 6-9db gain fully extended. Usable fully collapsed, or one section 1/4 wave. 54" extended, 10" collapsed..... **\$19.99**

SS-II/COMBO Super Stick II Combo – Same as above, but includes a 2m stubby duck **\$29.99**

5/8 SLD-2 5/8 Slim Duck (B) – 2m, 5/8-wave, 7db gain, flexible base loaded ant. 12" long..... **\$19.99**

5/8 SLD-2 COMBO 5/8 Slim Duck Combo – As above, but includes a 2m stubby duck **\$29.99**

RD-2 Regular Duck (C) – For 2m. Tuned ducks show a 3db gain over other rubber ducks because they are impedance matched for HTs..... **\$15.99**

RDS-2 Stubby Duck (D) – Tuned, for 2m **\$15.99**

SS-III Super Stick III – 220 MHz 5/8-wave, flexible base loaded telescoping antenna. 6-9 db gain extended; usable collapsed, or a one-section 1/4-wave. 36" extended, 8" collapsed..... **\$19.99**

SS-III/COMBO Super Stick III/Combo – As above, but includes a 220 MHz stubby duck..... **\$29.99**

5/8 SLD-220 5/8 Slim Duck (E) – 220 MHz, 7db gain, flexible base loaded 9" antenna..... **\$19.99**

5/8 SLD-220 COM 5/8 Slim Duck Combo Same as above, but includes a 220 MHz stubby duck antenna..... **\$29.99**

RD-220 Reg. Duck (F) – 220 MHz, tuned **\$15.99**

RDS-220 Stubby Duck (G) – As above... **\$15.99**

SS-IV Super Stick IV (H) – 440 MHz 5/8-wave, flexible telescoping ant. 6-9db gain extended; usable collapsed. 18" extended, 5 1/2" collapsed..... **\$19.99**

SS-IV/COMBO Super Stick IV Combo – Same as above, plus has 440 MHz stubby duck..... **\$29.99**

SL-440 Slimline (I) – 440 MHz, 1/2-w. flex **\$15.99**

5/8 SLD-440 5/8 Slim Duck (J) – 440 MHz, 7db gain, flexible base loaded 5" antenna..... **\$19.99**

5/8 SLD-440 COM 5/8 Slim Duck Combo As above, plus has a 440 MHz stubby **\$29.99**

RDS-440 Stubby (K) – 440 MHz, tuned. **\$15.99**

RDMD-440 Mini Duck (L) – As above.... **\$15.99**

FLX 1/2 WAV-2M Flex-Coil (M) – 2M, 1/2-wave, 7-9db gain, flexible base, 35" fully extended **\$25.99**

270A (N) – Telescoping 2m/440 gain antenna. 1/4-wave (2m) 5/8-wave (440 MHz). The 270A is also available with SMAea. **\$19.99**

TAQ – 1/4-wave whip antenna, specify for 2M, 220 or 440 MHzeach **\$10.99**

TIMES MICROWAVE SYSTEMS



LMR-400 Low-Loss Flexible Coaxial Cable – The ideal replacement for RG-8/9913 air-dielectric cables. **Flexible:** Minimum bend radius of 1 in. is easier to handle compared to corrugated copper or smooth wall copper hard-line cables; **Dielectric:** High velocity gas-injected closed cell foam dielectric, 0.208 in.; **RF Shielding:** Bonded aluminum tape outer conductor, overlapped to provide 100% coverage and a 95% overall tinned copper braid. Lowest loss of any RG8/RG213 type cable; **Inner Conductor:** Solid BCCAL, 0.108 in.; **Jacket:** UV protected black polyethylene, 0.405 in.; **Velocity Factor:** 85%; **Loss (100 ft.):** 0.9dB @ 50MHz; 1.5dB @ 150MHz; 1.9dB @ 220MHz; 2.7dB @ 450 MHz; 3.9 dB @ 900 MHz, 6.0dB @ 2000 MHz..... per ft. **70¢**

LMR-400S500 – 500 ft. roll of above **\$269.99**

LMR-400-DB Watertight Flexible Coaxial Cable Same specifications as LMR-400 but incorporates an inert flooding compound that completely eliminates all paths of water migration and ingress for long term reliability (10 year warranty) per ft. **79¢**

LMR-400DB500 – 500 ft. roll of above **\$309.99**

LMR-400-UF ULTRA-FLEX Coaxial Cable – Has a stranded center conductor. Very flexible, best used on rotating antenna systems and for jumpers. Loss is 15% greater than LMR-400 per ft. **\$1.05**

LMR-400UF500 – 500 ft. roll of above **\$419.99**



UPS SHIPPABLE

The use of a self-supporting antenna mast makes a neat and attractive installation without guy wires. Easy-Ups are heavy-duty and self-supporting; made out of 1-1/4 in. tubular steel with triple corrosion protection inside and out. Double embossed collars with six locking screws hold masts up to 1-3/4 in. Based, one-person installation, the legs extend to any rafter spacing. Shipped completely assembled and includes a pitch pad kit and lag screws.

EZ 48-3ABX – 3 ft. high, 8.5 lbs..... **\$36.99**

EZ 48-5ABX – 5 ft. high, 12 lbs..... **\$49.99**

EZ 5-16 – 5 ft. 16ga. steel mast* **\$12.99**

(*Pick-up only)

EZ 29-24S Heavy-duty Double-strap Chimney Mount – Includes two "Y" type mounts and 24' of stainless steel strap..... **\$22.99**

LA-350 Active Shortwave Loop Two 12" diameter interchangeable antenna elements cover 3.0-9.0 and 9.0-30 MHz. Rotates to enhance reception and null interference. Built-in 13.5 dB gain amplifier and tuning control to peak performance. Supplied with two elements, AC adapter, and 20 in. cable with BNC connector. Milwaukee only..... **\$339.99**



146/437-10 – KK5YY, pictured at the left, working VE6EGN on the AO27 satellite using a handheld with only 500mW output, connected to an Arrow 146/437-10. The Arrow is designed to allow portable satellite operation using just an HT. This means it's engineered to provide maximum gain and efficiency within a small size and weight. The boom construction is 3/4 in. square aluminum stock, 37.5 in. long with a foam grip on the back end for comfort. The three VHF and seven UHF Gamma matched elements with separate BNC connectors are aluminum arrow shafts which are strong and lightweight, and plastic tipped for safety. **\$73.00**

146/437-10BP – Split boom model..... **\$79.00**

10 Watt Duplexer (installs inside boom)
with BNC connector..... **\$59.00**
with SMA connector..... **\$64.00**




We accept I.M.P.A.C.® Government Credit Cards



Kuranishi Instruments LTD, Japan BR-210 Professional-Grade SWR/Antenna Analyzer


Perform SWR and impedance measurements with confidence! The BR-210 is a laboratory grade precision test instrument providing a wide-band RF signal source for analyzing antenna systems and other equipment without the need for a separate transmitter. • 1.8-170MHz • High precision meter • 500mW 50 Ohm dummy load included • Impedance measurements: 12.5 - 300 Ohm • Connector: SO-239



CHA-250B SWR graphed above

"One person can effortlessly raise the antenna at night when no one can spot it, and take it down before daybreak. This antenna is also a great choice for portable operations, such as quick and easy mini-DXpedition to a campground or a nice tropical island! In short, the Comet CHA-250B is simple to assemble, painless to elevate and is easy on the eyes, while at the same time getting you on 6 meters thru 80 meters without the requirement of an antenna tuner and ground radials. You'll even be able to work some DX while you're at it!" — Dan Dankert N6PEQ

COMETTM & Maldol Dualband and Multiband Base Antennas



Wi-Fi/802.11b/LAN/HSMM Access Point Antennas

NEW

COMET NEW CHA-250B • Broadband HF/MF Ground-Plane Antenna

A newly designed broadband vertical with NO GROUND RADIALS. EXTREMELY easy to assemble, requires no tuning or adjustments and VSWR is under 1.5:1 from 3.5-57MHz! • TX/RX: 57MHz - 57MHz, 2.0 - 50MHz • VSWR: 1.5:1 or less, continuous • Max Power: 250W SSB/125W FM • Impedance: 50 Ohm • Length: 23' 5" • Weight: 7 lbs. 1 oz. • Conn: SO-239 • Mast Req'd: 1" - 2" dia. • Max Wind Speed: 67MPH

COMET GP-15 • Tri-band 52/146/446MHz Base Repeater Antenna

Gain & Wave: 52MHz 3.0dBi 5/8 wave • 146MHz 6.2dBi 5/8 wave x 2 • 446MHz 8.6dBi 5/8 wave x 4 • Max Pwr: 150W • Length: 7'11" • Weight: 3lbs. 1oz. • Conn: Gold-plated SO-239 • 2MHz band-width after tuning (6M) • Construction: Single-piece fiberglass

COMET CX-333 • Tri-band 146/220/446MHz Base Repeater Antenna

Gain & Wave: 146MHz 6.5dBi 5/8 wave x 2 • 220MHz 7.8dBi 5/8 wave x 3 • 446MHz 9.0dBi 5/8 wave x 5 • Max Pwr: 120W • Length: 10'2" • Weight: 3lbs. 1oz. • Conn: Gold-plated SO-239 • Construction: Fiberglass, 2 Sections

COMET GP-3 • Dual-band 146/446MHz Base Repeater Antenna

Gain & Wave: 146MHz 4.5dBi 6/8 wave • 446MHz 7.2dBi 5/8 wave x 3 • Max Pwr: 200W • Length: 5'11" • Weight: 2lbs. 9ozs. • Conn: Gold-plated SO-239 • Construction: Single-piece fiberglass

COMET GP-6 • Dual-band 146/446MHz Base Repeater Antenna

Gain & Wave: 146MHz 4.5dBi 5/8 wave x 2 • 446MHz 9.0dBi 5/8 wave x 5 • Max Pwr: 200W • Length: 10'2" • Weight: 3lbs. 8ozs. • Conn: Gold-plated SO-239 • Construction: Fiberglass, 2 Sections

Maldol HVL-8 • Ultra-compact 8 band HF/VHF/UHF vertical antenna

80/40/20/15/10/6/2M/70cm Only 1/2 the traditional size and weight of vertical HF antennas, and it includes 2M/70cm! Unique radial system rotates for balcony installations, the radials can all be rotated to one side. • HF and 6M: 1/4 wave-length • Gain 2M: 1/2 wave-length, 2.15dBi • Gain 70cm: Two 5/8 waves in phase, 5.5dBi • Impedance: 50 Ohm • Max Power: HF 200W SSB • 6M-70cm: 150W FM • Conn: SO-239 • Height: Only 8'6" • Weight: 5lbs 7ozs.

COMET GP-9/GP-9N • Dual-band 146/446MHz Base Repeater Antenna • BEST SELLER!

Gain & Wave: 146MHz 8.5dBi 5/8 wave x 3 • 446MHz 11.9dBi 5/8 wave x 8 • Max Pwr: 200W • Length: 17'8" • Weight: 5lbs. 11ozs. • Conn: GP-9 Gold-plated SO-239 • GP-9N Gold-plated N-type female • Construction: Fiberglass, 3 Sections

COMET GP-24 • The standard high gain 2.4GHz access point antenna for maximum range/signal strength.

• 2400-2500MHz • Gain: 15.4dBi • Length: 5'10" • Weight: 2lbs. 9ozs. • Conn: Gold-plated N-female • Construction: Heavy-duty white fiberglass radome

COMET GP-24-3 • Special Order • The same physical high gain 2.4GHz antenna as the GP-24, but with a 3-degree electrical downtilt to concentrate the signal to the horizon and below

COMET GP-24-S • Special Order • Medium gain access point antenna for applications where maximum distance is not as important as a solid signal range and directly below the antenna. • Gain: 9.9dBi • Length: 3'9" • Weight: 1lb. 14ozs. • Conn: Gold-plated N-female • Construction: Heavy-duty white fiberglass radome



For a complete catalog, call or visit your local dealer. Or, contact NCG Company.
1275 N. Grove Street • Anaheim • California 92806
(714) 630-4541 • (800) 962-2611 • Fax: (714) 630-7024 • www.natcommgroup.com

Driven to Perform, In *STYLE!*

COMETTM and Maldol Mobile

Maldol MH-511 • Tri-band 6M/2M/70cm HT Antenna
• Length: 4" • Conn: Male SMA

Maldol MH-510 • Tri-band 6M/2M/70cm HT Antenna
• Gain: 0/0/3.2dBi • Length: 20.75" • Conn: Male SMA

COMET HT-224 • Tri-band 2M/220/70cm HT Antenna
• Gain: 1.3/1.4/1.8dBi • Length: 11.5" • Conn: Male SMA

Maldol MH-610 • Tri-band 2M/220/70cm HT Antenna
• Gain: 0/1.8/3.2dBi • Length: 14" • Conn: Male SMA

Maldol AX-75 2M/70cm dual-band shown mounted on the Comet **CP-5M** heavy-duty universal lip mount. Several antenna connector versions are available, all with 16 ft. of 2-step coax and terminating in a PL-259 connector. Coax max pwr: HF/130W, VHF/75W, UHF/45W

COMET CP-5M SO-239 conn
COMET CP-5NMO NMO conn
COMET CP-5 3/8-24 3/8 x 24 conn

Maldol EX-510B/EX-510BNMO • Tri-band 6M/2M/70cm with fold-over
• Gain & Wave: 52MHz 1/4 wave 1.46MHz 2.15dBi 1/2 wave 4.46MHz 5.5dBi 5/8 wave x 2
VSWR • Length: 37" • Conn: PL-259 or NMO style • Max Power: 50W FM

COMET SB-15 • Tri-band 6M/2M/70cm with fold-over
• Gain & Wave: 52MHz 0dBi 1/4 wave • 146MHz 4.5 dBi 6/8 wave • 446MHz 1.2dBi 5/8 wave x 3 • Length: 58" • Conn: PL-259 • Max Pwr: 120W

UHV-4 • Quad-band 10M/6M/2M/70cm with fold-over hinge
• Gain & Wave: 10M & 6M 1/4 wave 2M 2.15dBi 1/2 wave 70cm 5.5dBi 5/8 wave x 2
• Length: 55" • Max Power: 10M 120W SSB 6M/2M/70cm 100W FM • Conn: PL-259

COMET UHV-6 • HF/6M/2M/70cm Mobile Antenna • 80°/20°/17/40/15/10/6/2M/70cm Mobile antenna with fold-over hinge
• Gain & Wave: 2M 2.15dBi 1/2 wave • 70cm 5.5dBi 5/8 wave x 2 • VSWR: HF 1.6:1 or less 6M-70cm 1.5:1 or less • Length: 44" (min) 78" (max) • Max Pwr: HF 120W SSB 6M 200W SSB/100W FM 2M/70cm 100W FM • *L-14 optional 20M coil • *L-18 optional 17M coil • *L-3.5 optional 75/80M coil • Features: • 6M/2M/70cm operation is constant. You CHOOSE the HF coils you want to add, up to four stock or optional. One vertical, the rest horizontal. • Easily mounts to standard trunk/door mount in minutes • Economical • Fold-over hinge built in
• Select the duplexer or triplexer for your specific radio(s). CF-706A, CF-530, CFX-514N.

COMET UHV-6
Fold-Over Position

Maldol HMC-6S • *40/20/15/10/6/2/70cm Mobile antenna with fold-over hinge
• Gain & Wave: HF 1/4 wave 2M 2.15dBi 1/2 wave 70cm 5.3dBi 5/8 wave x 2 • VSWR: HF 6M 1.6:1 or less 2M/70cm 1.5:1 or less • Length: 66" • Max Power: HF 120W SSB 6/2/70cm 150W FM
*HMC-7C optional 40M coil

For a complete catalog, call or visit your local dealer. Or, contact NCG Company.
1275 N. Grove Street • Anaheim • California 92806
(714) 630-4541 • (800) 962-2611 • Fax: (714) 630-7024 • www.natcommgroup.com



COMET BNC-24 • Dual-band 2M/70cm HT Antenna
RX range: 100-1200MHz • Gain: 2.15/3.5dBi • Length: 17" • Conn: BNC
Super flexible featherweight whip

COMET SMA-24 • Dual-band 2M/70cm HT Antenna
RX range: 100-1200MHz • Gain: 2.15/3.5dBi • Length: 17" • Conn: SMA
Super flexible featherweight whip

COMET SMA-503 • Dual-band 2M/70cm HT Antenna
RX range: 100-1200MHz • Length: 8.75" Conn: SMA

Maldol MH-209 (BNC Conn) • 2M/70cm Dual-band HT Antenna
Maldol MH-209SMA (SMA Conn)
Gain & Wave: 0 1/4 wave • Length: 3" Soft flexible rubber

APEX Series

MALDOL'S Newest Mobiles!
Bright Chrome and Brushed
Aluminum Finish!

- Maldol AX-50** • Dual-band 2M/70cm
Gain & Wave: 2M 1/4 wave • 70cm 5.0dBi 9/8 wave • Length: 21" • Conn: PL-259 • Max Power: 60W
- Maldol AX-75** • Dual-band 2M/70cm w/fold-over
Gain & Wave: 2M 1/2 wave center load 3.2dBi • 70cm 5/8 wave x 2 5.7dBi • Length: 30" • Conn: PL-259 • Max Power: 60W
- Maldol AX-95** • Dual-band 2M/70cm w/fold-over
Gain & Wave: 2M 1/2 wave center load 3.3dBi • 70cm 5/8 wave x 2 5.8dBi • Length: 38" • Conn: PL-259 • Max Power: 60W
- COMET B-10/B-10NMO** • Dual-band 146/446MHz cellular look-a-like
Gain & Wave: 146MHz 0dBi 1/4 wave, 446MHz 2.15dBi 1/2 wave • Length: 12" • Conn: B-10 PL-259/B-10NMO NMO • Max Pwr: 50W
- SBB-2/SBB-2NMO** • Dual-band 146/446MHz
Gain & Wave: 146MHz 2.15dBi 1/4 wave, 446MHz 3.8dBi 5/8 wave center load • VSWR: 1.5:1 or less • Length: 18" • Conn: PL-259 or NMO Style • Max Pwr: 60W
- Maldol EX-107RB/EX-107RBNMO** • Dual-band 146/446MHz
Gain & Wave: 146MHz 2.6dBi 1/2 wave, 446MHz 4.9dBi 5/8 wave x 2 • VSWR: 1.5:1 or less • Length: 29" • Conn: PL-259 or NMO Style • Max Pwr: 100W
- COMET SBB-5/SBB-5NMO** • Dual-band 146/446MHz w/fold-over
Gain & Wave: 146MHz 2.5dBi 1/2 wave • 446MHz 5.5dBi 5/8 wave x 2 • Length: 39" • Conn: SBB-5 PL-259/SBB-5NMO NMO • Max Pwr: 120W
- COMET SBB-7/SBB-7NMO** • Dual-band 146/446MHz w/fold-over
Gain & Wave: 146MHz 4.5dBi 6/8 wave • 446MHz 7.2dBi 5/8 wave x 3 • Length: 58" • Conn: SBB-7 PL-259/SBB-7NMO NMO • Max Pwr: 70W

COMET C-757/C-757NMO Challenger Series • Dual-band 146/446MHz w/fold-over
Gain & Wave: 146MHz 2.15dBi 1/2 wave, 446MHz 5.5dBi 5/8 wave x 2 • VSWR: 1.5:1 or less
Length: 38" • Conn: PL-259 or NMO Style • Max Pwr: 80W



COMET CP-5M, CP-5NMO, CP-5 3/8-24 Universal mount and coax cable combos. (SO-239, NMO, 3/8-24/PL-259)
Heavy-duty, adjustable RS-730 trunk/van/SUV/truck door mount and deluxe cable assembly. 16' 6" length w/18" mini RG-188A/U type coax. Max antenna 70".

COMET C-767/C-767NMO Challenger Series • Dual-band 146/446MHz w/fold-over
Gain & Wave: 146MHz 3.5dBi 1/2 wave center load, 446MHz 6.0dBi 5/8 wave x 2 center load • VSWR: 1.5:1 or less
Length: 40" • Conn: PL-259 or NMO Style • Max Pwr: 80W

Driven to Perform, In STYLE!

COMETTM and Maldol Mobile

Challenger Series

COMET'S Newest Mobiles!
Sleek, Super-Flexible,
Dark Chrome Finish



For a complete catalog, call or visit your local dealer. Or, contact NCG Company.
1275 N. Grove Street • Anaheim • California 92806
(714) 630-4541 • (800) 962-2611 • Fax: (714) 630-7024 • www.natcommgroup.com

COMETTM & Maldol

specialists in "No Holes Mobile Mounts!"

CP Series Universal Lip Mounts

Four adjustment planes, four large setscrews holds them securely in place on virtually any lip 1/4" thick or less. Use on trunk lids, van doors, truck doors, hoods etc. 16' 6" of deluxe coax cable including 18" of mini RG-188A/U style for easy entry thru the weather seal without causing wind noise, water leaks and/or wind noise.

Max antenna size: 70"/16 oz

Max Power: HF 130W VHF 75W UHF 45W



COMET CP-5NMO

Universal lip mount with coax, NMO and PL-259 connectors.



COMET CP-5 3/8-24

Universal lip mount with coax, 3/8x24 threaded stud and PL-259 connectors.


COMET CP-5M Universal lip mount with coax, SO-239 and PL-259 connectors.




Mount: CP5M Antenna: C757



Combine the coax style and length you need with a bracket from below. (assemblies also available with N-connectors)




COMET 3D5M/3D4M Standard low loss cable assembly. Gold plated SO-239/PL-259 connectors. 17' length/13.5' length.



COMET CK-3M5/CK-3M Deluxe cable assembly 17' length including 17" of RG-188A/U for easy entry from a lip mount without causing water leak, wind noise or coax damage. CK-3M 9'9" total length.

Choose the bracket that best fits your antenna and vehicle. All have multiple adjustments and fit virtually any lip 1/4" thick or less. Soft rubber protects the vehicle paint.




COMET RS-730 Heavy-duty, 4 adjustment planes, up to 70" antenna.




COMET RS-720/RS-720NMO Med-duty, 3 adjustment planes, up to 60" antenna. NMO mount version.



COMET RS-520 Light-duty, 3 adjustment planes, up to 45" antenna.



Maldol PRM-T Heavy-duty, 3 adjustment planes, up to 80" antenna.



Maldol MK-30H 12VDC motorized mount. Mounts to vertical or horizontal door lip. Up to 70"/19 oz. antenna.



Maldol EM-888 Light-duty, 2 adjustment planes, up to 40" antenna.

COMET GRB-5M Trunk lip mount, low-profile, black anodized stainless steel. Offset washers provide up to 17 deg. vertical adjustment of antenna. 16'9" of deluxe cable included, 18" of mini RG-188A/U style coax for easy entry thru the weather seal. Gold-plated SO-239/PL-259 connectors.



The rear doors on newer trucks are the perfect place to mount antennas: • No holes to drill • Above roof line • Easy access

When mounting to a van, SUV, truck, etc., use the CP-5M or build your own system with components shown above. There are several mount sizes, coax diameters and coax lengths from which to choose.

For a complete catalog, call or visit your local dealer. Or, contact NCG Company.
1275 N. Grove Street • Anaheim • California 92806
(714) 630-4541 • (800) 962-2611 • Fax: (714) 630-7024 • www.natcomgroup.com



MFJ

HT RANGE EXTENDERS

1714 Long Ranger™ 2M Halfwave – For really long range, this MFJ end-fed half-wave is hard to beat. It outperforms a 5/8 wave on a handheld because it does not need a ground plane. The 1714 is shorter (40" extended), lighter, has more gain & places less stress on your antenna connector. When collapsed (10.5"), it performs like a rubber duck... **\$16.99**

1712 Dual Bander™ 2M and 440 MHz – New dual-band handheld or separate units? One antenna fits all. It's 1/4 wave for 2m and 5/8 wave with gain for 440 MHz. 7.25' collapsed, 19" extended... **\$14.99**

1710 Pocket Linear™ 3/8 Wave, 2M – Carry in your pocket like a ballpoint pen. When using your rubber duck, on the fringe and noisy, put on the Pocket Linear, extend to 24.5" and carry on your QSO. Pocket clip. 5.25" collapsed... **\$9.99**




1622 Apartment Antenna (top) – Operate 40-10M, 6M and 2M, up to 300W P.E.P. Tuning is accomplished by changing the tap on the highly efficient air-wound coil and adjusting the counterpoise for best SWR. Its universal mount/clamp lets you easily attach it to window frames, balconies and railings. It also works great indoors mounted to a desk, table or bookshelf. The 5.5 ft. radiator collapses to 2.5 ft. for storage and carrying. Includes 50 ft. of coaxial cable, RF choke balun, 50' counterpoise wire and safety rope... **\$99.99**

(mount not included)

1624 HF Mini Bugcatcher – Operate 40 thru 6M, up to 300W P.E.P. Tune by changing the tap on the efficient air-wound coil and adjusting the counterpoise for best SWR. The 5.5 ft. whip collapses to 2.5 ft. for storage or avoiding a garage door. Use trunk lip, mirror, luggage or tri-mag mount... **\$79.99**

1778 All-Band

G5RV Antenna
Center fed, 102 ft. flat top with a 300Ω twin-lead feeder system and SO-239 connector to accept the 52Ω coax run from the shack. This unique design covers all bands 80 thru 10 meters with a nominal VSWR, so using an antenna tuner is recommended with most rigs. Also can be installed as an inverted vee or sloper. Works great on 160 meters operating as a Marconi with tuner and good ground. Handles 1500W... **\$39.99**



1910 Telescoping Fiberglass Mast (right)

Great for portable and temporary use – traveling, camping, hotels, hamfests, field day, DX-peditions. Use to construct loops and quads. Pull out each section and twist to lock, strong fiberglass, flexes to resist breaking. Extends to 33' and collapses to 3.8' Bottom section 1.75" diameter; 3.3 lbs... **\$79.99**

1899T Walkabout™ Multi-band Telescoping

Antenna (left) – Designed specifically for the Yaesu FT-817 multi-mode HF/VHF/UHF portable transceiver or other QRP portables. Covers all bands (including WARC bands) from 80 to 6 meters. Power rating is 25 Watts. When fully extended it is just over 5' long and is fitted with a BNC connector. Band changing is achieved by plugging a lead into the appropriate socket on the base coil, and fine tuning using the 10-section telescopic whip. The whip unscrews from the base matching coil, so, collapsed, the antenna measures only about 8 inches... **\$69.99**

MFJ Manually Tuned Screwdriver Antenna – Small and lightweight, supplied with a 4.5' telescopic whip for mobile and a 10' telescopic whip for greater efficiency stationary use. Quickly and easily tuned by sliding the aluminum cover over the coil. Copper beryllium finger stock completely surrounds the coil for solid connection as tuning is accomplished. Unused turns on the antenna are shorted out and completely shielded. Once tuned, a nylon tipped thumbscrew locks the cover in place to prevent movement. The 4.5' whip collapses to 23", the 10' whip to 19". Coil and whips can easily be packed into a backpack for hiking or camping. A standard 3/8" x 24 male mount in the base makes it easy to connect to existing mount.

1661 – 40-2M, 12 in.; 1 lb. **\$109.99**

1664 – 80-6M, 15 in.; 1.25 lbs. **\$139.99**

1661/
1664

1624

Miracle Antenna



MIRACLE WHIP

DUCKER IL

Miracle Whip

All Band, Rig Mounted Tunable Whip

For the FT-817, and other QRP (SW) or SWL rigs. The Miracle Whip is the only completely self-contained, all-band 57" telescoping whip antenna with integrated tuner for receiving and transmitting that mounts right on a radio's antenna connector. Continuous tune 0.6 to 500 MHz RX and continuous tune 3.5 to 450 MHz TX. The continuously variable auto transformer design operates effectively without any added counterpoises as the continuously variable nature permits finding a good match when there is no "standard" counterpoise attached. In effect, it uses whatever ground paths are available as a counterpoise... **MIA Miracle Whip \$129.99**

Miracle Ducker

Wideband for your Wideband Handheld

Transforms your rubber duck into an all-band HF/VHF/UHF transmitting and receiving antenna with up to 30dB of Receive gain, virtually noise free, on HF. Your portable or base rig now can receive AM, the Ham bands, International Shortwave, CB, FM, Airband, VHF and more - all on a rubber duck. And for more fun, you can still transmit thru with the same antenna at QRP levels. The built-in BNC connector, mounts directly onto the radio. **MIA Ducker II \$129.99**



RUFFRIDER™ MOBILE ANTENNAS

(mounts not included)

This series features quality construction using precision machined components. Designed to battle the elements, rugged rides and highway abuse.

Dual band 144/440 MHz mobiles have stacked stainless steel elements with high-Q phasing coils resulting in outstanding gain. Phased radiators flatten radiation patterns and concentrate transmit power at the horizon for maximum distance.

All models are factory tuned for SWR less than 1.5:1 and have 50Ω impedance. Each comes w/SO-239 base, but also includes a FREE NMO adapter.

1402 Junior – 16.5 in. antenna fits in any garage on any vehicle. Unity gain on 2M, 3dB gain on 440 MHz. Handles 100W. No fold-over... **\$34.99**

1412 High Power – Only 40 in. long but handles a full 200W. Great for high power mobile & amp. 3dB on 2M, 5.5dB on 440 MHz... **\$49.99**

1422 High Gain – 41.5 in. long giving you extra gain with little increase in height. Handles 150W. 3.2dB on 2M, 5.7dB on 440 MHz... **\$49.99**

1432 Highest Gain – Tall 62.5 in. brute gives you a whopping 5dB gain on 2M, 7.6dB gain on 440 MHz. Handles 150W... **\$69.99**



6 - 40 Meters




CUSHCRAFT
CORPORATION



6 - 20 Meters

MA6V Six-Band Restricted-Space Vertical Antenna

NEW




- ▶ Light-weight rugged construction
- ▶ Rapid breakdown for storage or transport
- ▶ No exotic matching networks or tuners
- ▶ Advanced no radial OCFD design

SPECIFICATIONS	R8	R6000	MA6V
Frequency, meters:	6,10,12,15,17,20,30,40	6, 10, 12, 15, 17, 20	6, 10, 12, 15, 17, 20
Gain, dBi:	3	3	1-2
VSWR 2:1 bandwidth, KHz:	40m (150)	6 >1300	
	30m (>50)	10m >1700	
	20m (>350)	12m >100	
	17m (>100)	15m >450	
	15m (>450)	17m >100	
	12m (>100)	20m 300	
	10m (>1500)		
	6m (>1500)		
VSWR at resonance (typical):	1.3:1	1.2:1	1.2:1
Power Rating, Watts PEP:	1500	1500	250
Vertical Radiation angle, deg.:	16	16	
Horizontal rad, deg.:	360	360	
Height, ft(m):	28.5 max. (8.7)	19 (5.8)	14(4.48)
Wind survival:	80 mph	80 mph	80 mph
Weight, lb. (kg):	23 (10.5)	12.5 (5.6)	8.9 (3.13)
Shipping Dimensions:	3-3/4 x 5-1/4 x 84-1/2"	7 x 4-1/2 x 50"	3 x 3 x 80-1/2"

- ▶ INSTANT BAND CHANGING
- ▶ EASY INSTALLATION
- ▶ 6 METER OPERATION
- ▶ AFFORDABLE PRICE

The R6000 is a 6 through 20 meter, no ground radial antenna. It includes many of the features of the R8, R7 and R5 antennas. R6000 means excellent performance, easy installation and use, slim silhouette and high reliability. There are no traps used on 6, 10 and 15 meters for maximum efficiency and power handling.



SPECIFICATIONS

R6000

Frequency, meters:	6, 10, 12, 15, 17, 20
Gain, dBi:	3
VSWR at resonance:	1.2:1 typical
2:1 bandwidth, KHz:	6m >1300 10m >1700 12m >100 15m >450 17m >100 20m 300
Power Watts PEP:	1500
Radiation angle, deg.:	16
Horizontal rad, deg.:	360
Height, ft (m):	19 (5.8)
Mast size range, in. (cm):	1.5 -1.75 (3.8-4.4)
Wind load, ft ² (m ²):	1.5 (.14)
Weight, lb (kg):	12.5 (5.6)
Shipping Dimensions:	7" x 4-1/2" x 50"





MA8040V Vertical 3.5-7.3 MHz

Compact ground-mounted dual band vertical for 80m & 40m. Portable, easy to install and great performance.

- ▶ Rugged construction
- ▶ Single Feed Line
- ▶ Homeland Security
- ▶ Easy to install
- ▶ Easy to turn
- ▶ DX'ing

Antenna MA 80/40	80 Meters	40 Meters
Frequency	3.5 - 7.0 MHz	7.0 - 7.3 MHz
Impedance	50 Ohms	50 Ohms
Minimum VSWR	1.1:1	1.1:1
Gain	0 dBi	2 dBi
Vert, ft (m)	23-27"	23-27"
Approximate Wt, lb (kg)	9.0 (4.1)	9.0 (4.1)
Ground Radials	8 recommended (4 x 65", 4 x 35")	



COMPACT HF MULTIBAND BEAM



10-20 Meters



The MA5B, Small Footprint-Big Signal

MA5B. Cushcraft's newest multiband HF antenna provides 5 band operation in a package small enough to mount to a tripod. The MA5B is a design that does not sacrifice ruggedness, performance and power handling for size and ease of installation.


- I am delighted with the performance compared with other HF antennas I have been using!

Bob Swannell, MOBYA

- Thank you for making a fine quality, powerful mini beam that can fit anyone's budget.

Phil West, KF2WL

SPECIFICATIONS	MA5B				
Frequency, Bands:	10	12	15	17	20
Elements per Band:	2	1	2	1	2
Gain dBi:	53	2	48	2	36
Front to Back Ratio dB:	10	0	12	0	22
Sidelobe Attenuation dB:	25	25	25	25	25
VSWR 2:1 Bandwidth, KHz:	665	>110	255	>100	90
Longest Element:	17.1ft (5.2m)				
Turning Radius:	88ft (27m)				
Boom Length:	73ft (22m)				
Boom Diameter:	1.5in (3.8cm)				
Max. Wind Surface Area:	3.22 ft ² (3m ²)				
Max. Power Watts PEP:	1200 W				
Weight:	26.5 lbs. (12kg)				



High Front to Back Ratio
On 10/15/20m

•Easy To Tune
No complicated gamma matches to adjust.

•Low VSWR
Flat response across all 5 bands. VSWR minimum 1.2:1.

•Single Feed Point
Only one coaxial feed line is necessary for all 5 bands.

•Rugged Construction
Cushcraft's tried and true stainless steel mounting hardware and heavy wall aluminum tubing make for a rugged, long lasting antenna.

•Easy To Turn
With a boom length of 7 feet and a longest element length of 17 feet, a lightweight TV rotor will do the trick.

BIG THUNDER TRIBANDER



- ▶ New High Efficiency Computer Optimized Design for Maximum Gain and Ultra Clean Radiating Pattern
- ▶ 100+ MPH Construction for Best Reliability and Long Life
- ▶ NEW 4L Log Cell Driven Elements for better VSWR Bandwidth
- ▶ Trapless Driven Elements and Reflectors for Reliable Power Handling
- ▶ Interleaved Element Design for Mono-Band Performance
- ▶ Add-on kits available for 40 Meters



Element Hardware



Boom-to-Mast

40 Meter Add On Kits

MODEL	X740
Band	7 MHz
Element Length ft. (m)	41 (12.5)
Power (W)	2KW
Weight	20lbs. (9.1 kg)



CUSHCRAFT
CORPORATION

X7 and MONO BANDER XM240

The X7 Triband Yagi is geared to set new standards in both radiating performance and mechanical reliability. Cushcraft's product development team has employed the latest computer modeling technology to achieve a superior electrical design as well as elegant new mechanical hardware and assembly techniques.

Each mechanical component was designed to 100+ MPH wind survival with a 1.25 safety factor. Traps were eliminated from the high current driven elements and reflectors using the new 4L Log Cell design, which yields virtual monoband performance and maximum power handling capability. Traps are employed only in the lower current directors for increased gain and sharper pattern. The result is a truly high performance antenna which will easily handle the legal limit.

SPECIFICATIONS	X7		XM240	
Frequency Coverage (Meters):	10, 15, 20		7.0-7.3	
Total number of Elements:	7		2	
Maximum Gain (dBi):	20M	12.5 @ 14 deg	6.0	
@ One Wavelength	15M	13.0 @ 12 deg		
	10M	12.9 @ 14 deg		
Maximum Front to Back Ratio (dB):	30		20-25	
Number of Elements per Band:	3			
VSWR at Resonance:	1.1:1		1.1:1 (Min)	
VSWR 1.5:1 Bandwidth (KHz):	20M	600	40M	150
	15M	750		
	10M	1700		
Longest Element, ft (m):	37.2 (11.33)		24.3(7.4)	
Turning Radius, ft (m):	20.0 (6.09)		22.6(7.4)	
Boom Length, ft (m):	18 (5.49)		22 (6.7)	
Boom Diameter, in (cm):	2-1/2 (6.35)		2-1/2 (6.35)	
Maximum Mast Diameter OD, in (cm):	2-1/2 (6.35)		2-1/2 (6.35)	
Maximum Wind Survival, mph (kph):	>100 (>161)		>100 (>161)	
Maximum Wind Surface Area, ft ² (m ²):	7.9 (.73)		5.5 (.51)	
Windload @ 80 mph, lb (kg):	202 (92)		142 (64.4)	
Maximum Power Watts PEP:	1500		1500	
Weight, lb. (kg):	60 (27.2)		55 (25)	






10 - 40 M

WORLD RANGER MULTIBAND HF YAGIS

A4S Four Element Beam - 10, 15 & 20 Meters

With stainless steel hardware.


The A4S is the true, high performance tribander. Precisely tuned high-power traps, carefully selected element lengths, and proper spacing combine to make the A4S the preferred antenna for your HF work! This is the premium antenna with all the features that you want. High gain, low SWR, and wide bandwidth keep the contacts coming in. All U-bolts, clamps and hardware are stainless steel. The A4S has pinned boom sections and formed aluminum brackets to keep elements straight under all conditions. Our solid construction keeps the A4S on the tower! Add 40 meters with A744 kit.



A3S Three Element Beam - 10, 15 & 20 Meters



With stainless steel hardware.

The A3 World Ranger, our top selling tribander, has become the A3S with all stainless steel hardware. It's a real power-house in a small space and lets you work the pile-ups with confidence. All you need is a lightweight tower and rotator to enjoy the benefits of the A3S. It's a proven performer in DX-peditions and contests and handles full power from your linear. Construction features include pinned boom sections, heavy duty element clamps with backing plates plus all stainless steel hardware. When space is at a premium, but you want the benefits of a full-size tribander, the A3S is right for you! Add 40 meters with A743 kit.



A3WS WARC Bands 3 Element - 12 & 17 Meters

Enjoy the excitement of the WARC bands with this popular beam. The A3WS gives full performance on 12 and 17 meters. With the addition of our easy-to-use A103 add on kit, it will also cover 30 meters. A3WS needs only a lightweight tower and rotator or you can mount it above an existing tribander. Construction features include pinned boom sections, heavy duty element clamps with backing plates plus all stainless steel hardware.



MODEL	A4S	A3S	A3WS
Frequency, MHz	28, 21, 14	28, 21, 14	24, 18
No. Elements	4	3	3
Forward Gain, dBi		8.0	8.0
Front to Back Ratio, dB	25	25	25
SWR 1.2:1 Typical			
2:1 Bandwidth, KHz	>500	>500	300
Power Rating, Watts PEP	2000	2000	2000
3 dB Beam Width, Deg. E Plane	58	60	60
Boom Length, ft (m)	18 (5.48)	14 (4.27)	14 (4.27)
Boom Diameter, in (cm)	2 (5.10)	1.5 (3.81)	1.5 (3.81)
Longest Element, ft (m)	32 (9.75)	27.75 (8.45)	25.1 (7.66)
Element Center Dia, in (cm)	1.25 (3.18)	1.25 (3.18)	1.25 (3.18)
Turning Radius, ft (m)	18.4 (5.49)	15.5 (4.72)	14.4 (4.4)
Max Size Range, in (cm)	1.25-2.00 (3.18-5.08)	1.25-2 (3.18-5.08)	1.25-2 (3.18-5.08)
Wind Load, ft ² (m ²)	5.50 (0.51)	4.36 (0.47)	4.1 (0.38)
Weight, lb (kg)	37 (16.8)	27 (12.9)	22.5 (10.2)

30 & 40 Meter Add-On Kits - For A3S, A4S & A3WS

40 meters will come alive by adding one of these kits to the dipole of your A3S or A4S. The kits include high power traps with heavy wall fiberglass insulator and all hardware. A simple adjustment allows 30 meter operation. For our newest beam, the A3WS, we have a 30 meter add on kit the A103.

- A743** 7 MHz/10 MHz kit for A3S
- A744** 7 MHz/10 MHz kit for A4S
- A103** 10 MHz kit for A3WS

MODEL	A743/A744	A103
BAND	7 MHz (40 m) 10 MHz (30m)	10 MHz (30m)
Driven Element with Adapter kit, ft (m)	33.19 min. 27.12 min. 35.33 max. 28.4 max.	32.1
Windloading ft ² (m ²)	.58 (.05) .27 (.03)	.45 (.04)
Bandwidth, KHz	125 150	250
Power Rating, Watts	2000 PEP 2000 PEP	2000 PEP
Side Rejection, dB	20 20	20
Weight, lb (kg)	3.44 (1.56) 2.29 (1.04)	3.25 (1.47)

Rotatable Dipoles

Our World Ranger Dipoles give bi-directional patterns and rotatable convenience. You can mount them high and away from the trees for better performance than a wire dipole. These single and multi-band dipoles feature high-performance traps, heavy wall tubing, and rugged hardware for years of enjoyment.



MODEL	D40	D4	D3	D3W
Frequency, MHz	7	28, 21, 14, 7	28, 21, 14	24, 18, 10
SWR 1.2:1 Typical				
2:1 Bandwidth, KHz	200	>350 40>125	>500	>200
Power Rating				
Watts PEP	2000	2000	2000	2000
Length ft (m)	42.25 (12.88)	35.8 (10.92)	25.8 (7.86)	34.0 (10.37)
Mast Size, in (cm)	1.5-2 (3.8-5)	1.5-2 (3.8-5)	1.5-2 (3.8-5)	1.5-2 (3.8-5)
Wind Load, ft ² (m ²)	1.3 (.12)	1.3 (.12)	.9 (.08)	.9 (.08)
Weight, lb (kg)	12 (5)	13 (6)	9 (4)	11 (5)

RINGO RANGER , 6 and 10 METER YAGIS

70 CM, 1 1/4 M, 2 M



Some hams comment on the ARX2B:

"Since I put this antenna up I have received many compliments on the improvement of my signal." (N3LHP)

"The only antenna I ever installed that worked like it should the first time." (N7PGH)

"ARX2B is a good antenna for my use on 2 meters FM...Several on the air in my area." (N9OPL)

"ARX2B...the best antenna." (XE2CLB)

Our Rings are Number One

Tough performers at a good price! The Ringo family of dependable, cost-effective antennas has served more hams - from novice to veteran extra - than any other amateur antenna made. Simple, straightforward design, light weight and quick, easy installation make the durable Ringo family right for you. Ringo's top performance and low cost mean more dB per dollar - an equation anyone can appreciate.



Ringo Ranger II

Our Ringo Ranger II has more gain, less windload, and more mechanical integrity than other two meter antennas. You'll quickly appreciate the benefits of this amazing antenna! Based on the original W1BX Ringo, the Ringo Ranger II is the latest design featuring three 5/8 wave radiating elements and an adjustable 1/8 wave phasing stub. The result is a very low angle of radiation over your coverage area.

The Ringo Ranger II has built-in lightning protection, UV-stabilized insulators, heavy wall tubing, improved decoupling radials to eliminate feedline radiation, and all-weather performance.

MODEL	ARX2B	ARX450B	AR6
Frequency, MHz:	135-160	435-450	50-54
SWR 1.2:1 Typical			
2:1 Bandwidth, MHz:	>3	>10	2
Gain, dBi:	7.0	7.0	3
Power Rating, Watts FM:	1000	500	1000
Radiation Angle, Deg.:	7	7	16
Horizontal Radiation			
Pattern, Degrees:	360	360	360
Ring Diameter, in (cm):	5 (12.7)	3.5 (8.9)	13 (33)
Radiator Base Dia, in (cm):	.75 (1.9)	.50 (1.2)	1 (2.5)
Height, ft. (m):	14 (4.3)	4.9 (1.5)	10.1 (3.1)
Mast Size Range, in (cm):	1.0-1.25 (2.54-3.1)	.75-.88 (1.9-2.22)	1-1.25 (2.54-3.1)
Radial Length, in (cm):	20.5 (52.1)	6.75 (17.1)	
Wind Load, ft ² (m ²):	0.5 (0.05)	0.2 (0.02)	.37 (.03)
Weight, lb (kg):	6 (2.7)	1 (.45)	2.5 (1.1)

6 Meter Yagis - SSB/CW/FM

Computer-aided modeling and test range techniques were used by Cushcraft engineers to further optimize the performance of our popular 6 meter Yagis. This process means more gain and cleaner patterns with excellent front-to-back ratios. S-models have very broad bandwidth so they will not detune in bad weather. They feature stainless steel hardware for long trouble-free life. Enjoy the new popularity and exciting contacts on the 6 meter band with one of the S-series Cushcraft Yagis. The A503S, A505S and A506S may be mounted vertically for FM use.



MODEL	A503S	A505S	A506S	TEN3
Frequency, MHz:	50-54	50-54	50-54	28-29.7
No. Elements:	3	5	6	3
Forward Gain, dBi:	8	10.5	11.6	8
Front to Back Ratio, dB:	20	24	26	25
SWR 1.2:1 Typical:				
2:1 Bandwidth, MHz:	>1	>1	>1	>1.5
Power Rating, Watts PEP:	1000	1000	1000	1500
3dB Beamwidth, Degrees				
E Plane:	76	56	48	64
Boom Length, ft (m):	6 (1.8)	12 (3.7)	20 (6.1)	8 (2.44)
Longest Element, in (cm):	117 (300)	123 (312)	119 (302)	18 (5.49)
Turning Radius, ft (m):	6 (1.8)	7.8 (2.37)	11.5 (3.5)	9.8 (3.0)
Mast Size Range, in (cm):	1.5-2 (3.8-5.1)	1.5-2 (3.8-5.1)	1.5-2 (3.8-5.1)	1.5-2 (3.8-5.1)
Wind Load, ft ² (m ²):	1.80 (0.17)	2.9 (0.273)	4.46 (.41)	2.0 (.20)
Weight, lb (kg):	7 (3.2)	11 (5.0)	18 (8.2)	9.9 (4.45)

Cushcraft is the leader in dual band antennas. Our verticals provide excellent coverage at a price below the competition. The AR270 and AR270B are favorites with the AO27 crowd. For increased coverage, our dual band Yagis lead the way. Both Yagis require only one coax feedline for true dual band performance.


AR270B 5.5/7.5 dB Dual Band Ringo

This model gives very high gain with a low angle of radiation and it is only 7.7 feet (2.35 m) high. The AR270B is computer optimized with two 5/8 wavelength collinear elements on 70 cm. It is broadbanded for minimum SWR on both bands. It is easy to assemble with three rugged aluminum tubing sections, a durable mast mount and factory sealed coils for best performance.

AR270 3.0 / 5.5 dB Dual Band Ringo

The "Dual Wonder" AR270 is only 3.75 feet (1.1 meters) high. It has great performance for its size, making it the most popular 2m/70 cm base antenna.

MODEL	AR270		AR270B	
Frequency, MHz	144-148	430-450	144-148	430-450
SWR 1.2:1 Typical				
2:1 Bandwidth, MHz	>4	>15	>4	>15
Gain, dBi	3.0	5.5	5.5	7.5
Power, Watts FM	250	250	250	250
Horizontal Radiation				
Pattern, Degrees	360	360	360	360
Height, ft. (m)	3.75 (1.13)		7.7 (2.3)	
Mast Size Range, in	1.25-2 (3.2-5.1)		1.25-2 (3.2-5.1)	
Radial Length, in (cm)	6.75 (17.1)		6.75 (17.1)	
Wind Load, ft ² (m ²)	0.27 (0.03)		0.47 (0.044)	
Weight, lb (kg)	2 (0.9)		2.4 (1.09)	




A27010S and A2706S 10 and 7.8 dB Dual Band Yagis

Increase your range by selecting one of the new Cushcraft dual band Yagis on 2 meters and 70 cm. You can point the antenna at stations while you are in QSO with them. This will direct more of your output power when transmitting at the same time reducing interference and increasing signal strength when receiving. These antennas are perfect for packet applications. Assembly is a snap with our fully illustrated assembly manuals.



CUSHCRAFT
CORPORATION



MODEL	A27010S		A2706S		A627013S	
Frequency, MHz					50-54	144-148 430-450
No. Elements:	5	5	3	3	3	5
Forward Gain, dBi:	10	10	7.8	7.8	8	10
Front to Back Ratio, dB:	20	18	20	18	20	18
SWR 1.2:1 Typical:						
2:1 Bandwidth, MHz:	14	110	14	120	>1	>4
Power Rating, Watts PEP:	350	350	350	350	1000	350
3dB Beamwidth, Degrees						
E Plane:	52	52	66	66		48.5
H Plane:	60	60	108	108		60
Boom Length, ft. (m):	6.17 (1.9)		2.8 (.85)			8.66 (2.66)
Longest Element, in (cm):	40.3 (102.4)		41 (104.1)			117 (300)
Turning Radius, ft (m):	6 (1.8)		2.8 (.85)			6.16 (1.87)
Mast Size Range, in (cm):	1.25-2 (3.2-5.1)		1.25-2 (3.2-5.1)			1.25-2 (3.2-5.1)
Wind Load, ft ² (m ²):	.725 (.07)		.3 (.02)			2.52 (0.23)
Weight, lb (kg):	1.8 (.81)		1.7 (.8)			9.5 (4.3)



13B2



13B2 - 13 Element Wideband Boomer

The 13B2 is as versatile as the 17B2 is specialized. 13B2 will be your choice for high performance across the entire 2 meter band. New and experienced hams will enjoy 15.8 dBi gain on FM, packet, CW, or sideband across the 4 MHz operating range. The 13B2 is easily mounted vertically or horizontally for maximum performance on your favorite mode. Its optimum boom length makes it a popular antenna that fits just about anywhere. The new UltraMatch balanced feed on the 13B2 provides a 50 Ohm match via a standard SO-239 UHF female connector. Model **13B2N** has N connector. **Special Order**

17B2 - 17 Element CW/SSB Boomer

The serious two meter operator who is interested in EME, aurora, scatter, SSB, CW, tropo etc, will choose the 17B2. It has 17 elements on a 4.5 wavelength boom. Our computer-aided design supported by precise test range data and the latest manufacturing technology gives you a cleaner pattern and 16 dBi gain in this long boom design. Significant enhancement is provided by the new UltraMatch balanced feed system with N-connector.




The new Cushcraft UltraMatch is a modified T-match system that provides a balanced current distribution on your Boomer. It uses UltraLink teflon dielectric cable allowing for low loss high power applications. UltraMatch is completely enclosed for weather proofing. UltraMatch features an N-connector on the 17B2 and UHF SO239 on the 13B2. When all weather performance is important, you will choose the new UltraMatched Boomers everytime.

17B2



A4496S/A44911S

Use one of these 440 MHz beams for your FM/Package needs. Both work great for vertical or horizontal polarization.



719B



719B FM, CW and SSB 15.5 dBi

Looking for an antenna to enhance performance on all modes of the 70 CM band? The 13.5 foot long 719B is the right choice. Mount it vertical for FM or horizontal for CW and Sideband. The 719B joins the 2 meter 13B2 as a classic for improved performance.



MODEL	13B2	17B2	124WB	26B2	A14810S	A14820T	719B	A4496S	A44911S
Frequency, MHz	144-148	144-145	144-148	144-148	144-148	144-148	430-450	440-450	440-450
No. Elements	13	17	4	26	10	10/10	19	6	11
Forward Gain, dBi	14.2	18.0	10.2	17	13.2	13	15.5	10.5	13.2
Front to Back Ratio, dB	26	26	19	26		24	25	18	20
SWR 1.2:1 Typical									
2:1 Bandwidth, MHz	>4	>2	4	>4	14	14	20	>10	>10
Power Rating, Watts PEP	1500	1500	1500	1500	1000	1000	2000	350	350
3 dB Beamwidth, Degrees									
E Plane	2 x 18	2 x 14.5	60	2x18	40	45	24	60	48
H Plane	2 x 19	2 x 15	88	2x9.5	46	50	19		
Side Lobe Atten., dB, E Plane	>60	>60	40	>60		40	60	30	40
Boom Length, ft (m)	15 (4.57)	31 (9.45)	4 (1.22)	15 (4.57)	12 (3.6)	11 (3.4)	13.5 (4.1)	2.9 (0.89)	4.4 (1.35)
Electrical Wavelength	2.2	4.5	.5	2.2		1.6	6		
Longest Element, in (cm)	39.75 (101)	40.75 (103.5)	40.75 (104)	39.75 (101)	40.3 (102.4)	40.6 (103)	13.75 (34.9)	13 (33)	13 (33)
Turning Radius, ft (m)	8.9 (2.7)	17.25 (5.26)	4 (1.22)	10.4 (3.18)	6 (1.8)	7.5 (2.3)	7.25 (2.2)	2.9 (.89)	2.8 (.85)
Mast Size Range, in (cm)	1.5-2	1.5-2	1.25-2	1.5-2	1.25-2	1.25-2	1.25-2	1.25-2.0	1.25-1.5
	(3.8-5.1)	(3.8-5.1)	(3.2-5.1)	(3.8-5.1)	(3.2-5.1)	(3.2-5.1)	(3.2-5.1)	(3.2-5.1)	(3.2-5.1)
Wind Load, ft ² (m ²)	1.8 (.17)	3.9 (.36)	.34 (.034)	4.84 (.45)	1.21 (.11)	.39 (.11)	1.2 (.11)	0.30 (0.03)	0.39 (0.04)
Weight, lb (kg)	6.7 (.31)	15.75 (7.14)	3 (1.36)	21.5 (9.75)	8 (2.7)	7 (3.15)	5.8 (2.55)	3 (1.4)	4 (1.8)

Commercial Antennas for the Serious Radio Amateur

Make Antenex your choice for mobile and fixed antennas plus accessories



Phantom® Antennas. The unique patented Phantom® is a tough whipless designed antenna for indoor or outdoor applications*. The Phantom® revolutionary design features patented field diversity technology with both vertical and horizontal polarization components. This gives the antenna frequency agility, low visibility, wide bandwidth and a low angle radiation pattern that is superior to traditional gain antennas in most applications. Requires NMO mount.

BT-1420 VHF Antenna covers 142-164 MHz (tunable), black radome is 3.30" high. Unity gain. **\$59.99**

CB-4303 UHF Antenna covers 430-450 MHz. Black radome is 3.30" high. 3dB-MEG gain **\$29.99**

Traditional Mobile Antennas

1443 VHF Wideband Antenna. Base loaded 5/8 wave covers 144-174 MHz, 3dB gain, 49" tapered whip. Requires NMO mount (Black) **\$39.99**

CWB-1443 VHF 5/8-Wave Broadband. Self tuning, 144-156 MHz, 3dB gain, 47" tapered whip (Black) **\$49.99**

CWB-4405C UHF Wideband. Self tuning closed coil collinear. 440-470 MHz, 5dB gain, 32 1/8" tapered whip. Requires NMO mount. (Black) **\$49.99**

BB-1442N Broadband. 5/8-wave, no ground plane. Base loaded, 144-174 MHz, 2.4dB gain, 49" tapered whip. **\$39.99**

BB-4303 UHF 5/8-Wave. Covers 430-450 MHz, 3dB gain, 11.81" straight whip. Requires NMO mount (Black) **\$34.99**

AB-FT Broadband 1/4-Wave. Tunable, 118-896 MHz, unity gain, Requires NMO mount. **\$16.99**

AB-SCANC Scanner Antenna. Closed coil collinear for 150/450/800 MHz receive only. Requires NMO mount (Black) **\$29.99**

CB-144/440C Dualband VHF/UHF. Closed coil, 36", collinear covers 144-148, 440-450 MHz, 2/5dB, 200W. Requires NMO mount. (Black) **\$49.99**

Mounts



MB-8PST Permanent Brass Hole Mount (NMO). Quality brass alloy, silver-soldered ground lug. Mounts in 3/4" hole. Comes with 17' RG-58A/U stranded cable, Teflon® PL-259 connector **\$15.99**

GB-8PST NMO Magnetic Mount. For temporary vehicle installs. High strength magnet (90 lbs pull) with protective mylar sole prevents scratches. With 12' RG58A/U cable and Teflon®, PL-259 connector. (Black) **\$29.99**



LBMB-9034 "L" Bracket for Mirror Mount. Strong, extruded aluminum. Accepts various 3/4" hole mounts. (Black) **\$10.99**

VTPM Plate Mount. 1" thick NMO plate mount (UHF barrel) **\$15.99**

TM-8PST Mini-Trunk Lid Mount with 17' RG58A/U stranded center conductor cable. UHF Teflon® PL-259 connector **\$29.99**

*U.S. Patent Nos. 5,977,831; 6,292,156; and other patents pending.

GPS Antenna



GPSM-15GBNC GPS Antenna. Low profile magnetic base GPS antenna with 14" RG-174/U coax and BNC connector **CLOSE OUT \$59.99**

Fiberglass Omnidirectional Antennas

FG-1440 VHF unity gain, 144-148 MHz, 150 watt max, 92" Fiberglass Omnidirectional base station antenna. White high density fiberglass with gold anodized sleeve and cap. N female connector **\$119.99**

FG-1443 VHF 3dBd gain, 140-144 MHz, 150 watt max, 107" Fiberglass Omnidirectional base station antenna. White high density fiberglass with gold anodized sleeve and cap. N female connector **\$199.99**

FG-4403 UHF 3dBd gain, 440-450 MHz, 150 watt max, 44" Fiberglass Omnidirectional base station antenna. White high density fiberglass with gold anodized sleeve and cap. N female connector **\$149.99**

FG-4405 UHF 5dBd gain, 440-450 MHz, 150 watt max, 76" Fiberglass Omnidirectional base station antenna. White high density fiberglass with gold anodized sleeve and cap. N female connector **\$199.99**

FM-2 Heavy Duty Base Mounting Bracket. For FG Antennas Extruded aluminum, 1 pair **\$29.99**


Gold-Anodized Directional Yagis

Y-1363 3-Element VHF. Tunable 136-150 MHz, 7.1dBd gain, 17dB front-to-back ratio. Rated for 500W. N female connector. Assembly and tuning required. Mounts on mast up to 2-1/2" diameter **\$119.99**

Y-1365 5-Element VHF. Tunable 136-150 MHz, 9.2dBd gain, 20dB front-to-back ratio. Rated for 500W. N female connector. Assembly and tuning required. Mounts on mast up to 2-1/2" diameter **\$169.99**

Y-4303 3-Element UHF. Covers 430-450 MHz, 7.1dBd gain, 17dB front-to-back ratio. Rated for 300W. Fully welded. Computer optimized and internally matched - wide bandwidth no tuning. End-of boom N connector feed with a weather proof internal transmission line feeding the driven element. Mounts on mast up to 2-1/2" diameter **\$99.99**

Y-4305 5-Element UHF. Covers 430-450 MHz, 9.2dBd gain, 20dB front-to-back ratio. Rated for 300W. Fully welded. Computer optimized and internally matched - wide bandwidth no tuning. End-of boom N connector feed with a weather proof internal transmission line feeding the driven element. Mounts on mast up to 2-1/2" diameter **\$129.99**



ACCLAIMED AS THE TECHNOLOGICAL LEADER IN SINGLE & MULTIBAND ANTENNAS

Wide-band Performance • Highest Gain • Factory Adjusted-No Tuning Required
High Wind Rating • UPS Shippable • Fiberglass Radome • DC Grounded • Stainless Hardware

Mono-Band Base/Repeater Antennas

MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. FT.	RATED WIND MPH (No. Ice)
CP22E ¹	144	6.5	200	UHF	9.0	70
DPGH62 ¹	50	6.0	200	UHF	21.0	78
F22A	144	6.7	200	UHF	10.5	112
F23A	144	7.8	200	UHF	15.0	90
F718A	440	11.5	250	N	15.0	90
New! F1230A2	1.2 GHz	13.8	100	N	12.0	112
G200	2.4 GHz	11 dBi	—	N	4.8	135

Dual-Band Base/Repeater Antennas

MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. FT.	RATED WIND MPH (No. Ice)
New! X30A	144/440	3.0/5.5	150	UHF	4.5	135
X50A	144/440	4.5/7.2	200	UHF	5.6	135
X50NA	144/440	4.5/7.2	200	N	5.6	135
X200A	144/440	6.0/8.0	200	UHF	8.3	112
New! X300A	144/440	6.5/9.0	200	UHF	10.5	112
X510NA ²	144/440	8.3/11.7	200	N	17.2	90
X510MA	144/440	8.3/11.7	200	UHF	17.2	90
X510HMA	144/440	8.3/11.7	330/250	UHF	17.2	90
X500HNA	144/440	8.3/11.7	200	N	17.8	90+
X700HNA	144/440	9.3/13.0	200	N	24.0	90
U200	440/1240	8.3/11.7	100	N	5.9	135

Tri-Band Base/Repeater Antennas

MODEL	BAND (MHz)	GAIN (dB)	WATTS	CONN.	HT. FT.	RATED WIND MPH (No. Ice)
V2000A ^{3,5}	52/144/440	2.1/6.2/8.4	150	UHF	8.3	110
X3200A ⁴	146/222/440	6.0/7.8/8.0	100/200	UHF	10.5	112
X6000A	144/440/1240	6.5/9.0/10.0	100/60	N	10.5	112

**Yagi Antennas**

MODEL	BAND (MHz)	GAIN (dBi)	WATTS (PEP)	CONN.	BOOM LNTH.	ELEMENT PHASING
A502HB	50	6.3	400	UHF	2.6'	2 element
A504HB ⁶	50	10.8	400	UHF	10.7'	4 element
A144S5	144	9	100	UHF	37.5"	5 element
A430S10	432	13	100	UHF	43"	10 element
A430S15	432	14.8	100	UHF	89"	15 element

NOTES: 1 Heavy duty aluminum construction.
2 X510NA: 144-147/430-440 MHz.
3 1/4", rated in dBi.
4 2m: 146-148; 100 watts
5 52-54 MHz, only
6 Limited Supply


BAND: 144-144-148 MHz, 222-222-225 MHz.
420-420-430 MHz, 430-430-440 MHz.
440-440-450 MHz, 1240-1240-1300 MHz.

Ruggedized Base/Repeater Antenna**X500HNA**

COAX CONNECTION
AT BASE END



HEAVY DUTY BASE/
RADIAL ASSEMBLY



STRONG JOINT
COUPLINGS

X500HNA

Diamond Antenna's best base station repeater antenna. Designed for strength and performance, the X500HNA is pretuned to achieve maximum gain in both the 2m and 70cm amateur bands.

Features

- Heavy duty fiberglass radome
- Overlapping outer shells for added strength
- Stainless steel mounting hardware and radials
- Strong, waterproof joint couplings
- Type-N Cable connection
- Wide band performance

Specifications:

Frequency: 2m: 144-148 MHz 70cm: 440-450 MHz
Gain: 2m: 8.3 dB 70cm: 11.7 dB
Power: 200 watts
Wind Rating: 90 MPH (no ice)
Height: 17.8 feet

X50NA

The X50NA is an excellent choice where ruggedness is required in a medium-gain, dual-band, base/repeater application.

Features

- Wide frequency bandwidth
- Heavy duty fiberglass radome
- Stainless steel mounting hardware and radials
- Type-N Cable connection
- Compact size for easy mounting/installation

Specifications:

Frequency: 2m: 144-148 MHz
70cm: 440-450 MHz
Gain: 2m: 4.5 dB
70cm: 7.2 dB
Power: 200 watts
Wind Rating: 135 MPH (no ice)
Height: 5.6 feet

X30A


The X30A works well in areas where height and/or antenna restrictions are an issue.

Features

- Wide frequency bandwidth
- Heavy duty fiberglass radome
- Stainless steel hardware
- UHF Cable connection
- Compact size for easy installation

Specifications:

Frequency: 2m: 144-148 MHz
70cm: 440-450 MHz
Gain: 2m: 3.0 dB
70cm: 5.5 dB
Power: 150 watts
Wind Rating: 135 MPH (no ice)
Height: 4.5 feet



DIAMOND'S STATE-OF-THE-ART VHF/UHF & HF/VHF MOBILE ANTENNAS


FOLD-OVER

One-Touch Fold-Over Feature.**

Maximum Performance Without Compromise
M285 / M285SNMO / M685 / M685SNMO
NR22L
SGM510
NR72BNMO
NR73BNMO
NR770HA / NR770HNMO
NR770HB / NR770HBNMO
SG7500A / SG7500NMO
SG7900A / SG7900ANMO
CR320A / CR320BNMO
NR140BNMO
CR627B / CR627BNMO
SGM911


MODEL	BAND (MHz)	GAIN (dBi)	WATTS (PEP)	CONN.	HT. IN.	ELEMENT PHASING 1/4λ, rated in dBi
M285*10	2m	3.4	200	UHF NMO	52.4	5/8λ
M285SNMO*10						
NR22L*	2m	6.5	100	UHF	96.8	2-5/8λ
SG2000HD*	2m	5.2	250	UHF	62.6	1/2λ+3/8λ
HF6FX*6	6m	2 dBi	250	UHF	40	1/4λ
HF50CX*6	6m	3.5 dBi	200	UHF	75	3/8λ
M685*6	6m	2.15 dBi	200	UHF NMO	52.4	1/4λ
M685SNMO*6						
NR140BNMO	1-1/4m	4.0	150	NMO	37	1/2λ+1/4λ
NR124	23cm	8.4	100	N	25	4-5/8λ
MG200	2.4GHz	7 dBi	-	N	23.6	3-1/2λ
CR270A	2m/70cm	2.15/3.4	50	UHF	17	1/4λ, 5/8λ
MR77	2m/70cm	2.15/3.4	70	MAG	20	1/4λ, 1/2λ
MR77SMA						
NR72BNMO*6	2m/70cm	2.15	100	NMO	13.8	1/4λ, 1/2λ
NR73BNMO	2m/70cm	2.15/5.3	100	NMO	33.5	1/2λ, 1-5/8λ
NR770HA7	2m/70cm	3.0/5.5	200	UHF	40.2	1/2λ, 2-5/8λ
NR770HNMO8	2m/70cm	3.0/5.5	200	NMO	38.2	1/2λ, 2-5/8λ
NR7900A*	2m/70cm	3.7/6.4	300/250	UHF	57	1/4λ+1/2λ, 3-5/8λ
SG7900A*6	2m/70cm	2.15/3.8	100	UHF	18.5	1/4λ, 6/8λ
SG7500A	2m/70cm	3.5/6.0	150	UHF	40.6	1/2λ, 2-5/8λ
SG7500NMO				NMO	41.0	
SG7900A*	2m/70cm	5.0/7.6	150	UHF	62.2	7/8λ, 3-5/8λ
SG7900ANMO*				NMO	62	
SGM510	2m/70cm	2.15/5.5	100	UHF	37	1/2λ, 2-5/8λ
CR320A*6	2m/1-1/4m/70cm	2.15/3.8/5.5	200/100/200	UHF	37.4	1/4λ, 1/2λ, 2-5/8λ
CR320BNMO*6				NMO	38	
NR2000NA	2m/70cm/23cm	3.15/6.3/9.7	100	N	39	1/2λ, 2-5/8λ, 5-5/8λ
CR627B*6,9	6m/2m/70cm	2.1/4.5/7.2	120	UHF	60	1/4λ, 1/2λ+1/4λ, 2-5/8λ
CR627BNMO*6,9				NMO		
SGM911*6,9	6m/2m/70cm	2.15/3/5.8	60	UHF	41	1/4λ, 1/2λ, 2-5/8λ
CR8900A*6,11	10m/6m/2m/70cm	2.1 (2m) 5.5 (70cm)	60	UHF	50	1/4λ, 1/4λ, 1/2λ, 2-5/8λ

* Not recommended for Magnet Mount
 6 Grounding required
 7 NR770HB some specs but in black finish
 8 NR770HNMO some specs but in black finish
 9 52-SAMHz only
 10 Tunable from 140-174MHz
 11 FM only

HV7A Mobile Antenna System For New HF/VHF transceivers

(Such as: IC706 series, FT100 & NEW FT8900R)

The HV7A has 5 band capability: 70cm, 2m, 6m, and 2 HF bands through use of loading coils. Foldover feature allows for easy access into low over-head buildings. Ideal for users of IC706 series, FT100 and New FT8900R radios.



Bands Supplied: 10m/6m/2m/70cm
Opt. Loading Coils: 40m/20m/17m/15m
Power, P.E.P.: HF 120w/VHF 200w
Mount Connection: UHF
Length: 54"
SWR: 1.5:1 nominal

Optional Loading Coils
 HVC7 40m
 HVC14 20m
 HVC18 17m
 HVC21 15m

PREMIUM ANTENNA MOUNTS & CABLE ASSEMBLIES

K400

Heavy Duty Hatchback/Door/Truck Lid Mount

Deluxe heavy duty mount. Two-axis adjustable. 4" wide mounting base with 4 set screws for maximum strength. Recommended for high gain VHF/UHF antennas.

K400C* SO-239 base, 6.5' coax & PL-259
 K400C(NMO)* NMO base, 6.5' coax & PL-259
 K400-38C* 3/8x24 base, 6.5' coax & PL-259
 K400S' SO-239 base, 13.5' coax & SMA
 K400S(NMO)* NMO base, 13.5' coax & SMA

K412

Deluxe Hatchback/Door/Trunk Lid Mount

Two-axis adjustable mount for light weight antennas. 1.5 inch mounting width. Ideal for tight mounting options. Recommended for antennas under 45".

K412C* SO-239 base, 6.5' coax & PL-259
 K412C(NMO)* NMO base, 6.5' coax & PL-259
 K412S' SO-239 base, 13.5' coax & SMA
 K412S(NMO)* NMO base, 13.5' coax & SMA

K515

Universal Luggage Rack Mount

Ideal for new SUV luggage racks; accepts 3/4" to 2-1/4" in height and up to 2-1/4" wide. Two axis adjustable mount for light-weight VHF/UHF antennas under 45", not requiring RF ground. Position adjusting knob allows antenna to fold to horizontal position.

K515S' SO-239 base, 13.5' coax & SMA
 K515S(NMO)* NMO base, 13.5' coax & SMA

K540

Mirror/Luggage Rack Mount

Adjustable Mirror/Luggage rack mount accepts 1/2" to 7/8" tubing. Fits most mirrors and utility racks. Recommended for antennas under 45". Position adjusting knob allows antenna to fold to horizontal position.

K540KM SO-239 base, 13' coax & PL-259
 K540 Mount Only

K550

Luggage Rack Mount

Adjustable luggage rack mount for new mini vans. Recommended for antennas under 45". Position adjusting knob allows antenna to fold to horizontal position.

K550KM SO-239 base, 13' coax & PL-259
 K550 Mount Only

K600

Variable Angle Trunk Mount

Deluxe aerodynamic trunk mount. Vertical adjustment 0-90°. 4" wide mounting base with 4 set screws for maximum strength. Recommended for high gain VHF/UHF antennas.

K600M SO-239 base, 16.5' RG-316 coax & PL-259
 K600S' SO-239 base, 13.5' RG-316 coax & SMA

K9000

Motorized Mount

Raise and lower your antenna with a touch of a button. Vertical adjustment 0-90°. Accepts "ground independent" antennas up to 45". Recommended antennas: SG7500NMO, NR738NMO, SG7500A, and NR770 series.

K9000TM* Trunk/Hatchback Mount
 K9000RM* Luggage Rack Mount

HRKS

Adhesive Backed Mount

NEW!

Adhesive backed for flat surface installations including glass, fiberglass, and metal. 13.5' RG-316/B coax with SMA connector. PL-259 adapter included.

Recommended antennas: NR770HA, NR770HB, and SGM510.

NEW!

CRM

Mirror & Luggage Rack Mount

Stainless steel right angle mount with U-bolt.

Recommended for:

- Motor home ladders
- Luggage racks
- Balcony railings
- Lumber racks
- Pipe racks

Magnet Mount Bases

K702M

Deluxe low profile magnet mount with high holding power. Aerodynamic styling, large 6 3/8" dia., 3/4" h. For VHF/UHF antennas up to 50" h. Includes thin mylar protective sheet to enhance grip and protect paint. Cable: 13' RG58A/U & PL-259.

SPM35

Heavy duty 2.2 lb./4" magnet mount rated 25-500 MHz. Cable: 13' coax and PL-259. Recommended for antennas under 45".

DK4NNVN Similar to the SPM35, with Type-N connectors.
 SPM35(NMO) Similar to the SPM35, with NMO mount.

Cable Assemblies

C101

SO-239 base, 6.5' RG316 Teflon coax & PL-259. Ideal cable assembly for trunk mount radios.

C101(NMO) Same as C101 with NMO base.
 C213 For Diamond's K-Series mounts.
 C213(NMO) Same as C101, 13.5' length cable
 Same as C101(NMO), 13.5' length cable

C110

Extension for C101. 10' RG8X coax w/mini UHF Conn. Use C110 to extend cable for front radio installations.

C110BNC 10' assembly similar to above, uses RG316 Teflon Coax terminating in BNC-male.
 C110SMA Similar to C110BNC, terminates in SMA-male.
 C211 SO-239 base, 16.5' assembly & PL-259.
 Combination of C101 & C110.

C104SMA

4' extension cable for HT's with SMA connector. For existing cable assemblies with PL-259. UHF female (SO-239) to right angle SMA male.

C105SMA

5' extension cable for C101. RG58/U cable, terminating in right angle SMA male.

* Use C110 for front radio installations.
 † Includes SMA to UHF adapter.


GAP: THE PERFECT ANTENNA

FOR ALMOST TWO DECADES GAP HAS STATED THERE IS NO PERFECT ANTENNA. NO SINGULAR ANTENNA CAN DO IT ALL. THAT IS WHY WE DESIGNED A FAMILY OF ANTENNAS THAT UTILIZE THE PATENTED (#5,592,153) GAP TECHNOLOGY, TO GIVE YOU OPTIONS. WITHIN THIS FAMILY IS THE ANTENNA OR ANTENNAS RIGHT FOR YOU. IF DEED RESTRICTIONS OR VISIBILITY ARE A PROBLEM, TAKE A LOOK AT THE EAGLE DX. IF YOU ARE LOOKING FOR A SIMPLE GENERAL COVERAGE ANTENNA WITH CAPTURE AREA, CONSIDER THE CHALLENGER DX. WHAT ABOUT A LOW BAND ANTENNA WITH GREAT 40M AND 80M PERFORMANCE? THEN THE VOYAGER DX IS WORTH YOUR ATTENTION. IF YOU SEEK THE MOST POPULAR MULTIBAND ANTENNA, THEN THE TITAN DX WILL END YOUR SEARCH.

THE GAP TECHNOLOGY ELIMINATES TRAPS, ELECTROMECHANICAL DEVICES, TRANSFORMERS AND COILS, WHICH CAN INCREASE LOSS AND DECREASE RELIABILITY. SIMPLICITY IN DESIGN, RESULTS IN A VERY USER FRIENDLY ASSEMBLY PROCESS. SLIDE ONE TUBE OVER ANOTHER UNTIL THE BIG HOLE LINES UP WITH THE LITTLE AND INSERT A SCREW. A GAP IS PRETUNED, WILL HANDLE 1500 WATTS PEP AND PROVIDES INSTANTANEOUS COVERAGE WITH A VSWR UNDER 2:1 ACROSS THE ENTIRE BAND.*

CHALLENGER DX

2m, 8m, 10m, 12m, 15m, 20m, 40m, & 80m
31.5' tall 21 lbs
Drop in ground mount supplied
3 counterpoises required 75' long
* VSWR under 2:1 on 80m 130KHz



EAGLE DX

10m, 12m, 15m, 17m, 20m, & 40m
21' tall 19 lbs
Mounts on a 1-1/4" OD mast
No radials required
* 40m limited to 300 watts



TITAN DX

10m, 12m, 15m, 17m, 20m, 30m, 40m, & 80m
25' tall 25 lbs
Mounts on 1-1/4" OD mast
No radials required
* VSWR under 2:1 on 80m 100KHz



VOYAGER DX

20m, 40m, 80m, & 160m
45' tall 39 lbs
Supplied with hinged ground mount
3 counterpoises required 57' long
* VSWR under 2:1 on 160m 90 KHz

CATCH THE WAVE



GAP: ANTENNA ACCESSORIES FOR ALL

QUICK TILT

THE EASY WAY TO RAISE AND LOWER YOUR ANTENNA, SUPPORT MAST OR FLAGPOLE. WORKS WITH MOST ANTENNAS

QUICK TILT — GROUND MOUNT



ACCOMMODATES
1 1/4" 2" OD MAST

QUICK TILT — LADDER MOUNT



STAINLESS STEEL & ALUMINUM CONSTRUCTION

GUY KITS

INSURE YOUR ANTENNA OR SUPPORT MAST AGAINST THE ELEMENTS WITH A GUY KIT



STAINLESS STEEL & ALUMINUM CLAMP
3/32" UV PROTECTED BLACK DOUBLE BRAIDED POLYESTER ROPE

See Price Guide for pricing on all GAP's products



Model G3-144 . . . \$70.99

The G3-144 is the newest addition to the Hustler Base Station line. Designed with the cost conscious amateur in mind, this small, inexpensive antenna delivers more gain than other antennas in its price range. Ideal for a home or emergency command post.

ELECTRICAL

- Frequency Range: 144 - 148 MHz.
- Gain: 3 dB
- Maximum Power: 1 KW FM
- Bandwidth: 4 MHz
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: SO-239
- Length: 7' 5"
- Weight: 2.0 lbs
- Wind Survival: 100 mph.
- Wind Area: 0.5 ft.²
- Mounting: 1 to 1 3/4"
- Construction: High strength fiberglass & aluminum.



Model
G3-144

Model G6-270R . . . \$169.99

Dual band
2 Meter & 440 MHz

ELECTRICAL

- Frequency range: 144 - 148 MHz, 435 - 455 MHz.
- Gain: 6 dB
- Maximum power: 100 Watts
- Bandwidth: 4 MHz - 2 Meters
- 10 MHz - 440 Meters
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: N female
- Length: 7' 6"
- Weight: 5.3 lbs.
- Wind Survival: 100 mph
- Wind Area: 1.4 ft.²
- Mounting: Up to 1 3/4"
- Construction: one piece radome



G6-270R

Model G6-440 . . . \$149.99

ELECTRICAL

- Frequency range: 440 - 450 MHz.
- Gain: 6 dB
- Maximum power: 1 KW FM
- Bandwidth: 10 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: Type N female
- Length: 7' 3"
- Weight: 5.0 lbs.
- Wind survival: 100 mph.
- Wind Area: 1.4 ft.²
- Mounting: Up to 1 3/4"
- Construction: one piece radome



G6-440

VHF and UHF Omni Directional Fixed Station Vertical Antennas

Model G7-144 . . . \$169.99 Two Meter

The G7-144 is totally self supporting and is easily assembled. When disassembled the longest part is approximately 4' which makes it easy to handle and ship via UPS.

ELECTRICAL

- Frequency Range: 144 - 148 MHz.
- Gain: 7 dB
- Maximum Power: 1 KW FM
- Bandwidth: 4 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: N female
- Length: 15' 4"
- Weight: 10.0 lbs.
- Wind survival: 100 mph
- Wind Area: 0.96 ft.²
- Mounting: Up to 1 3/4"
- Construction: High strength fiberglass & aluminum.



G7-144

Model G6-144B . . . \$119.99 Two Meter

ELECTRICAL

- Frequency range: 143 - 149 MHz.
- Gain: 6 dB
- Maximum power: 1 KW FM
- Bandwidth: 6 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: SO-239
- Length: 9' 9"
- Weight: 6.8 lbs.
- Wind survival: 100 mph.
- Wind Area: 1.4 ft.²
- Mounting: Up to 1 3/4"
- Construction: High strength fiberglass & aluminum.



G6-144B

Model G7-220 . . . \$159.99

ELECTRICAL

- Frequency range: 220 - 225 MHz.
- Gain: 7 dB
- Maximum power: 1 KW FM
- Bandwidth: 5 MHz.
- VSWR: < 1.5:1 @ resonance
- Impedance: 50 ohms

MECHANICAL

- Termination: Type N female
- Length: 10' 2"
- Weight: 7.0 lbs.
- Wind survival: 100 mph.
- Wind Area: 0.96 ft.²
- Mounting: Up to 1 3/4"
- Construction: High strength fiberglass & aluminum.



G7-220

Fixed Station Multi-Band HF Vertical Antennas

Our exclusive trap design offers the lowest loss possible. A special extrusion process allows us to produce trap covers to an otherwise unattainable close tolerance, assuring accurate and permanent resonance. Our highly accurate traps provide top signal reports and consistent contacts. Accurate tuning is made possible by the wide range of tuning flexibility designed into our verticals. Not only can you use the normal adjustable tubing to change resonance, but the traps themselves can be field tuned for an additional 2 MHz. shift. This flexibility will enable you to achieve a good S.W.R. even if your installation is not ideal.

- Broadbanded - low VSWR at band edges
- Power capability - full legal limit on SSB or CW
- Solid one inch fiberglass trap forms for optimum electrical and mechanical stability
- Heavy wall, high strength aluminum tubing, heavy duty aluminum mounting bracket and low loss, high strength insulators.
- Stainless steel clamps and hardware.
- Easy assembly and tuning.
- Single line feed with any length of 50 ohm coax.
- Use as ground mount with or without radials, or elevated mount with radials.
- All of the BTVs can be mounted in a piece of PVC and disguised as a flagpole in deed restricted neighborhoods.

Model 6-BTV . . . \$189.99

Bands 10-15-20-30-40 & 75 or 80 meters
Length/weight 24 ft. / 16.5 lbs.
Mounting Vertical support up to 1.75" O.D.
Wind Load 29 lbs. @ 70 mph.
Power capability Full legal limit SSB/CW
VSWR at resonance 1.15 to 1 or better
Bandwidth VSWR 2:1 or better at band edges on 10-40 meters (100 KHz. On 75 or 80 meters)

Model 5-BTV . . . \$159.99

Bands 10-15-20-40 & 75 or 80 meters
Length/weight 25 ft. 1 in. / 16.5 lbs.
Mounting Vertical support up to 1.75" O.D.
Wind Load 29 lbs. @ 70 mph.
Power capability Full legal limit SSB/CW
VSWR at resonance 1.15 to 1 or better
Bandwidth VSWR 2:1 or better at band edges on 10-40 meters (100 KHz. On 75 or 80 meters)

Model 4-BTV . . . \$129.99


Bands 10-15-20-40 meters
Length/weight 21 ft. 5 in. / 15 lbs.
Mounting Vertical support up to 1.75" O.D.
Wind Load 28 lbs. @ 70 mph.
Power capability Full legal limit SSB/CW
VSWR at resonance 1.15 to 1 or better
Bandwidth VSWR 1.6:1 at band edges

Model 30-MTK . . . \$45.99

30 meter add on kit for the 4 and 5 BTV

Spirit Series - Repeater Antenna

Hustler's omnidirectional, collinear design repeater antennas are enclosed in a rugged fiberglass radome that will help minimize pattern variations due to high winds or extreme conditions. Great for your club or tower use. We offer these antennas in 144, 220, 440, 900 MHz and 1.2 Ghz. The gain will be unity, 3.6, 9, or 12 dB depending on the frequency. Custom frequencies available, call for a quote.



New-Tronics Antenna Corporation
One New-Tronics Place
Mineral Wells, Texas 76067-9563

Phone: 940.325.1386
Toll Free: 877.994.9499
Fax: 940.328.1409

www.new-tronics.com

Unity Gain

THF . . . \$24.99

VHF/UHF Trunk Lip Mount Antennas.

- Frequency range: 140-500 MHz
- 1/4 wave length
- Cut length for low VSWR
- 15 ft RG58/U with PL-259 connector



UHT-1 . . . \$15.99

VHF/UHF Roof/Deck Hole Mount Antenna.

- Frequency range: 140-500 MHz
- 1/4 wave length
- Cut length for low VSWR
- 15 ft RG58/U



UGM . . . \$23.99

VHF/UHF Magnetic Mount Antenna

Extend the range of handheld or portable radios. Trimmable 17-7 PH stainless steel radiator is cut to 1/4 wavelength for low SWR and unity gain from 140 to 500 MHz. Trim chart included. Highly efficient mylar protected magnetic mount attaches conveniently to magnetic compatible surfaces. No drilling! Supplied ready for operation with 10 ft. of mini-coax with BNC connector



Collinear

Series Fed Mobile Antennas

SF-2 144 MHz 3.4 dB . . . \$16.99

SF-220 220 MHz 3.4 dB . . . \$16.99

- Power rating: 100 watts
- 3/8" x 24 thread
- 5/8 wave

RX-2 144 MHz 3.4 dB . . . \$26.99

RX-220 220 MHz 3.4 dB . . . \$26.99

RX-440 440 MHz 5.0 dB . . . \$26.99

- Coil same as above
- 3 oz magnet
- 15 ft RG-58/U coax
- PL-259 connector



Collinear High Gain

Mobile Antenna

CG-144 5.2 dB 6 MHz BW . . . \$34.99

CG-220 5.2 dB 4 MHz BW . . . \$34.99

- Power rating: 200 watts
- 3/8"x24 thread
- 5/8 over 1/4 wave
- Collinear design

CGT-144 5.2 dB 6 MHz BW . . . \$55.99

CGT-220 5.2 dB 4 MHz BW . . . \$55.99

- Coil same as above
- Swivel ball for vertical positioning
- Quick disconnect for easy removal
- Trunk mount base

MKR-2 Radial Kit . . . \$22.99

Used to convert RX, SF & CG series coils to fixed station operation. Mount can accept any 3/8x24 threaded coil and contains three radials



VHF and UHF Mobile Antennas

MX Series NMO Magnetic Mount Antenna

MX-2 144 MHz 3.4 dB . . \$34.99

MX-220 220 MHz 5.0 dB . . \$34.99

MX-440 440 MHz 5.0 dB . . \$36.99

- Power rating: 200 watts
- Chrome top
- NMO style coil
- 10 oz magnet
- 17 ft RG58/U coax & PL-259 connector



MX-2B 144 MHz 3.4 dB . . \$39.99

MX-440B 440 MHz 5.0 dB . . \$39.99

- Same as above but all black coil

BBG Series NMO Swivel Ball & Spring Antenna

BBG-144 3.4 dB . . \$39.99

BBG-440-5 5.0 dB . . \$39.99

- Power rating: 200 watts
- NMO style coil
- Chrome top, swivel ball and spring

BBGT-144 3.4 dB . . \$49.99

BBGT-440-5 5.0 dB . . \$49.99

- Same coil as above
- Includes Trunk mount
- 17 ft RG58/U coax & PL-259 connector



Dual Band 2 meter/ 70cm Mobile Antennas

Hustler's new Dual Band antennas are designed to perform even in the toughest environments. Base coils are ultrasonically welded to ensure mechanical integrity and durability.

LMC-270 . . . \$31.99

- 2.4 dB/4.0 dB gain
- Power rating: 100 watts
- NMO style coil
- Coil and whip only

MX-270 . . . \$59.99

- 2.4 dB/4.0 dB gain
- Power rating: 100 watts
- NMO style magnetic mount
- 17 ft RG58/U coax & PL-259 connector



LM Series NMO Coils

LMG, LMC AND LMB Antennas are coil & whip only and require an NMO mount.

LMG-144 3.4 dB gain . . \$25.99

LMG-440-5 5.0 dB gain . . \$19.99

- Power rating: 200 watts
- NMO style coil
- Chrome top and bottom
- Contact-silver plated push pin

LMC-144 3.4 dB gain . . \$23.99

LMC-440-5 5.0 dB gain . . \$19.99

- Power rating: 200 watts
- NMO style coil
- Black coil with chrome top

LMB-144 3.4 dB gain . . \$22.99

LMB-440-5 5.0 dB gain . . \$19.99

- Power rating: 200 watts
- NMO style coil
- Black coil




Scanner Base Station Antenna

Hear more at a greater distance with Hustler's external omnidirectional scanner antennas.

DCX . . . \$25.99

- 40 - 950 MHz
- Vertically polarized
- Mounts to 1 1/4" OD mast or flat surface
- 55" cone elements
- 20" disc elements
- Solid aluminum rod for high strength design
- Hardware & mount included



DCL . . . \$37.99

- Same as DCX
- 50 ft RG58/U coax with PL-259 on one end and BNC or Pin plug on the other end

Mobile Scanner Antenna

Hear all of the action in your car. Covers 30-50, 148-174, 430-450, 800-950 MHz

MRM . . . \$21.99


- 3 oz Magnet mount
- 12 ft RG58/U coax
- Available with BNC or Pin plug connector

MOT . . . \$21.99

- Trunk mount
- 15 ft RG58/U coax
- Available with BNC or Pin plug connector

MOR . . . \$20.99

- 3/4" Roof or deck mount
- 12 ft RG58/U coax
- Available with BNC or Pin plug connector



New-Tronics Antenna Corporation


One New-Tronics Place
Mineral Wells, Texas 76067-9563

Phone: 940.325.1386
Toll Free: 877.994.9499
Fax: 940.328.1409

Amateur HF Mobile 10,12,15,17,20,30,40,60,75 and 80 Meter

If you are serious about HF mobile operation the **Hustler** HF Mobile System is the obvious choice. **Hustler** manufactures and sells more HF mobile antennas world wide than anyone. No other manufacturer offers the convenience, the flexibility or the pure performance that **Hustler** does. Our HF Mobile System offers a wide variety of components which enable you to customize your installation to fit your present and future needs. A choice of four different support masts provides an installation solution for every vehicle. A selection of interchangeable resonators in high and moderate power levels and varying bandwidths are available. A full complement of accessories such as springs, a multiband adapter and a quick disconnect device complete the system. Experience the satisfaction that comes with owning the best in the world — the **Hustler** HF Mobile System.

	Model	Band	Power SSB	BW @ 2:1 SWR	Weight lbs	Price
RM-10	Standard	10 m	400 W	150-250 KHz	0.41	\$16.99
RM-11	Standard	11 m	400 W	150-250 KHz	0.41	\$16.99
RM-12	Standard	12 m	400 W	90-120 KHz	0.41	\$16.99
RM-15	Standard	15 m	400 W	100-150 KHz	0.42	\$16.99
RM-17	Standard	17 m	400 W	120-150 KHz	0.44	\$23.99
RM-20	Standard	20 m	400 W	80-100 KHz	0.46	\$23.99
RM-30	Standard	30 m	400 W	50-60 KHz	0.84	\$26.99
RM-40	Standard	40 m	400 W	40-50 KHz	0.84	\$26.99
RM-60	Standard	60 m	400 W	40-50 KHz	0.84	\$28.99
RM-75	Standard	75 m	400 W	25-30 KHz	1.05	\$28.99
RM-80	Standard	80 m	400 W	25-30 KHz	1.05	\$28.99
RM-10S	Super	10 m	1 kW	250-400 KHz	1.00	\$25.99
RM-11S	Super	11 m	1 kW	250-400 KHz	1.00	\$25.99
RM-15S	Super	15 m	1 kW	150-200 KHz	1.20	\$26.99
RM-20S	Super	20 m	1 kW	100-150 KHz	1.25	\$30.99
RM-40S	Super	40 m	1 kW	50-80 KHz	1.80	\$38.99
RM-75S	Super	75 m	1 kW	50-60 KHz	2.10	\$53.99
RM-80S	Super	80 m	1 kW	50-60 KHz	2.10	\$53.99



Mobile HF Antennas Hustler Masts

MO-1 . . . \$33.99

Mobile mast 54" length, for bumper, fender or hitch mounting. Folds over at 15" above base. Made of highest quality heat treated Stainless steel and aluminum parts. 3/8" x 24 threaded

MO-2 . . . \$33.99

Mobile mast, 54" length, for bumper, fender or hitch mounting. Folds over at 27" above base. 3/8" X 24 threaded

MO-3 . . . \$25.99

Mobile mast, 54" length, for bumper, fender or hitch mounting. solid aluminum with white vinyl coating. Does not fold over. 3/8" X 24 threaded


MO-4 . . . \$21.99

Mobile mast 22" length, trunk or deck mounting. Three retuning tip rods included. 3/8" X 24 threaded

Professional Chrome Series

C-32 . . . \$12.99

Chrome plated 1 1/2" ball mount. Furnished complete with rubber pad, steel backup plate, all mounting hardware and hex key.




C-30 . . . \$12.99

Chrome plated 4" spring. Copper braided center conductor to prevent detuning. Accepts 3/8" x 24 antennas



C-29 . . . \$19.99

Stainless steel 4" spring. Copper braided center conductor to prevent detuning. Accepts 3/8" x 24 antennas



Resonator Spring

RSS-2 . . . \$12.99

Finest quality stainless steel spring for use between resonator and Hustler antenna mast. This 3" spring absorbs shock when the antenna strikes overhanging obstructions. Supplied ready for easy installation with 3/8" x 24 threads, female on one end, and male on the other. Copper braided center conductor to prevent detuning.



Magnet Mount . . . \$21.99

MBM "Super" Magnet

- 95 lbs. Pull strength
- Powerful 5 inch diameter magnet
- 8 pole magnet
- 16 feet RG 58/U coax with PL-259 connector.
- 3/8" x 24 female threads
- Recommended for antennas up to 48".



Quick Disconnect


QD-2 . . . \$21.99

100% Stainless Steel. Remove antenna from mount in seconds with push and twist release. Every part including the compression spring is manufactured from the best available 100% stainless steel. Special design of enclosed compression and lock assembly assures freedom against ice and dirt jam up. Accommodates small, medium and large mobile antennas. Equipped with 3/8" x 24 threads, female on one end and male on the other.




VP-1 . . . \$6.99

Automatic bandswitching using any three Hustler HF resonators. Adapts any Hustler HF mast to tri-band operation. No additional tuning necessary.



Bumper Mount BM-1 . . . \$23.99

Design is rugged for supporting Hustler antennas with the Standard or Super resonators. Heavy stainless steel strap, stronger than chain, fits most bumpers inconspicuously. Assembly is easily installed and held rigid by "J" bolts at the top and a bumper strap clamp at the bottom.



Professional Stainless Steel Series

SSM-1 . . . \$49.99

Heavy-duty mount with 4" stainless steel spring with copper braided center conductor to prevent detuning. 180 degree adjustable 2" diameter stainless steel ball. Accepts 3/8" x 24 antennas

SSM-2 . . . \$28.99

Heavy-duty 2" diameter stainless steel ball mount. 180 degree adjustable. Accepts 3/8" x 24 antennas.

SSM-3 . . . \$26.99

Heavy-duty stainless steel 4" spring with 3/8" x 24 coupling stud. Copper braided center conductor to prevent detuning.



HLM . . . \$24.99

Trunk lip mount designed for hatch and slanted back vehicles. 180 degree 1" diameter ball, which accepts 3/8" x 24 antennas. RG58/U coax with PL-259 connector.




TLM . . . \$23.99

Trunk lip mount, which accepts 3/8" x 24 antennas. RG58/U coax with PL-259 connector.



HOT . . . \$25.99

Trunk lip mount with easy off/on by using thumb knob. 180 degree 1" diameter ball, which accepts 3/8" x 24 antennas. RG58/Ucoax with PL-259 connector.



RVM . . . \$22.99

Recreational vehicle mount with heavy duty bracket. Easy antenna removal or lay down with thumb knob. 1" ball that accepts 3/8" x 24 antennas. RG58/U coax with PL-259 connector.



2M/70CM Dual Band Series Antennas

Radiall/Larsen dual band antennas provide excellent performance for simultaneous use of VHF and UHF amateur frequencies. Each Radiall/Larsen dual band antenna is factory preset to guarantee optimum performance with no tuning required.

NMO-2/70-SH \$40.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: Center Loaded 1/4
UHF: Center Loaded 3/4
Base: NMOUHFBASEB w/spring
Height: 17"
Whip: WNMO2/70SH

Lower profile amateur 2m/70cm dual band antenna with spring for NMO mounts.

NMO-2/70B (black) \$69.99

Freq: 144-148/440-450 MHz
Gain: 2.4/dB
Power: 100 Watts
Type: VHF: 5/8 Wave
UHF: Collinear
Base: NMO2/70BCO
Height: 33.5"
Whip: W2/70B

Amateur 2m/70cm dual band antenna for NMO mounts. Available in chrome (below).

NMO-2/70C (chrome) \$64.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: 5/8 Wave
UHF: Collinear
Base: NMO2/70BCO
Height: 36.75"
Whip: W2/70

Amateur 2m/70cm dual band antenna for NMO mounts. Available in black (above).

MM-2/70PL \$54.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: Center Loaded 1/4
UHF: Center Loaded 3/4
Base: 3' Round Mag Mount
Height: 17"
Whip: WNMO2/70B

Complete 2m/70cm magnetic mount antenna with 12' of RG58A/U coax.

NMOQ-2/70-B (black) \$38.99

Freq: 144-148/440-450 MHz
Gain: Unity
Power: 100 Watts
Type: VHF: Center Loaded 1/4
UHF: Center Loaded 3/4
Base: NMOUHFBASEB
Height: 18"
Whip: WNMOQ2/70B

Kulglass Series High Performance Glass Mount Antennas

Radiall/Larsen's Kulglass™ (KG) series uses a patented low impedance design and advanced materials to produce the world's best on-glass antenna. The KG uses advanced resin polymer plastic to completely enclose the circuit board or loading coil for mechanical durability and weather resistance. 3M's best adhesive tape, plus Radiall/Larsen's unique bonding enhancer ensure the best possible grip to the glass.

KG-2/70-CX-PL \$124.99

Freq: 144-148/442-448 MHz
Gain: 2.4/4.5dB*
Power: 50 Watts
Type: VHF: 1/2 Wave
UHF: Collinear
Base: KG2/700/S
Height: 32.5"

*Ground plane required for gain

Glass mount dual band antenna for 2m/70cm amateur radio frequencies.

KG-144-UD-PL \$86.99

Freq: 144-160 MHz
Gain: 2.4dB
Power: 100 Watts
Type: 1/2 Wave
Base: KG1440/S
Conn: PL-259
Height: 48"
Whip: WKG144

Complete KG glass mount antenna.

KG-220-UD-PL \$86.99

Freq: 220-225 MHz
Gain: Unity
Power: 100 Watts
Type: 1/2 Wave
Base: KG2200/S
Conn: PL-259
Height: 26.5"
Whip: WKG220

Complete KG glass mount antenna.

KG-440-UD-PL \$73.99

Freq: 440-460 MHz
Gain: 2.4dB
Power: 100 Watts
Type: 1/2 Wave
Base: KG4400/S
Conn: PL-259
Height: 15"
Whip: WKG440

Complete KG UHF glass mount antenna with coax and connector.

Tri-Band Scanner Antenna

NMO-150450800 \$29.99

Freq: 150-165/450-470/806-940 MHz
Gain: 2.14 dBi
Type: Tri-Band Scanner Only
Mount: NMO
Height: 16.5"

Radiall/Larsen Exclusive Kulduckie Portable Series

Superior transmit range and tough mechanical durability are the hallmark of Radiall/Larsen portables. All center cores are made of brass or copper plated steel to maximize RF emission. Fully soldered connections and silver-plated components improve electrical efficiency. Double spring BNC's reduce wear on the mount. Other styles available.

KG14-146-HQ (2m) \$25.99

Freq: 144-148 MHz
Gain: Unity
Power: 25 Watts
Type: 1/4 Wave Helical
Conn: BNC
Height: 8"

KG-14-2M-HW \$38.99

Freq: 144-148 MHz
Gain: Unity
Power: 25 Watts
Type: 1/2 Wave Telescoping
Conn: BNC
Height: 8.5 to 42"
Whip: WKD142MHW

KG4-2/70 \$38.99

Freq: 144-148/442-448 MHz
Gain: Unity
Power: 25 Watts
Type: VHF: Loaded 1/4 Wave
UHF: 1/4 Wave
Conn: BNC
Height: 8"

Impedance matching transformer provides high Q and deeper resonance.

Hear The Difference

Industry's Best NMO Mobile Antennas

Radiall/Larsen's own version of the standard 3/4" Motorola TAD/TAE type mount uses advanced design, materials and construction to provide a premium mount. For demanding outdoor applications, the chemical resistant NMO series is housed in a resin polymer plastic shell which is completely molded around the nickel plated brass whip stud to eliminate moisture damage. Our super seal gasket also greatly reduces water intrusion under the base.

NMO-27C (chrome) \$32.99

Freq: 27-31 MHz
Gain: Unity
Power: 200 Watts
Type: Loaded 1/4 Wave
Base: NMO27BCO
Height: 53"
Whip: W490

NMOQ-SPEC \$13.99

Freq: 136-512 MHz
Gain: Unity
Power: 200 Watts
Type: 1/4 Wave
Height: 21"

NMO-150C (chrome) \$30.99

NMO-150B (black) \$33.99

Freq: 144-174 MHz
Gain: 3dBd
Power: 200 Watts
Type: 5/8 Wave
Base: NMO150BCO
Height: 51.75"
Whip: W490

NMO-220C (chrome) \$30.99

NMO-220B (black) \$36.99

Freq: 220-225 MHz
Gain: Unity
Power: 200 Watts
Type: 5/8 Wave
Base: NMO220BCO
Height: 34.5"
Whip: W400


NMO-440C (chrome) \$29.99

NMO-440B (black) \$35.99

Freq: 440-460 MHz
Gain: 4.5dBd
Power: 200 Watts
Type: 5/8 over 1/2 Wave
Base: NMOUHFBASEB
Height: 33"
Whip: W154

Base Station Antennas

Radiall/Larsen manufactures a variety of small base station for directional and omni-directional applications. Each base station antenna is designed with premium materials to withstand the most demanding weather conditions. All base station antennas come with mounting hardware to attach to a pole up to 2" in diameter.



BSA-K \$53.99

Freq: 144-512 MHz
VSWR: 1.5:1 or less
Power: 200 Watts
Conn: UHF Female
Whip: 51-3/4"

Complete base station kit for designing a base station unit from 144-512 MHz. Comes with mounting hardware (antenna is extra). Works with NMO and UHF mount antennas.

Mobile GPS Antenna

GPS-NMO02 \$69.99

Freq: 1575.4 MHz
Gain: 5 dBic/28 ± 2 dB (LNA)
Voltage: 5 VDC
Type: GPS NMO mount
Height: 1.3" high x 2.9" diameter

Mounts

Larsen has a full line of permanent and temporary mounts to solve nearly every installation problem. Each mount is manufactured of the highest quality materials, including premium coaxial cable.

NMO-K \$15.99

Motorola style
roof mount

Size: 34"
Coax: 17' RG-58A/U
Conn: PL-259



NMO-MM \$32.99

Motorola style
magnetic mount

Size: 3-1/2" x 3"
Rectangle
Coax: 12' RG-58A/U
Conn: 58FCP
Pull Strength: 90 lbs.



RG-SS \$5.99

3 Super Seal NMO Gaskets

NMO-TLP \$29.99

Motorola style
trunk lip bracket,
black

Size: 1-3/4" x
1-3/4"
Coax: 17' RG-58A/U
Conn: PL-259



PO-K \$32.99

SQ-239 female type
roof mount


Size: 34" hole
Coax: 17' RG-58A/U
Conn: PL-259



PO-MM \$36.99

SQ-239 female type
magnetic mount

Size: 3-1/2" x 3"
Rectangle
Coax: 17' RG-58A/U
Conn: 58FCP
Pull Strength: 90 lbs.




TMB-34 (chrome) .. \$5.99

TMB-34B (black) .. \$7.99

Trunk mounting bracket
for NMO antenna.

Size: 1-5/8" x 1-5/8"
Mount: NMO



Parts and Accessories

W-490 \$8.99

Chrome .100 tapered replacement whip
for 144 MHz. (49")

W-490B \$12.99

Black .100 tapered replacement whip
for 144 MHz. (49")

W-2/70B \$27.99

Black .100 dia. replacement whip
for NMO 2/70B (approx. 31")

SPRING \$10.99

Shock Spring

RADIAL/LARSEN
antenna technologies

Radiall/Larsen Antenna Technologies

3611 NE 112th Avenue

Vancouver, WA 98682

360 944-7551, Fax: 360 944-7556

Email: info@radiallarsen.com


Web: www.radiallarsen.com

More RADIAL/LARSEN
See listing in Price Guide

ISOTRON BILAL COMPANY

Antennas for Very Limited Space
Simple & Effective...


*Tried, Proven and
Successful since 1980*



Common Specifications: 1000W PEP power rating (300W, CW, AM, FM, RTTY) • 50-75Ω coax feed • Omni-directional radiation pattern • Bandwidth shown is within 2:1 SWR but may vary with environment • Stainless steel fasteners • Zinc plated u-bolts • Tempered aluminum components • Cast acrylic and PVC insulators • THHN #14 solid copper coils • 85 mph wind rating

Individual Specifications:

Model	160C	80	40	20	15	10	6
Band	160 meters	80 meters	40 meters	20 meters	15 meters	10 meters	6 meters
Freq. (MHz)	1.8-2.0	3.5-4.0	7.0-7.3	14-14.35	21-21.450	28-30	50-54
hwxwd (in.)	114 x16x15	32x16x15	22x16x15	21x8x4	21x1½x4	16x1½x4	16½x2x4
BW	100 kHz	110 kHz	250 KHz	350 KHz	450 KHz	1 MHz	1.25 MHz
Windload (sq. ft.)	1.697	1.37	1.0	0.23	0.23	0.16	0.13
Weight	7 lbs.	6 lbs.	4 lbs	2 lbs	2.0 lbs	1.5 lbs	1.5 lbs.
PRICE	\$173.99	\$98.99	\$88.99	\$78.99	\$78.99	\$78.99	\$78.99



Multiband Models (top & right)

80/40 COMBO – Same as individual model specifications above. Operate 80/40 meters with one feed line Dim: 32"x16"x30", 2.37 sq. ft. 10 lbs. **\$177.99**

20/15/10 COMB – Covers same as individual model specifications above. Operates 20/15/10 meters with just one feed line **\$198.99**

SPECIAL ORDER! – You can make up your own combination. Substitute 30m for 40m in the 80/40 Combo or 17m for 15m in the 20/15/10 Combo. MARS, CAP and Commercial models available.

DIAMOND ANTENNA

D-130J Super Discone

Copied by many, equaled by none. Professional quality. Ultra-wideband omnidirectional – receives amateur, air traffic control, police, fire and other utilities from 25-1300 MHz. Can transmit 80-1300 MHz (50 MHz with adjustment). Rust-free

stainless steel employed in major component parts. Ideal antenna for scanners and receivers. Use standard RG213 or RG8X coax. Mast mounting U-bolts included. Dim: 67" h, 2.2 lbs..... **\$99.99**



UNADILLA

W2AU/W2VS 5

Band Antenna Kit Resonant on 40 and 80M. SWR on 10, 15 and 20M will be higher (2:1 to 4:1) and a transmatch may be necessary to operate these bands. Includes 40M traps, W2AU balun, end insulators and 120 feet of #14 stranded antenna wire. Rated 2KW PEP, 110 feet long..... **\$85.99**



Van Gorden Engineering



SINGLE BAND DIPOLE ANTENNAS

Complete with Hi-Q 1:1 balun, #14 stranded copper antenna wire, plastic insulators, and 100 ft. of nylon rope. Rated for full legal power (2kW). May be used in a flat-top or in an inverted-V configuration.

D-80 – 80m, 130 feet long.....	\$41.99
D-40 – 40m, 66 ft.....	38.99
D-20 – 20m, 33 ft.....	36.99
D-15 – 15m, 22 ft.....	35.99
D-10 – 10m, 16 ft.....	34.99

Shortened Dipoles Construction is the same, and includes traps as shown above.

SD-80 – 80m, 90 ft.....	\$46.99
SD-40 – 40m, 45 ft.....	44.99



MULTIBAND DIPOLE ANTENNAS

ALL BANDER All Bander Dipole – Covers 160 to 10M using an antenna tuner with balanced output. Full 135 ft. long (or less, as an inverted V or sloper). Trim to fit small lots. Assembled, with #14 gauge copper wire, center and end insulators and 100 ft. of 450Ω balanced line. 2KW PEP..... **\$35.99**

SHORTY All Bander – As above, but with loading coils to shorten the length to 70' overall... **\$55.99**



G5RV – A unique dipole configuration that covers 3.5 to 30 MHz without traps, plus covers 1.8 MHz as a Marconi-type antenna using an antenna tuner. Consists of a 102 ft. flat top with a 31 ft. long section of KW twinlead, a combination transformer-coupler and 70 ft. of RG-8X coax and connector. Assembled, rated 2KW PEP..... **\$60.99**

G5RV JR – 7-30 MHz, 52', 17' twinlead.. **30.99**
G5RV-E – 3.5-30 MHz, 102', 31' twinlead.. **35.99**
G5RV-M – 1.8-30 MHz, 204', 65' twinlead. **60.99**

PARALLEL-WIRE MULTIBAND DIPOLES

Full-size, trapless multi-band dipole performance using separate resonant-length wires for each band attached to a single center 50Ω feed point.

PD-4010 – 40/20/15/10M, 66 feet long...	\$49.99
PD-4020 – 40/20/15M, 66 ft.....	43.99
PD-8010 – 80/40/20/15/10M, 130 ft.....	55.99
PD-8040 – 80/40/15M, 130 ft.....	51.99

WD4BUM HAMSTICKS®

Two-Piece Monoband Mobile Antennas Hamstick 75 thru 10 meter models consist of a 47 inch long x 1/2 inch diameter fiberglass base section with the loading coil wound over its length and covered with black PVC shrink tubing. It's fitted on one end with a 3/8" X 24" brass base fitting that fits most amateur mobile mounts. A black 48 inch tempered stainless steel whip telescopes into the top of the base section and provides for frequency adjustment. The 6 meter model has a 34 inch base section and whip. Convenient frequency vs length graphs are included with the instructions.

If the antenna shows a SWR of 1.5 to 1 or better, no matching should be necessary. However, if it is, which may be especially true on 40 and 75m, you can capacitively match the base using values recommended in the instructions. If you frequently change bands you can use the WD4BUM INDUCTI-MATCH (IM-1) which consists of an impedance matching coil that simply installs at the base of the antenna. Using the supplied clip lead, you just tap up the coil for the best match.

Models

9106 (6M)	9110 (10M)	9112 (12M)
9115 (15M)	9117 (17M)	9120 (20M)
9130 (30 M)	9140 (40M)	9160 (60M)
9175 (75M)		
All Hamsticks each \$24.99		
901 Dipole Mount - for 2 Hamsticks .. 14.99		
IM-1 Inducti-Match 17.99		
TM-1 License Plate Mount - 3/8" x 24" 44.99		



ATAS-25 HF/VHF/UHF QRP Field Antenna - Perfect for portable use with the Yaesu FT-100D, FT-817, FT-857 or FT-897. Covers 7, 14, 21, 28, 50, 144 and 430 MHz with band switching accomplished by changing supplied elements and adjusting coils. Matched SWR is less than 2.0:1; Power: (HF/6M) 100W SSB/CW @ 50% duty cycle (50W AM/FM); (144/430 MHz) 50W all modes; Requires camera-type tripod (not supplied); SO-239 base for PL-259; Dim: 7.2 ft. high maximum; 2.05 lbs..... **\$249.99**

ATAS-120 HF/6/2/430 Motorized Tuning Antenna - Motor resonates the radiating element for lowest SWR using control voltages sent via the coaxial cable from Yaesu transceivers equipped for the ATAS system. Without duplexer, coaxial cable must be moved manually to correct jack when switching (VHF/UHF). Solid, sliding sections tune 20% faster than original ATAS-100. Mounts directly onto a standard Diamond or Comet mobile mount. Power: 120W maximum; Less than 2:1 matched VSWR. Dim: 4.59 to 5.25 ft.; 1.98 lbs **\$319.99**

ATBK-100 VHF/UHF Antenna Base Kit - Not required, generally, unless operating VHF/UHF with the ATAS-120 off-vehicle (on balcony railing, etc.), when it restores low-angle response for enhanced performance. Use with base mount..... **\$99.99**

Arrow Antenna

146/440 MHz Dual Band J-Pole Antenna

NEW

This is a very Heavy Duty antenna. The elements are made from 3/8 in. solid round aluminum stock with a heavy duty angle mounting bracket and mounting hardware for masts up to 1-1/2 in. included.


- Covers 143-149 and 437-455 MHz
- Single SO-239 feed connector
- Omni-Directional radiation pattern
- Wide Bandwidth
- VSWR less than 1.5: 1
- Gain over a 1/4-wave
- No Ground Plane required

MOUNTS just about anywhere: in attic, on a roof vent pipe (up to 1-1/2"), on metal, wood or fiberglass poles, on fiberglass or plastic vehicles, trucks, boats.

OSJ-146/440 - **\$39.99**

ICOM

AH-703 HF/50 MHz Five-Band Antenna Designed for portable operation with ICOM's IC-703 and IC-703PLUS. It covers the 7, 14, 21, 28 and 50 MHz bands with a 1/4-wave design and 20 Watt power capacity. The bands are covered by simply changing the supplied coils. Requires a PO-type base (the AH-703 terminates to a PL259). Base and coax are not supplied. Dim: 4.6 ft. high; 12 oz **\$199.99**



The ARRL ANTENNA BOOK
20th Edition - The Ultimate Reference for Amateur Radio antennas transmission lines and propagation. With CD.
ARR 9043 \$39.95



SKYHAWK 3X10 Triband Yagi - A design breakthrough. 3-band, 10-element, 20/15/10M, rust free.. Drop Ship **\$999.99**

HF-2V 80/40 Vertical - 32 ft. **269.99**

HF-6VX 6-Band Vertical - 26 ft. **349.99**

HF-9VX 9-Band Vertical - 26 ft. **399.99**



A-99 10M Base Antenna with Twin Ring Adjust-A-Match Tuning - Voltage-fed, half wave variable, mutual transfer inductance tuned antenna. It's economical and easy to use! The SOLARCON sealed base unit is tuned with external inductance rings. Impedance remains constant over the tuning range. Simple Tuning! Raising the tuning rings raises the frequency and lowering the rings lowers the resonant frequency.

Rugged, three-piece, white fiberglass construction with triple-plated brass fittings. It's easy to assemble and install. The optional GPK-1 ground plane radial kit makes it perform even better!

Full 10 meter band coverage; 3 dBi gain; 2kW power limit; Low angle of radiation for DX; DC grounded; Mounts on 1.5 in. mast; Uses 52Ω coaxial cable with SO-239 connector. 17 ft. 8 in. length **\$79.99**



GPK-1 Groundplane Kit Use with the A-99 for 30% more power gain and lower angle of radiation. Collar and 4 fiberglass radials .. **\$59.99**

M² ANTENNAS




HO Loops - At times, when using highly directional VHF or UHF antennas, there are signals you cannot hear off the sides and back. The addition of an **HO-Loop** to your set-up will enable you to be aware of those stations you may be missing. Great for round tables, nets and monitoring for band openings.

HO-Loops are horizontally polarized and omnidirectional, ideal for mobile or base operation with contacts up to 200 miles not uncommon. Typical gain is 4.0+ dBd, and power rated at 800W or 1.5kW stacked. They're easily adjustable and have a wide bandwidth that ensures high performance regardless of the weather.

6M-HO-LOOP	
50-50.3 MHz, 29.5 in. square	\$119.99
2M-HO-LOOP	
144-144.5 MHz 11.25 in. square	\$52.99
222-HO-LOOP	
220-224 MHz, 7.75 in. square	\$52.99
432-HO-LOOP	
430-436 MHz, 4.4 in. square	\$52.99

See the Product Locator for more High performance M² antennas



BROADBAND ANTENNAS

MARS, ARES, RACES, CAP, Amateur – One antenna does all "out of band" frequencies! Single antenna solution for regular amateurs; Low cost – Compared to multiband antennas. Utilize one antenna instead of several. No need for an antenna tuner or antenna switches. Performance not limited to conventional ham bands. Operate on any frequency in the antenna's bandwidth, and have VSWR of 2:1 or better. Low Noise, capture weak signals in receive mode. Better performance than any vertical and very reliable; Simple to Use – Work any frequency you want with low SWR without measurements and tuning.

BROADBAND FOLDED DIPOLES

These antennas operate all HF frequencies continuously within their design range without an antenna tuner, plus 6M with a tuner. Install as flat top, inverted vee, or sloper. Constructed of #14 stranded copperweld or stainless steel wire. Unbalanced 50Ω input with SO-239 connector. Shipped completely assembled. Handles 2 KW PEP.


BWD-20 – 14-30, 20 ft., copperweld..... **\$199.99**

BWD-45 – 7-30, 45 ft., copperweld..... **\$199.99**

BWD-65 – 4-30, 65 ft., copperweld..... **\$209.99**

BWD-90 – 1.8-30, 90 ft., copperweld..... **\$209.99**

FDMK Folded Dipole – 3-pole mtg. kit... **\$45.99**



BROADBAND END-FED VEE ANTENNA

Unique design, covers 1.8-30 MHz continuous, with a VSWR of <2:1 without an antenna tuner, 6M with a tuner. Installs with termination at both ends by ground stakes (not included), and the center about 25' above the ground. Omnidirectional, high angle radiation at lower frequencies. Increased angle from 5-15 MHz, above 15 MHz more directional in the line of the antenna wire. In limited space, wire may be shortened without greatly affecting the VSWR, but lowering radiation efficiency. Excellent EMI rejection and is extra quiet to capture weak signals. Handles 2kW PEP. Fully assembled, uses #14 stranded copperweld or stainless steel. 110' long, 7 lbs.

AC-1.8-30 – Copperweld wire..... **\$209.99**

AP-10B Window/Portable 300W PEP Antenna – A 10-40M base loaded antenna with 7-30 MHz continuous coverage, plus 2 and 6M. Tunes a low VSWR by tapping a fly lead up or down the coil and adjusting the supplied counterpoise wire. A quick and dependable antenna system when larger antennas cannot be used. Supplied with mounting bracket/clamp, counterpoise wire and 10 feet of coax..... **\$89.99**

High Sierra Antennas

MOTORIZED ANTENNA

PLATINUM PACK Continuous coverage, Motor Driven HF Antenna Package – The HS-1800/PRO antenna provides continuous tuning from 3.5 to 30 MHz with a typical VSWR of less than 1.5:1 across the entire tuning range. Removing the supplied 6-foot whip provides a tuning range from 6.9 to 60 MHz. The "best antenna" for general mobile use because of its light weight, high performance and ability to cover the entire HF spectrum. Also a great idea for antenna-restricted QTHs, ARES/RACES and more!

Complete package, ready to install, includes the HS-1800/PRO (right) – black powder coat finish with black stainless-steel whip, black universal mounting bracket, quick-disconnect manual control box, RF filter assembly and installation kit (20 feet of control cable, wire ties, (2) PL-259's, 3 feet of ground strap and connector sealing material)..... **\$495**

SIDEKICK Continuous Coverage, Motor Driven HF Antenna – Similar in design to the HS-1800/PRO but, only 15" tall. Comes with 3' whip. Covers 3.5-60 MHz with a 200W power rating. Includes manual control box, RF filter assembly and 3/8-24 threaded base to use with mounting bracket..... **\$375**

SIDEKICK I-BOX Continuous Coverage, Motor Driven HF Antenna – Same as Sidekick, but includes a semi-automatic I-box controller for Icom transceivers. Plugs into IC-703, 706, 718, 736, 746, 756, 765 & IC-775; no external power needed. To tune, just press the switch on the control box. The transceiver automatically transmits with low power. When the SWR drops down, release the switch. Typical tune-up is less than 10 seconds..... **\$425**



MOTORIZED ANTENNA ACCESSORIES

HS-120 (left) Capacity Hat – Six stainless steel rods with aluminum tips inserted into a brass hub. Hat diameter is 1.5 feet. Installed on the HS-1800 it's roughly equal to adding 6 more feet of whip.. **\$50**

HS-202CL (right) Layback Adapter – Fits into a standard 2" x 2" trailer hitch receiver. Removing pin allows vertical solid rod to lay back at a 45° angle, letting a trunk, rear hatch or tail gate can be opened. Black, powder coated..... **\$100**

HS-214CL (right) Layback Adapter – Same as above, fitting 1.25" x 1.25" hitch receiver..... **\$100**

ORDER ON-LINE!



USE YOUR CREDIT CARD

Shakespeare®



VHF MARINE ANTENNAS

4187 Ratchet Mount (above) – Stainless steel. 4-way ratchet design with handle for deck or bulkhead mounting. Standard 1"-14 male threads..... **\$36.99**

396-1 Center-fed 1/2 Wave Coaxial Sleeve Antenna – Basic 3dB antenna designed to reduce signal fading when working in rough seas. Widely used by the Coast Guard. 5 MHz bandwidth, 3dB gain, 50W; Shakespeare, white fiberglass; Brass and copper elements; Deluxe chrome-plated brass ferrule; One section; 5 ft. length, 15' RG-58 cable with PL-259. Use 4187 ratchet mount..... **\$69.99**

420 Skipper™ Center-fed 1/2 Wave Coaxial Sleeve Antenna – Economical, and a good basic 3dB antenna for steady, day-to-day cruising in calm to moderate seas. Includes a polycarbonate lift/lay deck mount, leveling plate and hardware. 5 MHz bandwidth, 3dB gain, 50W; White Shakespeare fiberglass; Brass and copper elements; Polycarbonate ferrule; One section, 5 ft. length; 15 ft. RG-58 cable with PL-259..... **\$69.99**

5101 Centennial™ End-fed Antenna with Matching Stub – High-end features in an 8' antenna with a brass element and a smooth, high gloss, polyurethane finish that won't turn yellow in the sun. 5 MHz bandwidth, 6dB gain, 50W; One section; Brass and copper elements; Chrome-plated brass ferrule with standard 1" x 14 thread; 8 ft. length; Includes 15 ft. RG-58 cable and a PL-259 coaxial connector. Use with 4187 ratchet mount..... **\$59.99**

5206-C End-fed Antenna, Matching Stub – Economical, lightweight and self-supporting antenna for good communications where range is not the predominant factor. 3 MHz bandwidth, 6dB gain, 50W; White Shakespeare fiberglass; Chrome-plated brass ferrule; One section; DC grounded; 8' length, 15' RG-58 cable with PL-259. Use with 4187 ratchet mount..... **\$49.99**

5202 Collinear-phased 5/8 Wave Elements – A rugged, professional quality antenna featuring a heavier duty radome and tough brass and copper construction for maximum efficiency and extra range. 3 MHz bandwidth, 6dB gain, 50W; White Shakespeare fiberglass; Chrome-plated brass ferrule; One section; DC grounded; 8' length, 20' RG-58 cable with PL-259. Use with 4187 ratchet mount..... **\$89.99**

5215 Squatty Body™ VHF Marine Antenna – Frequency: VHF Marine band; 7 MHz bandwidth; 1.5:1 @ 156.8 MHz SWR; 50Ω impedance; 50W; A favorite with Sailboat owners, this light weight, low profile, stainless steel antenna was specially designed for masthead mounting. It features hermetically sealed, tin-plated copper wire coil; stainless steel body and whip SO-239 connector; stainless steel "L" bracket mount, and one section; 3dB gain, end-fed 1/2-wave; 36" long..... **\$39.99**

pro·am® ANTENNAS & ACCESSORIES

160-6 Meters Mobile

PHF Series Antennas

Single band whips consisting of a black fiberglass lower section with integrated coil and an adjustable and removable stainless steel whip, except for the PHF-160. These time-proven HF antennas are especially designed for maximum efficiency, low VSWR and broad bandwidth. They are power rated for 250 Watts P.E.P. and built to withstand considerable use. Standard 3/8" x 24 thread base. Assembled length on all models is 96 in. (the PHF-6 is 58 in.).


The model **DAK-AD** Dual Adapter Mount (\$13.99) accepts two antennas to make up a single band vertical or horizontal dipole which is perfect for limited space or portable operation..

Model	Band	Bandwidth	Price
PHF-160	160M	12 kHz	\$89.99
PHF-75	75M	36 kHz	\$29.99
PHF-40	40M	60 kHz	\$23.99
PHF-30	30M	100 kHz	\$23.99
PHF-20	20M	150 kHz	\$23.99
PHF-17	17M	175 kHz	\$23.99
PHF-15	15M	200 kHz	\$23.99
PHF-12	12M	300 kHz	\$23.99
PHF-10	10M	500 kHz	\$23.99
PHF-6	6M	1000 kHz	\$23.99

Multi-Band Mobile

AB-5 \$119.99

Consists of a 4 ft. aluminum mast and tri-top adapter with resonators included for 10, 15, 20, 40 and 75 meters. Also operates on 6 meters. Mast fits any standard 3/8 x 24 thread mobile mount. The 10, 15, and 20 meter resonators work without extra tuning. The interchangeable 40 and 75 meter resonators are easily tuned with their tunable tips.



2 Meters

PHB-144 \$29.99

5/8 wave, 3dB gain over 1/4 wave, covers 144-174 MHz. Tuned, low loss coil with 1-1/8" threads to match Pro·am and 3/4 in. hole Motorola TAD/TAE mounts. Rated 100W, whip length 49 in.

CX-144 \$19.99

5/8 wave, 3 dB gain over 1/4 wave. Heavy duty matching coil with standard 3/8" x 24 chrome-plated base. Rated at 100W, length 49 in.

Thru Glass 2 Meter

GM-144 \$29.99

Mounts on windshield and operates thru-the-glass to a tuning unit mounted on the inside. Features a 27-1/2 in. copper plated whip with black finish, 14 ft. of RG-58 coax and PL-259 connector. Gain is 2.5 dB over a 1/4 wave. VSWR is 1.5:1 through the band. Rated for 50W. Tunable.

Some autos have "passivated glass" which does not permit thru-glass antennas to work. Check your manual or with your dealer.



TGS \$34.99

Thru-the-glass Scanner Antenna for 112-1200 MHz receive only. Looks like GM-270, 22 in. tall, complete with cable connectors and mounting hardware.

Thru Glass 2M/70CM

GM-270 \$59.99

Dual Band 2M/70cm thru-the-glass antenna featuring a 26-1/2 in. copper plated whip with black finish, 14 ft. of RG-58 coax and PL-259 connector. Gain is 2.6 dB over a 1/4 wave at 2m and 4.0 dB over 1/4 wave at 70 cm. VSWR is <2:1 through the bands. Rated for 50W. Tunable.

MM-270B \$19.99

Dual Band 2M/70cm MICRO-MAG™ with a 1-1/8 in. black ABS rare earth magnetic base and stainless steel 20 in. whip. A 2M 1/4-wave and 70 cm 5/8-wave with unity gain and 1.5:1 VSWR throughout the bands. Rated for 50W on 2m and 25W on 70 cm. Has 9 ft. of RG-174 cable to a BNC connector.



PMM-3B \$19.99

Tri-Band (40W) 2M / (24W) 70cm + (15W) 824-896 MHz (Cellular/Scanner). Similar to VAA-002BN MICRO-MAG™ above. Only 13-1/2 in. tall with 9 ft. coax and BNC.




PAS \$19.99

Motorola-style surface mount with 17 ft. of RG-58 cable and PL-259 connector. Installs in 3/4" hole in roof, fender or cowl mount.

PASMO \$7.99


Motorola-style 3/4" hole surface mount only, less cable and connector



Dual Band 2M & 70CM +

MO144-440 \$21.99

A dual band antenna to over it all! 19" Covers 2M/70cm plus works great for all band scanners 25 MHz-1.3 GHz. Stainless steel whip. Mount with 1-1/8" threads match 3/4" hole pro·am and Motorola TAD/TAE mounts. SWR less than 2:1. Gain: unity on 2m and 2.1dB over a 1/4 wave on 70 cm.



Utility

PAQA \$9.99

A unity gain stainless steel UHF/VHF whip that covers 136 to 866 MHz with cutting required. Nickel/chrome plated brass base with 1-1/8" threads to match Pro·am and 3/4" hole Motorola TAD/TAE mounts. Includes cutting chart.



PAT-2 \$19.99

A chrome low profile trunk-lip mount including 17 ft. of RG-58 cable with PL-250 connector.

Model **PAT-2B** is BLACK.

PAMB \$24.99

A black 3-3/4 in. diameter low profile magnet Motorola mount pre-wired with 12 ft. of RG-58 cable to a PL-259 connector.

301 \$16.99

4 in. dia. with 3/8" x 24 mount.


401 \$19.99

5 in. dia. with 3/8" x 24 mount.

Mounts

105AD \$6.99

Mount assembly. Nickel plated brass SO-239 and extra HD hex. For Plug to plug connections.



105HD \$3.99

Mount assembly. Bolt mounts through a 1/2 in. hole. Extra HD-duty nickel plated brass hex. For plug to plug.



103S \$24.99

Quick disconnects for quick antenna removal. One 3/8" x 24 base and five spring loaded twist-lock connectors.




120 \$7.99

Radio Hump Mount. Saw-tooth design grips without damage to carpet. Adjustable, steel, baked black finish.



100ADT \$9.99

Extra heavy duty aluminum 3-way mirror mount. 3/8" x 24 mount and SO-239 connection




100ADN \$10.99

Extra heavy-duty aluminum double groove Mirror Mount with 3/8" x 24 mount and SO-239 connection.




SS-100MOT \$3.99

Stainless steel 3-way Mirror Mount with Motorola-style mount. Includes 10 ft. of RG-58 cable with PL-259.



DAK-AD \$13.99

Dipole Adapter Mount with one Lug and one SO-239. Accepts two PHF or other 3/8"x 24 antennas for vertical or horizontal dipole.



BNC-SC-RS Closeout \$14.99

Suction cup mount for ducks, etc. With 7 ft. RG-174/U cable w/male and female BNCs.




PAN-38 \$14.99


3/8" x 24 to NMO mount adapter



MM-3401 \$59.99

Heavy Duty magnet mount for NMO based antennas with adapter for 3/8" x 24 thread. Features three 5 in. dia. magnets on a heavy duty aluminum frame protected by an ABS plastic cover. Includes 17 ft. of RG-58 cable with PL-259 connector. Dim: 9-1/2" x 9-1/2" x 2" h. Wt: 8 lbs.





COAXIAL CABLE

See Belden in the Price Guide

Model	Type	Dia. (in.)	Center conductor	Insulation type	Shield coverage	Jacket type	Imp. (Ω)	Vel. factor	Loss/100' 100 MHz
8216	RG-174 Sub-miniature	.11	26 AWG bare copper coat steel	Solid polyethylene	90% tinned copper braid	Black PVC	50Ω	66%	8.4 dB
8219	RG-58A/U	.195	20 AWG stranded bare copper	Foam polyethylene	96% tinned copper braid	Black PVC	53.5Ω	73%	4.5 dB
8240	RG-58/U	.195	20 AWG solid bare copper	Solid polyethylene	95% tinned copper braid	Black PVC	51.5Ω	66%	3.8 dB
8259	RG-58A/U	.193	20 AWG stranded tinned copper	Solid polyethylene	95% tinned copper braid	Black PVC	50Ω	66%	5.4 dB
8262	RG-58C/U non-contaminating	.195	20 AWG stranded tinned copper	Solid polyethylene	95% tinned copper braid	Black, non-contaminating PVC	50Ω	66%	5.4 dB
9258	RG-8X Mini-8	.242	16 AWG stranded bare copper	Foam polyethylene	95% bare copper braid	Black PVC	50	82%	3.1 dB
8214	RG-8/U	.403	11 AWG stranded bare copper	Foam polyethylene	97% bare copper braid	Black PVC	50Ω	78%	1.7 dB
8237	RG-8/U	.405	13 AWG stranded bare copper	Solid polyethylene	97% bare copper braid	Black PVC	52Ω	66%	1.9 dB
8267	RG-213/U non-contaminating	.405	13 AWG stranded bare copper	Solid polyethylene	97% bare copper braid	Black, non-contaminating PVC	50Ω	66%	2.1 dB
9913	Low loss semi-flexible RG-8/U	.405	10 AWG solid bare copper	Semi-solid polyethylene	100% bonded foil plus 90% tinned copper braid	Black PVC	50Ω	84%	1.3 dB
9913F7	Low loss flexible RG-8/U	.405	10 AWG stranded bare copper	Gas-injected foam polyethylene	100% bonded foil plus 90% tinned copper braid	Black Belflex®	50Ω	84%	1.5 dB
8241	RG-59/U	.242	23 AWG solid bare copper	Solid polyethylene	95% bare copper braid	Black polyethylene	75Ω	66%	3.4 dB
8213	RG-11/U	.405	AWG 14 solid bare copper	Gas-injected foam polyethylene	97% bare copper braid	Black polyethylene	75Ω	84%	1.3 dB
8238	RG-11/U	.405	18 AWG stranded tinned copper	Semi-foam polyethylene	97% bare copper braid	Black PVC	75Ω	66%	2.0 dB

ROTOR CABLE

8448 Standard duty, 8 wire – Up to 100 ft. runs. Six #22 and two #18 AWG tinned copper conductors. PVC insulation and PVC jacket.

9405 Heavy duty, 8 wire – Over 100 ft. runs. Six #18 and two #16 AWG tinned copper conductors. PVC insulation and PVC jacket.

8484 Standard duty, 4 wire – Four #20 AWG tinned copper conductors. PVC insulation and PVC jacket.

PREASSEMBLED COAXIAL HOOK-UPS

9354 – 50' RG-8/U low-loss foam, PL-259s **\$64.99**

9355 – 75' RG-8/U low-loss foam, PL-259s **\$84.99**

9356 – 100' RG-8/U low-loss foam, PL-259s **\$94.99**

ANTENNA & GROUND WIRE

8000 – #14 AWG (7x22) stranded bare copper-covered steel antenna wire.

8018 – #8 AWG (solid) soft annealed aluminum ground wire – multiples of 50 ft.

DACRON® GUY ROPE



Black Dacron® Polyester Rope – Constructed of strong double braid Dacron® polyester. It's black for UV protection and has excellent resistance to weather, mildew and abrasion. The rope ties and cuts easily and ends seal effectively with the application of a small flame or hot tool.

After a small initial "set" due to tightening of the braid, it has virtually no long term stretch, making it ideal for supporting dipoles, long wires, etc. Also, great for non-resonant guying of masts or towers. When used as an overhead boom support rope for beam antennas, it eliminates a conductive wire from the RF field, which is especially important in VHF/UHF applications.

100' – 100 ft., 260+ lbs., 3/32 in. **\$7.99**


100' 3/16 – 100 ft., 770+ lbs., 3/16 in. **16.99**

100' 5/16 – 100 ft., 1790+ lbs., 5/16 in. **22.99**

350' – 350 ft., 770+ lbs., 3/16 in. **44.99**

TV CABLE

WINEGARD®
Clearly the World's Best!



TV-2900

RG-6 75Ω TV Coaxial Cable with cellular poly dielectric, #20 copperweld center conductor, 100% aluminum foil shield and 40% aluminum braid shield provides low-loss, good conductivity, flexibility and high tensile strength. Weather-proof F-connectors are installed.

CX-0625 – 25 ft. length **\$10.99**

CX-0650 – 50 ft. length **15.99**

CX-0675 – 75 ft. length **19.99**

CX-6100 – 100 ft. length **24.99**

TV-2900 Weatherproof Transformer – 82 channel, matching transformer for indoor or outdoor use. Adapts 75Ω coaxial cable with F-connector to terminals of a 300Ω TV antenna, TV set or coupler. Includes F-connector and weather boot..... **\$2.99**

Connecting you to the World!
CABLE X PERTS.

FLAT BRAIDED GROUND STRAP



Flat, flexible, and tinned for easy soldering. The 1 in. wide size is recommended for connecting tower legs or antennas to ground rods or to a central grounding point. From the central point, use separate lengths of 1/2 in. wide to connect to each piece of station equipment for best lightning protection.

2332 – 1/2 in., 10 gauge, rated at 53A, per ft. **69¢**

2332 100 – 100 ft. roll of above **\$52.99**

235 – 1 in., 7 gauge, rated at 85 amps per ft. **\$1.13**

235 100 – 100 ft. roll of above **\$92.99**



ROTARY COAX CABLE STRIPPERS


For quick, clean prep of coaxial cable without damage. Insert coax, turn clockwise 4 or 5 times.

24-7735P – for RG-58, RG-59, RG-62.. **\$22.99**

24-7736P – for RG-6, RG-59, 8281 **21.99**

24-7739P – for RG-8, RG-11, RG-213 ... **29.99**

FAST DELIVERY!



We accept I.M.P.A.C.® Government Credit Cards

MEJ



1703 Antenna/Transmitter RF Safety Switch Connects two rigs and two antennas, and switches between the two. Designed to keep your transceiver from transmitting while not terminated. Usable from 1.8-30 MHz and is rated at up to 300W PEP SSB/150W CW on 50-75 ohm unbalanced lines. All metal cabinet with mounting tabs **\$19.99**



READY-MADE COAX CABLE ASSEMBLIES

CXP1318FC

Connector: PL259 both ends.
Burial: Yes. UV Resistant: Yes.
Shields: 2 (100% bonded foil+95%TC Braid) V/P 84%
Attenuation @ 100ft: 50MHz 1.1, 150MHz 1.9, 450MHz 3.3
Recommended frequencies: 50-450MHz.

CXP008C

Connector: PL259 both ends.
Burial: No. UV Resistant: Yes.
Shields: 1 (95%BC Braid) V/P 78%
Attenuation @ 100ft: 10MHz 0.51, 30MHz 0.9, 50MHz 1.2
Recommended frequencies: 1-50MHz.

CXP1318FN

Connector: "N" Male both ends.
Burial: Yes. UV Resistant: Yes.
Shields: 2 (100% bonded foil+95%TC Braid) V/P 84%
Attenuation @ 100ft: 150MHz 1.9, 450MHz 3.3,
Recommended frequencies: 150MHz & higher.


CXP08XC

Connector: PL259 both ends.
Burial: No. UV Resistant: Yes.
Shields: 1 (95%BC Braid) V/P 78%
Attenuation @ 100ft: 10MHz 0.98, 30MHz 2.0
Recommended frequencies: 1-30MHz.

CXP213C

Connector: PL259 both ends.
Burial: Yes. UV Resistant: Yes.
Shields: 1 (97%BC Braid) V/P 66%
Attenuation @ 100ft: 10MHz 0.62, 30MHz 1.2
Recommended frequencies: 1-30MHz(High Power).

BRAIDED GROUND STRAP



Sizes: 1/2" wide
or 1" wide



SILVER, TEFLON®
CONNECTORS.

CABLE X-PERTS, INC.

Connecting You to the World...

See Price Guide for Cable X-perts pricing.

COAX-SEAL
The Original Coaxial Sealant

WRAP!

MOLD!

UNV 104 Hand Moldable Plastic for Antenna Component Protection - The quick and effective way to seal and protect all types of coaxial fittings, baluns, antenna parts and connectors. Simply wrap it on like regular tape, then mold it to any shape. It adheres tightly to metal, vinyl and polyvinyl coax outer jackets. Stays flexible and sealed at any temperature for years to resist moisture penetration and deterioration. Its permanent flexibility makes it possible to remove and reinstall fittings, then re-seal by reforming the same material. Non toxic and non-contaminating roll, 1/2" w x 60' **\$3.99**

Coax & Connector Protection Products



STUF Dielectric Water-proof Connector Filler Seals out moisture. High purity macroscopic foam that dielectrically simulates the coaxial cable core. Fill coax connectors and tighten. The filler material hydraulically channels into all connector voids and points of moisture entry. Non-hardening, easy to remove. No silicone, or other additives to harm coax cable material..... (tube) **\$4.99**




PENETROX™

PENETROX® A Conductive Grease - Highly recommended for use on aluminum-to-aluminum and aluminum-to-copper connectors, on bare conductors, and bus bars. Assures long term high conductivity joint by sealing out air and moisture to prevent corrosion and reformation of oxide film. Apply to mating pieces of antenna components, tubing, etc. during assembly to provide a non-corrosive, low resistance and air tight seal. Makes later disassembly effortless..... (4oz bottle) **\$12.99**

ANTENNA WIRE

MEADOW RIDGE PRODUCTS, INC.



COPPERWELD® Antenna Wire Forge-welding makes the two metals inseparable! Solid bare copper-over-steel wire - the best for antennas. Very strong, the steel core has very little stretch and long service life. The copper covering provides low RF resistance and solders easily. 12, 14 or 18 gauge.

AN-122 - 100 ft. #12.....	\$29.99
AN-123 - 150 ft. #12.....	39.99
AN-124 - 250 ft. #12.....	59.99
AN-126 - 500 ft. #12.....	99.99
AN-128 - 1000 ft. #12.....	179.99
AN-142 - 100 ft. #14.....	24.99
AN-143 - 150 ft. #14.....	29.99
AN-144 - 250 ft. #14.....	39.99
AN-146 - 500 ft. #14.....	69.99
AN-148 - 1000 ft. #14.....	119.99
AN-181 - 250 ft. #18.....	17.99
AN-182 - 500 ft. #18.....	29.99

Van Gorden Engineering

BALUNS & INSULATORS

HI-Q 1:1 or HI-Q 4:1 Baluns

For dipoles, yagis, inverted vees and doublets. Provides 1:1 or 4:1 impedance ratio for matching unbalanced coaxial cable to balanced antennas. Covers 3-40MHz with a 1.5KW rating. Reduces feedline radiation for more power into antenna, and reduced TVI/BCI problems. Built-in DC ground reduces static noise and provides some lightning protection. Convenient SO-239 connector and center support eye hook; weatherproof ea. **\$18.99**


ANTENNA CENTE HI-Q

Antenna Center Insulator

Insulator only, no balun. Replaces egg-type center insulator. Small, rugged, lightweight, weatherproof, SO-239 connector, center supporting eye hook **\$9.99**

ANTENNA END IN - End insulators pair **\$6.99**

DOG BONE - Antenna insulator..... each **99¢**



LADDER LINE

450 OHM 100 - 18 ga. 100' insulated... **\$19.99**

450 OHM 14 100 - 14 ga. 100' insulated **39.99**

450 OHM 1000 - 18 ga. 1000' insulated **149.99**

450 OHM 14 1000 - 14 ga. 1000' insul **299.99**

WHITE NYLON ROPE

NR-100 - 100' roll, antenna guy rope **\$6.99**

NR-1000 - 1000' roll, antenna guy rope... **50.99**

N CONNECTOR

N CONNECTOR - Male connector for Belden 9913 and 8214 coax..... **\$4.99**

PREASSEMBLED COAXIAL HOOK-UPS

8X-1.5ST - 1.5' RG-8X, silver-tef. PL-259s **\$9.99**

8X-3ST - 3' RG-8X w/silver-teflon PL-259s **10.99**

8X-6ST - 6' RG-8X w/silver-teflon PL-259s **12.99**

8X-12ST - 12' RG-8X, silver-teflon PL-259s **15.99**

8X-25ST - 25' RG-8X, silver-teflon PL-259s **22.99**

8X-50ST - 50' RG-8X, silver-teflon PL-259s **32.99**

8X-75ST - 75' RG-8X, silver-teflon PL-259s **40.99**

8X-100ST - 100' RG-8X, silver-tef. PL-259s **47.99**

213-25ST - 25' RG-213, silver-tef. PL-259s **34.99**

213-50ST - 50' RG-213, silver-tef. PL-259s **50.99**

213-75ST - 75' RG-213, silver-tef. PL-259s **72.99**

213-100ST - 100' RG-213, sil.-tef. PL-259s **90.99**



Automatic Antenna Tuners & Accessories

Common Tuner Features: • 1.8 to 54 MHz Coverage • Microprocessor-controlled "L" Network analyzes SWR, automatically tunes antennas and retains settings in memory • Tunes all Coax-fed dipoles, Verticals, etc. • Optional baluns for ladder line and end-fed antennas • 12V DC (nominal) operation • Low Power Consumption



AT-100PRO Autotuner - Rated at 1-125W SSB & CW. Over 4200 memories for instantaneous band changing. Built-in two-position antenna switch with separate memories for each antenna. EZ-to Read LED bargraph shows RF power, SWR, and a Function key allows access to mode and status data. Tuned configuration is retained indefinitely even when powered down.
Dim: 7.5" w x 5.5" h x 2.0" d; 1.5 lbs **\$199.99**



AT-200PRO Auto Tuner - Rated 5-200W SSB/CW (100W on 6M). 16,000 3D memories for instantaneous band changing. Two position antenna switch with memories for four antennas on each position.
Dim: 8.5" w x 2.0" h x 6" d; 6 lbs **\$229.99**



AT-1000 Desktop High Power Automatic Antenna Tuner - Rated: 1000W SSB, 750W CW and 500W Digital (100W on 6M). Up/down push buttons allow manual fine tuning. Cross-needle meter simultaneously shows forward, reverse PWR & SWR. Dim: 13" w x 3" h x 9" d; 6 lbs **\$549.99**



AT-897 Automatic Antenna Tuner - A specialized bolt-on tuner for the Yaesu FT-897; an alternative to the Yaesu FC-30. Consumes ZERO power when not tuning, perfect for battery operation. Powers from the FT-897 CAT port. A second CAT port allows simultaneous use of computer control and tuner.
Dim: 1.5" w x 3.25" h x 10.5" d; 2 lbs **\$199.99**

TW-1 Talking Wattmeter Unique! - Speaks Forward, & Reverse power in Watts, and SWR in English, Spanish or German. Select variable (depending on power level) continuous tone for making amplifier or tuner adjustments. Autorangeing: 2-2000W, 1.8-54 MHz. Dim: 4.5" w x 3" h x 5" d; 1 lb **\$149.99**



Z-100 Automatic Antenna Tuner - Power consumption is near ZERO when not tuning - perfect for battery operation. Rated: 0.1-125W (50W on 6M). 200 fast memories. Latching relays allow the Z-100 to be powered off once tuned. Optional interfaces for DC power and control for Alinco, Icom, Kenwood and Yaesu radios.
Dim: 5.5" w x 1.5" h x 5.25" d; 14 oz **\$149.99**



RT-11 Remote Mounting Automatic Antenna Tuner - For Mobile, Marine, and Remote applications. Weather resistant, ABS plastic enclosure with mounting flanges. Rated: 0.1-125W (50W on 6M). Latching relays allow powering-off once tuned. Optional remote head and interface cables for Alinco, Icom and Kenwood radios.
Dim: 8.5" w x 3" h x 5.5" d; 2.5 lbs **\$199.99**

RT-REMOTE Remote Control Head **\$39.99**



DTS-4 Antenna Switch - Instantly switch your radio between 4 antennas with the press of a button. Handles up to 1500W (HF); (250W 6M). Can sense when your transceiver is turned off, and automatically ground all antenna inputs for surge protection. When power back up, it automatically resets to the antenna you were last using. Uses rugged, sealed industrial relays, LEDs indicate antenna selection. Dim: 4.5" h x 5" w x 3" d; 1 lb **\$79.99**

DTS-4R Remote Control Head - Mount a DTS-4 away from your operating position to save coax runs or reduce clutter. Has a full set of control buttons and indicator lights, but only a single, slim control cable running from the DTS-4R back panel to the remote DTS-4 switch **\$39.99**

Baluns



Tune Balanced Line and Long Wires antennas with LDG Automatic Antenna Tuners or with any of your own antenna projects. Rated: 200W from 1.8 to 30 MHz.
Dim: 2" w x 1.5" d x 4.5" d; Wt. 6 oz.

Order **RBA-1:1** 1:1 or **RBA-4:1** 4:1.....ea. **\$30.99**

Interface Cables (AT-100Pro, Z-100 & RT-11)

AL-IC1 - Alinco 10 ft. Interface Cable **\$20.99**

Icom-IC1 - Icom 10 ft. Interface Cable **\$20.99**

Icom-IC2 - Icom 8 ft. Interface Cable **\$9.99**

K-OTT - Kenwood One Touch Interface **\$9.99**

Y-ACC - Yaesu FT-897/857 Interface Cable. **\$12.99**



Palstar, Inc. High quality, Antenna Tuners designed by Hams for Hams. American made, solidly constructed and built to last.



AT-1KM Tuner - Featuring Differential Capacitor tuning with two stators and one rotor. Ease of use utilizing only two controls to operate for tuning with a Palstar designed precision ceramic body roller inductor and high power balun. Covers 1.8-30 MHz and rated 1200W SSB. Wide impedance matching range; Illuminated Cross-Needle SWR/Wattmeter with 0-300W/0-3000W ranges; Powder coated panel and top cover.
Dim: 10.5" w x 4.5" h x 11" d; 8 lbs **\$359.99**

AT-1500CV

T-type Tuner

Low profile, handles up to 1500W Watts SSB.



Features an edge-wound, silver-plated, roller inductor for high power use. Covers 1.8-30 MHz matching dipoles, center-fed doublets, G5RV's, balanced feeders, verticals, single wires, delta loops, beams, windoms, V's, etc. Built in 4:1 balun for balanced feeders; 6-position antenna selector switching and bypass position for straight-thru use with SWR and power monitoring; Average power reading to 3000W; Lighted Cross-Needle SWR/Wattmeter.
Dim: 12.5" w x 4.5" h x 12" d; 10 lbs **\$459.99**

BT-1500A

Dual-Roller Balanced-L Tuner

Fills the void for a matching network up to 1500W SSB for Balanced Line antennas, 160-10M. For ease of use, the BT1500A utilizes only two controls for tuning with two direct-coupled precision silver-plated ceramic roller inductors, crank handle driven Cross-Needle metering with backlighting, Ferrite 1:1 input balun; Vernier drive for smooth tuning. The front panel and top cover are powder-coated. Dim: 13" w x 6" h x 16" d; 17 lbs **\$695.99**



AT-4K

T-Match Network

In the typical unbalanced 4:1 balun tuner the balun is exposed to impedance and reactance that its not designed to handle. The AT4K utilizes a 1:1 unbalanced-to-balanced transformer at the input. When properly tuned, a 50 ohm impedance will be presented both to the input and output. Rated 2500W single tone continuous; Unbalanced and Balanced output with high-power balun at the input; T-Match circuit (8-2000Ω); Custom, large value (500pf), variable capacitors (6kV rated); 10 Amp, edge-wound, solid copper, silver-plated roller inductor; Cross-needle SWR/Wattmeter.
Dim: 7" h x 15" w x 16" d; 20 lbs **\$895.99**











MFJ ANTENNA TUNERS



902



922



902 Tiny Travel Tuner – Only 4.5" w x 2.25" h x 3" d, but rated for 150W. Tunes nearly any coax-fed or random length wire antenna for 80-10M. Perfect for "take along" rigs like IC-706MKII-G, FT-100D, TS-50S, QRP rigs and others with built-in SWR meter..... **\$79.99**

922 VHF/UHF Dual Band Antenna Tuner – Great for HTs, mobiles or amps up to 150W. Using the included tool, adjust your antenna system for a low SWR on VHF, 136-175 MHz and UHF, 420-460 MHz. Meter reads both SWR and power in 60/150W ranges. Dim: 4" w x 2" h x 1.25" d, carry it in your car, while camping, etc..... **\$79.99**

945E Mobile Tuner – Covers 1.8-30 MHz plus 6M and rated at 300W PEP. Matches coaxial cable only. Extends mobile antenna bandwidth and eliminates having to stop and adjust the whip length when making frequency changes. Lighted cross-needle SWR bridge and power meter with 50/300 and 5/30W ranges. Dim: 8" w x 2" h x 6" d..... **\$99.99**

941E Versa Tuner II – Covers 1.8-30 MHz and rated at 300W PEP. Matches everything! – coaxial fed dipoles, vees, whips, verticals, beams, random wires, balanced lines. Built-in 4:1 balun. Lighted cross-needle SWR/power meter with 300/50W and 30/5W ranges. 8-position antenna selector for 2 coax lines, random wire or balanced line or an external dummy load. Dim: 10.625" w x 2.875" h x 7" d..... **\$109.99**

934 Antenna Tuner/Artificial Ground – Makes a random wire an effective antenna. Combines best features of 941E and 931 into one. Full-featured 1.8-30 MHz, 300W tuner with cross-needle meter and ground matching knob that lets you switch in inductance to bring an attached random length wire to a low impedance current point, forming an artificial ground. Dim: 10.625" w x 3.5" h x 7" d..... **\$169.99**

948 – All the features of the 941E without the dummy load. Has larger lighted peak reading cross-needle SWR/power meter..... **\$119.99**

949E Deluxe Versa Tuner II – Same power, tuning and switching capability as the 941E with a larger, lighted peak or average reading cross-needle SWR/wattmeter. PreTune™ allows off-air tune-up into a built-in dummy load. Dim: 10.625" w x 2.875" h x 7" d..... **\$139.99**

969 Deluxe Versa Tuner II – Covers 6-160M and rated at 300W. Features a roller inductor coil with a spinner knob and 3-digit turns counter. Lighted peak/average reading cross-needle SWR/wattmeter with 30/300W ranges. Tunes coaxial cable, random wire or balanced feedline, has a built-in 4:1 balun. QRM-Free PreTune™ allows off-air tune-up into a built-in 300W dummy load. Convenient 8-position antenna selector switch. Dim: 10.5" w x 3.875" h x 9.5" d..... **\$189.99**

962D Versa Tuner III – Covers 1.8-30 MHz and rated at 1.5KW PEP. Matches coaxial fed antennas, random or balanced line. Has a built-in 4:1 balun. Lighted peak/average cross-needle SWR/wattmeter with 200/2000W ranges. 6-position selector for 2 coax lines (direct or thru), random and balanced lines. Dim: 10.5" w x 3.875" h x 15" d..... **\$249.99**

986 Differential-T Tuner™ – Covers 1.8-30 MHz, rated at 3KW PEP. Uses a broadband T-network with roller inductor and differential capacitor. Tunes most antennas using only two knobs. Lighted peak or average reading cross-needle SWR/wattmeter with 200/50W and 2000/500W ranges. Inductor spinner knob, 3-digit turns counter, 6-position antenna selector, external dummy load switch, 4:1 balun. Dim: 10.75" w x 4.5" h x 15" d..... **\$299.99**

989D Versa Tuner V – Covers 1.8-30 MHz, rated at 1.5KW PEP with heavy-duty components. Matches nearly every type of antenna. Roller inductor with spinner knob and 3-digit turns counter. Lighted peak/average reading cross-needle SWR/wattmeter with 200/2000W ranges. Built-in 300W dummy load, heavy-duty 4:1 balun and 6-position antenna selector switch. Dim: 10.75" w x 4.5" h x 15" d..... **\$319.99**

993 IntelliTuner™ 300W Auto Tuner – Measures, calculates, then automatically tunes. Remembers most balanced/unbalanced antenna from 1.8-30 MHz to 300W SSB or 150W CW. Cross-needle meter shows forward/reflected power and SWR. Digital LCD shows antenna selection, frequency, and more. Manual tuning possible without transmit; 4:1 current balun; Matches 6 to 1600 ohms; Audible SWR indicator; 2-position antenna switch. Dim: 10" w x 2.75" h x 9" d.. **\$239.99**

991 IntelliTuner™ 150W Auto Tuner – Similar to 993, but rated 150W SSB/100W CW. No digital LCD, audible SWR indicator, antenna switch or 4:1 current balun. Matches 6 to 3200 ohms..... **\$199.99**

994 IntelliTuner™ 600W Auto Tuner – Rated 600W SSB/300W CW 993 (looks like 991), but no digital LCD, audible SWR indicator, antenna switch or 4:1 current balun. Matches 12 to 800 ohms. Low power tuning with any external amp bypassed..... **\$329.99**



974H

931

974H Balanced Line Tuner – Matches transceivers to virtually any balanced-line fed antenna. Illuminated Cross-needle meter shows both peak and average forward and reflected power, and SWR. Matching range: 12-2000 ohms from 1.8-54 MHz. Power: 300W SSB PEP, 150W CW. Features a fully balanced wide range T-Network using four gear driven 1000V air variable capacitors and a high-Q air wound tapped inductor for 80-10 meters with separate inductors for 6 and 160 meters. A 1:1 current balun is incorporated in the low impedance input side to convert the balanced T-Network to unbalanced. Rear connectors for coaxial and single or two wire feedlines. Dim: 7.5" w x 6" h x 8" d... **\$189.99**

974 Balanced Line Antenna Tuner – Same as the 974H but 3.5-54 MHz (no 1.8 MHz)..... **\$169.99**

931 Artificial Ground – Establishes a proper ground when used with random length wire antennas. It resonates an additional length of wire to act as a tuned counterpoise. Easier tuning, improved efficiency and radiation pattern, and reduced TVI/RFI. Covers 1.8-30 MHz and handles 100W. Dim: 7.5" w x 3.5" h x 7" d. Not for coax fed antennas.... **\$89.99**



906 6 Meter Antenna Tuner – Low SWR with almost any 50-60 MHz coax fed antenna. Lighted Cross-Needle SWR/Wattmeter shows SWR, forward, reflected power on 300/60 and 30/6W ranges. Handles 100W CW, 200W SSB PEP. Built-in bypass switch. Dim: 8" w x 2.5" h x 3" d..... **\$79.99**

903 6 Meter Antenna Tuner – Similar to MFJ-906. Less meter and bypass switch..... **\$49.99**



921 144/220 MHz Antenna Tuner – Dual band VHF tuner covers 2M/220MHz and matches a coax fed antennas over a wide range of impedances. Lighted SWR/Wattmeter measures SWR and power in two ranges; 300 or 30W. Rated at 200W. Dim: 8" w x 2.5" h x 3" d..... **\$69.99**

924 440 MHz Antenna Tuner – Similar to 921 but 440 MHz band only..... **\$69.99**



910 Mobile Antenna Matcher – Get more power into your HF antenna. Matches HF mobile antennas 10-80M. Dim: 2.5" w x 2.5" h x 1.5" d... **\$19.99**

914 Auto-Tuner Extender – Transforms your antenna impedance by as much as 10 times! Puts any antenna into the range of your automatic or manual tuner. Covers 160-10 Meters, handles 300W, has bypass position..... **\$59.99**

MFJ...
the World Leader in
Amateur Radio
Accessories

VECTRONICS

... fine amateur radio products



Compact Mobile Antenna Tuner

VC-300M Mobile Tuner – Compact, lightweight for mobile or base. Tunes mobile whips, verticals, dipoles, inverted Vs, beams – anything fed by coaxial cable. Covers 1.8–30 MHz at 300W continuous power. The dual-movement Cross-Needle meter monitors RF power output and SWR. Dim: 7.25" w x 3.5" h x 8.75" d; 2.5 lbs **\$99.99**



Versatile 300 Watt Antenna Tuner

VC-300DLP – Matches any antenna. Full 1.8–30 MHz coverage and rated 300W PEP, 200W continuous power (150W on 1.8 MHz); Continuous rotation capacitors and 12-position switched inductor; Peak reading backlit Cross-Needle Meter; Built-in 8-position antenna switch and dummy load. Dim: 10.25" w x 9.5" d x 3.5" h; 3.4 lbs **\$149.99**

VC-300D – Similar to VC-300DLP, but has an added deluxe 21-segment LCD peak power indicator located above the antenna switch **\$169.99**



High Power Roller Inductor Tuner

HFT-1500 Matches any antenna. Full 1.8 to 30 MHz coverage and rated 2KW PEP, 1KW continuous. Three continuously variable components: two 4.5kV capacitors and a crank driven roller inductor with digital turns counter; Lighted Cross-Needle SWR/Wattmeter and 20-segment Digital Bargraph; Built-in 6-position coaxial antenna switch and 4:1 balun.

Dim: 12-1/2" w x 5-1/2" h x 12" d; 10 lbs **\$399.99**

Palomar Engineers

PT-340 Tuner-Tuner



Eliminate QRM, overheated final tubes and devices by allowing adjustment for your station antenna tuner without transmitting. Installs permanently between rig and tuner. Just turn on, and listen to the noise output in a receiver, then adjust the station tuner controls for a dip in the noise (a null). Covers 1.7–30 MHz. Uses 9V battery. Dim: 6" w x 5" h x 3" d **\$99.99**

AMERITRON

True Legal Limit Antenna Tuner

ATR-30 True Legal Limit™ Antenna Tuner – Covers 1.8–30 MHz, including MARS and WARC. Designed for sustained RF output over 1500W CW and 3000W SSB, also 160M. Uses High-Q, high-current, edge-wound, arc-free roller inductor with heavy duty 500pf capacitor in T-match network. Matches most antennas using either coax or balanced feedlines. Cross-needle, peak-reading SWR/ wattmeter, 3000/300W ranges, measures peak/average forward/reflected power plus VSWR, illum. Includes 3-core choke balun, 6-position antenna switch and 6:1 vernier reduction drives, turns counter. Requires 12VDC or internal 9V battery. Dim: 13.25" w x 5.6" h x 17.5" d **\$549.99**

ATR-20 Antenna Tuner – Looks and features same as ATR-30, but lower power rating. Handles 1.2KW PEP SSB; slightly less on 160 Meters. Dim: 13.5" w x 5.5" h x 13.5" d **\$419.99**




SGC

SMARTUNER® Automatic Antenna Couplers




SG-211

54-26 SG-211 Zero Power Consumption Smartuner™ – The SG-211, SGC's newest Smartuner, provides the ZERO power consumption features you've wanted. This compact unit runs on 4 AA cells for 5 years. Lightweight, with no external power required, yet able to tune a 10:1 mismatch or worse. The unit features a naturally balanced output, capable of tuning most antennas. One external LED indicates tune, no tune and low battery. The SG-211 is the perfect companion for traveling or backpacking. 1.8 to 60 MHz; 60 Watts. Dim: 8.66" l x 4.69" w x 1.55" h; 1 lb **\$179.99**



SG-230




SG-235



54-25 MAC-200 Master Antenna Controller Select the right antenna, for the right band, at the right time with the MAC-200. The Master Antenna Controller operates as your base station control center, eliminating complicated switching and tuning. With two built-in computers, the MAC-200 can select and tune up to 5 antennas automatically, quickly and accurately. Built-in memories fine tune to minimum SWR with any balanced or unbalanced antenna. It instantly recalls settings from memory, allowing retuning in less than 10 milliseconds. Monitor your power and SWR with convenient meters on the front panel. Using SGC's well-known Smartuner™ technology, the MAC-200 is the perfect choice for anyone using multiple antennas in a base station system. 1.8–60 MHz; 1.5–200W; 168 memories; PI configuration; 230mA average current; < 2 second random set time. Dim 8.5" l x 6.5" w x 3" h; 5 lbs **\$249.99**



SG-239



SG-237

SGC Smartuners™ Deliver greater impedance matching, more tuning steps and more antenna choices than any other antenna coupler on the market. Get frequency agility and precision tuning. They are independently intelligent, matching ANY HF transceiver and ANY antenna. Smartuners are microprocessor controlled; analyzing the conditions of your antenna and automatically adjusting for the best match. They also remember each match, cutting retuning time to under 10 milliseconds when changing frequencies. Smartuners are available for power levels from 1.5 to 500 Watts and frequency ranges from 1.8 to 60 MHz. They provide all purpose tuning ideal for base, mobile, portable, marine or aviation. Any budget, any installation. Your choice for antenna tuning should be an SGC Smartuner.

54-14 SG-230 Original Smartuner™ – 1.8–30 MHz; 200W. 16.2" l x 12.2" w x 3.2" h; 8 lbs **\$489.99**

54-15 SG-235 High Power – 1.8 to 30 MHz; 500W; 16.2" l x 12.2" w x 3.2" h; 8 lbs **\$1169.99**

54-18 SG-237 General Purpose Smartuner™ – 1.8 to 60 MHz; 100W; 9" l x 7" w x 1.5" h; 2 lbs **\$359.99**

54-22 SG-239 Budget Smartuner™ – 1.8 to 30 MHz; 200W; 7.5" l x 6" w x 1.9" h; 2 lbs **\$179.99**


More SGC Products see pages 55, 81 & 85



We accept I.M.P.A.C.® Government Credit Cards

ICOM

Antenna Tuners



AH-4 Automatic Antenna Tuner - Covers 3.5-54 MHz using a 23 ft. or longer wire, or 7-54 MHz with optional AH-2B Antenna Element. Weather-resistant construction enables operation in all conditions. Rated 120W PEP, requires only 5-15W for tuning. For use with ICOM HF transceivers - just push the [TUNER] switch and it tunes to minimum SWR in less than 2.5 seconds. 45 memories store settings to provide one-second retuning. Supplied with mounting kit, 16 ft. control and coaxial cables. 13.8 VDC. Dim: 6.7" w x 2.7" h x 9" d **\$259.99**

AT-180 Automatic Antenna Tuner - Provides reliable coax matching from 1.9-54 MHz over an impedance range of 16.7-150Ω (HF) and 20-125Ω (50 MHz). 70 channel preset memories and "automatic tuner on" function when with the IC-703/IC-706 series or IC-718. Rated at 120W and requires about 8W to activate. 13.8 VDC. Dim: 6.5" w x 2.3" h x 8.9" d; weight: 5.3 lbs. **\$369.99**

AH-2B Antenna Element - Covers 7-50 MHz when used with the AH-4 tuner. Includes hardware for mounting to a tow bar, 8.2 ft. long ... **\$299.99**

AMERITRON

REMOTE CONTROLLED ANTENNA SWITCHES

RCS-4 - Select up to 4 different HF antennas by supplying control voltages thru the coax without the need for a separate control line. The weatherproof switch box can be tower, mast or wall mounted. Uses 3 heavy duty 10A contact relays on a fiberglass circuit board 5.25" d x 7" w x 3" h; 120VAC Rated 1.8-30 MHz, 2KW; Safe 14VDC control; Indoor control console locates at operating position. Dim: 6" d x 6" w x 2.5" h **\$129.99**

RCS-8V - Independently or simultaneously select up to 5 different antennas using one coaxial feedline and 8-wire control cable. Internal wiring allows grounding or floating unused terminals as required. Rated at 5KW to 30 MHz, 1KW to 150 MHz. **\$139.99**

RCS-8VN - Same as RCS-8V but with N-type female connectors **\$149.99**

RCS-10 - Select up to eight HF antennas using one feed line and a single four conductor control line (not supplied). Long life sealed relays with 16A current rating. Rated up to 100 MHz and over 5KW power into matched loads below 30MHz. **\$149.99**

UNADILLA

W2AU Ferrite Baluns

These baluns replace the antenna center insulator and provide a smooth transition from unbalanced coaxial transmission lines to balanced antennas; dipoles, quads and yagis. Produces proper current distribution resulting in reduced feedline radiation for maximum power transfer, gain and reduced TVI/BCI. DC grounded for lightning protection, center eye hook for support. Usable from 1.8-40 MHz, 2KW PEP rating, SO-239 connector.

W2AU 1:1 - 1.1, 1.8-40 MHz ferrite **\$24.99**
W2AU 4:1 - 1.1, 1.8-40 MHz ferrite **\$24.99**
W2AU BEAM - 1.1, Beam balun **\$24.99**

W2DU Choke Baluns

These are High efficiency, transformerless 1:1 baluns. The HF model is the only one available that works on 160 meters! They all handle a VSWR up to 5:1 at the legal power limit, allowing use with antenna tuners. The VHF model eliminates the usual rod and tube hardware balun assembly normally used at those frequencies.


W2DU-HF - 1:1, 1.8-30 MHz Choke **\$26.99**
W2DU-VHF - 1:1, 30-250 MHz Choke **\$26.99**
W2DU BEAM - 1:1, 40-10m choke **\$26.99**

REYCO Antenna Traps

Add these traps to your dipole for multiband operation on two to seven bands. Add the 40M pair (KW-40) and get "perfect dipole" performance on 40 and 80M. Add five pair and work 10, 15, 20, 40, 80 and 160M with low SWR.

Selecting traps: List the bands you want to cover, listing the Highest Frequency band first. You will need a pair of traps for each band except the one with the Lowest Frequency.

KW-10 - 10M pair **\$41.99**
KW-12 - 12M pair **\$41.99**
KW-15 - 15M pair **\$41.99**
KW-17 - 17M pair **\$41.99**
KW-20 - 20M pair **\$41.99**
KW-30 - 30M pair **\$42.99**
KW-40 - 40M pair **\$42.99**
KW-80CW - 80M CW pair **\$48.99**
KW-80F - 80M Phone pair **\$48.99**



HA AN-Insulator™ (left) - A strong center dipole insulator with built-in lightning protection. SO-239 connector, 3.5" long x 1.75" dia **\$9.99**

HE END-Insulator™ (right) - Shatter-proof antenna end insulators. Tough, includes voltage path extenders, positive wire track. Low loss, lightweight and long leakage path. 5.5" long x 1" dia. pair **\$6.99**



We accept I.M.P.A.C.® Government Credit Cards

Coaxial Antenna Switches

ALPHA DELTA




Two and Four Position Switches
 Full Product Descriptions on page 91

DAIWA

CS-201 2-Position Coaxial Switch

A high quality switch with excellent high frequency RF characteristics due to cavity and heavy die-cast metal construction. Frequency range up to 600 MHz with less than 0.12 VSWR. Less than 0.2dB insertion loss and 60dB isolation between terminals. Handles 2.5 KW PEP or 1KW CW. Automatic grounding of unused terminals. SO-239 connectors **\$26.99**



MFJ

1700C Antenna and Transceiver Switch with Lightning Protection

Switch up to six antennas and six rigs in any combination. For 50 or 75Ω, rated 2KW PEP or 1KW CW from 1.8-30 MHz. Dim: 10" w x 3" h x 1.5" d **\$99.99**



1701 Antenna Switch - Six positions, 50-75Ω. Rated for 2KW PEP or 1KW CW from 1.8-30 MHz. Grounds unused positions for surge protection. Dim: 10" w x 3" h x 1.5" d **\$59.99**



1702C Antenna Switch - Two positions + center ground, 50Ω, rated to 500 MHz. Handles for 2.5KW PEP or 1KW CW. Less than 0.2dB loss and greater than 60dB isolation @ 300; 50dB @ 450 MHz. Grounds unused positions for surge protection. **\$24.99**

1702CN - Uses type-N connectors for lowest loss on UHF. Good up to 1.1 GHz **\$34.99**

1704 Antenna Switch - Four positions + center ground, 50Ω, rated to 500 MHz. Handles 2.5KW PEP, 1KW CW. Less than 0.2dB loss and greater than 50 dB isolation @ 500 MHz. Includes lightning protection with a replaceable gas-tube **\$64.99**

1704N - Uses type-N connectors **\$74.99**

Get Ready For The

ORLANDO HamCationSM

Amateur Radio & Computer Show

2006

February 10, 11 & 12

AT THE CENTRAL FLORIDA FAIRGROUNDS
4603 West Colonial Drive Orlando, Florida 32808

Fri. 12 noon to 7 pm (Tailgate, Swaps & Commercial 2 only)
Sat. 9 am to 6 pm Sun. 9 am to 2 pm

Kick off the year 2006 in Orlando, at one of the great hamfests. See the latest equipment. Shop for swap table deals. Find bargains at the largest tail-gating area in the Southeast.

There are transceivers, mobile rigs, HT's, amps, antennas, call-letter hats, wire, parts, T-shirts, eye-ball QSO's, QSL cards, forums, food, computers, sun and fun. You'll think it's ham heaven.

Home of some of the best known theme parks on earth, Orlando has all you need to round out your visit. It will be a great vacation for you and the family. Make your plans now for the **2006 Orlando HamCationSM**.

Advance tickets: **\$8.00**

Tickets at the gate: **\$10.00**

For current information please visit our web site at **www.hamcation.com** or call **407-273-1406**.

You can e-mail us at: **hamcation@oarc.org**

or write us at: **HamCationSM**
P.O. Box 547811
Orlando, FL 32854-7811

- ARRL North Florida Section Convention
- Special Guest Speakers
- 150 Commercial Exhibits
- Over 400 Swap Tables
- Largest Tailgate Area in Florida
- Florida Weak Signal Society Activity report
- Testing On Saturday
- Free Parking
- RV Camping On Premises (\$22 per night)
- Fox Hunt (4 pm Saturday)
- Guest Friendly Central Florida Atmosphere
- Theme Parks Nearby
- Courtesy Talk-In On 146.76 (Backup Talk-In On 146.820)

SIXTIETH ANNIVERSARY
60 IN 06
2006 HAMCATIONSM

ORLANDO AMATEUR RADIO CLUB

PolyPhaser[®] CORPORATION

The primary rule for protecting ham radio equipment against lightning damage is connection of all elements to a single, low impedance, ground system within the ham shack. This includes antenna, antenna support (pole, tower, etc.), and all station protectors (antenna, power, telephone, rotor, etc.).

BROADBAND COAXIAL PROTECTORS

Hermetically-sealed gas tubes and additional components assure surge voltages and currents that are formed differentially on coaxial cable are prevented from being shared by valuable equipment. DC blocked for maximum protection. Low loss; Multi-strike capability with low strike throughput energy; Aluminum enclosure; Wide frequency range, low VSWR; Works on all equipment; Silver-center, TFE, UHF connectors; Silver shell and gold pin Type-N.

Flange Mount (left)

IS-50UX-CO

1.5- 400 MHz; HF 2kW, VHF 375W, UHF 125W; UHF connector. **\$61.99**

IS-50UX-C1

50-700 MHz; VHF 375W, UHF 125W; UHF connector. **\$61.99**
IS-50NX-C2 - 125-1000 MHz; VHF 375W, UHF 125W/50W (low/high); Type-N conn. **\$61.99**

Bulkhead Mount (right)

IS-B50LU-CO - 1.5-400 MHz; HF 2kW, VHF 375W, UHF 125W; UHF connector. **\$64.99**

IS-B50LU-C1 - 50-700 MHz; VHF 375W, UHF 125W; UHF connector. **\$64.99**

IS-B50LN-C2 - 125-1000 MHz; VHF 375W, UHF 125W/50W (low/high); Type-N conn. **\$64.99**

LOW INDUCTANCE COPPER STRAP

A larger surface area and lower inductance gives strap a huge advantage over wire for RF grounding and lightning protection. Cannot be fused open by lightning. Usable above or in-ground, #26 AWG thickness. Available in 1.5 or 3 in. widths and 25, 50 or 100 ft. rolls. See Price Guide for details.

GROUNDING PANEL

CU-SPGP - A heavy 0.062"

copper plate mounted on 1/2" plywood. For mounting protectors and establishing the important single grounding point for all station equipment. Comes with concrete anchors, mounting screws, two rolls of 10' x 1.5" copper grounding strap and 2 copper, 18" w x 12" h, sandwich bars, 16" on-center mount **\$69.99**

ROTOR CONTROL PROTECTOR

IS-RCT (left) - 8-wire protection for rotor box and nearby equipment. Water tight with mounting stud. Shown with optional J-1 clamp **\$54.99**

IN-LINE PHONE LINE PROTECTOR

IS-SPTL (right) - Multi-stage protection for telephone trunk lines. Handles ring voltages up to 105V, surges up to 36kA **\$57.99**

POWER LINE EXTENSION PROTECTOR

In-line, multi-stage protectors provide multi-strike line protection, filtering and proper grounding for a 120V AC line. 2 grounded outlets, power switch, and circuit breaker. All aluminum grounded enclosure; 4.75" wide.

PLDO-120US15A - 15' cord; 120V/15A **\$159.99**

PLDO-120US20A - 6' cord; 120V/20A **\$199.99**



**LEARN ALL ABOUT
LIGHTNING PROTECTION!
BE SAFE - NOT SORRY**

Lightning Protection and
Grounding Solutions for
Communications Sites

Published by PolyPhaser[®] in a non-technical manner so anyone can understand how to install an effective grounding and protection system to guard communications equipment against destructive lightning energy **PLY LPGS \$20.00**

MFJ



270 Lightning Surge Protector


Safeguard your valuable ham gear from damage due to static charges and lightning induced surges. A replaceable ultra-fast gas discharge

tube safely shunts up to 5000 amps peak impulse current to an independent ground. Rated to 400W PEP, usable up to 1000 MHz **\$29.99**



GROUNDING ACCESSORIES

GBIS18114AE 1/8" Copper Entrance Ground Bar Kit - Installs at shack entrance, making a short connection to the ground system. Holds up to five PolyPhaser IS-50-type lightning protectors. Insulated stand-off brackets allow attaching and insulating of ground bar from mounting surface. Two HD terminal lugs and hardware included. Attach grounding wires from 1/0 stranded to #6 solid **\$27.99**
GEL3AE - Pkg. of 5 HD terminal lugs **\$15.99**




GP1868.78AE

1/8 in. Copper Single Point Ground Panel Kit - Provides Single-Point grounding for two transceiver lines and rotor control cable.

Installs at tower base or on outside wall. Sized to fit inside a NEMA-4X style box for weather proofing. Tapped holes and hardware provided for mounting a PolyPhaser IC-RCT rotor control protector and up to two IS-50 series coaxial protectors. Sandwich plates and hardware included **\$54.99**

GBX976AE NEMA 4X Waterproof Enclosure Accepts GP1868.78AE ground panel **\$89.99**




GBIS18148AE 1/8" Copper Station Ground Bar Kit - Installs in back of operating desk. Grounds individual components to a common point preventing multiple ground paths and daisy-chains. Accepts a heavy ground conductor to be routed to station ground or entrance ground bar. Includes two heavy 12 in. straps for equipment and two light duty 1/4 in. straps for accessories, plus an extra 1/4" strap and lugs for added assemblies **\$64.99**



We accept I.M.P.A.C.® Government Credit Cards

AES
LIGHTNING
PROTECTORS



Employs Gas-tube protection to isolate equipment from damaging surges. The Gas-tube holder unscrews providing for simple replacement. Both models are weatherproof, may be bulk head mounted, or flange mounted using the included bracket. Machined construction, gold pin teflon female connectors. Rated 1600W. Dim: 2.5" x 1" dia.

SP-U - UHF female connectors; DC to 600 MHz range; 0.1dB insertion loss **\$39.99**

SP-N - Type-N female connectors; DC to 2.5 GHz range; 0.2dB insertion loss **\$39.99**

AP - Replacement Gas-tube protector **\$9.99**

CRANK IT UP!

MA SERIES CRANK-UP TUBULAR TOWERS

The premier MA-Series towers are designed to be both safe and neighbor-friendly. The slider design gives a clean flagpole-like appearance while allowing antennas from 15.3 to 22 sq. ft. in 50mph winds, depending on the model.

Model	Height max./min.	Sections	Weight (in lbs.)	Section OD top/bottom	Base	Price
MA-40	40'/21'6"	2	242	3"sq./4.5"	3'x3'x4'6"	\$1109.99
MA-550*	55'/22'1"	3	435	3"sq./6"	3.5'x3.5'x5'	\$1719.99
MA-770*	71'/22'10"	4	645	3"sq./8"	5'x5'x5'6"	\$2829.99
MA-850*	85'/23'6"	5	943	3"sq./10"	5'x5'x6'	\$4379.99

*Also available as tower/heavy-duty motor drive (positive pull down) package. Requires purchase of MCL-100 limit switch control or RMC-1000 remote control. 770 and 850 require MAB or MARB series base.

FREE STANDING "LOW-PROFILE" CRANK-UP LATTICE TOWERS

The compact TMM Series are designed to offer an alternative for clients in height restricted areas. These towers have a minimum retracted height of 11'4" to 12' (depending on rotor). Visual impact is reduced and antenna servicing is made easier. The TMM Series are light weight, freestanding, and allow up to 50 sq. ft. of antenna in 50mph winds.

Model	Height max./min.	Sections	Weight (in lbs.)	Section OD top/bottom	Base	Price
TMM-433SS	33'/11'4"	4	315	10"/18"	4'x4'x4'6"	\$1489.99
TMM-433HD*	33'/11'4"	4	400	12.5"/21.5"	4'x4'x5'	\$1799.99
TMM-541SS*	41'/12'	5	430	10"/21.625"	4'x4'x5'	\$1959.99

*Will accept the MDP-750 motor drive, factory installed only.

FREE STANDING CRANK-UP LATTICE TOWERS

The standard duty TX Series are as strong or stronger than most competitors' heavy-duty models. They have 21' sections with 4' overlap to provide extra height, as well as to help prevent binding in high winds. The TX Series comes complete with rotor plate and base hardware and require no guying. All bases will accept the TRX Series raising fixtures.

Model	Height max./min.	Sections	Weight (in lbs.)	Section OD top/bottom	Base	Price
TX-438	38'/21'6"	2	355	12.5"/15"	5'x5'x5'	\$1399.99
TX-455	55'/21'6"	3	670	12.5"/18"	5'x5'x6'	\$1929.99
TX-472*	72'/22'8"	4	1040	12.5"/21.625"	5'x5'x6'6"	\$3169.99
TX-489MDPL**	89'/23'4"	5	1800	12.5"/25.625"	5'x5'x8'	\$8269.99

*Also available as a tower/heavy-duty motor drive (with positive pull down) package. Requires purchase of MCL-100 limit switch control or RMC-1000 remote control. **Comes with heavy-duty motor drive with dual level wind and positive pull down. Requires purchase of MCL-100 limit switch control or RMC-1000 remote control.

FREE STANDING HEAVY-DUTY CRANK-UP LATTICE TOWERS

The HDX Series heavy-duty telescoping towers have up to 2-1/2 times more wind loading capacity than others (up to 70 sq. ft. at 50mph). This allows for large stacked arrays, while using commercial-type bases and anchor bolts. All T-bases can utilize the TRX Series raising fixtures, allowing the tower to hinge. None of the lattice style towers require guying.

Model	Height max./min.	Sections	Weight (in lbs.)	Section OD top/bottom	Base	Price
HDX-538	38'/21'6"	2	600	15"/18"	5'x5'x6'	\$1659.99
HDX-555	55'/21'6"	3	870	15"/21.625"	5'x5'x6'6"	\$2899.99
HDX-572MDPL*	72'/22'8"	4	1600	15"/25.625"	4'x4'x8'	\$7579.99
HDX-589MDPL*	89'/23'4"	5	2440	15"/30.625"	5'x5'x8'	\$9919.99
HDX-5106MDPL*	106'/24'8"	6	3805	15"/37.125"	5'x5'x9'	\$20849.99

*Includes heavy-duty motor drive with dual level wind and positive pull down. Requires purchase of MCL-100 limit switch control (included with 589MDPL and 5106MDPL) or RMC-1000 remote control.



Headquarters
1220 N. Marcin St.
Visalia, CA 93291
(559) 733-2438

Second Location
702 E. North St.
Lincoln, KS 67455
(785) 524-9966


UNIVERSAL TOWERS

ALUMINUM, FREESTANDING, SELF-SUPPORTING AT RATED LOAD


LIGHTWEIGHT • RUST FREE • EASY TO ASSEMBLE • RUGGED STRENGTH
for AMATEUR RADIO • TV • FM • INDUSTRIAL • FIRE • POLICE • MARINE




TOP SECTION




TAPER SECTION




STRAIGHT SECTION



Write or
Call for a
complete
**UNIVERSAL
TOWERS**
Catalog
FREE!



50 ft. UNIVERSAL
Self-Supporting
Aluminum Tower
installed at K9KHW
Milwaukee, WI



SECTIONS

Universal Aluminum Tower sections are an equilateral triangular welded truss, 10 ft. in length and available 11, 14, 18, 22, 26 or 30 inches wide.

CHOOSING THE PROPER TOWER

- (1) Determine the projected surface area of the antenna that you intend to mount. This figure is often in the literature that comes with the antenna. Otherwise: standard TV antennas are about 2 sq. ft. in area; 6/10 meter beams and large TV antennas are 5 sq. ft.; 20/40 meter beams are 9 sq. ft.; large 20/40 meter beams or multiple antenna arrays are 18 to 26 sq. ft. Also, when using a rotator add 1 sq. ft. plus 1 sq. ft. for the mast to whatever size antenna you intend to use.
- (2) Decide on the tower height that you want. Universal Towers are made in 10 foot sections to give you many possible sizes and the ability to add sections later.
- (3) Choose the tower model based on height and windload. The model number is merely the wind loading followed by the height. For example, if your antenna calculation resulted in a tower designed for 5 sq. ft. and you wish it to be 50 ft. high, the model you want is a **5-50**.

See the Price Guide for Configurations and Prices.

No Guys!

Self-Supporting at the Rated Load

BEFORE BUYING A TOWER

Consider the advantages of -

ALUMINUM

It's Strong, Lightweight, Rust Free and easy to assemble and erect.

UNIVERSAL offers 10' sections or complete towers ranging from 30 to 100' with a choice of wind load ratings and accessories.

All towers are drop shipped direct from the factory. Shipment is FOB Mt. Clemens, MI via truck, COD for freight charges only. Freight charges will be collected upon delivery by the carrier.

hy-gain ROTATORS

... the first choice of hams around the world!




The HAM-IV

is the most popular rotator in the world! It is designed for medium communications arrays of up to 15 sq. ft. wind load area. Low temperature grease permits normal operation down to -30° F. New alloy ring gear gives extra strength up to 100,000 PSI for maximum reliability. The indicator potentiometer leads have ferrite beads to reduce RF susceptibility. For convenience a Cinch® plug connector is used at the rotor plus an 8-pin plug at the control box. Dual 98 ball bearing race for load bearing strength and electric locking steel wedge brake prevents wind induced antenna movement. North or South center meter scale. Maximum mast size: 2.063 in. **\$529.99**

HAM-IV Specifications

Wind Load cap.(inside tower)	15 square feet
Wind Load (w/mast adapter)	7.5 square feet
Turning Power (in lbs.)	800
Brake Power (in lbs.)	5000
Brake Construction	Electric Wedge
Ball Bearing Assembly	Dual race/96 bearings
Mounting Hardware	Clamp plate/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	24
Effective Moment (in tower)	2800 ft/lbs.



The HDR-300A

is the best for king-sized antenna arrays up to 25 sq. ft. wind load. Machined steel output gear. Tough, hardened stainless steel output shaft with a long keyway for added reliability. North or South centered calibration. Ferrite beads are installed on the potentiometer wires to reduce RF susceptibility. Heavy-duty self-centering steel mast clamp and hardware. Digital heading display accurate to 1°. Mast size: 1.25"-3" .. **\$1229.99**

HDR-300A Specifications

Wind Load capacity	25 square feet
Wind Load (w/mast adapter)	N/A
Turning Power (inch lbs.)	5000
Brake Power (inch lbs.)	7500
Brake Construction	Solenoid operated locking
Bearing Assembly	Bronze sleeve w/rollers
Mounting Hardware	Stainless steel bolts
Control Cable Conductors	7 (Belden 8448 or 9405)
Shipping Weight (lbs.)	55
Effective Moment (in tower)	5000 ft/lbs.

The TAILTWISTER SERIES II

is designed for medium communications antenna arrays of up to 20 sq. ft. wind load area. Available with DCU-1 Pathfinder Digital control box (T-2XD) or standard Analog control box (T-2X). Low temperature grease, alloy ring gear, indicator potentiometer, ferrite beads on potentiometer wires, weatherproof AMP connectors plus 8-pin plug at the control box. Triple bearing race with 138 ball bearings for large load bearing strength, electric locking steel wedge brake, North or South center meter scale, low voltage control. Maximum mast size: 2.063 in. **T-2X** with analog control **\$619.99**
T-2XD with DCU-1 control **\$979.99**

TAILTWISTER Specifications

Wind Load cap.(inside tower)	20 square feet
Wind Load (w/mast adapter)	10 square feet
Turning Power (in lbs.)	1000
Brake Power (in lbs.)	9000
Brake Construction	Electric Wedge
Ball Bearing Assembly	Triple race/138 bearings
Mounting Hardware	Clamp plate/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	28
Effective Moment (in tower)	3400 ft/lbs.



The AR-40

is for large FM-TV and compact communication antenna arrays up to 3.0 sq. ft. wind load area. The dual 12 ball bearing race is exclusive in its class. Automatic position sensor never needs resetting. Fully automatic control, just dial and touch for any desired location. Solid state, low voltage control. Safe and silent operation. Maximum mast size: 2.063 in. Includes light duty lower mast support..... **\$269.99**

AR-40 Specifications

Wind Load cap.(inside tower)	3.0 square feet
Wind Load (w/mast adapter)	1.5 square feet
Turning Power (inch lbs.)	350
Brake Power (inch lbs.)	450
Brake Construction	Disc Brake
Ball Bearing Assembly	Dual race/12 bearings
Mounting Hardware	Plated clamps/steel bolts
Control Cable Conductors	5 (Belden 8448 or 9405)
Shipping Weight (lbs.)	14
Effective Moment (in tower)	300 ft/lbs.



THE HAM-V

Designed for medium communications antenna arrays of up to 15 sq. ft. wind load area. Includes the innovative DCU-1 Pathfinder control unit. A strong 100,000 p.s.i alloy ring gear and a new indicator potentiometer have been added for improved reliability. For convenience, a Cinch® connector is used at the rotor and an 8-pin plug at the control box. Ferrite beads reduce RFI. Powder coated finish. Max. mast size: 2.063 in..... **\$899.99**

HAM-V Specifications

Wind Load cap.(inside tower)	15 square feet
Wind Load (w/mast adapter)	7.5 square feet
Turning Power (in lbs.)	800
Brake Power (in lbs.)	5000
Brake Construction	Electric Wedge
Ball Bearing Assembly	Dual race/96 bearings
Mounting Hardware	Clamp plate/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	24
Effective Moment (in tower)	2800 foot/lbs.



The CD-45-II

handles 8.5 sq. ft. mounted inside a tower, or 5 sq. ft. with mast adapter. Low temperature grease good to -30°F. Bell rotator design gives total weather protection, dual 58 ball bearing race gives proven support. Die-cast ring gear, stamped steel gear drive, heavy duty, trouble free gear train, North or South center scale, lighted directional indicator, 8-pin plug on control unit, snap-action control switches, low voltage control, safe operation, takes masts up to 2.063". Includes light duty lower mast support..... **\$369.99**

CD-45-II Specifications

Wind Load cap.(inside tower)	8.5 square feet
Wind Load (w/mast adapter)	5.0 square feet
Turning Power (inch lbs.)	600
Brake Power (inch lbs.)	800
Brake Construction	Disc Brake
Ball Bearing Assembly	Dual race/48 bearings
Mounting Hardware	plated clamps/steel U-bolts
Control Cable Conductors	8 (Belden 8448 or 9405)
Shipping Weight (lbs.)	22
Effective Moment (in tower)	1200 ft/lbs.

Rotator Accessories

- MSHD** Heavy duty lower mast support for Ham-IV/V, T-2X/XD **\$99.99**
MSLD Lower mast support for CD-45-II, AR-40 **\$39.99**
TSP-1 Tower spacer plate **\$34.99**

The DCU-1 PATHFINDER

Digital Rotator Control unit compatible with CD-45-II, HAM-IV, T-2X

Automatic operation of brake and rotor with digital readout out of your beam heading, accurate to 1°, and 360° choice for center of rotation. Automatic 8-second brake engagement delay reduces stopping torque stress. Six presets store favorite headings. RS-232 computer control, compatible with many logging and contest programs .. **\$569.99**



We accept I.M.P.A.C.® Government Credit Cards



ROTATORS

Precision designed for a wide variety of antenna installations. Strong, weatherproof, die-cast aluminum enclosures; Permanently lubricated for years of smooth, quiet operation; 450° Rotation; Selectable north or south center; Quiet, gear reduction braking; 117/220 VAC; Fits most USA-made tower shelves.

G-2800DXA – The top-of-the line rotator for extra heavy-duty applications. 450° total rotation, with presets; 34 sq. ft. wind load; K-factor of 6870 ft. lbs.; 1808 ft. lbs. of stationary torque; Rotation torque: 57.8-181 ft. lbs., rotation speed and torque vary with the speed control setting; Maximum vertical load of 661 lbs.; $\pm 1/2^\circ$ backlash; 1.875–2.5" mast size; 48-150 second 360° rotation; Optional GS-232B interface; Includes 131 ft. of 6-wire cable. Dim: 8" dia. x 13.375" h; 13.2 lbs. **\$1139.99**

G-1000DXA – High-performance for medium and heavy-duty applications. Total rotational range 450°, with presets; 23 sq. ft. wind load; K-factor of 2020 ft. lbs.; 433 ft. lbs. of stationary torque; Rotation torque: 43-79 ft. lbs., rotation speed and torque vary with speed setting; Max. vertical load: 440 lbs.; $\pm 2^\circ$ backlash; 1.5–2.5 in. mast; 35-74 sec. 360° rotation; Optional GS-232B interface; Requires 6-wire cable. Dim: 7.5" dia. x 12.5" h; 7.7 lbs. **\$519.99**

G-450A – For HF/VHF light to medium-duty applications, without presets; 10 sq. ft. wind load; K-factor of 722 ft. lbs.; 217 ft. lbs. of stationary torque; Rotation torque: 43 ft. lbs.; Maximum vertical load of 220 lbs.; 1.5–2.5 in. mast size; 53 second 360° rotation; Requires 5-wire cable. Dim: 7.5" dia. x 12.5" h; 7 lbs. **\$259.99**

G-5500 – Azimuth-Elevation rotator combo for satellite earth station and other space communication antennas. 11" sq. ft. wind load; 578 ft. lbs. K-factor; 145 ft. lbs. stationary torque; Rotation torque: 44 ft. lbs.; 440 lbs. max. vertical load; $\pm 4\%$ backlash; 1.5–2.5 in. mast; 58 second 360° rotation; 67 sec. 180° elevation; Opt. GS-232B interface/C-1000 cable; 1.25–1.625 in. boom dia.; Requires 2 x 6-wire cable. Dim: 12.5" dia. x 7.5" h; 20 lbs. **\$629.99**

G-550 – Elevation rotator, for satellite earth station and other space communication antennas; 12 sq. ft. wind load; K-factor of 578 ft. lbs.; 101 ft. lbs. of stationary torque; Rotation torque: 73 ft. lbs.; Max. vertical load of 440 lbs.; $\pm 3\%$ backlash; 1.5–2.5 in. mast size; 67 second 180° elevation; 1.25–1.625 in. boom diameter; Requires 6-wire cable. Dim: 10.5" dia. x 7.5" h; 7.3 lbs. **\$299.99**

G-800DXA – High-performance for medium-duty applications. Total rotational range 450°, with presets; 17 sq. ft. wind load; K-factor of 1299 ft. lbs.; 288 ft. lbs. of stationary torque; 43-79 ft. lbs. rotation torque (rotation speed/torque vary with the speed control setting); Max. vertical load of 440 lbs.; $\pm 2^\circ$ backlash; 1.5–2.5 in. mast; 35-74 sec. 360° rotation; Optional GS-232B interface; Requires 5-wire cable; 7.5" dia. x 12.5" h; 7.5 lbs. **\$429.99**

G-800SA – High performance for medium-duty applications. Total rotational range 450°, no presets; 17 sq. ft. wind load; K-factor of 1299 ft. lbs.; 288 ft. lbs. of stationary torque; 43-79 ft. lbs. rotation torque, rotation speed/torque vary with the speed control setting; Max. vertical load of 440 lbs.; $\pm 2^\circ$ backlash; 1.5–2.5 in. mast size; 44 second 360° rotation; Quick-disconnect plug; Requires 5-wire cable. Dim: 7.5" dia. x 12.5" h; 7.5 lbs. **\$339.99**


ACCESSORIES

GC-038 – Mast clamp **\$39.99**
GC-048 – Mast clamp for G-2800DXA **49.99**
GS-050 – 50mm thrust bearing (1.25"–2") **39.99**
GS-065 – 65mm thrust bearing (1.5"–2.5") **54.99**
GS-232B – Interface for DXA rotators **569.99**
C-1000 – GS-232B cable for SDX's/5500 **34.99**
GS-680U – Universal, self adjust. bearing **109.99**
SEP KIT – Separation kit for G-5500 **29.99**

K-factor: Multiply antenna turning radius x weight; add K-factors for each antenna



SUPER DUTY!



OR-2800PDC ROTATOR

The most powerful and reliable. Rotates multiple HF antennas or large VHF or UHF arrays with ease. The control box provides manual features plus heading preset, 10 programmable presets, precision worm-gear drive, not reversible by mast torque; Non-slip, ductile iron mast clamps; Large drive plate for masts up to 3 in. dia.; Heat-treated steel gear train, hardened driveshaft; Prop-pitch style torque plate; Fits inside most popular towers and mates to standard towers and rotator plates; Motor-mounted digital pulse switch for accurate, closed loop control and heading display; 35 sq. ft. wind area; 1800 lbs. vertical load; 1.75–3.125 O.D. mast size; 55-270 second rotation speed; 0.1°/0.5° travel resolution; 110/220V AC, 50/60Hz input; 28-42V DC motor; Requires 8-wire (two 4-wire runs) rotor cable. Dim: 15.75" h total, 9.75" h rotor; 42 lbs **\$1469.99**

Channel Master®



9521A – Drive Unit: Handles small to medium-sized VHF/UHF Ham antennas and TV antennas; One-piece cast aluminum housing; Heavy-duty rotator motor, three wire control; Precision-cut gear system; Built-in steel thrust bearing; Wind-tested brake pad; Durable powder-coated finish. Control Unit: Direct access via channel number or compass heading; Compatible with most remote controls; Separate infrared remote controller; 69 channel programmable memory; Auto-synchronization for pinpoint accuracy; 3-wire **\$99.99**

ECG®


U-105 Light-duty

Antenna Rotator

Long life, precision cut, hardened steel gears in a rugged, one-piece, cast aluminum housing. Large bearing surfaces and a reinforced mast for lateral load support. Ball bearings handle the vertical thrust load. Plenty of torque – easily handles the largest TV/FM and modest amateur VHF and UHF antenna arrays. Built to take high winds and harsh weather extremes with a water tight, lubricated seal. With completely automatic control, it accurately shows orientation of antenna. Smooth, quiet operation **\$69.99**
Control Unit: 120 VAC, 60 Hz, 68W; 18 VAC output voltage; 3-wire. Dim: 7" w x 5.875" d x 2.375" h
Rotator Drive Unit: 360° rotation; 70 sec. rotation; Rotation torque of 8 ft.-lbs.; 100 lb. max. vertical load; 1.125" to 2" O.D. support mast; 10 lbs.

U-106 Light-duty Rotator – Similar to U-105 but with Presets and Infrared remote added **\$89.99**

TB-105 Thrust Bearing – Use to provide extra support and adding strength. Ball bearing design also relieves stress from varying wind loads on the rotator drive and bearing **\$18.99**



ARRL Handbook... 80 Years of Excellence!

*The Radio Amateur's
Handbook
1926-2006
Anniversary Edition*

Since 1926, generations of radio amateurs and experimenters have come to know **The ARRL Handbook** as THE standard in applied electronics and communications.

About the 2006 Edition

ALWAYS REVISED! This 2006 edition builds on the extensive rewrite of the previous edition, and includes the most up-to-date theory, references and practical projects (including weekend-builds!) for receivers and transmitters, transceivers, power supplies, RF amplifiers, station accessories, and antennas.

NEW HF AMP! An impressive addition to **The ARRL Handbook** is a brand-new, high-power HF linear amplifier project using the new Eimac 3CX1500D7 power triode.

CD-ROM INCLUDED! This edition is bundled with **The ARRL Handbook CD (version 10.0)**—the complete and fully searchable book on CD-ROM, including many color images, additional software and reference material.



Softcover. Includes book and CD-ROM.
ARR 9485 \$39.95

Hardcover. Includes book and CD-ROM.
ARR 9493 \$54.95

Published by:

ARRL The national association for
AMATEUR RADIO

STUDY GUIDES



General Class License Manual
All study material needed..... ARR 9205 **\$16.95**
Extra Class License Manual
Complete test material source... ARR 8659 **\$24.95**



ARRL Technician Class Video Course, 4th ed. (DVD)
Study material for Ham radio licensing. Includes DVDs, book, and software... ARR 9116 **\$149**
In VHS. 4 videotapes, book, and software..... ARR 8837 **\$149**
Book only for use with videos. With software... ARR 8845 **\$29**




Your Introduction to Morse Code

A cassette tape or CD series from ARRL to teach Morse code in order to pass the General license exam. Set includes plain-language practice text and Morse code exams using the format of a typical amateur contact. Specify tapes or CD format ARR 8322 (tapes)/ARR 8314 (CDs) ea. **\$14.95**

Now You're Talking!

All you Need For Your first Amateur Radio License. This is Ham Radio's number one License Manual. In one book, you'll find everything you need to know to earn your first license. All of the learning material is explained in friendly easy-to-understand chapters. Loaded with vivid illustrations and photos make learning fun and interesting. The 5th edition..... ARR 8810 **\$19.95**



ARRL's Tech Q&A

Don't be surprised on exam day! Review questions and answers from the entire Tech question pool and pass the exam. Includes brief explanations printed after each question..... ARR 8829 **\$12.95**

ARRL's General Q&A

Authoritative guide to every General question in the pool. Everything needed to pass! Explanations to possible questions..... ARR 9213 **\$12.95**


ARRL's Extra Q&A

Includes the latest question pool with answer key for Extra class license exam. Brief clear explanations for all possible exam questions... ARR 8888 **\$17.95**

GENERAL

ARRL 2006 Handbook 83rd edition

Builds on the extensive rewrite of the previous edition, and includes the most up-to-date theory, references and practical projects for receivers and transmitters, transceivers, power supplies, RF amplifiers, station accessories, and antennas. Entire sections reflect the most current state-of-the-art: analog and digital signals and components; working with surface-mount components; High-speed multimedia (HSM); new antennas and advice on baluns; satellites and EME; oscillators, DSP and software radio design; internet tips, Wi-Fi, and other wireless and PC technology. Includes a fully searchable and complete book on CD-ROM. The unmatched amateur radio resource (softcover) **ARR 9485 \$39.95**
Hardcover version with CD **ARR 9493 \$54.95**



1926 Handbook Reproduction

A Limited Edition, commemorating 80 Years of "The ARRL Handbook"
A Bonus "1926 Handbook" has been shrink wrapped with a limited number of 2006 ARRL Handbooks.

We will ship the Bonus book with both Soft and Hardcover 2006 versions until our Limited Inventory is gone. First come, first served.

The ARRL Operating Manual

For Radio Amateurs
9th Edition
ARRL
Everything for the active ham!

ARRL Operating Manual
The most complete book about Amateur Radio operating. Information about new bands, modes or activities. Covers rules and regulations, repeaters, EchoLink/IRLP, APRS, meteor scatter, DXing, contesting and award hunting..... **ARR 9132 \$25**

FCC Rule Book

To ensure compliance, every ham should have a copy of the Rules that govern the Amateur Radio Service. A complete guide to all FCC regulations in one book **ARR 9000 \$12.95**



Ham Radio FAQ

The ARRL Lab and "The Doctor" answer your frequently asked questions. Useful information on: antennas, transmission lines and propagation, station, mobile, portable, repeaters, batteries, grounding and lightning..... **ARR 8268 \$14.95**



Learn with the Best — Gordon West & W5YI!

Tech, General, Extra, Commercial study manuals, audio courses, software & more



Get into ham radio the right way — studying with Gordo! His new *Technician Class* book reorganizes the Q&A into logical topic groups for easier learning. His audio theory course brings ham radio to life and is a great study companion to his book. W5YI software includes Gordo's answer explanations from the book, making learning easy and fun!

Technician Class book W5Y GWTM-03 \$15.99
Technician audio theory course now on 6 W5Y GWTW-03 \$34.99
Technician audio CDs W5Y GWTW-03 \$34.99
Tech book + software package W5Y NCS-03 \$39.99



Upgrade to the HF bands by earning your General Class ticket. Gordo's book includes all the Q&A along with his fun explanations that make learning easy. His audio course is a great way to learn if you spend a lot of time in your car or truck. The W5YI interactive study software gets you ready for the exam — and to get on the HF bands!

General Class book W5Y GWGM-04 \$17.99
General Class audio theory course on 4 audio CDs W5Y GWGW-04 \$24.99
Book + software package W5Y GUS-04 \$39.99

Tech + General Value Package


Technician & General Class books + W5YI software package. Includes 2 Gordon West study manuals, W5YI Morse code software & free Part 97 book.

Tech + General Value Pack W5Y TPG-04 \$59.99

Learn Morse code for your upgrade to General!

CD/6-tape, audio courses recorded by Gordo.
Morse code 0-5 wpm on 8 audio CDs W5Y GW05/CD \$39.99
Morse code 5-16 wpm tapes W5Y GW13 \$29.99
Morse code 10-28 wpm tapes W5Y GW20 \$19.99
Code software 0-48 wpm W5Y WMC \$14.99

Get your commercial license!



GROL-Plus book covers FCC Elements 1, 3 and 8 for MROP, GROL, and Radar Endorsement.
W5Y GROL \$39.99

GROL-Plus book along with accompanying software **W5Y GRSP \$69.99**

Extra Class



Let Gordo help you get your top ham ticket, Amateur Extra Class! His book includes memorable answer explanations to help you learn the material and understand the correct answer. His audio theory course reinforces learning. The interactive W5YI study soft-ware helps you prepare for that tough Element 4 written exam.

Extra Class book W5Y GWEM-02 \$19.99
Extra Class audio theory course includes 7 audio CDs **W5Y GWEW-02/CD \$39.99**
Extra book + software pkg. W5Y ECS-02 \$39.99

W5YI Ham Operator Software

Includes all written and code exams, plus W5YI CW software on a CD-ROM, with free Part 97 booklet.

W5Y HOS-04 (no books) \$39.99
W5Y HOSB-04 (with 3 study manuals) \$79.99

Getting Started in Electronics

by Forrest M. Mims



A great introduction for anyone who wants to learn the fundamentals of electronics. Includes 100 projects you can build, and great experiments that demonstrate how electricity works! **W5Y GSTD \$19.99**

Engineer's Mini Notebooks

by Forrest M. Mims




These Mims classics teach you hands-on electronics! Study and build 100's of practical circuits and fun projects. Each volume contains several of his famous Mini Notebooks. Terrific ideas for science fair projects! A great way to learn about electronics! Useful reference guides for your workbench!

Vol. 1: Timer, Op Amp and Optoelectronic Circuits & Projects W5Y Mini-1 \$12.99
Vol. 2: Science and Communications Circuits & Projects W5Y Mini-2 \$12.99
Vol. 3: Electronic Sensor Circuits & Projects W5Y Mini-3 \$12.99
Vol. 4: Electronic Formulas, Symbols & Circuits W5Y Mini-4 \$12.99

Our Basic books teach you Electronics!

Basic Electronics W5Y BELC \$19.99
Basic Digital Electronics W5Y BDIG \$19.99
Basic Communications Elect. W5Y BCOM \$19.99



Amateur Radio on the Move
Car or RV, Boat, Airplane, Motorcycle or Backpack! Expert advice about Radios you can use mobile. Getting power to run a radio, installation tips, safety, and antennas for mobiling. Also getting rid of the noise, operating hints and tips, software and more! **ARR 9450 \$19.95**

Your Mobile Companion

VHF or HF, here's advice on choosing gear, installing it so it works right the first time or finding the right antenna. Covers picking bands, buying a mobile radio, the best antenna placement, contesting and earning awards, safety installation and operation, automotive interference causes and cures **ARR 5129 \$12**



Lightning Protection and Grounding Solutions

Written in a non-technical manner so anyone can understand how to install an effective grounding and protection system to guard communications equipment against destructive lightning surge energy **PLY LPGS \$20.00**



Pocket REF, 3rd edition

Chapters on air and gas, carpentry, chemistry, computers, electricity, math, hardware, plumbing, steel and materials surveying, welding, general information and more. Thousands of updates and many new sections like mileage charts. Everything you need to know .. **SEQ POCKET REF \$12.99**




Hints & Kinks for the Radio Amateur - 17th Ed.
Brings together the best of Amateur Radio tips and techniques - antennas, weekend projects, shack accessories and operating. Includes all of those contributions published from 2003 and 2004 QSTs. You'll find articles included from the columns The Doctor is IN and Hands-On-Radio. Use these items to learn more about a new mode, or find your next construction project! **ARR 9361 \$17.95 Log Book**

This universal log suits all amateur DXing, contests, rag-chewing. 8.25" x 11" **ARR 1250 \$5**

Minilog Log Book

For portable/mobile ops, 6.5" x 4" **ARR 7539 \$4.95**



Understanding Basic Electronics

For beginners and those who want to brush up on electronic principles. Clear, simple explanations and loaded with illustrations **ARR 3983 \$20**

Introduction to Radio Frequency Design

The functional methods of frequency design using mathematics as needed to develop intuition for RF circuits and systems. Simple circuit models prepare you to actually design HF, VHF and UHF equipment. **ARR 4920 \$39.95**




On the Air with Ham Radio

A guide to the ways hams communicate. Provides recently licensed hams with all the info they'll need in making choices to get active on various ham bands and modes. Information on repeaters, satellites, television, HF digital modes, VHF FM, CW and phone, APRS, or HF phone and CW. 192 pages... **ARR 8276 \$17.95**

Heil Ham Radio Handbook

Loads of useful information for the beginner through the more advanced operator. Chapters on Basic electronic and antenna theory, "building your own", and assembling an amateur radio station and much more! **HEI HAMRADIOHAND \$10**



AC Power Interference Handbook, 2nd ed.

By Marv Loftness, KB7KK. New insights into the - causes, effects, locating and correction of power-line and electrical interference. "This easy to read, very practical book, is a must for anyone responsible for solving interference problems."--Vern Chartier, past chairman, IEEE T&D **ARR 9055 \$29.95**

ARRL RFI Book

318 pages of step-by-step interference solutions covering: telephones, power lines and electrical devices, TVs, cable systems, VCRs, stereos, computers, VHF intermod, mobiles and more .. **ARR 6834 \$24.95**



Beyond Line of Sight

Shows why as we know today, VHF radio waves can travel thousands of miles. QST articles show how hams pushed forward the discovery of propagation modes making VHF DX possible..... **ARR 4025 \$12**

Ham Radio Anthology

Offers homebrewing techniques from the pages of Ham Radio Magazine (1968-90). Useful and practical advise and techniques for projects from small, solid-state to beam antennas. All 170 pages are presented just the way they were originally published..... **CQX HRANHOMEBREW \$19.99**




Electric Radio Magazine

Celebrating a bygone era, each monthly issue covers part of the rich history of radio. Articles that pertain to vintage equipment and operating with primary emphasis on AM, but also CW, SSB, and Shortwave are included. Of great interest to collectors, restorers and builders. Current issue **ELECTRICRADIO \$3.75**



Buckmaster HamCall CD

Over 1.5 million listings by name, address, county, country and license class. Displays license issue date, expiration, previous call and class, area code, e-mail, URL, county, time zone, latitude/longitude, grid square, beam heading and long/short path distance. PC DOS and Windows (3.1, 95, 98, XP) compatible; Extensive international listings; Label printing; 4,000+ photos and QSL cards; Interfaces with most logging programs..... **BUC HAMCALL \$50.99**



ARRL Amateur Radio Map of North America

This large, colorful wall map features current geographic detail and labels, grid squares, call sign prefixes, boundaries and more. Great for all operators! Essential for contesters, WAS, VHF/UHF Century Club, and other award seekers. Also makes a great hurricane tracking map. Use it to track storms from your home. Dim: 27 x 39 in., plastic laminated for protection.... **ARR 8977 \$15**



ARRL World Maps

Each colorful map features current geographic detail and world-wide call sign prefixes. Azimuthal Projection is centered on the central USA and is useful for antenna beam headings. 27 x 39 in., laminated. Robinson Projection is the popularized classroom-style projection map. 26 x 34.5 in., laminated **ARR 7717/8804 each \$15**

ORDER ONLINE OR OVER THE PHONE



We accept I.M.P.A.C.® Government Credit Cards



QRZ Ham Radio CD

1,250,000 names, call signs and addresses of worldwide amateurs. Supports Windows OS. Latest FCC call signs with over 232,000 e-mail addresses. Includes country names for calls; 12,000+ QSL cards; Built-in

text editor; 17-button multi-function toolbar; Auto storage of personal data; Auto QSL card generator; User customizable display; Multi-page printing and Multi-hit retrieval **WAL HAM QRZ \$24.99**

SPECIAL INTEREST



ARRL Weather Satellite Handbook

Types of satellites currently in orbit and how they operate. How to buy or build receivers and antennas. How to build an interface to view images received from satellites or shortwave WEFAX on a PC **ARR 4483 \$20.00**

Satellite Anthology 5th edition

A compilation of QST articles dealing with satellites like Amstar-Oscars 10 and 13, Russian RS series & Microsats **ARR 7369 \$15**



Radio Amateur's Satellite Handbook

The most comprehensive book ever written about amateur satellites! From setting up a station and choosing the right antenna, to tracking the "birds." Regardless of your level of experience with ham satellites, you'll


find what you're looking for in this book. Revised first edition **ARR 6583 \$24.95**

LOGSAT PRO Satellite Tracking Software CDROM

Track hundreds of satellites in dozens of windows. Kansas City Tracker support; Complete multi-tasking; Unlimited open satellite windows at the same time; Voice alarms when satellite window becomes visible; 5 map projections; 3D antenna radiation diagrams can be displayed; Online help; The Satellite Encyclopedia. Requires Windows® 3.1/95/NT compatible, 286 processor, 4MB RAM and 15MB disk space. PC sound card with speakers, 486 with 32MB RAM and Kansas City Tracker interface optional **LOG LOGSAT PRO \$69.99**

APRS - Moving Hams on Radio and the Internet

Guide to the Automatic Position Reporting System. Track moving objects, display weather statistics and storm warnings, find hidden transmitters or jammers and more. Learn how to set-up and operate your APRS station with little more than a VHF radio and computer **ARR 9167 \$17.95**



Pocket PC REF, 13th edition

A concise IBM PC and compatibles computer reference book containing hard to find information and an extensive 3700 name PC Industry phone book. New bigger 4 x 6 in. size with many additional pages.

Includes: Troubleshooting; Wiring; Connectors and Pinouts; WinXP/2000/UNIX Commands Reference; Startup Programs and Processes; Network Wiring and Standards; File Name Extensions; Over 1,000 acronyms and definitions; CPU Processor Specs and Identification; Specs, Configurations and Updates for 1000's of Hard, CD-ROM, Magneto Optical, Tape and Floppy Drives; Audio, POST and HTTP Error Codes; DOS Command References; ASCII Codes and Numerics; PC phone; Country domain name extensions & more! **SEQ POCKET PC REF \$15.99**





Image Communications HB

Explore the possibilities of using amateur radio to see and talk with other hams! With PCs, widely available software, and gear many hams already own, it's easy to enjoy imaging modes; narrow band and amateur television, slow-scan television, and weather satellite imaging (WEFAX). Includes CD-ROM **ARR 8616 \$25.95**


The ARRL DXCC List

January 2005 Edition - The Official DXCC information source. Record the entities you've worked and QSLed. Complete listing of DX Century Club rules. Contains data about each entity on the DXCC List, deleted entities, and the latest additions. Also included are the prefix cross-reference and list of international call sign series. Award descriptions are covered, and information about how to get numerous DXCC items **ARR 9353 \$5**



DXing on the Edge

The Thrill of 160 Meters, by Jeff Briggs, K1ZM. A fascinating chronicle of what it takes to navigate the 160M band. Includes useful operating tips and descriptions for many practical antennas. Includes a CD with truly exotic, exciting QSOs made from prominent DX stations. Many photos and historical data included, from the early 30s through present day **ARR 6354 \$29.95**





ON4UN's Low-Band DXing

New 4th Edition - A must for DXers, contesters and casual operators who even occasionally venture onto the low bands! This extensively revised edition brings you the latest antennas, techniques and equipment for DXcitement on 160, 80 and 40-meters. Follow the outstanding achievements of John Devoldere, ON4UN, as he presents practical information you need to operate a highly successful station on the low bands. Includes the fully searchable book on CD-ROM **ARR 9140 \$39.95**

Passport to WorldBand Radio

2006 shortwave listening guide, zeros in on news, sports and entertainment around the world. Includes a channel-by-channel guide to world band schedules, reviews of radios and accessories, and loads of advice and information for the SW listener **IBS 2006 \$22.95**





Radio Amateur's World Atlas

16 pages of colorful maps covering the Americas, West Indies, Asia, Japan, Australia, Pacific Ocean, Europe, Africa, & Antarctica **ARR 5226 \$12.95**

The ARRL

World Grid Locator Atlas

Information on the locator system and maps showing all 32,400 Maidenhead Locator Squares **ARR 2944 \$5.00**





Ham Radio for Dummies

Thoroughly explains what Ham Radio is all about, what is needed to get started, and how to become a licensed ham operator - all in plain English. Chapters: What Is Ham Radio All About? Wading through the Licensing Process. Hamming It Up. Building and Operating a Station That Works. 10s of Secrets & Tips **WIE HRFORDUMMIES \$21.99**

Astronomy for Dummies

A complete guide to understanding the universe. How to get the most out of stargazing, and planetarium visits - all in plain English. Chapters: Stalking the Cosmos; Once Around the Solar System; Old Sol and Other Stars; The Remarkable Universe; 10s of Facts and Tips **WIE ASTRODUMMIES \$19.99**




GPS for Dummies

Here's what you need to make the most of your portable GPS gadget and all its amazing features. Pick the right receiver for you, create a map from your front door to the relatives six states away, venture into new places with confidence, explore the treasure hunting sport call geocaching, and much more **WIE GPSDUMMIES \$21.99**

Weather for Dummies

Are you dazzled by dramatic displays of thunder and lightning - and wonder why these forces of nature occur? This guide offers easy-to-understand explanations about meteorological concepts, from jet streams to tornadoes and El Niño. Inside, you find experiments and activities you can do at home, plus insight on smog, the greenhouse effect, and more **WIE WXFORDUMMIES \$21.99**



2005/06 Repeater Directory

New edition of listings for voice and digital repeaters and propagation beacons located in the Americas. Also find band plans, tone chart, committees, clubs and more..... **ARR 9426 \$10.95**



2005/06 TravelPlus for Repeaters™ v.9.0 CD

Make it a travel companion, and never be alone on the road. Locate repeaters along U.S. or Canadian routes using map-based software. Integrated maps and repeater data; Access ARRL VHF/UHF Repeater database and Repeater Directory text, including IRLP; Display major highways and cities in U.S. and Canada, more detailed maps, or scanned maps; Trace route and find all repeaters in a range; Customize repeater data; Supports real-time GPS; Works with third-party software; Requires Windows 98SE-XP. Now includes 2005/2006 Repeater Directory data **ARR 9434 \$39.95**


Repeater Map Book 12th Ed.

Perfect travel companion. Containing hundreds of open repeater locations throughout the United States, Canada and Mexico. These detailed maps show all highways and major cities in each state. Grid squares on every U.S. map and NOAA weather frequencies for the U.S. **ART REPEATER MAP... \$14.99**



ARRL's Low Power Communication 2nd Ed.

The Art and Science of QRP, by K7SZ. The low power game is one of ham radio's most exciting and rewarding challenges. Here's the lowdown on low power operating, from selecting gear, to advanced operating techniques, antennas, emergency communications, solar power, and more! **ARR 9175 \$19.95**



Transmitter Hunting

Practical and fun! Using this information, locate radio frequency jammers, other malicious interference and downed aircraft. Do "T-hunting", "Fox Hunts" and help search/rescue. Getting started, equipping a vehicle, hunting techniques, antennas, RDF skills and more! **ARR 2701 \$24.95**



Police Call 2005

Frequency lists compiled from the most recent records, with unofficial material provided by readers. Vol. 3/4 Covers IL, IN, KY, MI, OH, WI. Vol. 5/8 covers AZ, CO, ID, IA, KS, MN, MO, MT, NE, NV, NM, ND, SD UT, WY. Compatible with Windows 95-XP. Includes CD-ROM with police call listings. **POL VOL3/42005 or VOL5/82005 each \$19.99**



HF Digital Handbook

3rd Edition - Discover the wonders of RTTY, PACTOR, PACTOR II, Clover, G-TOR, Hell-schreiber, MFSK16 & PSK31. All it takes is your computer, an SSB transceiver and an HF modem, multi-mode processor or PC sound card. Learn how to assemble your own HF digital station, send/receive internet email via HF radio, and more! .. **ARR 9159 \$19.95**



VoIP: Internet Linking for Radio Amateurs

Growing numbers of hams are using Voice Over Internet Protocol in combination with radios for long-distance communication spanning thousands of miles. This is a guide to the 4 primary VoIP systems used by hams: EchoLink, IRLP, eQSO and WIRES-II. Designed for beginners and those looking to dig deeper **ARR 9264 \$17.95**

2006 World Radio TV Handbook

The world's most comprehensive and up-to-date reception guide to mediumwave, shortwave and FM broadcasting for the serious radio listener. Informational articles, operating hints and latest product reviews **WAT 059367 \$29.95**



Celestron Sky Map

Big, durable, 11.25" x 13.75" size, spiralbound, book. Contains basic star map and glow-in-the-dark star finder, seasonal star charts, constellations and characteristics of stars. **CEL 93722 \$19.99**



ARRL Periodicals on CD

Complete text and illustrations for all articles in QST, QEX and NCJ by year. Include search engine, bookmarking, windows printing, software project source code, PC board etching patterns and clipboard support. Info by title, name, call sign, keyword, web. Windows™ 3.1 minimum. Individual CDs by year 1995 to 2004..... each **\$19.95**
ARR 5579 (1995) • 6109 (1996) • 6729 (1997)
7377 (1998) • 7881 (1999) 8209 (2000)
8632 (2001) • 8802 (2002) • 9124 (2003) • 9396 (2004)

QST Views

Back issues of QST available in full years on CD-ROM. Every page is stored as a black and white image that can be read or printed. Easy to use software allows you to: Search by title and author; Select by year and issue and browse individual articles. For Windows™ 3.1 or higher. Five years per CD-ROM each **\$39.95**
ARR 5781 (1970-74) • 5773 (1975-79)
5765 (1980-84) • 5757 (1985-89) • 5749 (1990-94)
8497 (1995-99) • 9418 (2000-04)



Vintage Radio

Revisit ham radio of yesterday. A collection of articles published in QST magazine describing vintage equipment and interesting points in the history of Amateur Radio that will evoke a sense of nostalgia. Articles were published between 1977 and 2003, including classic QST advertisements from the 1920s through the 1970s..... **ARR 9183 \$19.95**



Antenna Compendium Volume 7

Inside, find articles covering a wide range of antenna-related topics including: measurements and computations, mobile and multibands, practical tips and propagation and ground effects. This volume includes even more articles on low-band antennas and operating, and great designs for mobile operation. 208 pages **ARR 8608 \$24.95**

Antenna Compendium 6 with software

More articles on antennas, transmission lines and propagation. More projects **ARR 7431 \$22.95**


Antenna Compendium 5 with software

Baluns, HF beams, yagis and quads are just some of the subjects covered. Articles on antennas, transmission lines and propagation. Projects to build. Includes IBM software for plotting antenna model data files **ARR 5625 \$20.00**



The ARRL Emergency Communication Handbook

Intended for all hams that volunteer their skills in public service applications (or who are interested in doing so). Includes details on basic emergency communication skills, message handling, and more. Understand what to expect and what to take along. This book encompasses the Amateur Radio Emergency Communications Course (Level 1) manual but adds a substantial amount of additional material..... **ARR 9388 \$19.95**



PKTerm 3.0 and Pacterm 3.0 for Windows CD

Creative Services Software 32 bit terminal software for Kantronics, Timewave/AEA TNCs. Operate the Digital Modes: PSK-31, MFSK, MT63, SSTV, CW, RTTY, Amtor, Pactor, VHF and HF packet. Works with single or dual port TNCs or your computer's soundcard with an interface. Requires AEA/Timewave Host Mode or Kantronics TNC Hostmode for TNC interface. For Soundcard Only mode use any of the popular soundcard interfaces like the Hamhub, RIGblaster, or MFJ-1275/79 interfaces. Built-in logging feature. **CSS PACTERMFORWIN for Kantronics TNCs \$99.99**
CSS PKTERMFORWIN Timewave/AEA PK-12/96/32 on CDROM..... \$99.99



Antenna Compendium Volume 1

The premiere volume includes articles on a multiband portable, quads and loops, baluns,

the Smith Chart, and more..... **ARR 0194 \$10**

Antenna Compendium 2

Covers wide range of types and related topics, including innovative verticals, an attic tri-band, antenna modeling and propagation **ARR 2545 \$14**

VHF/UHF Antenna Classics

Ground planes, J-poles, mobiles, Yagis. Build a better antenna for an HT. Construct a 2M Yagi that rivals similar commercials. Includes projects from the 1980-2003 issues of QST **ARR 9078 \$14.95**





Simple and Fun Ham Antennas

Lots and lots of real-world, practical antennas you can BUILD YOURSELF! 16 chapters on different types of HF, VHF antennas, masts and supports, towers and performance. 70 useful projects **ARR 8624 \$22.95**

Vertical Antenna Classics

A range of articles from QST and the Antenna Compendium series. Selected tips and techniques from QST's "Hints & Kinks". Includes theory, modeling, VHF, UHF, HF, directional arrays, reduced size, radials and ground, antenna product suppliers **ARR 5218 \$12**




Wire Antenna Classics

Wire antennas ranging from simple to complex. Find one to deliver the performance you want. Dipoles, broadband and multi-band dipoles, loops, collinear, rhombics, wire beams, vertically polarized and receive antennas are all featured, even a chapter on tree-mounted antennas. **ARR 7075 \$14**

More Wire Antenna Classics

Enjoy even MORE wire antennas! Filled with innovative designs from the pages of QST and other ARRL publications **ARR 7709 \$14**





McCoy on Antennas

Pull up a chair and learn from the master! Loaded with antenna projects for Tech thru Extra class. **CQX LEWMCCOY \$15.99**

Yagi Antenna Classics

Collection from QST, QEX and others. Provides a historical perspective, novel and ambitious ideas, as well as computer-optimized designs. Chapters on mono/multibanders; HF, VHF and UHF beams; computer modeling; masts .. **ARR 8187 \$17.95**



The ARRL Antenna Book

In depth coverage of antennas, feed lines, and propagation. THE SOURCE for current antenna theory and a wealth of practical, how-to construction projects. Extensively revised, and featuring antenna designs enhanced by the latest advances

in computer modeling. Plus CD **ARR 9043 \$39.95**


W6SAI HF Antenna Handbook

Lots of inexpensive, practical projects that work. Great guide for constructing loops, yagis & verticals. **CQX W6SAIHANT \$19.99**



- ☒ Purchase New Radio
- ☒ Purchase New Antenna
- ☒ Clean Up Ham Shack
- ☒ Erect New Antenna
- ☒ Prepare To Set Up Rig
- ☐ **Lose Instruction Manual!!!?**

No more hunting through flea markets, calling multiple dealers, or photo copying a neighbor's. Find most instruction and maintenance manuals directly from the manufacturers' websites.





HEAR IT Noise Eliminating Speaker – Incorporates DSP technology. Fully adaptive to any change in background or man-made noise levels and effectively attenuates it up to -20dB. This dramatic drop in noise level results in clearer and less fatiguing audio that jumps out of the speaker.

The 'Hear It' has the capability to reduce noise equal to, or better than, DSP systems built into several popular radios. If the radio already has DSP, it will provide an additional benefit. If it doesn't have DSP, there will be a huge improvement in readability.

Offers 8 user-selectable noise cancelling levels, or cancelling can be switched off entirely. Plugging headphones or another speaker into the audio bypass jack mutes the speaker, but retains DSP noise reduction. 2.5W of audio power; Requires 12-28VDC @ 500mA; 6.5 ft. lead with 3.5mm mono plug. Dim: 4.5" w x 2.75" h x 2.25" d **\$159.99**



IN LINE MODULE In-Line Module – The same audio enhancing features as the Hear It speaker above, but without speaker. Audio output power; 5W; 3.5mm mono and RCA phono audio in/out jacks; Headphone jack; 12-24VDC, 500mA required; 3.5mm to 3.5mm audio and fused power leads supplied. Dim: 6.75" w x 3.35" h x 1.4" d; 1 lb. **\$199.99**



A major upgrade to the original ClearSpeech DSP speaker by Heil Sound. Many additional features and a state-of-the-art ported rear reflex enclosure. It dramatically "kills" noise, in most cases better than built-in I.F. DSPs. The new speaker and enclosure combo produces a robust sound and great intelligibility.

Features:

- 5 step DSP level switch – 4 Levels of DSP and bypass position.
- Bi-color LED sensitivity input level monitor to monitor the correct level from the receiver without clipping the DSP stages.
- Tone control, external speaker & headphone jacks, DC power ON/OFF switch
- DC power lead, audio input and grounding cables

MISC. MFJ

281 Communications Speaker

Features a rugged 3 inch Mylar cone speaker mounted in a well-designed baffle. Improves speech intelligibility in the 600 to 4000 Hz range while reducing undesirable noise, static and hum. Dim: 3.75" h x 3" w x 2.25" d **\$12.99**

382 Deluxe Amplified Speaker


Excellent for QRPers, base station HTs or rigs requiring more volume. A quality 3 in. speaker provides plenty of audio. All metal cabinet, rubber feet and vinyl clad cover. Uses 9V battery or 110V AC with optional MFJ-1312D. Cable included. Dim: 3.5" h x 1.75" w x 4.5" d. **\$39.99**

890 DX Beacon

Monitor – Use as an aid to check band conditions worldwide in just three minutes. It requires no connection to a transceiver. The beacon monitor is a stand alone timing device using a microprocessor and built-in WWVB atomic clock to keep track of the beacon activation sequence. LED indicators positioned across a world map show which of the 18 beacons is active at any given time. Storing the beacon frequencies in transceiver memory allows quick switching as one listens for beacon transmissions. When a beacon is heard on any of the frequencies, that band is open to the location indicated by the corresponding LED. Requires 12VDC or 110VAC with the optional MFJ-1312D. Dim: 6.75" w x 5.25" h x 3" d **\$99.99**




1263 Microphone Control Center – Mix and match any two microphones to any two transceivers. The microphones or transceivers can have 8-pin round or modular connectors. Eliminates swapping connectors. Plug in a PTT foot switch or let a computer or voice keyer control the PTT line. Also plug in headphones and an external speaker. The headphones are always active and a volume control eliminates the need to readjust the rig's volume when switching the speaker on. An input jack and on/off switch are provided to insert external audio into the microphone audio input line. Great for inputting sound card, SSTV, AFSK, TNC and other audio sources. Includes two 8-pin round radio cables. Dim: 6" w x 1.5" h x 5" d **\$99.99**



762 Step Attenuator – Push-button selection of up to 81dB attenuation in 1dB steps up to 170 MHz (usable to 500 MHz). 50 ohms; rated 250 mW maximum; BNC connectors with SO-239 adapters; metal cabinet. Dim: 6.5" w x 2.5" h x 1.5" d. **\$69.99**

1703 Antenna/Transmitter RF Safety Switch Select between two rigs and two antennas. Prevents rig from transmitting if not terminated. Range: 1-8-30MHz; up to 300W SSB/150W CW, 50-75 ohm coax. Metal cabinet with mounting tabs. Dim: 6.5" w x 2.5" h x 1.5" d **\$19.99**



616 Speech Intelligibility Enhancer™ – Provides approximately 20dB audio frequency boost or cut to four overlapping octave ranges centered at 300, 600, 1200 & 2400 Hz. Improves ability to hear and understand SSB, FM, AM, CW & QSOs by adjusting response levels to match hearing response for best clarity, then equalizing perceived loudness to each ear. Built-in dual, 2.5W, audio amps; front panel jack; speaker on/off switch; 2 selectable transceiver in-puts; bypass switch. Use with rig or PA. Dim: 10" w x 2.5" h x 6" d; requires 12 VDC **\$159.99**



1040C All-Band Presetselecter – Improves reception while rejecting out-of-band signals and images on four bands: 1-3, 3-7, 7-18 and 18-54 MHz. Low-noise 20dB gain MOSFET amplifier with a gain control and 20dB attenuator handles a wide range of signal levels. Usable with transceivers up to 125W; a relay automatically bypasses the amplifier on transmit. Push buttons select 20dB attenuator, two antennas, two radios, power On/Off. Controls for delay, gain, band and tune. Unit is bypassed when off. Requires 9-18VDC or MFJ-1312D (\$14.99) **\$99.99**




624D Deluxe Hybrid Phone Patch – Interfaces a telephone line with a rig. Jumper selectable for all 8-pin Kenwood, Icom, Yaesu and Alinco transceivers. Adapts to work with virtually any rig. Uses 12VDC, 9V battery or 110VAC with optional AC adapter. Dim: 8" w x 2" h x 6" d **\$119.99**



1020C Indoor Active Antenna – Covers 300 kHz to 30 MHz in 5 bands. Telescoping (21") antenna provides good receive signal strength. Functions as a preselector when using an external antenna. Improves selectivity, reduces noise. Uses 9V battery, 9-18VDC or 110V. Dim: 5" w x 2" h x 6" d. **\$79.99**

1024 Outdoor Active Antenna – Covers 50 kHz to 30 MHz. A separate RF amplifier module with 54 in. whip antenna mounts outside and connects by supplied 50 ft. coax to the control inside. Control contains gain control and 20dB attenuator. Select between two receivers and auxiliary antenna. Auxiliary input and output jacks. Uses 12VDC or 110VAC with adapter. Dim: Control 6" w x 2" h x 5" d; Module 3" h x 4" w x 4" d **\$129.99**

NEW COMMUNICATIONS SOLUTIONS




NCS-3230 Multi-RX Receive Console – The ultimate in RX audio control from up to 6 receivers! Connect radios, then choose which to monitor, where the audio will appear in the audio field (two modes), and record any or all audio utilizing manual or VOX activation. External recorder required. LEDs indicate which radio(s) are selected. Built-in stereo amp; Front panel volume and balance controls; "Mute All" button; Use headphones/set or speakers or both; LEDs identify active radios; 12 VDC needed. Dim: 8.5" w x 3.3" h x 6.6" d..... **\$349.99**

NCS-1514 Wall Power Supply – Designed for use with the 3230 above..... **\$24.99**

NCS-P2PH35-A Cable Kit – Six cables, 6 ft. long, for connecting radios to the 3230. RCA phono connector on one end and 3.5mm phono plug on the other..... **\$26.99**

NCS-MRX2MS-A Cable Kit – For interfacing the 3230 to the 3240. Feeds selected audio from the 3230 to speakers or headphones/set connected to the 3240. Selective muting..... **\$49.99**




NCS-3240 The Multi-Switcher – Switches all equipment (microphone, headset, keyer, foot-switch, etc) to any of four different radios using LED-lighted push buttons. Switch between headset, desk/hand microphone, TNC, phone patch, sound card, etc. Matches impedance, audio level and pin-out of nearly any mic to virtually any radio. Switches foot/hand-switch and CW keyer to selected radio. Switches radios receive to external speaker or headphones. Requires 12VDC. Dim: 8.5" w x 3.3" h x 6.2" d..... **\$299.99**

NCS-1512 Wall Power Supply – For the 3240, 12 VDC output @ 300mA..... **\$12.99**

NCS-LOZNC Underterminated Cable – Requires mic connector. Other end is an 8-pin DIN male connector to interface with 3240..... **\$17.99**

See NCS in the Price Guide for Radio Cables for Icom, Kenwood & Yaesu radios

ICC NITELOGGER II Automatic Tape Recorder Activator \$69.99



Accepts audio output from a radio or scanner and provides voice activated relay operation for a tape recorder. When audio is present, an adjustable relay circuit automatically activates the recorder for the duration of the signal, then releases. Simple connection with supplied cables to radio's external speaker jack, tape recorder remote and microphone inputs. An AC adapter is supplied. Dim: 4.37" w x 3.25" h x 2" d.

WAHL ELECTRONICS ISO-TIP

7740 Cordless Soldering Iron Provides tip performance up to 50 watts and over 700°. Contains premium NiCad rechargeable battery for high-rate charging; a partially discharged unit will return to full capacity within 1 to 2 hours, with a complete recharge in 3 to 4.5 hours. Replaceable battery and work light. Comes with recharging stand, fine and heavy tips..... **\$51.99**




7971 SolderPro 50 – Usable as a soldering iron, torch, hot knife and heat tool using optional interchangeable tips; Heats up from 410°F to 750°F within 10 seconds; Runs up to 30 minutes; No electrical current; Easy refill, powered by standard cigarette lighter butane (not included)..... **\$25.99**

7974 SolderPro 70 – Usable as a portable soldering iron, torch, hot knife and heat tool using optional interchangeable tips; Heats up from 410°F to 850°F within 10 seconds; Runs up to 120 minutes; No electrical current; Easy refill, powered by standard lighter butane (not included)..... **\$38.99**



82-5000-0004 Rosin Core Solder – 60% tin, 40% lead; 0.40" diameter; 374° F melting temperature; Non-corrosive; For all electrical applications; 0.5oz. in handy dispensing tube.... **\$1.99**


ANTENNA SPECIALISTS "On-Glass" Mobile Antennas



No holes to cut! – a small tuning unit attaches to glass inside the vehicle and couples capacitively through-the-glass to the stainless-steel black DURACOAT radiating element mounted on the outside. Using an electrical 1/2-wave radiator the APS-151 covers 144-174 MHz and the APR-143 cellular look-alike covers 144-174 MHz. Power rating on both is 50 Watts. Includes removable adhesive, 15 ft. of coaxial cable with PL-259.

APS-151 – 2m, 33 in. radiator..... **\$69.99**
APR-143 – 2m, cellular look-alike, 23 in. **\$69.99**

Weller



SP-23LK 25W Soldering Iron Kit (middle right) Ideal for hobbies, kits, radios and delicate electronic work. "On" Indicator light. Supplied with three 750° tips, handy soldering tool and solder. Size: 8-1/4 in. long, 1-3/4 oz., Two-wire 6 ft. cord **\$18.99**

W-60P 60W Pencil-Type Soldering Iron (left) For most circuit work. 0.0625" 700°F screwdriver tip. Dim: 7.5", 2.5 oz., 6' cord, 120V..... **\$66.99**

WP-25 25W Pencil-Type Soldering Iron – For work on delicate electronics. 750°F tip temperature. Dim: 7.875" long, 1.75 oz., 4' cord, 120V... **\$35.99**

WSTA3 Pyrophen® Butane Soldering Iron (right w/case) – Light-weight and completely portable. Operates up to three hours on a charge of regular cigarette lighter butane (not included). Soldering temperature control is adjustable from 392° to 932°F, with a very fast heat-up time. It's ready to solder in just 30-seconds! Supplied with tips for soldering, hot air (1202°F), and brazing..... **\$99.99**

WST2 Pyrophen® Jr. (middle left) – Portable, mini, butane-powered soldering iron. Recharges in seconds from a cigarette lighter butane (not included). Soldering temperature is adjustable from 392° to 842°F. Also, hot blow feature (806°F) and torch feature (2372°F). Has handy pocket clip..... **\$89.99**

7200PK Multi-purpose Soldering Gun Compact, lightweight, 75W for bigger work, connectors and almost any other heavier job. The flat, self-supporting back acts as a convenient rest when not in use. Carrying case, extra tip and solder. 120VAC. **\$29.99**

WESD51 50W Adjustable Soldering Station Quick heat-up, rapid temperature recovery. Micro-processor controlled, LED display shows setting and 350-850°F tip temperature. Auto power off after 90 minutes, ESD safe. Power unit, soldering iron with 3-wire 4 ft. cord, stand and sponge. Dim: 5.9" w x 4.5" h x 3.6" d; 4 lbs **\$149.99**

WTCPT 60W Temp. Controlled Soldering Station Ferro-magnetic sensor in tip controls 700°F temperature, no adjustments required. Closed loop method protects components, ESD safe. Includes: Power unit, soldering iron with 3-wire 4 ft. cord and stand with sponge. Dim: 4.5" w x 5.94" h x 3.63" d; 4 lbs..... **\$119.99**

WEST MOUNTAIN RADIO



RIGrunner

The most convenient and safest way to connect to a 12VDC source and distribute it to all equipment. Base or Mobile – no messy binding posts, frayed wire connections, black tape or short circuits – eliminate those wall wars.

- Anderson PowerPole® crimp or solder connectors provide a safe secure, hot connect, polarized, color keyed, genderless connector system
- Conservatively rated at 40 amps total with any outlet good to 40 amps
- Each outlet is individually fused an automotive ATC/ATO fuse; blown fuse LED shows status
- Conforms to ARES/RACES, RSGB, ARRL recommendation for high current 12VDC connectors

RR/4010S/C 10 Outlets – One "always on" outlet and (9) auto or manually-controlled switched outlets. An FET On/Off system controls entire station with the power button on your rig. Quick status LED and audio voltage monitor. Includes 12 pair Powerpole® crimp-solder connectors. **\$119.99**

RR/4012/C Intelligent DC Power Panel – Neatly distributes 12V, up to 40A, from power supply or battery to transceivers and accessories. Perfect for home and mobile applications. 12V input connection fused at 40A and 12 pair of outlets supplied with assortment of standard automotive fuses. LED "open" indicators on every fuse. LED voltage monitor indicates normal voltage, LEDs and audio alert for over/undervoltage conditions. 6 ft. DC cable and 12 pair of Anderson Powerpole® crimp-solder connectors. Dim: 11.8" w x 2.7" h x 1" d ... **\$112.99**

RR/4008/C 8 Outlets – Quick status precision LED and audio alert voltage monitor. For small or mobile installations or as expansion unit. 12 pair crimp solder connectors. Dim: 5.75" w x 2.7" h x 1" d **\$92.99**

RR/4005/C 5 Outlets – DC power panel, for small/mobile installs or as expansion unit. 6 pair crimp solder connectors. Dim: 5.75" w x 2.7" h x 1" d **\$59.99**

PG-40 PWRgate

Backup Power System

For the Ham Shack, Repeaters, Emergency Communications Centers, etc. Keeps equipment operational during power failures by




instantly switching to a back-up 12V battery or power supply (not supplied). Rated up to 40 Amps continuous and a built-in charger circuit keeps the connected battery fully charged and ready for emergency operation. Dim: 1.64" h x 3.9" w x 5" d. Requires PowerPole® connectors (not supplied) **\$69.99**



PWR/TOOL Powerpole® Crimp Tool – Crimps 15, 30 & 45 Amp contacts. Ratcheted for high strength, low resistance crimps every time **\$49.99**

C30/PK/12 – 30A PowerPoles®... 12 pair **\$10.99**

www.westmountainradio.com



VTTS Multi-Purpose Toolset – A quality toolset for the electronic engineer and hobbyist. Includes: 4.75" universal handle, 3" extension, 9 different bits, hex adapter, (4) 1/4" drive sockets, tweezers and plastic carry box. Dim: 6" x 4" x 2" **\$9.99**
Bits: (Slotted) 1/8, 3/16, 1/4"; (Phillips) #1, #2, #3; (Star) T-15, T-20, T-25.

Sockets: 4, 5, 6 and 8mm 1/4" drive.

Precision screwdrivers: 4 slotted, 2 Phillips.

Pliers: 4.5" mini diagonal, 5" mini long nose



VT-SET21N 8-in-1 Screwdriver Set – Includes 4 Phillips and 4 slotted screwdrivers. Each screwdriver fits into the handle for greater torque **\$4.99**



VT-SET3N 6-Piece Electronics Screwdriver Set Includes: T6, T7, T8, T10, T15 x 50mm sizes. Each screwdriver has its own handle and measures 4.2 inches in length **\$9.99**


VT-LAMP2U Magnifier Lamp – A 22-Watt, circular daylight fluorescent lamp with 1.75x magnifying glass, 41 inch arm length and convenient table edge mounting clamp **\$49.99**

CBA-2 Computerized Battery Analyzer

Test virtually any type or size

of battery, any chemistry, any number of cells up to 48V. Capable of up to 40A or 150W, whichever is higher. Determines battery capacity in AmpHrs, and graphically displays and charts voltage versus amp-hours which may be saved and printed. High performance cooling system with a quiet fan and LED status indicators. An on board micro-controller provides plug-and-play with your computer. Includes CD-ROM and 6 ft. USB cable. **\$99.99**

CBA/TEMP – Optional temperature sensor. **10.99**



FULL BODY CLIMBING HARNESSES



Drop Shipped

SkyClimber® (left) Chest-high front D-ring for fixed climbing. Made of polyester, easy on/off. Two D-ring harnesses offer sliding D-ring at center of back, and chest-high front D-ring. Four D-ring harnesses have sliding D-ring at center of back, chest-high front D-ring, and D-ring on each hip.

FP-5600 – Two D-ring, 2.7 lbs., S-M **\$89.99**

FP-5601 – Two D-ring, 2.8 lbs., L-XL **\$9.99**

FP-5602 – Four D-ring, 3.0 lbs., S-M **106.99**

FP-5603 – Four D-ring, 3.2 lbs., L-XL **106.99**

StarClimber® (right) Six D-ring tower saddle harnesses with padded seat and shoulder straps, and removable tool belt. Sliding D-ring at center of back, chest-high front D-ring, D-ring on each hip and each end of seat strap, black 1.75" nylon tongue buckle leg strap, red 1.75" polyester shoulder straps, two accessory rings attached to S" padded backpack and seat-strap, and carry-all bag.

FP-6600 – 5.0 lbs., extra small **\$260.99**

FP-6601 – 5.1 lbs., small **236.99**

FP-6602 – 5.2 lbs., medium **236.99**


FP-6603 – 5.3 lbs., large **236.99**

FP-6604 – 5.4 lbs., extra large **236.99**



Q-VIEW QSL Card Holders

Proudly display and protect your favorite QSL cards in these 12" x 40" clear plastic hanging holders. Each holds (20) 3.5" x 5.5" cards. Opens at center to receive cards easily. Pack of three will display 60 cards **\$18.99**



RT3-4653 Locking GearKeeper™ Two-Way Radio Tether for Handheld – Prevents loss or damage from device being dropped. Easy connect and disconnect. Has a retractable 32 in. tether with 24-ounce return force. Full 360° rotating belt clip **\$29.99**



RT2-4012 Mic Keeper™ – Tired of fumbling with your microphone? Why not grab it, use it, let it go? Retractable 20 in. tether with 12-ounce return force and snap clip, attaches to D-ring or belt loop. The ultimate way to keep track of your microphone..... **\$19.99**

VECTRONICS

Electronic Kits

Each features a quality epoxy glass PC board with solder mask and screen-printed component key, manual and components.

See the Price Guide



PORTABLE PACKS

COMMUNICATIONS OUTFITTERS

EXP-1 Expedition Pack – Designed for the Yaesu FT-817. Allows backpack style or table top operation with complete access to all controls, front and rear. Zippered pouch on both sides

securely holds most any antenna in the collapsed position for travel. Radio compartment is divided so the top section will hold the FT-817, and the lower compartment can be used for an amplifier, tuner or other radios. Made of high quality, durable nylon with plastic panels for rigidity. Water-resistant. Dim: 12" w x 4" h x 15" d..... **\$99.99**

PROMPT DELIVERY!



We accept I.M.P.A.C.® Government Credit Cards

CONTEST CARD


W9XT Contest

Card for IBM™ & PC Compatible

A non-volatile 5 x 4.5 in. card that plugs into a single 8-bit ISA PC slot and provides voice recording, playback and CW keying. Stores a total 60 seconds of voice audio divided into four 15 second messages. Samples at 8 kHz for high quality and natural sound. Does not use any disk space. For CW, the card frees up the PC port, and a relay allows operation with positive or negative keying. Works with all rigs and is compatible with most popular logging programs **\$139.99**

CCC-8 Contest Card Cable Semi-kit – Wired and tested except for connectors to mic and transmitter. Includes 6 ft. shielded cable, CW keying line and record switch (8-pin)... **\$44.99**

UM Unified Microsystems



Palomar Engineers



VLF CONVERTERS

Receives and converts the 10 kHz to 500 kHz (Very Low Frequency) band to tune in the 4 MHz range. Two models tune this low range on either a General Coverage receiver or Ham Band transceiver. Uses 9V battery. Dim: 2" h x 4.25" w x 5" d.


VLF-A – For Ham band transceiver **\$99.99**

VLF-S – For general coverage receiver . **\$99.99**


The BetterRF Company



I-MATE Accessory for ICOM PRO Series Provides external selection of pre-recorded voice and keyed messages for the 756PROII & III and keyed CW messages for the 746PRO. Eliminates shifting the display from operating mode to memory select mode to transmit pre-recorded messages. Four buttons transmit associated messages. Provides pulsed sine-wave oscillator for safe tuner and amplifier tuning. Has alternate audio input for second mic. Plugs into transceiver microphone jack. Receives power from the available voltage **\$74.99**



706 TUNE CONT Tune up Control for IC-706/718 – Plugs into Molex connector on rear of radio. Converts radio's TUNER/CALL button function to TUNE MODE which limits RF output to 8-10W and produces a sidetone through the speaker. When finished, it reverts back to previous mode and power. No need to switch to AM or RTTY or hold the PTT. Works 160-6M, except not 6M with original IC-706..... **\$32.99**



YAE TUNE CONT Tune up Control for Yaesu FT-100, FT-857 and FT-897 – Makes the radio's TUNE button function to provide a low power output for tuning, adjusting an antenna, checking SWR, etc., no matter what mode you are using. Interface cable included. No radio modification. Provides an interface between your YAESU transceiver and ICOM type accessories such as ICOM antenna tuners, tuners from other manufacturers and screwdriver antenna controllers..... **\$44.99**

Window Mount Clip for Handheld Antennas

When mobile, detach the duck antenna from your HT and install on this handy BNC window mount clip. It holds the antenna securely on the outside of your car's window where it can radiate freely and improve transmit and receive signals. Quick and easy to install and remove. Comes with 10 ft. of mini-coaxial cable.

MFJ-310 . . . **\$14.99**

MFJ





INNOVATIVE ROBOT KITS

Age 8 and up. Fun and educational! By assembling the kits, children and young adults learn some fundamentals of robotics and electronics. Assembly requires cutting and long-nose pliers, small hammer and screwdriver, and one 9V and 2 AA batteries.

MR-1001 SoundTracker (right) – A lively robot with sound sensor that causes it to react and alter direction of movement.

Dim: 5"l x 3.75"h x 5.5"w **\$29.99**

MR-1002 Antoid (left) – Has six legs that make him quite maneuverable. Uses infrared light source and sensor to alter direction.

Dim: 6"l x 6"h x 7"w **\$49.99**



908 Talking Electronic Chess Computer – Go up against this chess pro for a challenging game! Magnetic board and chess pieces – pieces store conveniently in compartment under board; Expert strength – estimated 2000 rating; Speaks to player in English, French and German; Includes special teaching and coaching features; 136 selectable levels from beginner to expert; Easy-to-read LCD shows how much time each player has on dual clocks, every move for both player and computer, move counter, automatic scoring, and info mode (what computer is "thinking"); Auto shut-off with memory save, selectable opening lines for play and learning, and lots more; Operates on 3 AA batteries. Dim: 12"w x 1"h x 9.98"d; 1.75 lbs. **\$49.99**

H-422

Forever Flashlight

The last flashlight you'll ever need to buy! It never needs batteries or bulbs! Just a 30-second shake activates the electro-magnet charging mechanism giving you up to five minutes of continuous bright light. Clear case shows mechanism; Super bright LED; Waterproof – floats in water; Visible for up to one mile; Great for cars, boats, campers and emergency kits. Dim: 10.5" long x 1.5" dia; 12 oz **\$24.99**

H-423 Micro Forever Flashlight – Same features and operations as the H-422, but smaller.

Dim: 7.375" long x 1" diameter; 5.6 oz **\$19.99**

BOUNTY HUNTER METAL DETECTORS



METAL DETECTORS

LAND STAR

Boasts more features than other costly detectors. Includes a Bounty D-Tech™ open-face search coil, advanced microprocessor electronics, 3-tone discrimination and Ground Trac™ retune. A multi-function LCD and touchpad control make it equally at home relic hunting, coin shooting, or gold prospecting. Set the notch to reject items, or let "Auto Notch" detect coins 12" deep... **\$349.99**



FAST TRACKER

Newcomers to treasure hunting should not be shortchanged when it comes to features – or quality. That's why there's the Fast Tracker™. It offers 7" Bounty D-Tech™ search coil (adjustable angle), dual-tone audio discrimination, motion all-metals mode, auto ground balance, low-battery alert, built-in speaker, headphone jack, and lightweight S-rod comfort-grip handle with stand **\$99.99**



SHARP SHOOT II

Treasures missed by generations won't escape the Sharp Shooter II™. Digital LCD, touchpad control, and interchangeable Bounty D-Tech™ search coil. Also features 3-tone audio discrimination, selectable auto/manual notch level, auto ground balance, battery indicator, S-rod comfort-grip handle with stand, headphone jack, and built-in speaker **\$299.99**



TRACKER IV

The optimum combination of power, ease-of-use, affordability, and big finds – every time: the Tracker IV™. Built with a fully-submersible 8" Bounty D-Tech™ search coil, sensitivity meter, built-in speaker, headphone jack and battery indicator. Tracker IV features 3 different user-adjustable operating modes: Motion All-Metals Mode, Full Discrimination, and Tone Discrimination **\$129.99**



LAND RANGER

Offers high-end features for the serious detectorist. Designed for every metal detecting application at a pro level. Touchpads keep all modes at quick and easy access while the LCD emits a constant reference source maximizing every possibility for finding treasure. It features an 8" waterproof, interchangeable search coil and SmartTrac™ ground control. **\$449.99**



QUICK DRAW II

The Bounty Hunter Quick Draw II™ metal detector packs powerful features, like an advanced Zilog Z-86 circuit, for superior discrimination and control. Also includes waterproof Bounty D-Tech™ search coil, 3 levels of iron discrimination, both target ID and depth readout, sensitivity control, full discrimination, auto and variable notch, and low battery indicator. Detects up to 10" deep – larger objects up to 5' **\$229.99**



TIME RANGER

Recover more relics and valuables from the past then ever before. The Time Ranger's powerful circuitry and smooth operation combine to deliver absolute performance. The innovative Sniff-Mode can be used in specialized applications when rejection/acceptance of a particular object is desired **\$549.99**



BOUNTY HUNTER ACCESSORIES

CARRY BAG Padded Carrying Case – Protects metal detectors from the elements, in storage and transit. Rugged, double-stitched, nylon construction. Includes outside zip-pocket **\$29.99**


10" COIL 10-inch Magnum Coil – Adds extra depth for relic and cache hunting **\$49.99**



Modern flashlights using LED technology. Lights an area like no other flashlight! 25-day batteries (with diminishing brightness); 11-year (typical), solid-state LED's; Bright, diffused white light; Waterproof to 2'; Shock-proof, high impact composite case with lanyard and hook; 3 year warranty, including LEDs

LW-2000 (left) – 3 AA alkaline batteries (included) power 4 LEDs. Dim: 7.75" long, 1.25" diameter **\$29.99**

LW-4000 (right and end view above) – 3 D alkalines power 10 LEDs. Dim: 10.75" long, 2" dia **\$59.99**



LW-3000 – Like LW4000, but smaller. 3 C alkalines power 7 LEDs Dim: 8.75" long, 1.625" dia. **\$49.99**

LW-HT Illuminator™ Head Torch

– 1"-wide adjustable strapping secures light to the head. Up/down adjustable. 4 high-intensity LEDs powered by 3 AA batteries (not included) provide super-bright light visible for over one mile, over 330 hours **\$39.99**

LW-PB PocketBright™ Flashlight – Includes key ring, neck lanyard and velcro patches. Single, high-intensity LED, powered by 2 included Lithium batteries, provides over 50 hours of light that can be seen across a full-sized room **\$19.99**



YAESU



FTV-1000 200W 50 MHz Transverter for the FT-1000MP MK V - Utilizes the same high-performance power MOS-FET transistors as the MK V. PA stage operates at 30VDC, provided by the MK V power supply. Output devices, capable of 300W PEP, are run well below their maximum ratings for high reliability and a thermostatically controlled cross-flow cooling fan keeps operation cool. Exclusive Class-A bias capability provides the cleanest SSB signal on the band. It also features a high dynamic range receiver front end, utilizing a high-intercept design with JFETs in a double balanced mixer. Driving the mixer is a low-noise-figure MOS FET preamp, two gain selections available. For local, select IPO, bypassing preamp for direct feed to the mixer. 12dB attenuator available when working with extremely strong local signals. Rocker switches control all functions **\$949.99**



HRI-100 Amateur Radio Internet Linking Kit Uses DTMF signalling to connect HTs or Mobile transceivers to the Internet, greatly expanding the coverage area. A repeater-based system, ideal for emergency communications, "sister-city" link-ups, or accessing repeaters world-wide. Includes CD (including manual), power cable, RS-232C/DB-9 data cable, 8-pin mini-DIN plug data cable, 2 sound card in/out cables and WIRES™II user/server agreement **\$149.99**

More WIRES™II wide-coverage internet repeater enhancement system information can be found at www.vxstd.com/en/wiresinfo/en/



VXR-7000VA 50W 2M FM Desktop Repeater A long list of built in features, sets the standard for a mid-power, continuous duty repeater application. Attractive housing and user-friendly controls. In the most demanding environments, the VXR-7000VA will provide years of reliable service. 136-150 MHz; 16 channel synthesized; 10-50W output, adjustable (100% duty); 12.5/25 kHz bandwidth; Programmable 16 tones/codes; ANI/ENI I.D. display*; CW transmitter I.D.*; Time-out, hang and guard* timers; BCLO, BTLO; Selectable repeater or base transceiver mode; Selectable local or remote mode; 115/230 VAC, automatic DC supply back-up. Dim: 4.5" h x 12.8" w x 15.4" d; 22 lbs **\$1269.99**

* Dealer programmed feature

ESP



ESP-1 Microphone Audio Processor - Now you can improve your communications clarity with the addition of Compression (AGC), a Noise Gate, plus Bass and Treble adjustment. A backlit LCD displays all functions for monitoring during operation. The input/output level controls make it easy to configure the ESP-1 for any transceiver with an 8-pin microphone connector. EZ to operate, there are no complicated switching or unnecessary functions. **\$225.99**

COMPRESSION/AGC: Adjustable from 0 to 14 dB, keeps modulation constant with varying speech level. Increases average speech level, adds punch and intelligibility.

NOISE GATE: Eliminates background noise present in the ham shack (blowers, A/C units, conversation, etc.) during pauses in speech.

BASS & TREBLE: Adjust to your personal preference by listening to the ESP-1 output with headphones using the rear mounted jack.

GROTHE ELECTRONICS



SIRENS & HORNS

VS-2 Emergency Vehicle Siren - For the volunteer fireman. A quality-built wail-yelp alarm that delivers a 120dBa sound level at 4 ft. with a frequency range of 600 to 1200Hz. Pre-wired with a 3-position switch (Yelp-Off-Wail). Includes a waterproof horn speaker, 10 ft. cable, mounting bracket and hardware. 12VDC @ 1.5A; 2.7 lbs **\$89.99**

VS-3 Vehicle P/A and Airhorn with Rebroadcast Powerful airhorn sound with 4 different sounds (no siren) Delivers 120dBa level at 4 ft. Locking down the microphone with the supplied rubber band, you can monitor sound from a mobile rig via the speaker outside. Includes horn speaker, microphone, electronic center, 10 ft. cable, mounting bracket and hardware. 12 VDC @ 1.5A..... **\$129.99**

VS-4 P/A Emergency Vehicle Siren - Contains P/A, rebroadcast, wail, yelp, pulse and airhorn. P/A over-ride features, plus volume control of all siren modes. Restricts output when operating in people places. Includes horn speaker, microphone, electronic center (3 x 3.5 x 2 in.), 10 ft. cable, mounting bracket and hardware. 12V DC @ 1.5A.... **\$139.99**



VS-2LS Siren-Light Combo A one-unit siren and yelp alarm, revolving halogen light and window mount. Fits all cars, slides on top of car window and plugs into cigarette lighter. The power plug contains an "on" LED and three position switch to select Yelp, Off or Wail modes. 12 VDC @ 5A. Specify AMBER, BLUE or RED light..... each **\$299.99**

HIGH PERFORMANCE MICROPHONE ELEMENTS



For a Big Boost in audio performance, replace the cartridge in your factory microphone with a Heil Element; the same elements used in their High-Performance microphones. Tiny in size, they easily replace existing cartridges in most microphones.

HC-5 Full Range Articulation Element Make your rig sound better and more intelligible to the listener by providing full articulation and more clarity than a factory microphone can provide. A 350 to 4000 Hz response with a sharp roll-off under 300 Hz & above 3100 Hz, with a peak at 2100 Hz produces very clear, easy-to-understand audio that will get you lots of on-the-air compliments **\$45.99**

HC-4 The "DX Dream Machine" Element Produces super audio clarity with more PUNCH for difficult conditions like contests, DX & weak-signal VHF/UHF work. Outstanding results on pile-ups, aurora and backscatter where SSB signals need maximum penetration and intelligibility. Designed with 500 to 3800 Hz response with a 10dB peak @ 2000 Hz & sharp 12dB per octave roll off @ 500 Hz which gives it a sharp sound that really penetrates under difficult conditions, but is not real pleasing to the listener for everyday rag chewing..... **\$45.99**

TIMEWAVE TECHNOLOGY INC.



HSC-99 HamHub™ Station Controller - An integrated interface to connect and control mic, headset, footswitch, TNC, rotor, transceiver and computer. Provides isolation of critical audio circuits and opto-isolation of RS-232 and control in/outputs. Both sound card and TNC in/outputs are transformer isolated to eliminate ground-loops. Uses single USB connection (computer) and provides 3 opto-isolated RS-232 serial COM ports for TNC, rotor and rig control (serial output configurable to match some older TTL rigs). Full-time audio multi-level indicators on both in/output circuits match audio levels between equipment. Internal high-speed micro-controller implements and supervises functions making them transparent to the user. Soft/hardware controls interlock - choose which overrides the other; Operates with most soundcard and software control programs **\$349.99**




The Sticky Pad holds objects in place on your vehicle dash. No adhesives or magnets. The back of the pad allows it to stay anywhere you place it while also being movable. Durable, reusable.

STI 13810 - Dim: 7.25 in. x 4.13 in. **\$5.99**

STI 13820 - Dim: 8.75 in. x 6.875 in. **\$9.99**

UHF CONNECTORS

General purpose and, with the use of optional reducing adapters, accommodate a wide range of applications. Rated for up to 300 MHz. Impedance is non-constant and voltage rating is 500V peak.



AMPHENOL
83-1SP-1050 (PL-259) Male
coax plug




83-1SP (PL-259) Silver-plated
coax plug

VAN GORDEN
SILVER PLATED (PL-259) Teflon



AMPHENOL PL-259
REDUCING ADAPTERS
83-185-RFX For RG-58
83-168-RFX For RG-59/8X



AMPHENOL
83-878 UHF single hole bulk-
head receptacle

AMPHENOL
83-1R (SO-239) UHF panel
receptacle



SHAKESPEARE
PL-259CPG (PL-259) No strip,
Solderless male coax plug for
RG-8X & RG-58/AU



SHAKESPEARE
PL-258CPG No strip, solderless
splice for RG-8X & RG-58/AU

MICROPHONE & DIN CONNECTORS



VANCO
CBC-8P Panel mount 8-pin male



KENDWOOD
7-PIN DIN plug
8-PIN DIN plug
13-PIN DIN plug



PHILMORE
61-6088 8-pin female mic plug

(6-pin shown)



VANCO
CBC-4 4-pin female mic plug
CBC-5 5-pin female mic plug
CBC-6 6-pin female mic plug



HOUSE OF DEALS
AP-115 1/4" metal stereo plug



HOUSE OF DEALS
AP-135 3.5mm stereo mini phone

DALBANI
15-0293 3.5mm mono plug

TYPE N CONNECTORS

Constant 50Ω impedance, excellent performance up to 11 GHz and 1,500V peak. Internal gaskets provide better weather resistance than the standard UHF type.



AMPHENOL
82-202-1006 Male for 8214/
9913/9913F
34025 Male for RG-58



VAN GORDEN
N CONNECTOR Male EZ-install
type for 9913/
8214



AMPHENOL
82-24 Type-N panel receptacle
AIM
26-8011 Type-N chassis mount

BNC CONNECTORS

Miniature, lightweight connectors for RG-58/59 type coax. Quick disconnect bayonet coupling, small size and low cost. Rated for up to 4 GHz. Impedance is 50Ω nominal. Voltage rating is 500V peak.



AMPHENOL
31-002 Male for RG-58
31-012 Male for RG-59/8X



AIM
27-8470 Dual chassis mount



AMPHENOL
31-221 Female chassis socket

COAXIAL ADAPTERS



AMPHENOL
83-1T UHF T-connector adapter
(M-358)



AIM
27-8140 BNC T (2 fem., 1 male)




AMPHENOL
83-877 UHF double male
adapter



AMPHENOL
4400 SO-239 to Type-N male
AIM
26-8015 Type-N male to SO-239



AMPHENOL
31-28 BNC female to PL-259
AIM
27-8120 BNC female to PL-259




HOUSE OF DEALS
SMA-872 SO-239 to SMA
adapter



AIM
27-8130 BNC double male




AMPHENOL
2900 SO-239 to BNC male
adapter



AIM
25-7420 BNC male to SO-239
26-8017 BNC male to N female



AMPHENOL
83-1AP UHF right angle
(UG-146)



AMPHENOL
82-64 Type-N right angle adapter



AIM
26-8016 BNC female to N male



AIM
25-7365 BNC female to SO-239



AIM
29-4140 SO-239 to mini PL-259



AIM
26-8014 N female to UHF male



AMPHENOL
83-1J UHF double female
(PL-258)



AIM
CPAD-207 Chassis mt SO-239
double female



AIM
26-8010 Type-N double female



AIM
29-3855 BNC female to SMA
male

Prices for items on this page can be found under CONNECTORS in the Price Guide.

RC Models

READY-TO-FLY ELECTRIC AIRPLANES



4500 Firebird Outlaw - (Red Wing) 1,500 ft. signal range; twin-engine propulsion system; proportional 2-channel FM radio (6 frequencies on 27 MHz); 10-minute flight time. Includes 6V, 300mAh NiMH battery, 2.5-hour charger and instructional video; 27.25" wing span, 21.4"l; 6.5 oz..... **\$49.99**

4505 Firebird Outlaw (Green Wing) - Same as 4500 but with green wings **\$49.99**



2500 Firebird Commander - Two modes: standard makes learning easy, and expert for advanced maneuvers. Two-stick proportional controller; 2,500 ft. range; 18 min. average flight time. Includes 7.2V, 900mAh NiMH with AC wall charger. Dim: 31"L, 40.25" wing span; 17 oz **Closeout \$109.99**



3500 Aerobird Challenger - For experienced pilots. Its powerful motor, control system and effective control surfaces fly circles around most ready-to-fly models. Perform loops, turns, stall turns, whip stalls, etc. Sport mode keeps control responses manageable. Master the basics, then unlock Pro mode for maximum maneuverability. FightTrak™ (pitch function); Fully-proportional 3-channel single-stick controller with side throttle and 2,500 ft. range (8 AAAs included); X-Port; 6-cell, 7.2V, 900mAh NiMH with charger; 15 min. average flight time. Dim: 31"L, 42" wing span; 17 oz **\$149.99**




5500 Firebird IIST - Easy flight using just two sticks; left for throttle, right for steering. Be flying solo out of the box. SmartTrak™ control software analyzes and adjusts inputs to keep first-time flyers from over-controlling. After using standard mode, unlock expert mode and enjoy extreme maneuverability, great for pylons or performing spiral dives. 18-min. flying time with 2,500 ft. range; 4-cell 4.8V 600mAh NiMH battery with 2.5 hour AC wall charger. Dim: 23"l, 31.5" wing span; 8 oz. **\$84.99**

7800 Sky Surfer
Zippy climb performance and handling! 7 to 10 mph cruise speeds; 3-4 minute fly time with included 7.2V 600mAh battery Includes 2-channel, 27 MHz, AM proportional TX; snap-together gondola; 50 x 18 inch parafoil with preattached shroud lines; running hardware and 30-minute DC charger. Transmitter requires 6 AAAs; 19 oz..... **\$249.99**

ACCESSORIES

4020 Sonic Combat Module
Option for Firebird Commander and Aerobird Challenger. Clips on bottom of craft and connects to receiver circuitry. When pulling back on throttle, it fires a focused, high-frequency sound blast (effective to 50 ft.), temporarily disabling a motor for 10 seconds while allowing full steering. Also serves as detector for "hits" from other aircraft..... **\$23.99**

6023 Air Drop Module - Option for Fighterbird, Firebird Commander and Aerobird Challenger. Allows for dropping of streamer bomb or parachute. Includes 2 streamer bombs and one parachute..... **\$19.99**



4025 StealthTarget - For any SCM-equipped airplane. Does not fly but mounts stationary on a 24 in. support pushed into the ground in an open area. Emits a tone when it detects a sonic "hit". Dim: 13"l x 8"w; 4.8 oz. Includes 9V battery..... **\$19.99**

1011 Speed Battery - for Firebird II **\$17.99**

1012 - Replacement 7.2V 900mAh NiMH battery for Fighterbird, Zig Zag Racer and Aerobird..... **\$24.99**

1013 - High performance, 8.4V 900mAh NiMH battery for Aerobird and Fighterbird..... **\$29.99**

7809 - High-performance, 7.2V 1100mAh battery pack for Sky Surfer. Doubles flight time to approximately 8 minutes..... **\$29.99**

1026 DC Peak Charger - For all batteries. Unit plugs into any automobile outlet..... **\$19.99**

2015 - 7.2V 3-hour wall charger..... **\$8.99**



Metal Body R/C Model Kits - Just assemble the pre-painted models with a screwdriver, add 2 AA batteries for the cars and one 9 Volt battery for the pistol grip transmitter/controller. The 1/32 size makes racing in the living room easy and their die-cast bodies are tough.

800001 1/32 Mini Cooper (left) - 4.375"l x 2"w x 1.75" h; 8 oz..... **\$29.99**

800002 1/32 Audi TT Coupe (right) - 4.875"l x 2" w x 1.5" h; 6.4 oz..... **\$29.99**

ELECTRIC TRAXXAS VEHICLES



2410 "Bandit" Electric Sports Buggy - Ready-to-run. ProGraphix body; TQ radio system and pistol-grip rotary mechanical controller; 20-turn, motor; Tough variable ratio transmission. Requires 8 AA alkalines, 7.2V NiCad battery pack and charger (not included); Dim: 16.25"L x 7" h; 48 oz **\$129.99**

3606 "Stampede" Electric Monster Truck - Pure monster, pure race. Reinforced channel design, fiber-composite materials, and big ground clearance. Includes TQ™ radio system and fwd/rev XL-1 electronic speed control. 23+ mph top speed. Requires 8 AA alkalines, a 7.2V NiCad battery pack and charger (not included). Dim: 16.25"L x 9.5" h; 68.2 oz **\$174.99**



3710 "Rustler" Electric 1/10-Scale 2WD Stadium Race Truck - Pro-level racing technology, designed for performance and durability. Assembled, ready-to-run, with TQ™ radio system with rotary speed control, ProGraphix™ painted body and chrome wheels. Requires 8 AA alkalines, 7.2V NiCad battery pack and charger (not included). Dim: 17.5"l x 7" h, 54.8 oz.. **\$134.99**

3706 "Rustler" - Same as 3710, but includes the powerful XL-1 electronic speed control with full, digital proportional fwd/rev throttle control.... **\$154.99**

3906 "E-Maxx" Dual-Motor, 4WD Electric Monster Truck - Monster torque from dual fan-cooled motors, trick ESC power system, and shift-on-the-fly 2-speed transmission, 30+ mph top speed. Ready-to-run; 3-channel radio; ProGraphix™ body. Requires 8 AA and (2) 7.2V NiCad batteries with charger (not included). Dim: 19"l x 10.5" h; 9.7 lbs **\$334.99**



A0090 "XXX-T" 2WD, Sport, 1/10 Scale, Ready-to-Run Electric Truck - Ball bearings throughout; powerful 19-turn motor; hot graphics. Racing transmission with heavy duty adjustable ball differential. Crisp acceleration. Radio system with new hi-torque servos and a GM electronic speed control with reverse.... **\$269.99**

A0014 "XXX-4" 4WD, Competition, 1/10-Scale Electric Buggy Kit - An easy to build, no-compromise 4-WD racer. Designed to give the remarkable performance of a 4WD, while being as easy to maintain as a 2WD. Single belt drive. Requires motor, pinion gear, radio speed control and battery... **Closeout \$209.99**

SHIP TO (If other than at left):

IF YOU HAVE MOVED since your last order, please show your old address:

TOTAL AMOUNT OF ORDER

9

IMPORTANT! Persons having a Trade-in must check one of the following: (Also, see more important information on previous page and on Policies page.)

- ☐ Hold this order until you receive and approve my trade-in.
- ☐ Payment in-full enclosed. Refund allowance when my trade-in is received and approved.
- ☐ Charge the FULL AMOUNT of my order to my Charge Card and Credit my trade-in allowance when my trade-in is received and approved.

+

☐ UPS Next Day Air (Red) ☐ 2nd Day Air (Blue) ☐ 3-Day Select (Orange) ☐ Fed Ex ☐ Fed Ex Home ☐ Express Mail ☐ Priority Mail

Shipping Charges are
taxable in WI, FL,
NV & OH

+

—

9



+

1

☐ Bank transfer ☐ Certified check ☐ Personal check ☐ Money order
DO NOT MAIL CURRENCY. Send bank check or money order. Personal check may delay shipping until it clears our bank. Attach remittance to top of order blank.

2

- ☐ Credit card (VISA, MasterCard, Discover, American Express, IMPAC)
☐ COD \$7.50 fee per package. *Money Order or Certified Check Only.*
 MINIMUM \$20.00 COD ORDER - NO AIR OR PARCEL POST COD'S

1

10

146

AES

Order Toll Free at 4 Locations Nation-Wide 1-800-558-0411 WI
Browse Our Store On-Line at www.aesham.com

COD ORDERS Minimum COD order is \$20.00, shipment via UPS Ground only (no air or parcel post). The flat-rate, plus a \$7.50 COD fee per package applies. Payment by money order or certified check only.

DAMAGED ITEMS If you discover a damaged shipment, **THE CARRIER SHOULD BE NOTIFIED IMMEDIATELY**. The merchandise should not be returned to us until notified to do so by the carrier. All packaging materials must be retained including styrofoam peanuts, inner and outer cartons, labeling, etc. for inspection by the carrier or the claim may be denied. With shipments properly packaged (as all our shipments are), the ultimate responsibility for delivery in good condition rests with the carrier.

DEFECTIVE ITEMS Defective items should be returned to AES or the manufacturer for warranty repair or replacement, at our discretion. After processing, we will return it via ground method, at our expense in the 48 contiguous states. If you receive defective equipment, call our Customer Service Department at 414-358-4087 for instructions. Canadians please see "Canadians Note:" under TRADE-INS.

INTERNET ORDERS The customer may order products directly on our web site via our internet order form. If the customer does not have access to the web, but has an e-mail account, the customer may e-mail his/her order making sure the following information is included: full name, call sign (not required to order), phone number, billing address, shipping address, item(s) to be purchased (model number and manufacturer) and method of payment. If paying by credit card, we need the card number and expiration date.

PAYMENT Accepted forms of payment are electronic bank transfer, certified check, personal check, money order, credit card (VISA, MasterCard, Discover, American Express, IMPAC), or COD. The customer's choices of payment methods may depend on amount of purchase or destination of shipment.

PRICING We will pass on decreases in pricing to our customers whenever possible. Due to foreign currency fluctuations, promotions, manufacturers' specials, etc.; prices may vary, so be sure to confirm prices when ordering. All prices and specifications are subject to change without notice. **AES®** is not responsible for typographical errors or omissions.

REFUNDS Amounts under \$5.00 are not refunded unless requested in writing to the Milwaukee headquarters within 12 months.

RETURNS In order to maintain the lowest possible prices, we do not offer a *free trial or evaluation period* on new equipment. If permitted, an **Authorized** return of merchandise for credit (it must be like new with all original packaging) will be subject to a **Minimum 15% Restocking Fee**. The item must be returned within **10 days** after receipt, prepaid, with a copy of the purchase invoice and a letter describing the reason for the return. No returns on antennas, towers, cable, items drop-shipped from the manufacturer, audio or video tapes, kits, books, or computer software. Canadians please see "Canadians Note:" under TRADE-INS.

PACKING FOR SERVICE AND/OR RETURN When returning heavy, delicate, and expensive equipment, it must be carefully packed in order to avoid damage caused by normal transportation dynamics. When contents of packages are damaged, claims will be paid only if the carton and packing meet standards set in the International Safe Transit Association Procedure 1 and 1-A. These standards simply state that cartons and packing should provide reasonable protection to their contents. Ideally, contents should be suspended in the center of the carton by the packing material, no less than three inches on all sides for heavy items. For items heavier than 20 lbs., 3" of foam or crumpled paper should be used instead of polystyrene edge protectors.

When you send your well-packed parcel to AES, be sure to include a letter inside the package stating your call, name, address, e-mail address, phone and reason for return. Do not rely on information written or taped on the outside of the carton.

SHIPPING Shipping charges, which include adequate insurance, are based on the Order Total at the time of the initial shipment (COD fees not included). The order amount on which charges are determined is pre-coupon and pre-tax (see chart on this page for rates). Cancellations on partially shipped orders will not affect the shipping charges. All back-orders from partially shipped orders are shipped **PREPAID** at the expense of AES® via Ground Service, only.

Shipping calculations on Ground method to the contiguous 48 states have been simplified by utilizing flat-rate categories (see chart on this page for rates). Other expedited methods and any USPS methods are charged at regular rates without any credit for ground rates. CODs are not accepted for these faster methods.

Shipments to APO/FPO are via Priority Mail. Orders exceeding ground method weight, size or value limits will be shipped via Truck or Air Freight collect. Shipping charges taxable in WI, OH, FL & NV.

To insure orders arrive quickly, AES stocks items at all four locations. Occasionally, an item will be temporarily unavailable at certain branches, due to various reasons. In this case, AES will ship the order from a location that has the needed item.

FLAT RATE SHIPPING via Ground in the contiguous 48 States	
AMOUNT OF ORDER	SHIPPING CHARGES
Up to \$100.00	\$4.99
\$100.01 to \$500.00	\$9.99
\$500.01 to \$1,499.99	\$14.99
\$1500.00 & UP	PREPAID
Flat Rate Does Not Apply To Drop Shipments or UPS Ground Shipments to Alaska	
Flat Rate Advantage – No Penalty for Number of Cartons or Weight!	

TRADE-INS Amateur Electronic Supply® accepts trade-ins on new equipment purchases, the worth of which is determined by the electrical and physical condition of the item. Estimates are given assuming the trade-in is in good electrical and physical condition. If it is not, a deduction will be made.

To facilitate a trade-in, the customer can choose one of the following: (A) Purchase the new item(s), send in the trade for evaluation, and have the trade-in amount refunded or credited. (B) Send in the trade and have the order held until the trade-in amount is determined.

When shipping trade-ins for evaluation, use a sturdy carton (double boxing is recommended) and plenty of packing material. Ship **PREPAID & FULLY INSURED**. Do not use Bus or Parcel Post. Collect shipments will not be accepted.

AES® assumes no responsibility for damage in transit or for filing of damage claims. Canadians, inquire locally about taxes and/or customs charges before releasing your shipment.

Canadians Note: Returned equipment not originally manufactured in the U.S. will be subject to valuation and custom charges, plus broker's fees. Check customs before shipping anything to us, including new equipment for warranty repair. We will not accept any shipments from outside of the U.S. unless all fees are paid in advance.

BIDS & PURCHASE ORDERS AES® accepts written and signed Purchase Orders from well rated D&B companies, military, schools, colleges, universities and federal, state, county and city Government agencies.

We welcome the chance to bid on your requirements and search the Internet daily for requests from all Government agencies. We are registered with FACNET and accept Government I.M.P.A.C.® charge cards. Net terms available to Government agencies, schools, and companies highly rated in Dunn & Bradstreet.

For more information, please contact Paul Szczerbinski, W9KHO (pauls@aesham.com) at AES® Milwaukee. Toll Free: 1-800-558-0411, Local: 414-358-0333 or Fax: 414-358-3337

Our Experienced Sales Staff at your Service...

MILWAUKEE, WI 414-358-0333 • 1-800-558-0411



CARL W9CLH



GARY L. KA9YTB



JEFF N9EDQ



JIM WJ9P



MIKE N9LBQ
**National Sales
Manager**



PAUL W9KHO



RAY W9KHH



RICHARD K9RWE



TOM W9TJP
Assistant Manager

CLEVELAND, OH 440-585-7388 • 1-800-321-3594



ALEX K8EUR
Assistant Manager



BEN AA8AH
Store Manager



BRUCE K8BT



KIPP N2JAF



PHILLIP KB8GA



ROD WN8R
Assistant Manager



PATTY KC8PEQ

LAS VEGAS, NV 702-647-3114 • 1-800-634-6227



CHUCK K3CEC



JULIO KP4UZ
**Hablo español
Ich spreche Deutsch**



LUKE KK7XX
Store Manager



SQUEAK AD7K



TERRY
Assistant Manager



TOM W7TAA
Assistant Manager

ORLANDO, FL 407-894-3238 • 1-800-327-1917



BRUCE



CHARITY KF4RQY
Store Manager



EDDIE KD4RAZ
Hablo español



ERNE K1HO



GEORGE K2WO



GRANT K4IQW
Assistant Manager



JIM AA9LW

CALL 414-358-4087 for SERVICE


Unlike some dealers, when you purchase a New radio from us our Service Department is able to provide you with outstanding technical support. Our technicians have decades of cumulative experience in the Ham Radio service field.



MILES, K9HMQ (Service Mgr.)
(Milwaukee Store)



STEVE, N9SO
(Milwaukee Store)



ED, KB8YSX
(Ohio Store)

Warranty Service

Please refer to manufacturers warranty for information about warranties. Radios that are purchased new from AES and qualify for warranty, will be repaired at no charge by AES or the manufacturer (DOA's may be replaced).

Out-Of-Warranty, Late Model Equipment

Whether the item was purchased from us or not, we will attempt to service it, provided service parts are still available. Before shipping your out-of-warranty items, arrangements must be made by phoning the Milwaukee Service Department at 414-358-4087

Shipping Equipment for Service

Before sending your item, make sure you contact the nearest AES location and find out the time frame for repairs. If you are concerned about time limitations, this will help you determine where to send the repair and how long your radio will be out.

Always include the following along with the item being shipped:

- a detailed note describing the problem(s)
- your address, day-time phone number, and email address
- a copy of the original invoice, if item is still under warranty
- the method of payment (see Policies page for options)

After packing your item securely in a box with ample packing materials (foam, styrofoam spacers, etc.), mark the shipping label "Attn: Service", and always adequately insure your items.

Labor Rates

- \$60 per hour for Out-Of-Warranty Service
- \$80 minimum on HF/VHF Base Stations
- \$60 minimum on VHF Mobiles and Handheld Transceivers
- Rates do not include Parts, Return Shipping or Handling Charge

Shipping Information

FLAT RATE SHIPPING via UPS Ground Method in the Lower 48 States

AMOUNT OF ORDER

SHIPPING CHARGES

Up to \$100.00	\$4.99
\$100.01 to \$500.00	\$9.99
\$500.01 to \$1,499.99	\$14.99
\$1500.00 & UP	PREPAID

*Flat Rate Does Not Apply To Drop Shipments or
UPS Ground Shipments to Alaska*

Flat Rate Advantage - No Penalty for Number of Cartons or Weight!



EXCEPTIONS TO RATES ABOVE

Optional UPS methods (Red, Blue & Orange) and any USPS methods are charged at Regular Rates without any credit for UPS ground rates. COD's are not accepted for these other methods.

Shipments to APO/FPO go via Priority Mail. Puerto Rico, Alaska and Hawaii can be shipped to via Priority Mail or Blue Label. Orders exceeding UPS or USPS weight, size or value limits will be shipped via Truck or Air Freight collect. Shipping charges taxable in WI, FL & NV.

Please see **Policies Page** for complete information.

TRACKING NUMBERS for out-bound shipments are gladly given. Call our local number, **414-358-0333**, and ask for our Tracking Number Service.



Domestic Air

$$\frac{L \times W \times H}{194} = \text{Dimensional Weight}$$

International Air

$$\frac{L \times W \times H}{166} = \text{Dimensional Weight}$$

Packing

When returning heavy, delicate, and expensive equipment, it must be carefully packed in order to avoid damage caused by normal transportation dynamics. In other words, if you put your IC-756PRO, TS-2000 or AL-1500 in a box with little or no packing beneath it, chances are it will sustain some damage. When contents of packages are damaged, claims will be paid only if the carton and packing meet standards set in the International Safe Transit Association Procedure 1 and 1-A. These standards simply state that cartons and packing should provide reasonable protection to their contents. Ideally, contents should be suspended in the center of the carton by the packing material, no less than three inches on all sides for heavy items. For items heavier than 20 pounds, three inches of foam or crumpled paper should be used instead of polystyrene edge protectors.

Include information


When you send your well-packed parcel to AES for repair, return or trade-in, be sure to include a letter inside the package. Do not rely on information written or taped on the outside of the carton. This information can be destroyed by moisture or abrasion. In the letter, put your call, name, address, phone and reason for return. You may also want to include your e-mail address and times you can be reached via telephone.

Dim Weight

When calculating the cost of Air Shipments, whether Fed-Ex, UPS or other carrier, they use Dimensional (Dim) weight to insure adequate revenues per cubic foot of cargo plane space. The illustration above shows how to calculate the Dim weight for both Domestic and International shipments. For example: a 12"x13"x16" box that weighs 6 pounds will be sent at the 12 pound rate via Domestic Air.

We Invite You to Visit the Nearest AES® Location

All Store Hours: Mon-Fri • 9am to 5:30pm, Saturday • 9am to 3pm



MILWAUKEE, WISCONSIN




5710 W. Good Hope Rd. • 414-358-0333 • 1-800-558-0411

CLEVELAND, OHIO



28940 Euclid Ave. • 440-585-7388 • 1-800-321-3594

ORLANDO, FLORIDA



621 Commonwealth Ave. • 407-894-3238 • 1-800-327-1917

LAS VEGAS, NEVADA



4640 South Polaris Ave. • 702-647-3114 • 1-800-634-6227

ALINCO (HAM DISTRIBUTION, INC.)

15-B5 S. Trade Center Pkwy.
Conroe, TX 77385
936-271-3366 • fax: 936-271-3398
alinfo@consolidated.net

ALPHA DELTA

P.O. Box 620
Manchester, KY 40962
606-598-2029 • fax: 606-598-4413
sales-info@alphadeltacom.com

AMERICAN RADIO RELAY LEAGUE

225 Main St.
Newington, CT 06111
860-594-0200 • fax: 860-594-0259
hq@arrl.org

AMERITRON

116 Willow Rd.
Starkville, MS 39759
662-323-8211 • fax: 662-323-6551
ameritron@ameritron.com

ANTENEX

2000-205 Bloomingdale Rd.
Glendale Heights, IL 60139
630-351-9007 • fax: 630-351-9009
sales@antennex.com

AOR U.S.A.

20655 S. Western Ave. Suite 112
Torrance, CA 90501
310-787-8615 • fax: 310-787-8619
info@aorusa.com

ASTRON CORPORATION

9 Autry
Irvine, CA 92618
949-458-7277 • fax: 949-458-0826
sales@astroncorp.com

BARKER & WILLIAMSON (B&W)

603 Cidco Road
Cocoa, FL 32926
321-639-1510 • fax: 321-639-2545
tech@bwantennas.com

BENCHER/ BUTTERNUT

241 Depot Street
Antioch, IL 60002
847-838-3195 • fax: 847-838-3479
bencher@bencher.com

CABLE X-PERTS

225 Larkin Drive, Suite #6
Wheeling, IL 60090
847-276-2574 • fax: 847-276-2577
info@cablexperts.com

CELESTRON

2835 Columbia St.
Torrance, CA 90503
310-328-9560 • fax: 310-212-5835
pr@celestron.com

COMET ANTENNA See - NCG Co.**COMMUNICATIONS SPECIALISTS, INC.**

426 West Taft Ave.
Orange, CA 92665
800-854-0547 • fax: 800-850-0547
sales@com-spec.com

CONNECT SYSTEMS, INC.

1802 Eastman Ave Suite 116
Ventura, CA 93003
805-642-7184 • fax: 805-642-7271
sales@connectsystems.com

CUSHCRAFT CORPORATION

48 Perimeter Road
Manchester, NH 03108
603-627-7877 • fax: 603-627-1764
techsup@cushcraft.com

DAVIS INSTRUMENTS

3465 Diablo Ave.
Hayward, CA 94545
510-732-9229 • fax: 510-670-0589
support@davisnet.com

DCI DIGITAL COMMUNICATIONS, INC.

20 South Plains Road
Emerald Park, SK, Canada - S4L 1B7
800-563-5351 • fax: 306-781-2008
dci@dci.ca

DIAMOND ANTENNA/RF PARTS

435 So. Pacific St.
San Marcos, CA 92078
760-744-0900 • fax: 760-744-3116
diamondantenna@rfparts.com

GAP ANTENNA PRODUCTS, INC.

99 North Willow St.
Fellsmere, FL 32948
772-571-9922 • fax: 772-571-9988
contact@gapantenna.com

GARMIN USA

1200 E. 151st Street
Olathe, KS 66062
800-800-1020 • fax: 913-397-8282

GLEN MARTIN ENGINEERING, INC.

13620 Old Hwy 40
Boonville, MO 65233
800-486-1223 • fax: 660-882-7200
info@glenmartin.com

GRUNDIG

1015 Corporation Way
Palo Alto, CA 94303
800-872-2228 • fax: 650-903-3867
info@grundig.com

HAL COMMUNICATIONS CORP.

P.O. Box 365
Urbana, IL 61803
217-367-7373 • fax: 217-367-1701
halcomm@halcomm.com

HEIL SOUND LTD.

5800 N. Illinois
Fairview Heights, IL 62208
618-257-3000 • fax: 618-257-3001
info@heilsound.com

HUSTLER

One Newtronics Place
Mineral Wells, TX 76067
940-325-1386 • fax: 940-328-1409
service@new-tronics.com

HY-GAIN

300 Industrial Park Rd.
Starkville, MS 39759
662-323-5953 • fax: 662-323-6551
hygain@hy-gain.com

ICOM AMERICA, INC.

2380 116th Avenue N.E.
Bellevue, WA 98004
425-454-8155 • fax: 425-454-1509
amateur@icomamerica.com

ICOM SERVICE CENTER - MICHIGAN

1792 Nash Drive.
St. Joseph, MI 49085

ICOM SERVICE CENTER - SOUTH EAST.

1140 Watkins Road
Anderson, SC 29625
864-222-3539 • fax: 864-222-3538

KANTRONICS

1202 East 23rd St.
Lawrence, KS 66046
785-842-7745 • fax: 785-842-2031
service@kantronics.com

KENWOOD COMMUNICATIONS

P.O. Box 22745
Long Beach, CA 90801-5745
310-639-4200 • fax: 310-537-8235
kcc-amateur@kenwoodusa.com
www.kenwood.net

KENWOOD SERVICE CENTER-WEST

17300 Marquardt Ave.
Cerritos, CA 90703-1023
562-483-8740 • fax: 562-483-8749

KENWOOD SERVICE CENTER-EAST

829 Lynnhaven Parkway, #130
Virginia Beach, VA 23452
757-340-1702 • fax: 757-340-6809

LDG ELECTRONICS, INC.

1445 Parran Rd. P.O. Box 48
St. Leonard, MD 20685
410-586-8475 • fax: 410-586-8475
ldg@ldgelectronics.com

M2 ANTENNAS, INC.

4402 N. Selland Ave.
Fresno, CA 93722
559-432-8873 • fax: 559-432-3059
www.m2inc.com

MAHA COMMUNICATIONS, INC.

1647 Yaeger Ave.
La Verne, CA 91750
800-376-9992 • fax: 909-392-1035
www.mahaenergy.com

MEADE INSTRUMENTS

6001 Oak Canyon
Irvine, CA 92618
949-451-1450 • fax: 949-451-1460
www.meades.com

MFJ ENTERPRISES

300 Industrial Park Rd.
Starkville, MS 39759
662-323-5869 • fax: 662-323-6551
mfjcustserv@mfjenterprises.com

MIRAGE COMMUNICATIONS

300 Industrial Park Road
Starkville, MS 39759
662-323-8287 • fax: 662-323-6551
mfjcustserv@mirageamp.com

NCG CO. (COMET, DAIWA, MALDOL)

1275 North Grove St.
Anaheim, CA 92806
800-962-2611 • fax: 714-630-7024
mailto:sales@natcommgroup.com

NCS (New Communications Solutions)

5364 Valley Mist Trace Suite 101
Norcross, GA 30092
888-883-5788 phone/fax
ncs@ncsradio.com

OREGON SCIENTIFIC

19861 SW 95th Pl.
Tualatin, OR 97062-7526
503-639-8883 • fax: 503-684-8883

OUTBACKER NORTH AMERICA/KENT

214 Second St.
Manchester, NY
888-302-8777
information@outbackerantennas.com

PALOMAR ENGINEERS

P.O. Box 462222
Escondido, CA 92046
760-747-3343 • fax: 760-747-3346
info@palomar-engineers.com

PRYME (PREMIER COMM. & ADI)

480 Apollo Ste. E
Brea, CA 92821
714-257-0300 • fax: 714-257-0600
www.pryme.com

RADIALL/LARSEN ANTENNA TECH.

3611 NE 112th Ave.
Vancouver, WA 98682
360-944-7551 • fax: 360-944-7556
info@radiallarsen.com

SGC, INC.

13737 S.E. 26 St.
Bellevue, WA 98005
800-259-7331 • fax: 425-746-6384
sgc@sgcworld.com

SMILEY ANTENNA CO INC.

408 La Cresta Heights Rd.
El Cajon, CA 92021
619-579-8916 • fax: 619-579-8598
bill@htantennas.com

SONY

1200 N. Arlington
Itasca, IL 60143
630-773-6000 • fax: 630-773-7695

TIMES MICROWAVE SYSTEMS

358 Hall Ave
Wallingford, CT 06492
800-TMS-COAX • fax: 203-949-8423
jlanoue@timesmicrowave.com

TIMEWAVE TECHNOLOGY

1025 Selby Ave., Suite 101
St. Paul, MN 55104
651-489-5080 • fax: 651-489-5066
techsupport@timewave.com

UNIDEN

4700 Amon Carter Blvd
Fort Worth, TX 76155
800-297-1023 • fax: 817-858-3333
www.uniden.com

UNIFIED MICROSYSTEMS

3310 Bonnie Lane
Slinger, WI 53086
262-644-9036 phone/fax
w9xt@unifiedmicro.com

UNIVERSAL MANUFACTURING

43900 Groesbeck Hwy.
Clinton Township, MI 48036
586-463-2560 • fax: 586-463-2964

US TOWER CORPORATION

1099 W. Ropes avenue
Woodlake, CA 93286
or 702 E. North St.
Lincoln, KS 67455
559-564-6000 • fax: 559-564-6011
www.USTower.com

VECTRONICS

300 Industrial Park Rd.
Starkville, MS 39759
662-323-5800 • fax: 662-323-3158
mfjcustserv@vectronics.com

VIBROPLEX

11 E. Midtown Park
Mobile, AL 36606-4141
251-478-8873 • fax: 251-476-0465
catalog@vibroplex.com

W4RT Electronics

3077-K Leeman Ferry Rd
Huntsville, AL 35801
info@w4rt.com
fax: 256-880-3866

West Mountain Radio

18 Sheehan Avenue
Norwalk, CT 06854
info@w4rt.com
203-853-8080 fax: 203-299-0232

YAESU (VERTEX STANDARD)

10900 Walker Street
Cypress, CA 90630
714-827-7600
customerservice@vxstdusa.com

**LINKS TO VARIOUS
MANUFACTURERS' SITES AT
www.aesham.com
AES SERVICE 414-358-4087**

New to HF?



Why wait, upgrade today!

Whether you're new to HF or just looking for a capable second rig, the IC-718 is for you. Its front panel offers a clean, well laid out design with generous spacing between keys. The bright LCD display is clear and easy to read at a glance. Plus, the 718 offers some advanced features you wouldn't expect in a rig of this size (or price!): Built-in DSP; 100 Watts (40W AM) and 100% duty cycle; adjustable noise blanker; built-in VOX; built-in CW keyer; and more.

Looking to move up the performance ladder? For a moderate price increase, the 746PRO offers true "hot rod" features and capabilities. That's because this HF/6M/2M performer borrows much technology from its big brothers, the 756PRO series: Built-in 32-bit IF-DSP; 100 Watts on all bands, and 100% duty cycle; digital filtering (no need to buy optional filters!) with independently selectable tuning shapes for CW & SSB; menu-driven controls; auto and manual notch filter; built-in auto antenna tuner; band scope; and more.

Step up with Icom's 718 and 746PRO at your favorite AES location!

IC-718 160-10M* Coverage • 100W Output Power (40W on AM) • RX Coverage 0.03 - 30MHz • 101 Memories • Multiple Scanning Functions • Front Mounted Speaker • IF Shift • Mic Compressor • RF Gain Control • Noise Blanker • RF Attenuator & PreAmp • Auto Notch Filter • Ample CW features including Electronic Keyer • VOX • Digital S/R/F Meter • Flexible Filter Selection • Optional DSP • Optional Voice Synthesizer • And much more!

IC-746PRO 160-10M* Coverage, 2M, & 6M • 32 Bit Floating Point IF DSP & 24 Bit AD/DA Converter • Selectable Digital IF Filter Shapes For SSB & CW • Improved 3rd Order Intercept Point • All Mode • CW Memory Keyer • VOX • Auto Antenna Tuner • AGC Loop Management • Auto & Manual Notch • Digital Twin Passband Tuning • Built-in RTTY Demodulator & Decoder • LCD Display • 9600 Baud Packet Capable • RX Audio Equalizer • SWR Analyzer • And much more!

For the love of ham radio.

AMATEUR

AVIONIC

LAND MOBILE

MARINE

RECEIVERS

WWW.ICOMAMERICA.COM

ICOM

This space reserved for
contester of the year award.

Improve your odds.

The 756PRO series is legendary in contest circles. The first rig with 32-bit floating point IF-DSP. The first amateur rig with a large, TFT color LCD. The 756PROIII continues the legacy, advancing receiver performance with a +30dBm third order intercept (TOI) point and, to maximize sensitivity while minimizing distortion, 2 new 7800-style preamplifiers. Improve your odds. Test drive a new 756PROIII at your favorite AES location today.

IC-756PROIII • TX: HF + 6M • 100W, continually adjustable down to 5W • Adjustable SSB TX bandwidth • Digital voice recorder • Auto antenna tuner
• RX: 30 kHz to 60 MHz • Quiet, triple-conversion receiver • 32 bit IF-DSP with 24-bit A/D D/A converters • 64 MHz roofing filter • 5" TFT color LCD • 8 Channel RTTY TX memory • Digital twin passband tuning • Auto or manual-adjust notch with 70 dB attenuation • 13.4" W x 4.4" H x 11.2" D • 21.1 lb • And much more



For the love of **ham radio.**

AES[®]

AMATEUR ELECTRONIC SUPPLY

- Over 49 Years in Amateur Radio
- Knowledgeable Staff
- Complete Inventories
- Competitive Pricing
- Top Trades & Quality Used Gear
- Service Department

1-800-558-0411
www.aesham.com

AMATEUR ELECTRONIC SUPPLY
5710 W. Good Hope Rd.
Milwaukee, WI 53223

PSRST STD
U.S. POSTAGE
PAID
Permit #73
Milwaukee, WI

This **Dual Band** is **Ready for Action!**

DR-635T **2M/440MHz Mobile/Base**

Full Duplex Operation! Cross-band repeat, remote mountable control head, newly redesigned RF circuitry delivers increased resistance to interference, automatic temperature protection circuit, color changeable alphanumeric display, ignition key on/off, 200 memories, extended receive, DTMF mic and more!

Optional TNC or digital voice module and remote mount kit available.



WWW.ALINCO.com

Distributed in North America by Ham Distribution, Inc., 15 South Trade Center Pkwy, #B5, Conroe, Texas, 77385. Phone: 936-271-3366. Fax: 936-271-3398.

Products intended for properly licensed operators. Permits required for MARS use. CAP use subject to equipment approval. Specifications subject to change without notice or obligation.

Performance specifications only apply to amateur bands. *Cellular blocked in USA. Unblocked versions available to qualified users, documentation required.

NOTICE: Effective 5/1/2004, ALL warranty claims and requests for repair/technical assistance for Alinco products should be sent to Ham Distribution, Inc. regardless of contact information found on the warranty certificate packed with the product.